



**TYPICAL COMPOSITE PAVEMENT SECTION**

COMPOSITE PAVEMENT CLASSIFICATION	PAVEMENT THICKNESS
LOCAL COLLECTOR (BUS/TRUCK ROUTE)	50 mm HL-1 OR HL-3 200 mm PORTLAND CEMENT CONCRETE (PCC) 150 mm GRANULAR A
LOCAL COLLECTOR (NON BUS/TRUCK ROUTE)	50 mm HL-1 OR HL-3 150 mm PORTLAND CEMENT CONCRETE (PCC) 150 mm GRANULAR A

**NOTES:**

1. BRICK GUTTER WHERE SPECIFIED.
2. PAVEMENT THICKNESS SHALL BE ACCORDING TO CITY OF TORONTO PAVEMENT STRUCTURAL DESIGN MATRIX TABLE AS SHOWN ABOVE.
3. CONTRACTION JOINTS SHALL BE ACCORDING TO T-216.02-4.

All dimensions are in millimetres unless otherwise shown.



ENGINEERING & CONSTRUCTION SERVICES STANDARD DRAWING

REV 2

NOV 2014

**COMPOSITE PAVEMENT CONSTRUCTION  
FOR LOCAL AND COLLECTOR ROADS**

**T-216.02-1**

NTS

SHEET 1