

TABLE OF CONTENTS

| <u>SECTION</u> | <u>PAGE</u> |
|--|-------------|
| ACKNOWLEDGEMENTS | |
| EXECUTIVE SUMMARY | |
| <u>LIST OF APPENDICES</u> | II |
| <u>LIST OF TABLES</u> | II |
| <u>LIST OF FIGURES</u> | II |
| <u>1.0 INTRODUCTION</u> | 1 |
| <u>1.1 GENERAL OVERVIEW</u> | 1 |
| <u>2.0 DESCRIPTION OF ASHBRIDGES BAY TREATMENT PLANT</u> | 3 |
| <u>2.1 FACILITY PROCESSES</u> | 5 |
| <u>2.2 EMISSION SCENARIOS</u> | 7 |
| <u>3.0 EMISSION INVENTORY</u> | 9 |
| <u>3.1 IDENTIFICATION OF POINT SOURCES</u> | 9 |
| <u>3.2 IDENTIFICATION OF AREA AND FUGITIVE SOURCES</u> | 9 |
| <u>3.3 EMISSIONS INVENTORY METHODOLOGY</u> | 9 |
| <u>3.4 EMISSIONS CALCULATIONS FOR ABTP SOURCES</u> | 14 |
| <u>3.5 SUMMARY OF EMISSIONS</u> | 29 |
| <u>4.0 SELECTION OF CHEMICALS OF CONCERN</u> | 35 |
| <u>4.1 SHORT LISTING CHEMICALS</u> | 35 |
| <u>4.2 SELECTION OF FINAL CHEMICALS OF CONCERN</u> | 37 |
| <u>5.0 AIR QUALITY MODELLING</u> | 43 |
| <u>5.1 MODEL SELECTION</u> | 43 |
| <u>5.2 CALMET SET-UP</u> | 44 |
| <u>5.3 CALPUFF SET-UP</u> | 44 |
| <u>5.4 RECEPTOR NETWORK</u> | 50 |
| <u>6.0 METEOROLOGY AND AMBIENT AIR QUALITY</u> | 52 |
| <u>6.1 SOURCES OF METEOROLOGICAL DATA</u> | 52 |
| <u>6.2 AIR QUALITY DATA</u> | 55 |
| <u>7.0 DISPERSION MODELLING RESULTS</u> | 59 |
| <u>7.1 COMPARISON OF PREDICTED COC CONCENTRATIONS TO ONTARIO AIR QUALITY STANDARDS OR CRITERIA</u> | 59 |
| <u>7.2 COMPARISON OF PREDICTED COC CONCENTRATIONS TO HEALTH BENCHMARKS</u> | 63 |
| <u>7.3 COMPARISON OF PREDICTED COC CONCENTRATIONS TO TORONTO AMBIENT MEASUREMENTS</u> | 70 |
| <u>8.0 CONCLUSIONS AND RECOMMENDATIONS</u> | 74 |
| <u>9.0 LIMITATIONS OF STUDY</u> | 76 |
| <u>10.0 REFERENCES</u> | 77 |

LIST OF APPENDICES

| | |
|----------------------------|---|
| APPENDIX A | PROCESS FLOW DIAGRAMS |
| APPENDIX B | SOURCE PARAMETERS AND EMISSION INVENTORY |
| APPENDIX C | RANKING CHEMICALS |
| APPENDIX D | CALMET AND CALPUFF COMPUTATIONAL PARAMETERS AND SWITCHES |
| APPENDIX E | BUILDING WAKE DIMENSION ANALYSIS |
| APPENDIX F | CONCENTRATION CONTOURS OF CHEMICALS OF CONCERN (24 HR) |
| APPENDIX G | GLOSSARY OF SELECTED ACRONYMS, ABBREVIATIONS, TERMS AND UNITS |
| APPENDIX H | PEER REVIEW COMMENTS AND RESPONSES |

LIST OF TABLES

| | | |
|---------------------------|--|----|
| TABLE 3-1 | REFERENCE TERMINOLOGY FOR DATA QUALITY | 13 |
| TABLE 3-2 | REPRESENTATIVE ANNUAL REPORT FOR VOCs IN THE WATER ANALYSIS | 20 |
| TABLE 3-3 | INCINERATOR OPERATING SCHEDULE FOR ALL FOUR EMISSION SCENARIOS | 27 |
| TABLE 3-4 | BOILER OPERATIONS FOR EACH EMISSIONS SCENARIO | 27 |
| TABLE 3-5 | FREQUENCY OF EMISSION ESTIMATION TECHNIQUES APPLIED AT ABTP | 29 |
| TABLE 3-6 | SUMMARY OF ANNUAL ABTP EMISSIONS | 30 |
| TABLE 4-1 | FINAL LIST OF CHEMICALS OF CONCERN AND THEIR RANKINGS | 39 |
| TABLE 4-2 | CALCULATION METHODOLOGY FOR CHEMICALS OF CONCERN | 40 |
| TABLE 6-1 | METEOROLOGICAL DATA SOURCES AND PARAMETERS AVAILABLE | 52 |
| TABLE 6-2 | MSC HOURLY SURFACE STATIONS | 53 |
| TABLE 6-3 | UPPER AIR STATIONS | 53 |
| TABLE 6-4 | BUOY DATA WITHIN COMPUTATIONAL DOMAIN | 53 |
| TABLE 6-5 | SUMMARY OF TORONTO AIR MONITORING STATIONS WITH CHEMICALS OF CONCERN | 56 |
| TABLE 6-6 | SUMMARY OF CHEMICALS OF CONCERN AMBIENT AIR MONITORING MEASUREMENTS | 57 |
| TABLE 6-7 | COMPARISON BETWEEN CHEMICALS OF CONCERN OBSERVATIONS AND AAQCS/TPH HEALTH BENCHMARKS | 58 |
| TABLE 7-1 | COMPARISON OF PREDICTED COC'S FOR ONTARIO AAQCS – THE BEACHES | 61 |
| TABLE 7-2 | COMPARISON OF PREDICTED COC'S FOR ONTARIO AAQCS – SOUTH RIVERDALE | 62 |
| TABLE 7-3 | COMPARISON OF MAXIMUM PREDICTED CONCENTRATIONS TO HEALTH BENCHMARKS – THE BEACHES | 64 |
| TABLE 7-4 | COMPARISON OF PREDICTED CONCENTRATIONS TO HEALTH BENCHMARKS – SOUTH RIVERDALE | 65 |
| TABLE 7-5 | COMPARISON OF PREDICTED MAXIMUM CONCENTRATIONS WITH MAXIMUM TORONTO AMBIENT AIR OBSERVATIONS | 71 |
| TABLE 7-6 | PREDICTED TOTAL POTENTIAL 24-HOUR CONCENTRATIONS – THE BEACHES | 72 |
| TABLE 7-7 | PREDICTED TOTAL POTENTIAL 24-HOUR CONCENTRATIONS – SOUTH RIVERDALE | 73 |

LIST OF FIGURES

| | | |
|----------------------------|--|----|
| FIGURE 2-1 | AERIAL PHOTOGRAPH OF ASHBRIDGES BAY TREATMENT PLANT | 3 |
| FIGURE 2-2 | CONCEPT PLAN FOR KEY PLANT AREAS - ASHBRIDGES BAY TREATMENT PLANT | 4 |
| FIGURE 5-1 | CALMET COMPUTATION DOMAIN | 45 |
| FIGURE 5-2 | TERRAIN FEATURES | 46 |
| FIGURE 5-3 | DOMINANT LAND USE IN THE CALMET/CALPUFF DOMAIN | 47 |
| FIGURE 5-4 | CALPUFF COMPUTATIONAL DOMAIN AROUND ABTP | 48 |
| FIGURE 5-5 | STUDY AREAS AND LOCATION OF DISCRETE RECEPTORS – THE BEACHES AND SOUTH RIVERDALE | 51 |
| FIGURE 6-1 | COMPARISON OF CALMET WIND ROSE WITH ABTP WIND ROSE - 1996 | 54 |
| FIGURE 7-1 | 24-HOUR AVERAGE HYDROGEN SULPHIDE CONCENTRATIONS FOR SCENARIO #1 | 66 |
| FIGURE 7-2 | 24-HOUR AVERAGE HYDROGEN SULPHIDE CONCENTRATIONS FOR SCENARIO #2 | 67 |
| FIGURE 7-3 | 24-HOUR AVERAGE HYDROGEN SULPHIDE CONCENTRATIONS FOR SCENARIO #3 | 68 |
| FIGURE 7-4 | 24-HOUR AVERAGE HYDROGEN SULPHIDE CONCENTRATIONS FOR SCENARIO #4 | 69 |