

10.0 REFERENCES

- Allwine, K.J. and C.D. Whiteman, 1985: MELSAR: A mesoscale air quality model for complex terrain: Volume 1--Overview, technical description and user's guide. Pacific Northwest Laboratory, Richland, Washington.
- Awata H. et al, 1998, Polynuclear Aromatic Hydrocarbons: Properties and Environmental Fate. An EXAMS Model Simulation. Clemson University, Environmental Engineering & Science. (<http://www.ces.clemson.edu/ees/lee/pahs.htm>)
- Bari, A., Ferraro, V., Wilson, L., Luttinger, D. and L.Husain, 2003: Measurements of gaseous HONO, HNO₃, SO₂, HCl, NH₃, Particulate Sulfate and PM_{2.5} in New York, NY. Atmospheric Environment, 37(20), 2825-2835.
- Carson, D.J., 1973: The development of a dry, inversion-capped, convectively unstable boundary layer. Quart. J. Roy. Meteor. Soc., 99, 450-467.
- California Environmental Protection Agency (CAIEPA). Toxicity Criteria Database, Office of Environmental Health Hazard Assessment. <http://www.oehha.org/risk/ChemicalDB/index.asp>.
- Canadian Council of the Ministers of the Environment (CCME). Canada-Wide Standards. <http://www.ccme.ca/initiatives/standards.html>.
- Ciccone, A., 1994: Odour Assessment Study for the Main Treatment Plant, BCE 441-3345, Bovar-Concord Environmental, North York, Ontario.
- City of Toronto, 1997: Analysis of Influent, Effluent and Sludges from Toronto Wastewater Treatment Plants – Report on 1997 Study, Toronto, Ontario.
- City of Toronto, 2000: Toronto Wastewater Treatment Plants 1999 Annual Operation Performance Evaluation, Toronto, Ontario.
- City of Toronto, 2001: City of Toronto Annual Treatment Plant Survey for 2000, Toronto, Ontario.
- City of Toronto, 2002: City of Toronto Annual Treatment Plant Survey for 2001, Toronto, Ontario.
- Douglas, S. and R. Kessler, 1988: User's guide to the diagnostic wind model. California Air Resources Board, Sacramento, CA.
- EER Canada, 1994: Emissions Evaluation – Main Sewage Treatment Plant, Toronto, Ontario.
- EER Canada, 1998: Emissions Evaluation – Main Sewage Treatment Plant, Toronto, Ontario.
- Environmental Defence Fund, 2003. http://www.scorecard.org/env-releases/def/tep_gen.html.
- Environment Canada, 1994: The ARET Substance Selection Process and Guidelines. Hull, Quebec.
- Fairey J. and R. Loehr, 2003: Total and Volatile Polyaromatic Hydrocarbon Losses during Aerobic Slurry Phase Biotreatment, Pract. Periodical of Haz., Toxic, and Radioactive Waste Mgmt., Volume 7, Issue 3, pp. 182-189 (July).
- FLAG, 2000: Federal Land Manager' Air Quality Related Values Workgroup (FLAG). Phase I Report. U.S. Forest Service, National Park Service, U.S. Fish and Wildlife Service.

- Health Canada, 1996: Health-Based Tolerable Daily Intakes/Concentrations and Tumorigenic Doses/Concentrations for Priority Substances. 96-EHD-194.
- Health Canada. Environmental Assessment Reports of Priority Substances under the Canadian Environmental Protection Act.
- Hertwich, E.G., W.S. Pease, and T.E. McKone, 1998: Evaluating Toxic Impact Assessment Methods: What Works Best? *Environmental Science & Technology* [32\(5\): 138A -145A](#).
- Hertwich, E.G., S. Mateles, W.S. Pease, and T. McKone, 2001: Human toxicity potentials for life cycle assessment and Toxics Release Inventory risk screening. *Environmental Toxicology and Chemistry* [20\(4\):928-939](#).
- Holtslag, A.A.M. and A.P. van Ulden, 1983: A simple scheme for daytime estimates of the surface fluxes from routine weather data. *J. Clim. and Appl. Meteor.*, 22, 517-529.
- Liu, M.K. and M. A. Yocke, 1980: Siting of wind turbine generators in complex terrain. *J. Energy*, 4, 10:16.
- International Agency for Research on Cancer (IARC), 1987: IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans. Suppl. 7. Lyons, France.
- International Agency for Research on Cancer (IARC), 1995: IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans. Volume 63. Lyons, France.
- Mahrt, L., 1982: Momentum Balance of Gravity Flows. *Journal of Atmos. Sci.*, 39, 2701-2711.
- Ministry of the Environment, 1998: Procedure for Preparing an Emission Summary and Dispersion Modelling Report
- Ministry of the Environment, 1998: Backgrounder on the Development and Implementation of Air Quality Standards. Standards Development Branch, Ministry of the Environment, Ontario.
- Ministry of the Environment, 1999: Setting Environmental Quality Standards in Ontario: The Ministry of the Environment's Standards Plan. Standards Development Branch, Ministry of the Environment, Ontario.
- Maul, P.R., 1980: Atmospheric transport of sulfur compound pollutants. Central Electricity Generating Bureau MID/SSD/80/0026/R. Nottingham, England.
- McKone, T.E. CalTOX, 1993: A Multimedia Total Exposure Model for Hazardous-Waste Sites UCRL-CR-111456PtI-IV, U.S. Department of Energy, Lawrence Livermore National Laboratory, Government Printing Office, Washington, DC.
- O'Brien, J.J., 1970: A note on the vertical structure of the eddy exchange coefficient in the planetary boundary layer. *J. Atmos. Sci.*, 27, 1213-1215.
- Perry, S.G., D.J. Burns, L.H. Adams, R.J. Paine, M.G. Dennis, M.T. Mills, D.G. Strimaitis, R.J. Yamartino, E.M. Insley, 1989: User's Guide to the Complex Terrain Dispersion Model Plus Algorithms for Unstable Situations (CTDMPLUS) Volume 1: Model Description and User Instructions. EPA/600/8-89/041, U.S. Environmental Protection Agency, Research Triangle Park, NC.

- Scire, J.S. and F.R. Robe, 1997: Fine-Scale Application of the CALMET Meteorological Model to a Complex Terrain Site. Paper 97-A1313. Air & Waste Management Association 90th Annual Meeting & Exhibition, Toronto, Ontario, Canada. 8-13 June 1997.
- Scire, J.S., D.G. Strimaitis, and R.J. Yamartino, 2000a: A User's Guide for the CALPUFF Dispersion Model (Version 5). Earth Tech, Inc., Concord, MA
- Scire, J.S., F.R. Robe, M.E. Fernau, and R.J. Yamartino, 2000b: A User's Guide for the CALMET Meteorological Model (Version 5). Earth Tech, Inc., Concord, MA.
- Schulman, LL., D.G. Strimaitis, and J.S. Scire, 2000: Development and Evaluation of the PRIME Plume Rise and Building Downwash Model. Journal of the Air & Waste Management Association. March 2000, Volume 50, Number 3.
- United States of Environmental Protection Agency (USEPA). IRIS Database.
- U.S. Environmental Protection Agency (EPA), 1998: Interagency Workgroup on Air Quality Modelling (IWAQM), Phase 2 Report: Summary Report and Recommendation for Modelling Long Range Transport and Impacts on Regional Visibility. EPA-454/R-98-019.
- U.S. Environmental Protection Agency (EPA), 2000: Federal Register Notice dated April 21, 2000.
- World Health Organization (WHO), 2000: Air Quality Guidelines for Europe (2000), 2nd Edition.
- Zenon Environmental Inc., 1989: Analysis of Influent and Effluent from Water Pollution Control Plants, Burlington, Ontario.
- Zorix, 2001: Comprehensive Odour Assessment of Ashbridges Bay Treatment Plant: Interim Report 1 - Round 1 Sampling and Analysis, Mississauga, Ontario.
- Zorix, 2002a: Comprehensive Odour Assessment of Ashbridges Bay Treatment Plant: Interim Report 2 - Round 2 Sampling and Analysis, Mississauga, Ontario.
- Zorix, 2002b: Comprehensive Odour Assessment of Ashbridges Bay Treatment Plant: Interim Report 3 - Round 3 Sampling and Analysis, Mississauga, Ontario.
- Zorix, 2002c: Comprehensive Odour Assessment of Ashbridges Bay Treatment Plant: Interim Report 4 - Round 4 Sampling and Analysis, Mississauga, Ontario.
- Zorix, 2002d: Comprehensive Odour Assessment of Ashbridges Bay Treatment Plant: Final Report, Mississauga, Ontario.