

## 11. REFERENCES

- Adegbidi HG and Briggs RD. 2003. Nitrogen mineralization of sewage sludge and composted poultry manure applied to willow in a greenhouse experiment. *Biomass and Bioenergy* 25(2003): 665-673.
- Alaee M and Wenning RJ. 2002. The significance of brominated flame retardants in the environment: current understanding, issues and challenges. *Chemosphere* 46: 579-582.
- Alcock RE, Sweetman AJ, Prevedouros K and Jones KC. 2003. Understanding levels and trends of BDE-47 in the UK and North America: an assessment of principal reservoirs and source inputs. *Environment International* 29: 691-698.
- Anderson PD, D'Aco VJ, Shanahan P, Chapra SC, Buzby ME, Cunningham VL, Duplessie BM, Hayes EP, Mastrocco FJ, Parke NJ, Rader JC, Samulein JH and Schwab BW. 2004. Screening Analysis of Human Pharmaceutical Compounds in U.S. Surface Waters. *Environmental Science and Technology* 38(3): 838-849.
- Apedaile E, CH2M Hill Canada Limited, and Cole D. 2002. *Health Aspects of Biosolids Applied to Land*. Prepared for the City of Ottawa. March, 2002.
- Appel TR, Wolff M, von Rheinbaben F, Heinzl M. and Riesner D. 2001. Heat stability of prion rods and recombinant prion protein in water, lipid and lipid-water mixtures. *J. Gen. Virol.* 82: 465-473.
- ATSDR (Agency for Toxic Substances and Disease Registry). 2002. *Toxicological Profile for Polybrominated Biphenyls and Polybrominated Diphenyl Ethers (Draft)*. September 2002.
- Aulerich RJ, Ringer RK and Bleavins MR. 1982. Effects of Supplemental Dietary Copper on Growth, Reproductive Performance and Kit Survival of Standard Dark Mink and the Acute Toxicity of Copper to Mink. *Journal of Animal Science*: 337-343.
- Baes CF, Sharp RD, Sjoreen AL and Shor RW. 1984. *A Review and Analysis of Parameters for Assessing Transport of Environmentally Released Radionuclides through Agriculture*. September 1984. Prepared by the Oak Ridge National Laboratory (ORNL).
- Bechtel Jacobs Company. 1998. *Empirical Models for the Uptake of Inorganic Chemicals from Soil by Plants*. September 1998.



- Birnbaum LS and Staskal DF. 2004. Brominated Flame Retardants: Cause for Concern? *Environmental Health Perspectives* 112(1): 9-17.
- Bose K, Ghosh DK, Ghosh KN, Bhattacharya A and Das SR. 1990. Characterization of potentially pathogenic free-living amoebae in sewage samples of Calcutta, India. *Braz. J. Med. Biol. Res.* 23: 1271-1278.
- Brady NC and Weil RR. 2002 *The Nature and Property of Soils* Prentice Hall New Jersey.
- Brown P, Cerven L, McShane LM, Barber P, Rubenstein R and Drohan WN. 1999. Further Studies of blood infectivity in an experimental model of transmissible spongiform encephalopathy, with an explanation of why blood components do not transmit Creutzfeldt-Jakob disease in humans. *Transfusion.* 39: 1169-1178.
- Brown P, Cerven L and Diringer H. 2001. Blood infectivity and the prospects for a diagnostic screening test in Creutzfeldt-Jakob disease. *J. Lab. Clin. Med.* 137: 5-13.
- Brown P, Will RG, Bradley R, Asher DM and Detwiler L. 2001. Bovine Spongiform encephalopathy and variant Creutzfeldt-Jakob disease: background, evolution and current concerns. *Emerging Infectious Diseases.* Vol 7, No. 1. <http://www.cdc.gov/ncidod/eid>.
- Bryant P, Carapetis J, Matussek J. and Curtis N. 2002. Recurrent crepitant cellulitis caused by *Clostridium perfringens*. *Pediatr. Infect. Dis. J.* 21: 1173-1174
- Camann DE, Graham PJ, Guentzel MN, Hardin HJ, Kimball KT, Moore BE, Northrop RL, Alman NL, Harris RB, Holguin AH, Mason RL, Popescu CB, and Sorber CA. Health Effects Study of the Lubbock Land Treatment Project. Research Triangle Park, N.C. USA: US environmental Protection Agency, EPA-600/1-85-023, 1985.
- Camp Dresser & McKee Inc. (CDM). 1998. *Biosolids Utilization Evaluation Program Final Project Report*. Prepared for Connecticut Department of Environmental Protection. Cited in WERF 2002.
- Canadian Food Inspection Agency (CFIA). 1997. Standard for Metals in Fertilizers and Supplements. T-4-93, September 1997.
- CFIA. 1997. Organic Fertilizers under the Fertilizers Act. T-4-106, September 1997.
- CFIA. 1997. Information Required for the Assessment of By-Products and Other "Waste" Materials Sold as Fertilizers or Supplements. T-4-112, September 1997.



- CFIA. 1997. Guidelines to Safety Assessments of Fertilizers and Supplements and to Information to be Submitted in Demonstrating Product Safety. T-4-113, September 1997.
- CCME (Canadian Council of Ministers of the Environment). 1996. A Framework for Ecological Risk Assessment: General Guidance. CCME Subcommittee on Environmental Quality Criteria for Contaminated Sites. March, 1996.
- CCME (Canadian Council of Ministers of the Environment). 1997 A Framework for Ecological Risk Assessment: Technical Appendices. CCME Subcommittee on Environmental Quality Criteria for Contaminated Sites. March, 1997.
- CCME (Canadian Council of Ministers of the Environment). 1999 (Revised 2002). Canadian soil quality guidelines for the protection of environmental and human health. *In: Canadian environmental quality guidelines, 1999.* Winnipeg, MN, Canada.
- CCME (Canadian Council of Ministers of the Environment). 2000. *Canada Wide Standards for Petroleum Hydrocarbons (PHCs) in Soil: Scientific Rationale.* Canadian Council of Ministers of the Environment. December 2000.
- Canadian Environmental Protection Act (CEPA). 1999. Section 64. <http://www.ec.gc.ca/substances/ese/>.
- Chakrabarty, A. N., Naryan, K. G. (1979). Clostridium perfringens type A: certain characters of epidemiologic significance. *J Hyg Epidemiol Microbiol Immunol.* 1979; 23(3):266-72.
- Chauret C, Springthorpe S. and Sattar S. 1999. Fate of Cryptosporidium oocysts, Giardia cysts, and microbial indicators during wastewater treatment. *Can. J. Microbiol.* 45 :257-262.
- Choi SM, Sun DY and Lee BM. 2004. Toxicological Characteristics of Endocrine-Disrupting Chemicals: Developmental Toxicity, Carcinogenicity, and Mutagenicity. *Journal of Toxicology and Environmental Health, Part B* 7: 1-32.
- Colborne T, Dumanoski D, Myers JP, and Gore AJ. Our Stolen Future. March 1997. Penguin Books. Toronto, Canada
- De Luca SJ, Idle, CN and Chao AC. 1996. Quality Improvement of Biosolids by Ferrate(VI) Oxidation of Offensive Odour Compounds. *Water Science Technology* 33(3): 119-130.
- de Wolf W, Feijtel T, De-Worl, W. 1998. Terrestrial risk assessment for linear alkylbenzene sulfonate (LAS) in sludge – amended soils. *Chemosphere* 36(6):1319-1343 in WEAO, 2001.



- Diaz GJ, Julian RJ and Squires EJ, 1994. Lesions in Broiler Chickens Following Experimental Intoxication with Cobalt. *Avian Dis.* 38: 308-316.
- Efroymsen RA, Sample BE and Suter GW. 2001. Uptake of inorganic chemicals from soil by plant leaves: Regressions of field data. *Environ. Toxicol. Chem.* 20: 2561-2571.
- Environment Canada. 2000. Priority Substances List Assessment: Nonylphenol and its Ethoxylates. December 2000.
- Environment Canada. 2004. Environmental Screening Assessment Report on Polybrominated Diphenyl Ethers (PBDEs), Draft for Public Comment. February 2004.
- Fayer R. 1994. Effect of high temperature on infectivity of *Cryptosporidium parvum* oocysts in water. *Appl Environ Microbiol.* 60:2732-2735
- Fertilizers Act R.S. 1985,c. F-10 <http://laws.justice.gc.ca/en/F-10/text.html>
- Fertilizers Regulations. 2003. F-10 – C.R.C. c 666 Section 10(1) <http://laws.justice.gc.ca/en/F-10/C.R.C.-c.666/text.html>.
- Fujino T, Matsui T, Kobayashi F, Haruki K, Yoshino Y, Kajima J, and Tsuji M. 2002. The effect of heating against *Cryptosporidium* oocysts. *J Vet Med Sci.* 64:199-200.
- Gale, P., Young, C., Stanfield G. and Oakes, D. (1998). Development of a risk assessment for BSE in the aquatic environment. *J. Appl. Microbiol.* 84:467-477.
- Government of Canada 1985. Fertilizers Act. Amended 2003.
- Haak H and Letcher RJ. 2003. Metabolism in the toxicokinetics and fate of brominated flame retardants - a review. *Environment International* 29: 801-828.
- Haas A, Platz S, Eichhorn W, Kaaden OR and Unshelm J. 1998) Effect of steam application based on microbiological and parasitologic test procedures. *Zentralbl Hyg Umweltmed.* 201: 337-47.
- Hale RC, La Guardia MJ, Harvey EP, Gaylor MO, Mainor TM and Duff WH. 2001. Persistent pollutants in land-applied sludges. *Nature* 412(12 July 2001): 140-141.
- Hardy ML. 2001. A comparison of the properties of the major commercial PBDPO/PBDE product to those of major PBB and PCB products. *Chemosphere* 46: 717-728.

- Harp JA, Fayer R, Pesch BA, Jackson GJ. 1996. Effect of pasteurization on infectivity of *Cryptosporidium parvum* oocysts in water and milk. *Appl Environ Microbiol.* 62:2866-2868.
- Hatheway CL. 1990. Toxigenic Clostridia. *Clin. Microbiol. Rev.* 3:66-98.
- Health Canada. 1995. Investigating Human Exposure to Contaminants in the Environment: A Handbook for Exposure Calculations. Ministry of Supply and Services Canada. 1995.
- Health Canada. 1996a. Canadian Soil Quality Guidelines for Contaminated Sites, Human Health Effects: Inorganic Lead. Final Report. March 1996.
- Health Canada. 1998a. Risk assessment on diisononyl phthalate in vinyl children's products. November 14, 1998. Available at: <http://www.hc-sc.gc.ca/english/protection/warnings/1998/risk.html>.
- Health Canada. 1998b. Advisory: Health Canada advises parents and caregivers of very young children to dispose of soft vinyl (PVC) teething rings and soft vinyl (PVC) rattles. Posted November 16, 1998. Available at: [http://www.hc-sc.gc.ca/english/protection/warnings/1998/98\\_85e.htm](http://www.hc-sc.gc.ca/english/protection/warnings/1998/98_85e.htm).
- Health Canada, 2003a. Federal Contaminated Site Risk Assessment in Canada Part II: Health Canada Toxicological Reference Values (TRVs), Version 1.0, October 2003.
- Health Canada, 2003b. Federal Contaminated Site Risk Assessment in Canada Part I: Guidance on Human Health Screening Level Risk Assessment (SLRA), Version 1.1, October 2003.
- Health Canada. 2004. "Polybrominated Diphenyl Ethers (PBDEs) [Tetra-, Penta-, Hexa-, Hepta-, Octa-, Nona-, and Deca-Cogeners]. Screening Assessment Report – Health, February 25.
- Heaphy S. 2000. Prion diseases. Leicester University: National Space Science Centre. <http://www-micro.msb.le.ac.uk/335/prions.html>.
- Hites RA. 2004. Polybrominated Diphenyl Ethers in the Environment and in People: A Meta-Analysis of Concentrations. *Environmental Science and Technology* 38(4): 945-956.
- IAEA (International Atomic Energy Agency). 1994. Handbook of Parameter Values for the Prediction of Radionuclide Transfer in Temperate Environments. Technical Reports Series No. 364. IAEA, Vienna.



- Kato S, Fogarty E. and Bowman D. 2003. Effect of aerobic and anaerobic digestion on the viability of *Cryptosporidium parvum* oocysts and *Ascaris suum* eggs. *Int J Environ Health Res.* 13: 169-79.
- Kavlock RJ, Daston GP, DeRosa C, Fenner-Crisp P, Gray LE, Kaatari S, Lucier G, Luster M, Mac MJ, Maczka C, Miller R, Moore J, Rolland R, Scott G, Sheehan DM, Sinks T and Tilson HA. 1996. Research Needs for the Risk Assessment of Health and Environmental Effects of Endocrine Disruptors: A Report of the U.S. EPA-sponsored Workshop. *Environmental Health Perspectives* 104(Supplement 4): 715-740.
- Khuder, S.A., T. Arthur, M.S. Bisesi, E.A. Schaub. Prevalence of Infectious Diseases and Associated Symptoms in Wastewater Treatment Workers. *American Journal of Industrial Medicine.* 1998;33 pp571-577.
- Kleywegt S. Ontario Ministry of the Environment. April 7, 2004. Personal communication via email to Erik Apedaile. Subject: Re: PCB dioxin/furan data.
- Kolpin DW, Furlong ET, Meyer MT, Thurman EM, Zaugg SD, Barber LB and Buxton HT. 2002. Pharmaceuticals, Hormones, and Other Organic Wastewater Contaminants in U.S. Streams, 1999-2000: A National Reconnaissance. *Environmental Science and Technology* 36: 1202-1211.
- Law RJ, Alae M, Allchin CR, Boon JP, Lebeuf M, Lepom P and Stern GA. 2003. Levels and trends of polybrominated diphenylethers and other brominated flame retardants in wildlife. *Environment International* 29: 757-770.
- Lichtigfeld FJ. 1967. Mixed anaerobic infection in minor trauma. *S. Afr. Med. J.* 41:222-224.
- Li-Muller A. 2001. Toronto Public Health. *EMERGING ISSUES Prion Diseases: Can biosolids carry the pathogen that causes mad cow disease?* May 10, 2001
- Lundholm M and Rylander R. Work related symptoms among sewage workers. *British Journal of Industrial Medicine.* 1983; 40: pp325-329.
- McCann B. 2004. Disruptive Influences. *Water21:* 20-22.
- McDougall R, Van Ham MD, and Douglas MJ. 2002 Best Management Practices Guidelines for the Land Application of Managed Organic Matter in British Columbia
- Mocé-Llivina L, Muniesa M, Pimenta-Vale H, Lucena F and Jofre J. 2003. Survival of bacterial indicator species and bacteriophages after thermal treatment of sludge and sewage. *Appl. Environ. Microbiol.* 69: 1452-1456.



- MOE (Ontario Ministry of the Environment). 1993. Ontario Typical Range of Chemical Parameters in Soil, Vegetation, Moss Bags and Snow. Old Urban Parkland Land Use.
- MOE. 1996a Guidelines for the Utilization of Biosolids and Other Wastes on Agricultural Land, Ontario Ministry of the Environment and Ministry of Agriculture, Food and Rural Affairs.
- MOE. 1996c. Rationale for the Development and Application of Generic Soil, Groundwater and Sediment Criteria for use at Contaminated Sites in Ontario. Ontario Ministry of the Environment.
- MOE. 1997. Environmental Protection Act, Revised Regulations of Ontario, Amended to O. Reg. 323/02
- MOE. 2003. Nutrient Management Act. Ontario Ministry of the Environment.
- MOE. Regulation 367/03, the Nutrient Management Regulation Ontario. Ministry of the Environment.
- Mollenhauer HH, Corrier DE and Clark DE. Effects of Dietary Cobalt on Testicular Structure. *Virchows Arch. B.* 49: 241-248.
- Moss, L.H., E. Epstein, T. Logan, S.D. Frank, K. Scott. 2002. *Evaluating Risks and Benefits of Soil Amendments used in Agriculture*. WERF Report (99-PUM-1).
- Murthy S, Kim H, Peot C, McConnell L, Strawn M, Sadick T and Dolak I. 2003. Evaluation of Odor Characteristics of Heat-Dried Biosolids Product. *Water Environment Research* 75(6): 523-531.
- Norstrom RJ, Simon M, Moisey J, Wakeford B, and Weseloh DVC. 2002. Geographical Distribution (2000) and Temporal Trends (1981-2000) of Brominated Diphenyl Ethers in Great Lakes Herring Gull Eggs. *Environmental Science and Technology* 36(22): 4783-4789.
- Northrop RL, Carnow B, Wadden R, Rosenberg S, Neal A, Sheaff L, Holden J, Meyer S, and Scheff P. Health effects of aerosols emitted from an activated sewage sludge plant. H. Pahren and W. Jakubowski, eds. *Wastewater Aerosols and Disease*. Cincinnati, Ohio: US Environmental Protection Agency, EPA-800/9-80-028, 1980:pp180.
- OMAF (Ontario Ministry of Agriculture and Food). 2000 Publication 384 Turfgrass Management Recommendations Queens Printer for Ontario Toronto.



- Pflug IJ, Holcomb RG and Gomez MM. 2001. Principles of the thermal destruction of microorganisms. In *Disinfection, Sterilization and Preservation*, 5th. Edition, S. S. Block (Ed), Lippincott, Williams and Wilkins, Philadelphia. pp 79-129.
- Plym-Forsshell L. 1995. Survival of salmonellas and *Ascaris suum* eggs in a thermophilic biogas plant. *Acta Vet Scand.* 36:79-85.
- Prusiner SB. 2000. The prion diseases. <http://www.nmia.com/~mdibble/prion.html>.
- Richardson GM. 1997 *Compendium of Canadian Human Exposure Factors for Risk Assessment*, Richardson.
- Rosenfeld PE, Henry CL, Dills RL and Harrison RB. 2001. Comparison of Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Water, Air, and Soil Pollution* 127: 173-191.
- Sample BE, Opresko DM and Suter GW. 1996. Toxicological benchmarks for wildlife: 1996 revision. Prepared by Oak Ridge National Laboratory for U.S. Department of Energy, Office of Environmental Management. ES/ER/TM-86/R3. 43pp. + app.
- Sample BE, Beauchamp JJ, Efroymsen RA and Suter GW. 1998a. Development and validation of bioaccumulation models for small mammals. Prepared by Oak Ridge National Laboratory for the U.S. Department of Energy, Office of Environmental Management. ES/ER/TM-219. 40 pp + app.
- Sample BE, Beauchamp JJ, Efroymsen RA, Suter GQ, and Ashwood TL. 1998b. Development and Validation of Bioaccumulation Models for Earthworms. Prepared by Oak Ridge National Laboratory for the U.S. Department of Energy, Office of Environmental Management. ES/ER/TM-220. 45 pp.
- Schettler T, Solomon G, Valenti M and Huddle A. 1999. Chapter 6: Endocrine Disruptors IN Generations at Risk: Reproductive Health and the Environment. The Massachusetts Institute of Technology Press. Cambridge. Pp. 151-188.
- Seghers Keppel. Not dated. "HARDpelletiser: the Pearl Process<sup>TM</sup> – Case study, Toronto City Sludge treatment."
- Shanahan P. 2004. Model supports US understanding on pharmaceuticals. *Water21*: 22.
- Sjodin A, Patterson Jr. DG and Bergman A. 2003. A review on human exposure to brominated flame retardants - particularly polybrominated diphenyl ethers. *Environment International* 29: 829-839.



- Springborn Laboratories, Inc. 2000a. *A One-Generation Reproduction Range-Finding Study in Rats with Nickel Sulphate Hexahydrate*. Ohio Research Center, Spencerville, OH.
- Springborn Laboratories, Inc. 2000b. *A Oral (Gavage) Two-Generation Reproduction Toxicity Study in Sprague-Dawley Rats with Nickel Sulphate Hexahydrate*. Ohio Research Center, Spencerville, OH.
- Suter GW. 1993. *Ecological Risk Assessment*. Lewis Publishers, Boca Raton, Florida.
- Tan, L., M.A. Williams, M.K. Khan, H.C. Champion, N.H. Nielsen, 1995. Risk of transmission of bovine spongiform encephalopathy to humans in United States. *JAMA*. 281, 24, 2330. Cited in US EPA, 1999. *Environmental Regulations and Technology. Control of Pathogens and Vector Attraction in Sewage Sludge*. Office of Research and Development, Washington, DC. EPA/625/R-92/013.
- US EPA (United States Environmental Protection Agency). 1986. Guidelines for the health risk assessment of chemical mixtures. *Fed. Reg.* 51: 34014-34025.
- US EPA. 1989. *Risk Assessment Guidance for Superfund, Volume I, Human Health Evaluation Manual (Part A) Interim Final*. EPA/540/1-89/002.
- US EPA. 1991. *Integrated Risk Information System (IRIS): Selenium and Selenium Compounds (Oral Assessment)*. Last revised 09/01/1991.
- US EPA. 1992. *Integrated Risk Information System (IRIS): Zinc and Compounds (Oral Assessment)*. Last revised 10/01/1992. Available at: <http://www.epa.gov/iris/>.
- US EPA. 1993. *Wildlife Exposure Factors Handbook*. EPA/600/R-93/187. United States Environmental Protection Agency.
- US EPA. 1993a. *Integrated Risk Information System (IRIS) Database: Arsenic, inorganic (Oral RfD Assessment)*. Last revised 02/01/1993. Available on-line at: <http://www.epa.gov/iris/>.
- US EPA. 1993b. *Integrated Risk Information System (IRIS) Database – Molybdenum (Oral RfD Assessment)*. Last Revised 08/01/1993. Available on-line at: <http://www.epa.gov/iris/>.
- US EPA. 1993. *Integrated Risk Information System (IRIS) Database: Di-(2-ethylhexyl) phthalate*. Last Revised 01/03/1993.
- US EPA. 1994. *Integrated Risk Information System (IRIS) Database – Cadmium (Oral RfD Assessment)*. Last Revised 02/01/1994. Available: <http://www.epa.gov/iris/>.



- US EPA. 1995. Integrated Risk Information System (IRIS) Database – Mercury, Elemental (Inhalation RfC Assessment). Last revised 06/01/1995. Available on-line at: <http://www.epa.gov/iris/>.
- US EPA. 1996a. Integrated Risk Information System (IRIS) Database – Nickel, Soluble Salts (Oral RfD Assessment). Last Revised 12/01/1996. Available on-line at: <http://www.epa.gov/iris/>.
- US EPA. 1996b. Integrated Risk Information System (IRIS) Database – Aroclor 1254. Available at: <http://www.epz.gov/iris/subst/0389.htm>.
- US EPA. 1997a. Integrated Risk Information System (IRIS) Database - Polychlorinated Biphenyls (PCBs). Available at: <http://www.epa.gov/iris/subst/0294.htm>.
- US EPA. 1997b. Special Report on Environmental Endocrine Disruption: An Effects Assessment and Analysis. February 1997. Available at: <http://www.epa.gov/ORD/WebPubs/endocrine/endocrine.pdf>.
- US EPA. 1997c. Exposure Factors Handbook. Office of Research and Development, National Center for Environmental Assessment, August, EPA/600/P-95/002Fa. United States Environmental Protection Agency. 1992
- US EPA. 1998a. Chromium Integrated Risk Information System (IRIS) Database – Chromium (III), insoluble salts. Oral RfD, Inhalation RfC and Carcinogenicity Assessments Last Revised 09/03/1998. Available at: <http://www.epa.gov/iris/.htm>.
- US EPA, 1998b. Integrated Risk Information System (IRIS) Database: Arsenic, inorganic (Carcinogenicity Assessment). Last revised 04/10/1998. Available on-line at: <http://www.epa.gov/iris/>.
- US EPA. 1999. Screening level ecological risk assessment protocol for hazardous waste combustion facilities. EPA530-D-99-001B. August, 1999.
- US EPA. 2000. *Child-Specific Exposure Factors Handbook*.
- US EPA. Regulation Part 503 Biosolids Rules. United States Environmental Protection Agency.
- US EPA Region III, 1995. Risk Assessment: Technical Guidance Manual. Assessing Dermal Contact with Soil. <http://www.epa.gov/reg3hwmd/risk/solabsg2.htm>
- US EPA Region III, 2001. “Risk-Based Concentration Table.” Revised 09/25/2001. On: <http://www.epa.gov/reg3hwmd/risk/riskmenu.htm>.

- Van Wezel AP, van Vlaardingen P, Posthumus R, Crommentuijn GH and Sijm DTHM. 2000. Environmental Risk Limits for Two Phthalates, with Special Emphasis on Endocrine Disruptive Properties. *Ecotoxicology and Environmental Safety* 46: 305-321.
- Water Environment Research Foundation (WERF). 2002. *Evaluating Risks and Benefits of soil Amendments Used in Agriculture*. IWA Publishing; Water Environment Federation, Alexandria, VA.
- Wenning R. 2002. Uncertainties and data needs in risk assessment of three commercial polybrominated diphenyl ethers: probabilistic exposure analysis and comparison with European Commission results. *Chemosphere* 46: 779-796.
- WEAO (Water Environment Association of Ontario). 2001. *Fate and Significance of Selected Contaminants in Sewage Biosolids Applied to Agricultural Land Through Literature and Consultation with Stakeholder Groups*.
- White R, Jobling S, Hoare SA, Sumpter JP and Parker MG. 1994. Environmentally Persistent Alkylphenolic Compounds are Estrogenic. *Endocrinology* 135: 175-182.
- Wilkinson CF and Lamb JC VI. 1999. The Potential Health Effects of Phthalate Esters in Children's Toys: A Review and Risk Assessment. *Regulatory Toxicology and Pharmacology* 30: 140-155.
- WHO (World Health Organization). 2002. *Global Assessment of the State-of-the-Science of Endocrine Disruptors*. Available: [http://www.who.int/pes/emerg\\_site/edc/global\\_edc\\_TOC.htm](http://www.who.int/pes/emerg_site/edc/global_edc_TOC.htm).
- Zhu LY and Hites RA. 2003. Determination of Polybrominated Diphenyl Ethers in Environmental Standard Reference Materials. *Analytical Chemistry* 75(23): 6696-6700.

