

End Notes

- 1 The PMRA provides, as a message to home owners about lawn care services, the statement: "Avoid Lawn Care Programs That Regularly Apply Pesticides Whether Or Not Pests Are Present." See: www.healthylawns.net/english/html/keyprint%2De.html
 - 2 See: www.wwf.ca/satellite/prip/factsheets/whyditch.html
 - 3 Toronto Public Health (1998) *Pesticides: A Public Health Perspective Technical Report*. Report to the Toronto Board of Health, October 30, 1998.
 - 4 Toronto Inter-departmental Environment Pesticides Subcommittee (2000) *TIE Pesticides Subcommittee Status Report for 1999*. Report to the Toronto Inter-departmental Environment Team, February 7, 2000.
 - 5 City of Toronto, (2000) *Environmental Plan: Clean, Green and Healthy – A Plan for an Environmentally Sustainable Toronto*, February, 2000.
 - 6 Ipsos-Reid Corporation, (2001) "Attitudes to Pest Control Study": 1. The survey was commissioned by Scotts Canada, SC Johnson, Nu-Gro and the Canadian Consumer Specialty Products Association.
 - 7 Ibid.
 - 8 See: www.healthylawns.net/english/index-e.html
 - 9 Letter to Sheela Basrur, Medical Officer of Health from Elizabeth Witmer, Ontario Minister of the Environment, September 19, 2001.
 - 10 Oraclepoll Research Ltd, (2001) "Ontario-Wide Support for Municipal By-Laws Restricting Pesticides" Key Findings: 1. The survey was commissioned by the Toronto Environmental Alliance.
 - 11 See for example, Ritter L (for the Ad Hoc Panel on Pesticides and Cancer). (1997) Report of a panel on the relationship between public exposure to pesticides and cancer. *Cancer* (80): 2019-33; Solomon, K.R. (2001) Guest Editorial. Pesticides are safe: Proving the unprovable. *Ground Swell*. Newsletter of the Crop Protection Institute. Volume 31. www.croplife.ca/english/pdf/newsletter0101.pdf
 - 12 American Medical Association. Council of Scientific Affairs. (1997). "Education and informational strategies to reduce pesticide risks." *Prev. Med.* (26): 191-200; Zahm, S.H. & M. H. Ward. (1998) "Pesticides and Childhood Cancer." *Environ Health Perspect.* (106): 893-908; Landrigan, P.J. (2000) "Pesticides and PCBs: Does the evidence show that they threaten children's health?" *Contemp Pediatrics* (18): 110-126; Reigart, J.R. & J.R. Roberts. (2001) "Pesticides in Children." *Pediatric Clinics of North America* (48): 1185-98.
-

-
- 13 American Medical Association. Council of Scientific Affairs. (1997). See note 12 above.
- 14 Reigart, J.R. and J.R. Roberts. (Eds.) (1999) *Recognition and Management of Pesticide Poisoning*. U.S. EPA #735-R-98-003; and O'Malley, M. (1997) "Clinical evaluation of pesticide exposure and poisonings." *Lancet* (349): 1161-66.
- 15 Sever, L.W. et al. (1997) "Reproductive and developmental effects of occupational pesticide exposure: The epidemiologic evidence." *Occup Med: State of the Art Reviews* (12): 305-25; Arbuckle, T.E. & L.E. Sever. (1998) "Pesticide exposures and fetal death: A review of the epidemiologic literature." *Crit RevTox.* (28): 229-270; and Nurminen, T. (1995) "Maternal pesticide exposure and pregnancy outcome." *J Occ Env Med.* (37): 935-940; Garcia, A.M. (1998) "Occupational exposure to pesticides and congenital malformations: A review of mechanisms, methods, and results." *Am J Ind Med* (33): 232-40.
- 16 Sever, et al. (1997) see note 16 above; Arbuckle & Sever (1998) see note 16 above; and Nurminen (1995) see note 16 above; Garcia (1998) see note 16 above; Curtis, K.M. et al. (1999) "The effect of pesticide exposure on time to pregnancy." *Epidemiology* (10): 112-17.
- 17 Arbuckle, T.E. et al. (2001) "An exploratory analysis of the effect of pesticide exposure on the risk of spontaneous abortion in an Ontario farm population." *Environ Health Perspect* (109): 851-57.
- 18 Savitz, D.A. et al. (1997) "Male pesticide exposure and pregnancy outcome." *Am J Epid* (146): 1025-3.
- 19 Nurminen (1995) see note 16 above; and Garcia, A.M. et al (1999) "Parental agricultural work and selected congenital malformations." *Am J Epid.* (149): 64-74.
- 20 Kristensen, P. et al. (1997) "Birth defects among offspring of Norwegian farmers, 1967-1991." *Epidemiology* (8): 537-44.
- 21 Garry, V.F. et al. (1996) "Pesticide applicators, biocides, and birth defects in rural Minnesota." *Environ Health Perspect.* (104): 394-399.
- 22 Shaw, G.M., et al. (1999) "Maternal pesticide exposure from multiple sources and selected congenital anomalies." *Epidemiology* (10): 60-66; and Bell, E.M., et al. (2001) "A case-control study of pesticides and fetal death due to congenital anomalies." *Epidemiology* (12): 148-56.
- 23 Weidner, I.S. et al. (1998) "Cryptorchidism and hypospadias in sons of gardeners and farmers." *Environ Health Perspect.* (106): 793-6.
- 24 Garry (1996) see note 22 above.
- 25 Lerda, D. & R. Rizzi. (1991) "Study of reproductive function in persons occupationally exposed to 2,4-dichlorophenoxyacetic acid (2,4-D)." *Mut Res.* (262): 47-50.
-

- 26 Arbuckle, T.E. et al. (1999) "2,4-Dichlorophenoxyacetic acid residues in semen of Ontario farmers." *Reprod Tox.* (13): 421-9.
- 27 Baldi, I. et al (2001) "Neuropsychologic effects of long-term exposure to pesticides: results from the french phytoner study." *Environ Health Perspect.* (109): 839-44; Cole, D. et al. (1997) "Neurobehavioural outcomes among farm and nonfarm rural Ecuadorians." *Neurotoxicol Teratol* (19): 277-86; Stephens, R. et al. (1995) "Neuropsychological effects of long-term exposure to organophosphates in sheep dip." *Lancet* (345): 1135-39.
- 28 Daniell, W. et al. (1992) "Neuropsychological performance among agricultural pesticide applicators." *Environ Res* (59): 217-28; Steenland, K. et al. (2000) "Neurologic function among termiticide applicators exposed to chlorpyrifos." *Environ Health Perspect* (108):293-300;
- 29 He, F. (2000) "Neurotoxic effects of insecticides – Current and future research: A review. *NeuroToxicol* (21): 829-36; and Baldi, I. et al (2001) "Neuropsychologic effects of long-term exposure to pesticides: results from the french phytoner study." *Environ Health Perspect.* (109):839-44.
- 30 Priyadarshi, A. et al. (2000) "A meta-analysis of Parkinson's disease and exposure to pesticides." *Neuro Toxicol* (21): 435-440.
- 31 Stephenson, J. (2000). "Exposure to home pesticides linked to Parkinson disease." *JAMA* (283): 3055-56. (Reporting on Dr. L. Nelson's presentation at the annual meeting of the American Academy of Neurology, May, 2000, San Diego.)
- 32 Le Couteur, D.G. et al. (1999) "Pesticides and Parkinson's disease." *Biomed Pharmacother* (53): 122-30.
- 33 Maurissen, J.P. et al. (2000) "Lack of selective developmental neurotoxicity in rat pups from dams treated by gavage with chlorpyrifos." *Toxicol Sci* (57): 250-63; and Sheet, L.P. (2000) "A consideration of age-dependent differences in susceptibility to organophosphorous -and pyrethroid insecticides." *NeuroToxicol* (21): 57-64.
- 34 Eskenazi, B. et al. (1999) "Exposures of children to organophosphate pesticides and their potential adverse health effects." *Environ Health Perspect.* (107/Suppl 3): 409-419.
- 35 Chanda, S.M. & C.N. Pope. (1996) "Neurochemical and neurobehavioral effects of repeated gestational exposure to chlorpyrifos in maternal and developing rats." *Pharmacol Biochem Behav* (53): 771-776; and Whitney, K.D. et al. (1995) "Developmental neurotoxicity of chlorpyrifos: cellular mechanisms." *Toxicol Appl Pharmacol.* (134): 53-62.
-

- 36 Levin, E.D. et al. (2001) "Persistent behavioral consequences of neonatal chlorpyrifos exposure in rats." *Dev Brain Res* (130): 83-9; and Jett, D.A., et al. (2001) "Cognitive function and cholinergic neurochemistry in weanling rats exposed to chlorpyrifos." *Toxicol Appl Pharmacol* (174): 89-98.
- 37 Guillette, E. et al. (1998) "An anthropological approach to the evaluation of preschool children exposed to pesticides in Mexico." *Environ Health Perspect.* (106):347-353.
- 38 Vial, T. et al. (1996) "Clinical immunotoxicity of pesticides." *J Toxicol Environ Health.* (48): 215-229; Voccia, I. et al. (1999) "Immunotoxicity of pesticides: a review." *Toxicol Ind Health.* (15): 119-32; Colosio, C. et al. (1999) "Immune parameters in biological monitoring of pesticide exposure: current knowledge and perspectives." *Toxicol Lett.* (108): 285-95; and Bannerjee, B.D. (1999) "The influence of various factors on immune toxicity assessment of pesticide chemicals." *Toxicol Lett.* (107): 21-31; Faustini, A.L. et al. (1996) "Immunological changes among farmers exposed to phenoxy herbicides: preliminary observations." *Occup Environ Med.* (53): 583-85; Thrasher, J.D. et al. (1993) "Immunologic abnormalities in humans exposed to chlorpyrifos: preliminary observations." *Arch Environ Health* (48): 89-93.
- 39 Vial (1996) see note 38.
- 40 Ibid.
- 41 Maroni, M. & A. Fait. (1993) "Health effects in man from long-term exposure to pesticides. A review of the 1975-1991 literature." *Toxicol* (78): 1-180; Burns, C.J., et al. (2001) "Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: an update." *Occup Environ Med* (58): 24-30 and Acquavella, J. et al. (1998). "Cancer among farmers: A meta-analysis." *Ann Epidemiol* (8): 64-74.
- 42 Fleming, L.E. et al. (1999) "Cancer incidence in a cohort of licensed pesticide applicators in Florida." *J Occup Environ Med.* (41): 279-88.
- 43 Kross, B.C. et al. (1996) "Proportionate mortality study of golf course superintendents." *Am J Ind Med.* (29): 501-6; Waddell, B.L. et al. (2001) "Agricultural use of organophosphate pesticides and the risk of non-Hodgkin's lymphoma among male farmers (United States)." *Cancer Causes & Control* (12): 509-17; Zheng, T. et al. (2001) "Agricultural exposure to carbamate pesticides and risk of non-Hodgkin lymphoma." *J Occup Environ Med* (43): 641-9; and McDuffie, H.H., et al. (2001) "Non-Hodgkin's Lymphoma And Specific Pesticide Exposures In Men: Cross-Canada Study Of Pesticides And Health." *Cancer Epidem Biomarkers Prev* (10): 1155-63.
-

- 44 Khuder, S.A. & A.B. Mutgi. (1997) "Meta-analyses of multiple myeloma and farming." *Am J Ind Med.* (32):510-6.
- 45 Swaen, G.M. et al. (1992) "Cancer mortality among licensed herbicide applicators." *Scand J Work Environ Health* (18): 201-4.
- 46 Schreinemachers, D.M. et al. (1999) "Cancer mortality in agricultural regions of Minnesota." *Environ Health Perspect.* (107): 205-11; Waterhouse, D. et al (1996) "Cancer incidence in the rural community of Tecumseh, Michigan: a pattern of increased lymphopoietic neoplasms. *Cancer* (77): 763-70; and Godon, D. et al. (1991) ["Mortality due to cancers of the brain and lymphatic tissues and leukemia as a function of agriculture pesticide use in Quebec (1976-1985)"]. *Can J Pub Health* (82):174-80.
- 47 Daniels, J.L. et al. (1997) "Pesticides and childhood cancers." *Environ Health Perspect.* (105): 1068-77.
- 48 Kristensen, P. et al. (1996) "Cancer in offspring of parents engaged in agricultural activities in Norway: Incidence and risk factors in the farm environment." *Int J Cancer.* (65):39-50; Hardell, L. & M. Eriksson. (1999) "A case-control study of non-Hodgkin's lymphoma and exposure to pesticides." *Cancer* (85): 1353-60; and Feychting, M. et al. (2001) "Paternal occupational exposures and childhood cancer." *Environ Health Perspect* (109): 193-96.
- 49 Davis, J.R. et al. (1993) "Family pesticide use and childhood brain cancer" *Arch Environ Cont Toxicol.* (1): 87-92.
- 50 Daniels, J.L. (1997), see note 48 above; Leiss, J.K. & Savitz, D.A..(1995) "Home pesticide use and childhood cancer: A case-control study." *Am J Pub Health.* (85): 249-252; and Infante-Rivard, C. et al. (1999) "Risk of childhood leukemia associated with exposure to pesticides and with gene polymorphisms." *Epidemiology* 10(5): 481-7.
- 51 Buckley, J.D. et al. (2000). "Pesticide exposures in children with non-Hodgkin lymphoma." *Cancer.* (89): 2315-21; Meinert, R. et al. (2000) "Leukemia and non-Hodgkin's Lymphoma in childhood and exposure to pesticides: Results of a register-based case-control study in Germany." *Am J Epid.* (151): 639-46.
- 52 Daniels, J.L. et al. (2001) "Residential pesticide exposure and neuroblastoma." *Epidemiology.* (12): 20-27.
- 53 Daniels et al (1997), see note 48 above; and Buckley, et al. (2000) see note 52 above; Meinert, et al. (2000) note 52 above; Davis, et al. (1993) see note 50 above; Pogoda J.M. & S. Preston-Martin. (1997) "Household pesticides and risk of pediatric brain tumours." *Environ Health Perspect* 105:1214-20.
- 54 Landrigan, P.J. (2000) "Pesticides and PCBs: Does the evidence show that they threaten children's health?" *Contemp Pediatrics.* (18): 110-126.
-

- 55 National Research Council. (1993) *Pesticides in the Diets of Infants and Children*. Washington: National Academy Press and U.S. Environmental Protection Agency. (2000) "Health Effects of Pesticides." *Children's Environmental Health Handbook Supplement*. EPA-100-R-00-0018.
- 56 Reigart & Roberts. (2001) see note 12.
- 57 Chance, G. & E. Harmsen. (1998) "Children are different: Environmental contaminants and children's health." *Can J Pub Health* (89/Suppl 1): S9-13.
- 58 Fenske, R.A. et al. (1990) "Potential exposure and health risks of infants following indoor residential pesticide applications." *Am J Pub Health*. (80): 689-93.
- 59 Fenske, R.A. (1992) "Differences in exposure potential for adults and children following residential pesticide applications." In: *Similarities & Differences Between Children & Adults: Implications for Risk Assessment*. Guzelian, P.S. et al. (Eds.) Washington: ILSI Press. pp. 214-25.
- 60 Black, K.G. (1993) *An Assessment of Children's Exposure to Chlorpyrifos from Contact with a Treated Lawn*. PhD Thesis. Rutgers The State University of New Jersey - New Brunswick. 315 pp.
- 61 Nishioka, M.G. et al. (1996) "Measuring transport of lawn-applied herbicide acids from turf to home: Correlation of dislodgeable 2,4-D turf residues with carpet dust and carpet surface residues." *Env Sci Tech*. (30): 313-3320; Nishioka, M.G. et al. 1999. "Transport of lawn-applied 2,4-D from turf to home: Assessing the relative importance of transport mechanisms and exposure pathways." *National Exposure Research Laboratory*, U.S. EPA. Cooperative Agreement CR-822082. March 1999; Nishioka, M.G. et al. (2001) "Distribution of 2,4-D in air and on surfaces inside residences after lawn applications: Comparing exposure estimates from various media for young children." *Environ Health Perspect*. (109): 185-92.
- 62 Adgate, J.L. et al. (2001) "Measurement of children's exposure to pesticides: Analysis of urinary metabolite levels in a probability-based sample." *Environ Health Perspect*. (109): 583-90; and Lu, C. et al. (2001) "Biological monitoring survey of organophosphorous pesticide exposure among pre-school children in the Seattle Metropolitan area." *Environ Health Perspect*. (109): 299-303.
- 63 Adgate et al. (2001) see note 63 above; and Lu, et al. (2001) see note 62.
- 64 MacIntosh, D.L. et al. (1999) "A longitudinal investigation of selected pesticide metabolites in urine." *J Expos Anal Env Epidemiol*. (9): 494-501.
-

- 65 Weiss, B. & P.J. Landrigan. (2000) "The developing brain and the environment: An introduction." *Environ Health Perspect.* (108/Suppl 3): 373-74; Rice, D. & S. Barone Jr. (2000) "Critical periods of vulnerability for the developing nervous system: Evidence from humans and animal models." *Environ Health Perspect.* (108): 511-33.
- 66 Rodier, P.M. (1995) "Developing brain as a target of toxicity." *Environ Health Perspect.* (103/Suppl 6): 73-76.
- 67 Eriksson, P. & U. Talts. (2000) "Neonatal exposure to neurotoxic pesticides increases adult susceptibility: A review of current findings." *Neuro Toxicol.* (21): 37-48.
- 68 PMRA. (2002) "Children's Health Priorities within the Pest Management Regulatory Agency". *Science Policy Note*. SPN2002-01. January 7, 2002.
www.hc-sc.gc.ca/pmra-arla/english/pdf/spn/spn2002-01-e.pdf
- 69 Struger, J. et al. (1999) "Pesticide Concentrations in Urban Aquatic Environments." International Association of Great Lakes Research Conference, Cleveland, Ohio. May 1999.
- 70 Struger, J. et al. (1994) Chapter 6. "Environmental concentrations of urban pesticides". *Current Practices in Modeling the Management of Stormwater Impacts*. CRC Press, Boca Raton.
- 71 J. Struger, (2001) Environment Canada personal communication.
- 72 Struger, et al. (1999) see note 70.
- 73 Struger, et al. (1994) see note 71.
- 74 Pest Control Products Act (R.S. 1985, c. P-9)
- 75 U.S. Environmental Protection Association. (2000) "Overview of chlorpyrifos revised risk assessment". August 16, 2000.
www.epa.gov/pesticides/op/chlorpyrifos.htm.
- 76 PMRA. 2000. "Re-evaluation Notice: Chlorpyrifos". REV2000-05.
www.hc-sc.gc.ca/pmra-arla/english/pdf/rev/rev2000-05-e.pdf
- 77 PMRA. 2001. "Phasing out domestic uses of diazinon". *PMRA Points*. March 30, 2001.
www.hc-sc.gc.ca/pmra-arla/english/pdf/points/points11-e.pdf
- 78 *The Pesticides Act*, R.S.O. 1990, c. P-11, as amended.
- 79 *114957 Canada Ltée (Spraytech, Société d'arrosage) v. Hudson (Town)*, 2001 SCC 40. File No.: 26937
- 80 *The Municipal Act*, R.S.O. 1990, c. M-45
- 81 *The Municipal Act*, R.S.O. 1990, c. M-45, s. 102.
- 82 *114957 Canada Ltée (Spraytech, Société d'arrosage) v. Hudson (Town)*, 2001 SCC 40. File No.: 26937