

---

## REFERENCES CITED

AAP - American Academy of Pediatrics (2003) *Pediatric Environmental Health*. 2<sup>nd</sup> Ed. 2003.

AAP - American Academy of Pediatrics (2005) Policy Statement: Breastfeeding and the Use of Human Milk. *Pediatrics* 115(2): 496-506.

AAPH - American Academy of Public Health (1998) Committee on Environmental Health. Screening for Elevated Blood-lead Levels. *Pediatrics* 101 (6): 1072-77, 1998.)

Adgate JL, Barr DB, Clayton A, et al (2001) Measurement of children's exposure to pesticides: analysis of urinary metabolite levels in a probability-based sample. *Environ Health Perspect* 2001;109:583-90.

ALA - American Lung Association, Environmental Protection Agency (EPA), Consumer Product Safety Commission (CPSC) and American Medical Association (AMA), (1994) *Indoor Air Pollution: An Introduction for Health Professionals* U.S. Government Printing Office Publication No. 1994-523-217/81322, 1994. On-line at: <http://www.epa.gov/iaq/pubs/hpguide.html>).

Anderson JW, Johnstone BM, Remley DT. (1999) Breast-feeding and cognitive development: a meta-analysis. *Am J Clin Nutr.* 70(4):525-35.

Anderson LM, Diwan BA, Fear NT, Roman E. (2000) Critical windows of exposure for children's health: cancer in human epidemiological studies and neoplasms in experimental animal models. *Environ Health Perspect.* 108 (Suppl 3):573-94.

Arbuckle TE, Lin Z, Mery LS (2001) An exploratory analysis of the effect of pesticide exposure on the risk of spontaneous abortion in an Ontario farm population. *Environ Health Perspect* 109:851-57.

Arbuckle TE, Schrader SM, Cole D, et al (1999) 2,4-Dichlorophenoxyacetic acid residues in semen of Ontario farmers. *Reprod Toxicol* 13 (6):421-9.

Arbuckle TE, Sever LE (1998) Pesticide exposures and fetal death: A review of the epidemiologic literature. *Crit Rev Tox.* 28: 229-70.

ASC - Autism Society of Canada (ASC) (2004) Canadian Autism Research Agenda and Canadian Autism Strategy: A White Paper, March, 2004.

ATSDR - Agency for Toxic Substances and Disease Registry (1988) *The Nature and Extent of Lead Poisoning in Children in the United States: a report to Congress*.

ATSDR - Agency for Toxic Substances and Disease Registry (2002) *Toxicological profile for di(2-ethylhexyl)phthalate*. Atlanta: Agency for Toxic Substances and Disease Registry.

ATSDR - Agency for Toxic Substances and Disease Registry (2003) *Draft toxicological profile for bromoform and dichlorobromomethane*. Atlanta: Agency for Toxic Substances and Disease Registry. On-line at: <http://www.atsdr.cdc.gov/toxprofiles/tp130.html>

Ayotte P, Muckle G, Jacobson JL et al. (2003) Inuit Cohort Study. Assessment of pre- and postnatal exposure to polychlorinated biphenyls: lessons from the Inuit Cohort Study. *Environ Health Perspect*. 111(9):1253-8.

Bannerjee BD (1999). The influence of various factors on immune toxicity assessment of pesticide chemicals. *Toxicol Lett* 107:21-31.

Barker DJP (1995) The fetal and infant origins of disease. *Eur J Clin Invest* 1995;25:457-463.

Bates DV. (1995) The effects of air pollution on children. *Environ Health Perspect*. 103 (Suppl 6): 49-53.

Bearer CF. (1995a) How are children different from adults? *Environ Health Perspect*. 103 Suppl 6:7-12.

Bearer CF. Pediatric developmental toxicology (1995b) In: Brooks SM, et al. (Eds.), *Environmental Medicine*. St. Louis: Mosby.

Bell EM, Hertz-Picciotto I, Beaumont JJ.(2001) A case-control study of pesticides and fetal death due to congenital anomalies. *Epidemiology* 12:148-56.

Bell JG, Keen CL & Lonnerdal B (1989) Higher retention of manganese in suckling than in adult rats is not due to maturational differences in manganese uptake by rat small intestine. *J. Toxicol Environ Health* 26: 387-398.

Bellinger DC, Needleman HL (2003) Intellectual impairment and blood lead levels. *N Engl J Med* 349:500-2; author reply 500-2.

- Bellinger D, Hu H, et al. (1994) Attentional correlates of dentin and bone lead levels in adolescents. *Arch Environ Health*. 49(2):98-105.
- Berkowitz GS, Obel J, Deych E et al (2003) Exposure to Indoor Pesticides during Pregnancy in a Multiethnic, Urban Cohort. *Environ Health Perspect* 111(1): 79-84.
- Berkowitz GS, Wetmur JG, Birman-Deych W et al (2004) *In Utero* Pesticide Exposure, Maternal Paraoxonase Activity, and Head Circumference *Environ Health Perspect* 112(3) 388-397.
- Bernard A, Carbonnelle S, Michel O et al (2003) Lung hyperpermeability and asthma prevalence in schoolchildren: unexpected associations with the attendance at indoor chlorinated swimming pools. *Occup and Env Med* 60:385-394.
- Best Start Resource Centre (2005) Health Before Pregnancy Environmental Checklist. Found at:  
[http://www.healthbeforepregnancy.ca/pdf/hbp\\_envir\\_chklist\\_june05.pdf](http://www.healthbeforepregnancy.ca/pdf/hbp_envir_chklist_june05.pdf)
- Best Start Resource Centre online (2005) See Ontario Prevention Clearinghouse. Best Start: Ontario's Maternal Newborn and Early Child Development Resource Centre. At: <http://www.healthbeforepregnancy.ca/>
- Bertazzi PA, Consonni D, Bachetti S, Rubagotti M et al. (2001) Health effects of dioxin exposure: a 20-year mortality study. *Am J Epidemiol* 153(11):1031-44.
- Beydon N, Amsallem F, Bellet M, et al (2002) Pulmonary function tests in preschool children with cystic fibrosis. *Am J Respir Crit Care Med* 166(8):1099-104.
- Binkova B, Bobak M, Chatterjee A, et al (2004) *The effects of air pollution on children's health and development: a review of the evidence*. Geneva: World Health Organization Regional Office for Europe.
- Birnbaum LS and Staskal DF (2004) Brominated Flame Retardants: Cause for Concern? *Environ Health Perspect* 112(1) 9-17.
- Birnbaum LS, Fenton SE. 2003. Cancer and Developmental Exposure to Endocrine Disruptors. *Environmental Health Perspectives* 111:389-394.
- Bocskay KA, MA Orjuela, D Tang, et al (2005) Chromosomal Aberrations in cord blood are associated with prenatal exposure to carcinogenic polycyclic

aromatic hydrocarbons. *Cancer Epidemiology Biomarkers and Prevention*. 14(2):506-11.

Boisen KA, Main KM, Rajpert-De Meyts E, Skakkebaek NE (2001) Are male reproductive disorders a common entity? The testicular dysgenesis syndrome. *Ann NY Acad Sci* 948:90-99 (2001).

Bove F, Shim Y, Zeitz P. (2002) Drinking water contaminants and adverse pregnancy outcomes: a review. *Environ Health Perspect*. 110 (Suppl 1):61-74.

Boyle, CA, Decoufle P, Yeargin-Allsopp M (1994) Prevalence and health impact of developmental disabilities in US children. *Journal of Pediatrics*, 93:399-403.

Bradman MA, Harnly ME, Draper W, et al (1997) Pesticide exposures to children from California's Central Valley: Results of a pilot study. *J Expo Anal Environ Epidemiol* 7:217-34.

Branum AM, Collman GW, Correa A, et al. (Members of the National Children's Study Interagency Coordinating Committee) (2003) The National Children's Study of environmental effects on child health and development. *Environ Health Perspect*. 111:642-6.

Briassoulis G, Narlioglou M, Hatzis T (2001) Toxic encephalopathy associated with use of DEET insect repellents: a case analysis of its toxicity in children. *Hum Exp Toxicol*. 20(1):8-14.

Brown P (1995) Race, class and environmental health: A review and systematization of the literature. *Environ Res* 69:15-30.

Bruening K, Kemp FW, Simone N, et al (1999). Dietary Calcium intakes of urban children at risk of lead poisoning. *Environ Health Perspect* 107:431-435.

Bucket W (undated) Are We Becoming More Infertile? On-line article at Infertility Awareness Association of Canada. [www.iaac.ca/english/articles/arewe.asp](http://www.iaac.ca/english/articles/arewe.asp)

Buckley JD, Meadows AT, Kadin ME, et al (2000) Pesticide exposures in children with Non-Hodgkin lymphoma. *Cancer*. 89: 2315-21.

Bueckert D. (2004). Concern rises over mercury in fish. *GlobeandMail.com* Saturday November 20, 2004.

Bulusu S, Chakravarty I (1984) Augmented hepatic susceptibility to malathion toxicity in rats on low-protein diets. *Environ Res* 35:53-65.

Burchat C and Ripley B EF5025 (2003) *A Survey of Ontario Meat and Bulk Tank Milk for Trace Chemical Contaminants*. 26 August 2003. Ontario Ministry of Agriculture and Food, Enhance Food Quality and Safety Research Program – Research Projects Summary, on-line at: [www.gov.on.ca/OMAFRA/](http://www.gov.on.ca/OMAFRA/)

Burnett RT, Dales RE, Raizenne ME, et al (1994). Effects of low ambient levels of ozone and sulfates on the frequency of respiratory admissions to Ontario hospitals. *Environ Res* 65: 172-94.

Burnett RT, Smith-Doiron M, Stieb D, et al (1999) Effects of Particulate and Gaseous Air Pollution on Cardiorespiratory Hospitalization. *Archives of Environmental Health*. 54(2):130-9.

Burnett RT, Smith-Doiron M, Stieb D, et al (2001) Association between Ozone and Hospitalization for Acute Respiratory Diseases in Children Less than 2 Years of Age *American Journal of Epidemiology*. Vol. 153: 444-52.

Bush, B, RF Seegal, and E Fitzgerald. (1990) Human monitoring of PCB urine analysis. In: *Organohalogen Compounds Vol 1: Dioxin '90--EPRI Seminar, Toxicology, Environment, Food, Exposure-Risk* (Hutzinger O, H Fiedler, eds.). Bayreuth: Ecoinforma Press. pp 509-513 (As cited in Carpenter et al, 1998).

Butt CM, Diamond ML, Truong J et al (2004) Spatial distribution of polybrominated diphenyl ethers in southern Ontario as measured in indoor and outdoor window organic films. *Environ Sci Technol*. 38(3):724-31.

Calabrese EJ, Stanek EJ, James RC, Roberts SM (1997) Soil ingestion: a concern for acute toxicity in children. *Environ Health Perspect* 105:1354-8.

Calafat AM, Kuklennyik Z, Reidy JA, et al. (2005) Urinary concentrations of bisphenol A and 4-nonylphenol in a human reference population. *Environ Health Perspect*. 113:391-5.

Campaign 2000, 2004. 2004 *Report Card on Child Poverty in Canada: One Million Too Many; Implementing Solutions to Child Poverty in Canada* On-line at: [www.campaign2000.ca](http://www.campaign2000.ca)

Campbell M and Shulman L (1998) Towards a Canadian Children's Environmental Health Network. *Environmental Health Review*, Vol. 42, No.3. pp.70-76.

Campbell ME, Dwyer JJ, Goettler F et al (1999) A program to reduce pesticide spraying in the indoor environment: evaluation of the 'Roach Coach' project. *Can J Public Health*. 90(4):277-81.

Campbell ME, Lee-Han H (1996) Self-reported prevalence of lead exposure risk factors: A precursor to development of a community awareness program. *Environ Health Rev Winter*: 90-94, 111.

Campbell ME, Li Q, Gingrich SE, Macfarlane RG, Cheng S (2005). Should people be physically active outdoors on smog alert days? *Can J Public Health*. 2005 Jan-Feb;96(1):24-8. Accessed February 24, 2005 at: [http://www.city.toronto.on.ca/health/hphe/pdf/air\\_pa\\_2005.pdf](http://www.city.toronto.on.ca/health/hphe/pdf/air_pa_2005.pdf)

Canada Gazette Part 1 (2004) Department of the Environment, Department of Health, Canadian Environmental Protection Act, 1999. *Publication after screening assessment of substance - Polybrominated diphenyl ethers that have the molecular formula C12H(10-n)BrnO in which "n" is 4 to 6 and polybrominated diphenyl ethers that have the molecular formula C12H(10-n)BrnO in which "n" is 7 to 10 — (Subsection 77(1) of the Canadian Environmental Protection Act, 1999)*. May 8, 2004. Vol 138 No. 19: 1424- 1428. Found at: <http://canadagazette.gc.ca/partI/2004/20040508/pdf/g1-13819.pdf>

Canada Gazette, Part II (2005) *Order Amending Schedule I to the Hazardous Products Act (Surface Coating Materials)*. Registration: SOR/2005-110 April 19, 2005. Vol. 139, No. 9 — May 4, 2005. <http://canadagazette.gc.ca/partII/2005/20050504/html/sor110-e.html>

CAPE - Canadian Association of Physicians for the Environment – On-line Children's Health Project. [www.cape.ca](http://www.cape.ca)

Canfield RL, Henderson MA, Cory-Slechta DA et al (2003) Intellectual impairment in children with blood-lead concentrations below 10 ug per deciliter. *New England Journal of Medicine* 348: 1517- 1526.

CARB – California Air Resources Board, California Environmental Protection Agency (2005) Report to the California Legislature: Indoor Air Pollution in California. July, 2005. Sacramento CA. Found at: [www.arb.ca.gov/research/indoor/ab1173/ab1173.htm](http://www.arb.ca.gov/research/indoor/ab1173/ab1173.htm)

Carpenter DO, Arcaro KF, Bush B et al (1998) Human health and chemical mixtures: an overview. *Environ Health Perspect*. 106 (Suppl 6):1263-70.

Carpenter DO, Arcaro K, Spink DC (2002) Understanding the Human Health Effects of Chemical Mixtures. *Environ Health Perspect* 110 (Suppl 1):25-42.

CCS/NCIC – Canadian Cancer Society/National Cancer Institute of Canada (2005) *Canadian Cancer Statistics, 2005*. [www.cancer.ca](http://www.cancer.ca)

CDC - Centers for Disease Control and Prevention (2001) *National Report on Human Exposure to Environmental Chemicals* March 21, 2001. On-line at: [www.cdc.gov/nceh/dls/report](http://www.cdc.gov/nceh/dls/report).

CDC - Centers for Disease Control and Prevention (2003) *Second National Report on Human Exposure to Environmental Chemicals*. January, 2003.

CDC - Centers for Disease Control and Prevention (2005) *Third National Report on Human Exposure to Environmental Chemicals*. July, 2005.

CDC - Centers for Disease Control and Prevention (CDC) on-line. Undated Fact Sheet – CDC Examines Autism Among Children. Downloaded November 23, 2004. At: <http://www.cdc.gov/ncbddd/fact/autism1.htm>

Center for Learning Disabilities (2001) *Students with learning disabilities: A national review*. Annual Report to Congress, 2001.

CELA – Canadian Environmental Law Association (2002). Brief to the Senate Committee on Social Affairs, Science and Technology reviewing Bill C-8, *Pest Control Products Act*. Prepared by T McClenaghan, K Cooper, November 2, 2002. Publication # 432. ISBN # 1-894158-71-1. Found at: [www.cela.ca](http://www.cela.ca)

CFIA - Canadian Food Inspection Agency, on-line: <http://www.inspection.gc.ca/english/fssa/microchem/resid/reside.shtml#resid>

CFIA - Canadian Food Inspection Agency (1998) *Levels and Incidences of Pesticide Residues in Selected Agricultural Food Commodities Available in Canada During 1994 – 1998* (November 6, 1998) On-line at: <http://www.inspection.gc.ca/english/fssa/microchem/resid/1994-1998/94-98-0e.shtml>

CFIA - Canadian Food Inspection Agency (2003) *Annual Report for 2002-2003*. On-line at: <http://www.inspection.gc.ca/english/corpaffr/ar/ar03/ar03e.shtml>

CFIA - Canadian Food Inspection Agency (2004) *Infant and Junior Baby Food Chemical Residues Project, Report on Pesticides Residues in Baby Food, 2002 - 2003* Food Safety Directorate. Food Microbiology and Chemical Evaluation.

<http://www.inspection.gc.ca/english/fssa/microchem/resid/2002-2003/babbebe.shtml>

Chai SK, Robertson WO, Takaro T, et al. (2001) Pediatric environmental health: perceptions from a survey questionnaire. *Int J Occup Environ Health*. 2001 Jan-Mar;7(1):37-43.

Chance G, Harmsen E (1998) Children are different: Environmental contaminants and children's health. *Can J Pub Health* 89(Suppl 1):S9-13.

Chaudhuri N (1998) Child Health, Poverty and the Environment: The Canadian Context. *Canadian Journal of Public Health* Vol 89(Suppl 1):S26-30.

Chauhan AJ, Inskip HM, et al (2003) Personal exposure to nitrogen dioxides (NO<sub>2</sub>) and the severity of virus-induced asthma in children. *The Lancet*, 361 (9373) 1939-44.

CHEO - Children's Hospital of Eastern Ontario (2003) *Adequate and Affordable Housing: A Child Health Issue. An Overview of Research Linking Children's Health Status to Poor Housing*. By Jama Watt for Child and Youth Health Network for Eastern Ontario. Winter/Spring 2003.

Check E. (2004) Huge study of children aims to get the dirt on development. *Nature* 432: 425.

Chen A, Rogan WJ. (2004) Breastfeeding and the risk of postneonatal death in the United States. *Pediatrics*. 113(5):e435-9.

Choi BC (2004) Computer assisted telephone interviewing (CATI) for health surveys in public health surveillance: methodological issues and challenges ahead. *Chronic Dis Can*. 2004 Spring;25(2):21-7.

CICH - Canadian Institute of Child Health (1997) Environmental Hazards: Protecting Children. Found at:  
<http://www.cich.ca/PDFFiles/EnvFactSheetsENG.pdf>

CICH - Canadian Institute of Child Health (1998). *National Survey of Communities: Environmental Contaminants and the Implications for Child Health*. Ottawa 1998.

Clarkson TW, Strain JJ. (2003) Nutritional factors may modify the toxic action of methyl mercury in fish-eating populations. *J Nutr*. 133(5 Suppl 1):1539S-43S.

Cole DC, Kearney J, Sanin LH, et al (2004). Blood mercury levels among Ontario anglers and sport-fish eaters. *Environ Res.* 2004 Jul;95(3):305-14.

Cooper M (2001) *Housing Affordability: A Children's Issue* CPRN Discussion Paper No. F/11. Ottawa: Canadian Policy Research Networks.

Cooper, K (2004) *Toxic Substances – Focus on Children - Developing a Canadian List of Substances of Concern to Children's Health* May, 2004. Prepared for the Canadian Environmental Law Association and Pollution Probe.

Cooper, K., L. Vanderlinden, T. McClenaghan, K. Keenan, et al (2000). *Environmental Standard-Setting and Children's Health*. Joint Project of the Canadian Environmental Law Association and the Ontario College of Family Physicians Environmental Health Committee. On-line at: [www.cela.ca](http://www.cela.ca)

Copes R, Palaty J, Lockitch G. (2004) Mercury Exposure in British Columbia: Do we have a problem? *BC Med J.* 46: 390.

Corona R, Dogliotti E, D'Errico M et al (2001) Risk factors for basal cell carcinoma in a Mediterranean population: role of recreational sun exposure early in life. *Arch Dermatol.* 137(9):1162-8.

Cory-Slechta DA (2005) Studying toxicants as single chemicals: Does this strategy adequately identify neurotoxic risk? *Neurotoxicology* 26(4):491-510.

Courage CM (2002) Environmental Tobacco Smoke. Chapter 10 of *Children's Health and Environment: A Review of Evidence*. Environmental Issue report No. 29. Tamburlini G, von Ehrenstein OS, Bertollini R (Eds.) European Environment Agency and WHO Regional Office for Europe. Luxembourg: Office for Official Publications of the European Communities, 2002, p. 142-51.

CPS - Canadian Pediatric Society (1986) Secondhand cigarette smoke worsens symptoms in children with asthma. *CMAJ* 135:321-3.

CPS - Canadian Paediatric Society (2003) PID note: West Nile virus. *Paediatrics & Child Health* 8 (5): 267-270. Found at: [www.cps.ca/english.statements/ID/PIDNoteWestNile.htm](http://www.cps.ca/english.statements/ID/PIDNoteWestNile.htm)

CPS - Canadian Paediatric Society (2004) Head lice infestations: A clinical update Infectious Diseases and Immunization Committee, Canadian Paediatric Society (CPS) *Paediatrics & Child Health* 9(9):647-651 Reference No. ID04-02 ) <http://www.cps.ca/english/statements/ID/ID04-02.htm#Treatment>

CPS - Canadian Paediatric Society (2005) Exclusive breastfeeding should continue to six months. By Dr. Margaret Boland, Nutrition Committee *Paediatrics & Child Health* 10(3):148  
<http://www.cps.ca/english/statements/N/BreastfeedingMar05.htm>

CPSS - Canadian Perinatal Surveillance System (2002) Congenital Anomalies in Canada: A Perinatal Health Report, On-line at: <http://www.hc-sc.gc.ca/pphb-dgspsp/publicat/cac-acc02/index.html>

CPSS - Canadian Perinatal Surveillance System (2003). Health Canada. *Canadian Perinatal Health Report*, On-line at: <http://www.hc-sc.gc.ca/pphb-dgspsp/publicat/cphr-rspsc03/index.html>

Craan A, Haines D. (1998) Twenty-five years of surveillance for contaminants in human breast milk. *Arch Environ Contam Toxicol* 35: 702-10.

Crump KS, Kjellstrom T, Shipp et al (1998) Influence of prenatal mercury exposure upon scholastic and psychological test performance: benchmark analysis of a New Zealand cohort. *Risk Anal.* 18:701-13.

Cumming RG, Klineberg JR (1993) Breastfeeding and Other Reproductive Factors and the Risk of Hip Fractures in Elderly Women. *International Journal of Epidemiology* 22: 684-91.

Curl CL, Fenske RA, Elgethun K (2003) Organophosphorous Pesticide Exposure of Urban and Suburban Preschool Children with Organic and Conventional Diets. *Environ Health Perspect* 111(3):377-382.

Curtis KM, Savitz DA, Weinberg CR, Arbuckle TE (1999) The effect of pesticide exposure on time to pregnancy. *Epidemiology* 10:112-17.

Dales RE, et al. (1994) Prevalence of childhood asthma across Canada. *International Journal of Epidemiology* 23: 775-781.

Dallaire F, Dewailly E, Muckle G et al (2004). Acute infections and environmental exposure to organochlorines in Inuit infants from Nunavik. *Environ Health Perspect.* 112(14):1359-65.

Daniell WE, Vaughan, TL (1988) Paternal employment in solvent related occupations and adverse pregnancy outcomes. *British Journal of Industrial Medicine* 45, 143-197.

Daniels JL, Olshan AF, Savitz DA (1997) Pesticides and childhood cancers. *Environ Health Perspect* 105:1068-77.

Daniels JL, Olshan AF, Teschke K, et al (2001) Residential pesticide exposure and neuroblastoma. *Epidemiology* 12:20-27.

Dewailly, E, Ayotte P, Bruneau, et al. (2000). Susceptibility to infections and immune status in Inuit infants exposed to organochlorines. *Environ Health Perspect.* 108: 205-11.

Diamond ML, Gingrich SE, Fertuck K et al. (2000). Evidence for Organic Film on an Impervious Urban Surface: Characterization and Potential Teratogenic Effects. *Environ. Sci. Technol.* 34, 2900-2908.

Dietert RR, Etzel RA, Chen D, et al (2000) Workshop to identify critical windows of exposure for children's health: immune and respiratory systems work group summary. *Environ Health Perspect.* 108 Suppl 3:483-90.

DiFranza JR, Aligne CA, Weitzman M. (2004) Prenatal and postnatal environmental tobacco smoke exposure and children's health. *Pediatrics.* 113(4 Suppl):1007-15.

Dourson M, Charnley G, Scheuplein R (2002) Differential sensitivity of children and adults to chemical toxicity - II Risk and regulation. *Regulatory Toxicol Pharmacol* 35: 448-467. Online at: [www.tera.org/pubs/Dourson%2020002.pdf](http://www.tera.org/pubs/Dourson%2020002.pdf)

Duncan CE et al (1985) *Blood-lead and Associated Risk Factors in Ontario Children, 1984*. Ontario Ministry of Health, Ministry of Labour and Ministry of the Environment.

Duty, SM, Silva MJ, Barr DB, Brock JW, Ryan L, Chen Z, Herrick RF, Christiani DC and Hauser R (2003) Phthalate exposure and human semen parameters. *Epidemiology* 14:269-277.

EC - European Commission (2004) Chemical pollution: Commission wants to rid the world of more nasty substances. Press release, August 11, 2004. On-line at: <http://europa.eu.int/comm/environment/press/index.htm>

Ekos poll, September 2000, cited in, NRTEE National Round Table on the Environment and the Economy, Review, Spring 2001. <http://www.nrtee-trnee.ca/eng/newsletter/Spring2001E/Spring2001E.htm>

EHHI - Environment & Human Health Inc. (2002) Children's Exposure to Diesel Exhaust on School Buses. John Wargo author. <http://www.ehhi.org/reports/diesel/>

English P, Neutra R, Scalf R et al (1999) Examining associations between childhood asthma and traffic flow using a geographic information system. *Environ Health Perspect* 107(9): 761-7.

Enviroics International Ltd (1999) *The Environmental Monitor*. Global Public Opinion on the Environment. 1999 International Report. November 1999.

Environment Canada, on-line (undated) NAPS Annual Reports and NAPS Publications at: [http://www.etc-cte.ec.gc.ca/publications/napsreports\\_e.html#naps2](http://www.etc-cte.ec.gc.ca/publications/napsreports_e.html#naps2)

Environment Canada, on-line (undated) Mercury in the Environment. Sources in the Environment. Canadian Releases. Available at: <http://www.ec.gc.ca/MERCURY/SM/EN/sm-cr.cfm?SELECT=SM>.

Environment Canada (1999a) NAAQO - *National Ambient Air Quality Objectives for Ground Level Ozone*. Science Assessment Document. Report by the Federal Provincial Working Group on Air Quality Objectives and Guidelines. Environment Canada, July 1999.

Environment Canada (1999b) NAAQO - *National Ambient Air Quality Objectives for Particulate Matter*. Addendum to the Science Assessment Document. Report by the Federal Provincial Working Group on Air Quality Objectives and Guidelines. Environment Canada, October 1997; Revised April 1999.

Environment Canada (2004) *Canada-wide Standard for Benzene Phase 2: Ambient Air Benzene - Update 2003*. [http://www.ccme.ca/assets/pdf/ambient\\_air\\_benzene03.pdf](http://www.ccme.ca/assets/pdf/ambient_air_benzene03.pdf)

Eskenazi B, Bradman A, Castorina R (1999) Exposures of children to organophosphate pesticides and their potential adverse health effects. *Environ Health Perspect* 107(Suppl 3):409-419.

Etzel RA, Pattishall EN, Haley NJ, et al (1992) Passive smoking and middle ear effusion among children in day care. *Pediatrics* 95:670-77.

Evans GW, et al (1998) Chronic noise exposure and physiological response: A prospective study of children living under environmental stress. *Psych Sci.* 9: 75-77.

Evans GW, Lercher P, Meis M, et al (2001) Community noise exposure and stress in children. *J. Acoust. Soc. Am.* 109: 1023-7.

Evans GW, Maxwell L (1997) Chronic noise exposure and reading deficits: The mediating effects of language acquisition. *Environment & Behavior* 29: 638-56.

Ewers U, Krause C, Schulz C, Wilhelm M (1999) Reference values and human biological monitoring values for environmental toxins. *Int Arch Occup Environ Health* 72: 255-260.

EWG - Environmental Working Group (2003) *Body Burden - The Pollution in People*. On-line at: [www.ewg.org/reports/bodyburden/](http://www.ewg.org/reports/bodyburden/)

EWG - Environmental Working Group (2005) *Body Burden - The Pollution in Newborns*. On-line at [www.ewg.org/reports/bodyburden2/contentindex.php](http://www.ewg.org/reports/bodyburden2/contentindex.php)

Farfel, MR, Orlova AO et al (2003) A Study of Urban Housing Demolitions as Sources of Lead in Ambient Dust: Demolition Practices and Exterior Dust Fall, *Environ Health Perspect* 111(9): pp. 1228-1234.

Fenske RA, Black KG, Elkner KP, et al. (1990) Potential exposure and health risks of infants following indoor residential pesticide applications. *Am J Pub Health* 80: 689-93.

Fenske RA. (1992) Differences in exposure potential for adults and children following residential pesticide applications. In: Guzelian PS, Henry CJ, Olin SS (Eds.), *Similarities & Differences Between Children & Adults: Implications for Risk Assessment*. Washington: ILSI Press, p. 214-25.

Fergusson DM, Horwood LJ, Shannon FT (1980) Parental smoking and respiratory illness in infancy. *Arch Dis Child* 55:358-361.

Feychting M, Plato N, Nise G, Ahlbom A (2001) Paternal occupational exposures and childhood cancer. *Environ Health Perspect* 109:193-96.

Feychting M, Svensson D, Ahlbom A (1998) Exposure to motor vehicle exhaust and childhood cancer. *Scan J Work Environ Health* 24(1): 8-11.

Field CJ. (2005) The immunological components of human milk and their effect on immune development in infants. *J Nutr.* 135(1):1-4.

Finkelstein MM, Jerrett M, DeLuca P, et al (2003) Relation between income, air pollution and mortality: a cohort study. *CMAJ* 169(5):397-402.

- Forget G (1991) Pesticides and the Third World *J. Tox Env Health* 32:11-31.
- Frank JW, Newman J (1993) Breast-feeding in a polluted world: uncertain risks, clear benefits. *CMAJ*. 149(1):33.
- Freeman NC, Jimenez M, Reed KJ, et al (2001) Quantitative analysis of children's microactivity patterns: The Minnesota Children's Pesticide Exposure Study. *J Expo Anal Environ Epidemiol* 11:501-9.
- Friedman MS, Powell KE, Hutwagner L et al (2001) Impact of changes in transportation and commuting behaviors during the 1996 Summer Olympic Games in Atlanta on air quality and childhood asthma. *JAMA*. 285:897-905.
- Friedrich MJ. (2000) Poor children subject to "Environmental Injustice". *JAMA* 283: 3057-8.
- Frye C, Hoelscher B et al (2003) Association of Lung Function with Declining Ambient Air Pollution *Environ Health Perspect* 111(3) 383-387.
- Garcia AM (1998) Occupational exposure to pesticides and congenital malformations: A review of mechanisms, methods, and results. *Am J Ind Med* 33:232-40.
- Garcia AM, Benavides FG et al (1999) Parental agricultural work and selected congenital malformations. *Am J Epid*. 149:64-74.
- Garry VF, Harkins ME, et al. (2002) Birth defects, season of conception, and sex of children born to pesticide applicators living in the Red River Valley of Minnesota, USA. *Environmental Health Perspectives* 110 (Suppl.3) 441-449.
- Garry VF, Schreinemachers D et al (1996) Pesticide applicators, biocides, and birth defects in rural Minnesota. *Environ Health Perspect* 104:394-99.
- Gasparro FP. Sunscreens, skin photobiology and skin cancer: The need for UVA protection and evaluation of efficacy. *Environ Health Perspect* 108(suppl1): 71-78.
- German JB, Dillard CJ, Ward RE (2002) Bioactive components in milk. *Curr Opin Clin Nutr Metab Care*. 5(6):653-8.
- Gingrich SE, Diamond ML et al (2001) Atmospherically Derived Organic Surface Films along an Urban-Rural Gradient. *Environ. Sci. Technol*. 35, 4031-4037.

Globescan (2003). *E-Flash Report*. People are increasingly pessimistic about the impact that environmental problems will have on the health of future generations. December 12, 2003. Accessed February 18, 2005 at: [http://www.globescan.com/news\\_archives/iem03\\_eFlash.html](http://www.globescan.com/news_archives/iem03_eFlash.html)

Goldman LR and Kodura S (2000) Chemicals in the Environment and Developmental Toxicity to Children: A Public Health and Policy Perspective. *Environ Health Perspect* 108 (Suppl. 3) 443-448.

Gouveia-Vigeant T, Tickner J, Clapp R (2003). *Toxic Chemicals and Childhood Cancer: A Review of the Evidence*. University of Massachusetts Lowell, Lowell Center for Sustainable Production. May, 2003.

Grandjean P, Weihe P, White RF, et al (1998) Cognitive performance of children prenatally exposed to “safe “ levels of methylmercury. *Environ Res* 77:165-172(1998).

Grantham-McGregor SM et al (1999) Effects of health and nutrition on cognitive and behavioral development in children in the first three years of life. Part 1: Low birthweight, breastfeeding, and protein-energy malnutrition. *Food Nutr Bull* 20:53-75.

Grey CN, Nieuwenhuijsen MJ, Golding J et al (2005) The use and disposal of household pesticides. *Environ Res*. 97(1):109-15.

Guillette E, Mercedes MM, Guadalupe A, et al (1998) An anthropological approach to the evaluation of preschool children exposed to pesticides in Mexico. *Environ Health Perspect* 106:347-53.

Gurunathan S, Robson M, et al (1998) Accumulation of chlorpyrifos on residential surfaces and toys accessible to children *Environ Health Perspect* 106: 9-16.

Haines MM, et al (2001) A follow-up study of effects of chronic aircraft noise exposure on child stress responses and cognition. *Int. J. Epidemiol.* 30: 839-45.

Halfon N, Newachek PW (1993) Childhood asthma and poverty: differential impacts and utilization of health services. *Pediatrics* 91: 56-61.

Hardell L, Axelson O. (1998) Environmental and occupational aspects on the etiology of non-Hodgkin's lymphoma. *Oncol Res* 10(1):1-5.

Hardell L, Eriksson M (1999) A case-control study of non-Hodgkin's lymphoma and exposure to pesticides. *Cancer* 85: 1353-60.

Harvard School of Public Health (HSPH) (2000). *Head Lice Information*. Statement from Richard J. Pollack, PhD. Found at: <http://www.hsph.harvard.edu/headlice.html#Essential>.

Hauser, R, Chen Z, Pothier L et al (2003) The relationship between human semen parameters and environmental exposure to polychlorinated biphenyls and p,p'-DDE. *Environ Health Perspect* 111:1505-11.

Health Canada (1996) Appendix C Key Determinants of Health. In: *Towards a Common Understanding: Clarifying the Core Concepts of Population Health A Discussion Paper*. Cat. No. H39-391/1996E ISBN 0-662-25122-9. Found at: [http://www.phac-aspc.gc.ca/ph-sp/phdd/docs/common/appendix\\_c.html](http://www.phac-aspc.gc.ca/ph-sp/phdd/docs/common/appendix_c.html)

Health Canada (1998a). *The Health & Environment Handbook for Health Professionals*. Ministry of Supply & Services. Cat. No. H49-96/2-1995E.

Health Canada (1998b) *Persistent Environmental Contaminants and the Great Lakes Basin Population: An Exposure Assessment*. Health Canada. Minister of Public Works and Government Services, Canada. Catalogue No. 46-2/98-218E.

Health Canada & Environment Canada (1999). National Ambient Air Quality Objectives for Ground-level Ozone, Science Assessment Document. Ottawa, 1999.

Health Canada (1999) Measuring Up: A Health Surveillance Update on Canadian Children and Youth. Rusen ID, McCourt C. (Eds.) On-line at: [www.hc-sc.gc.ca/pphb-dgspsp/publicat/meas-haut/mu\\_r\\_e.html](http://www.hc-sc.gc.ca/pphb-dgspsp/publicat/meas-haut/mu_r_e.html)

Health Canada (2003a) Health Products and Food Branch, Food Directorate, Bureau of Chemical Safety. Trace Metal Analysis – Infant Formula available at [http://www.hc-sc.gc.ca/food-aliment/cs-ipc/chha-edpcs/e\\_infant\\_survey.html](http://www.hc-sc.gc.ca/food-aliment/cs-ipc/chha-edpcs/e_infant_survey.html)

Health Canada (2003b) Dietary intakes (ng/kg bw/day) of total PCBs for Canadians in different age-sex groups from the Total Diet Study in Toronto, 1992. Food Program. On-line at: [http://www.hc-sc.gc.ca/food-aliment/cs-ipc/fr-ra/e\\_pcb\\_intake\\_toronto92.html](http://www.hc-sc.gc.ca/food-aliment/cs-ipc/fr-ra/e_pcb_intake_toronto92.html)

Health Canada (2003c) Dietary intakes (ng/kg bw/day) of total PCBs for Canadians in different age-sex groups from the Total Diet Study in Toronto, 1996.

Food Program. On-line at: [http://www.hc-sc.gc.ca/food-aliment/cs-ipc/fr-ra/e\\_pcb\\_intake\\_toronto96.html](http://www.hc-sc.gc.ca/food-aliment/cs-ipc/fr-ra/e_pcb_intake_toronto96.html)

Health Canada fish advisories at: [http://www.hc-sc.gc.ca/english/protection/warnings/2002/2002\\_41e.htm](http://www.hc-sc.gc.ca/english/protection/warnings/2002/2002_41e.htm)

Health Canada (2004) Mercury and Human Health. Original, 2002. Updated 2004. On-line at: [http://www.hc-sc.gc.ca/english/iyh/environment/mercury\\_e.html](http://www.hc-sc.gc.ca/english/iyh/environment/mercury_e.html)  
Health Canada, Canadian Total Diet Study, on-line: [http://www.hc-sc.gc.ca/food-aliment/cs-ipc/fr-ra/e\\_tds.html](http://www.hc-sc.gc.ca/food-aliment/cs-ipc/fr-ra/e_tds.html)

Hegan M (1997) Environmental Justice and our Children's Health. Proceedings – National Symposium on Environmental Contaminants and the Implications for Child Health, Canadian Institute of Child Health. May 1997 Session 5, pages 6 – 8.

Hooper K, A Holden and J She (2004) Deca-BDe: Old Myths, New Realities. In: Alaei, M et al (Eds) *Proceedings of the Third International Workshop on Brominated Flame Retardants - BFR 2004*. University of Toronto, Toronto, Ontario, Canada.

Hooper K and J She (2003) Lessons from the Polybrominated Diphenyl Ethers (PDBEs): Precautionary Principle, Primary Prevention, and the Value of Community-Based Body-Burden Monitoring Using Breast Milk. *Environ Health Perspect* 111(1): 109-114.

Hoover RN. (2000) Cancer--nature, nurture, or both. *N Engl J Med*. 343:135-6.

Hoover S. (1999) Exposure to persistent organochlorines in Canadian breast milk: A probabilistic risk assessment. *Risk Anal*. 19: 527-45.

Hox JJ, de Leeuw ED. (1994) A comparison of nonresponse in mail, telephone and face-to-face surveys. Applying multilevel modeling to meta-analysis. *Quality & Quantity* 28: 329-44. Accessed February 24, 2005 at: <http://www.fss.uu.nl/ms/jh/publist/qq94.pdf>

Hu H, Kotha S, Brennan T. (1995) The role of nutrition in mitigating environmental insults: Policy and ethical issues. *Environmental Health Perspectives (Suppl. 6)* 185-190.

Huang LS, Cox C, Myers GJ, et al (2005) Exploring nonlinear association between prenatal methylmercury exposure from fish consumption and child

development: evaluation of the Seychelles Child Development Study nine-year data using semiparametric additive models. *Environ Res.* 97:100-8.

INAC - Indian and Northern Affairs Canada (2003) *Human Health – Canadian Arctic Contaminants Assessment Report II. Northern Contaminants Program.* (Authors & Editors J. Van Oostdam, et al Health Canada, Safe Environments Program Management of Toxic Substances Division.) Found at: [http://www.aicn-inac.gc.ca/ncp/pub/helttoc\\_e.html](http://www.aicn-inac.gc.ca/ncp/pub/helttoc_e.html)

Infante-Rivard C, Labuda D, Krajinovic M et al (1999) Risk of childhood leukemia associated with exposure to pesticides and with gene polymorphisms. *Epidemiology* 1999;10: 481-7.

Infante-Rivard C, Sinnett D (1999) Preconceptional paternal exposure to pesticides and increased risk of childhood leukaemia. *Lancet* 1999;354:1819.

Infante-Rivard C, Amre D, Sinnett D. (2002) GSTT1 and CYP2E1 polymorphisms and trihalomethanes in drinking water: effect on childhood leukemia. *Environ Health Perspect.* 110:591-3.

Infante-Rivard C. (2004) Drinking water contaminants, gene polymorphisms, and fetal growth. *Environ Health Perspect.* 112:1213-6.

IAAC - Infertility Awareness Association of Canada, on-line. <http://www.iaac.ca/>

IARC - International Agency for Research on Cancer (2001) *Sunscreens - IARC Handbooks of Cancer Prevention Volume 5.*

IARC - International Agency for Research on Cancer. (2002) IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 80. Non-Ionizing Radiation, Part 1: Static and Extremely Low-Frequency (ELF) Electric and Magnetic Fields. IARC Press: Lyon, France.

INSPQ - L'Institut national de santé publique du Québec (2004) Caractérisation de l'exposition aux pesticides utilisés en milieu résidentiel chez des enfants québécois âgés de 3 à 7 ans. (Authors: Valcke M, Samuel O, Belleville D et al.) <http://www.inspq.qc.ca/pdf/publications/255-ExpositionPesticidesEnfantsProjetPilote.pdf>

IOM - Institute of Medicine (2000) *Clearing the Air: Asthma and Indoor Air Exposures.* Committee on the Assessment of Asthma and Indoor Air, Division of Health Promotion and Disease Prevention, Institute of Medicine, National Academy Press.

IOM - Institute of Medicine (2004) *Damp Indoor Spaces and Health*. Board on Health Promotion and Disease Prevention, Committee on Damp Indoor Spaces and Health, Institute of Medicine, National Academy Press.

IPCS - International Programme on Chemical Safety (2001) Environmental health criteria No. 225. Principles for evaluating health risks to reproduction associated with exposure to chemicals. Geneva: International Programme on Chemical Safety.

IPCS - International Program on Chemical Safety (2002) *Global Assessment of the State-of-the-Science of Endocrine Disruptors*. Damstra, T., S. Barlow, A. Bergman, R. Kavlock and G. Van Der Kraak (eds.) World Health Organization. On-line at: [http://www.who.int/pcs/emerg\\_site/edc/global\\_edc\\_TOC.htm](http://www.who.int/pcs/emerg_site/edc/global_edc_TOC.htm)

Jacobson JL, et al (2002) A benchmark dose analysis of prenatal exposure to polychlorinated biphenyls. *Environ Health Perspect* 110:393-8.

Jacobson JL, Jacobson SW, (1996) Intellectual impairment in children exposed to PCBs in utero. *New Eng J Med*. 335: 783-789.

Jacobson JL, Jacobson SW. (2001) Postnatal exposure to PCBs and childhood development. *Lancet*. 358(9293):1568-9.

Jacobson JL, Jacobson SW. (2002) Breast-feeding and gender as moderators of teratogenic effects on cognitive development. *Neurotoxicol Teratol*. 24(3):349-58.

Jain A, Concato J, Leventhal JM (2002) How good is the evidence linking breastfeeding and intelligence? *Pediatrics*. 109:1044-53.

Jerrett M, Burnett R, Kanarglou P, Brook J. (2002) TSRI Environmental Justice and Health Research. In: Summaries of the Toxic Substances Research Initiative Projects. March 2002, Ottawa. Page 100. On-line at: [http://www.hc-sc.gc.ca/hecs-sesc/tsri/pdf/project\\_summary.pdf](http://www.hc-sc.gc.ca/hecs-sesc/tsri/pdf/project_summary.pdf)

Jerrett M, Burnett R, Kanaroglou P, et al (2001) A GIS-environmental justice analysis of particulate air pollution in Hamilton, Canada. *Environ. and Planning*. A 33: 955-973.

Jo WK, Park KH (1999). Concentrations of volatile organic compounds in the passenger side and the back seat of automobiles. *J Expo Anal Environ Epidemiol*. 9(3):217-27.

Jones RL, Sinks T, et al (2004) Blood Mercury Levels in Young Children and Childbearing-Aged Women – United States, 1999-2002. *Morbidity and Mortality Weekly Report*, USDHSS and DCD&P, 53(43):1018-1020.

Jones-Otazo HA, Clarke JP, Diamond ML, et al. (2005) Is house dust the missing exposure pathway for PBDEs? An analysis of the urban fate and human exposure to PBDEs. *Environ Sci Technol*. 39:5121-30.

Kavale KA, Forness RR (1992) Co-variants in learning disability and behavior disorders: an examination of classification and placement issues. *Advances in Learning and Behavioral Disabilities*, 12:1-42, 1994.

Kennedy D, Hurst V, Konradsdottir E, Einarson A. (2005) Pregnancy outcome following exposure to permethrin and use of teratogen information. *Am J Perinatol*. 22:87-90.

Keusch GT (1994) Nutrients and Infection; In Shils ME et al (Eds) *Modern Nutrition in Health and Disease*, 8<sup>th</sup> ed. Vol 2; Lea and Febiger: Philadelphia. Pp. 1241-1258.

Khattak S, K-Moghtader G, McMartin K et al (1999) Pregnancy Outcome Following Gestational Exposure to Organic Solvents – A Prospective Controlled Study. *JAMA* 281:1106-1109.

Kimbrough RD (1991) Toxicological implication of human milk residues as indicated by toxicological and epidemiological studies. Chapter 10. In: Jensen AA, Slorach SA (Eds.) *Chemical Contaminants in Human Milk*. CRC Press: Boca Raton.

Kissel JC, Shirai JH, Richter KY, Fenske RA (1998) Empirical investigation of hand-to-mouth transfer of soil. *J Env Contam Tox* 60:379-86.

Koh HK (1995) Preventive Strategies and Research for Ultraviolet-associated Cancer. *Environ Health Perspect* 103(Suppl 8): 255-57.

Koren G, Matsui D, Bailey B. (2003) DEET-based insect repellents: safety implications for children and pregnant and lactating women. *CMAJ*. 169(3):209-12.

Kreiger N, Ashbury FD, Purdue MP, Marrett LD. (2003) Workshop report: environmental exposures and cancer prevention. *Environ Health Perspect*.111:105-8.

Kristensen P, Andersen A, Irgens LM, et al (1996) Cancer in offspring of parents engaged in agricultural activities in Norway: Incidence and risk factors in the farm environment. *Int J Cancer* 65:39-50.

Kristensen P, Irgens LM, Andersen A, et al (1997) Birth defects among offspring of Norwegian farmers, 1967-1991. *Epidemiology* 8:537-44.

Kwon E, Zhang H, Wang Z, et al (2004) Arsenic on the Hands of Children after Playing in Playgrounds. *Environ Health Perspect* 112:1375-1380.

Landrigan PJ (2000). Pediatric lead poisoning: Is there a threshold? *Pub Health Rep* 115:530-31.

Landrigan PJ et al (1998) Children's Health and the Environment: A new agenda for prevention research. *Environmental Health Perspectives*. 106(Suppl. 3) 787-794.

Landrigan PJ, Claudio L, Markowitz SB et al (1999) Pesticides and inner-city children: exposures, risks and prevention. *Environmental Health Perspectives* 107 (Suppl 3), 431-7.

Landrigan PJ, Sonawane B, Mattison D et al (2002a) Chemical contaminants in breast milk and their impacts on children's health: an overview. *Environ Health Perspect*. 110(6):A313-5.

Landrigan PJ, Schechter CB, Lipton JM et al (2002b) Environmental pollutants and disease in American children: Estimates of morbidity, mortality, and costs for lead poisoning, asthma, cancer and developmental disabilities. *Environmental Health Perspectives*, 110 (7) 721-728.

Landrigan PJ, Kimmel CA, Correa A, Eskenazi B (2004) Children's health and the environment: public health issues and challenges for risk assessment. *Environ Health Perspect*. 112(2):257-65.

Landy, S. and Tam KK (1998) Understanding the contribution of multiple risk factors on child development at various ages. National Longitudinal Study in Children and Youth. Workshop paper given at "Investing in Children. A National Research Conference." 1998.

Langlois P, Smith L, Fleming S et al (1996) Blood-lead levels in Toronto children and abatement of lead-contaminated soil and house dust. *Arch Environ Health*. 51(1):59-67.

Lanphear BP, Aligne A, Auinger P, et al (2001) Residential exposures associated with asthma in US children. *Pediatrics* 107: 505-11.

Lanphear BP, Dietrich K, Auinger P Cox C (2000) Cognitive deficits associated with blood-lead concentrations <10 microg/dL in US children and adolescents. *Pub Health Rep* 115:521-9.

Laplante DP, Barr RG, Brunet A et al. (2004) Stress during pregnancy affects general intellectual and language functioning in human toddlers. *Pediatr Res.* 56:400-10.

Laslo-Baker D, Barrera M, Knittel-Keren D, et al. (2004) Child neurodevelopmental outcome and maternal occupational exposure to solvents. *Arch Pediatr Adolesc Med.* 158:956-61.

LDAO - Learning Disabilities Association of Ontario (2004) Ontario-wide IEP and related data provided by the LDAO from the *School September Report, 2001-2002* - Data for Publicly Funded Elementary and Secondary Schools Enrollment of Students Receiving Special Education Programs and/or Services by Area of Exceptionality in 2000-2001 (preliminary data).

Lee C. (2002) Environmental justice: building a unified vision of health and the environment. *Environ Health Perspect.* 110 Suppl 2:141-4.

Leech JA, Wilby K, McMullen E, Laporte K (1996) The Canadian Human Activity Pattern Survey: Report of methods and population surveyed. *Chronic Dis Can* 17:118-23.

Leiss JK, Savitz DA (1995) Home pesticide use and childhood cancer: A case-control study. *Am J Pub Health.* 85:249-52.

Lewis RG, Fortmann RC, Camann DE (1994). Evaluation of methods for monitoring the potential exposure of small children to pesticides in the residential environment. *Arch Env Cont Tox* 26:37-46.

Lidsky TI, Schneider JS. (2003) Lead neurotoxicity in children: basic mechanisms and clinical correlates. *Brain.* 126(Pt 1):5-19.

Liu S, Krewski D, Shi Yet al (2003) Association between gaseous ambient air pollutants and adverse pregnancy outcomes in Vancouver, Canada. *Environ Health Perspect* 111:1773-1778.

Ma X, Buffler PA, Gunier RB, et al (2002) Critical Windows of Exposure to Household Pesticides and Risk of Childhood Leukemia. *Environ Health Perspect*. 110(9): 955-960.

MacIntosh DL, Needham LL, Hammerstron KA, et al. (1999) A longitudinal investigation of selected pesticide metabolites in urine. *J Exp Anal Environ Epidemiol* 9:494-501.

Mahaffey KR (1995) Nutrition and Lead: Strategies for Public Health. *Environ Health Perspect* 103(Suppl 6): 191-196.

Mahaffey KR (2004) Fish and shellfish as dietary sources of methylmercury and the omega-3 fatty acids, eicosahexaenoic acid and docosahexaenoic acid: risks and benefits. *Environ Res*. 95(3):414-28.

Makris S, Raffaele K et al (1998) *A retrospective analysis of twelve developmental neurotoxicity studies*. Submitted to the US EPA Office of Prevention, Pesticides and Toxic Substances (OPPTS), draft, 11/12/98.

Markowski VP, Zareba G, Stern S et al (2001) Altered operant responding for motor reinforcement and determination of benchmark doses following perinatal exposure to low-level 2,3,7,8-Tetrachlorodibenzo-p-dioxin. *Environ Health Perspect* 109: 621-627.

Marrett LD, Frood J, et al (2002) Cancer incidence in young adults in Canada: Preliminary results of a cancer surveillance project. *Chronic diseases in Canada* 23: (2) 58-64.

Maurissen JP, Hoberman AM et al. (2000) Lack of selective developmental neurotoxicity in rat pups from dams treated by gavage with chlorpyrifos. *Toxicol Sci* 57: 250-63.

McConnell R, Berhane K, Gillilan F, et al. (2002) Asthma in exercising children exposed to ozone: a cohort study. *Lancet* 359:386-91.

McMartin K, Chu M, Kopecky E et al (1998) Pregnancy Outcome Following Maternal Organic Solvent Exposure: A Meta-Analysis of Epidemiologic Studies *Am J of Ind Med* 1998;34:288-292.

METCU - Ministry of Education, Ministry of Training, Colleges and Universities, on-line information about Special Education at: <http://www.edu.gov.on.ca/eng/general/elemsec/speced/speced.html>

Meinert R, Schuz J, Kaletsch U, et al (2000) Leukemia and Non-Hodgkin's lymphoma in childhood and exposure to pesticides: Results of a register-based case-control study in Germany. *Am J Epid.* 2000;151: 639-46.

Mielke HW (1998) Lead in the inner cities: Policies to reduce children's exposures to lead may be overlooking a major source of lead in the environment. *Am Sci* 1998;87:62-73.

Mielke HW, Powell ET, Shah A, et al (2001) Multiple Metal Contamination from House Paints: Consequences of Power Sanding and Paint Scraping in New Orleans. *Environ Health Perspect* 109:973-879.

MEE - Ministry of Environment and Energy, Ontario (MEE) (1993) *Rationale for the Development of Soil, Drinking Water, and Air Quality Criteria for Lead*. Hazardous Contaminants Branch (October, 1993).

MNR - Ministry of Natural Resources – Ontario *Guide to Eating Ontario Sport Fish*. Published annually. On-line at: <http://www.mnr.gov.on.ca/MNR/fishing/guide.html>

MOE - Ministry of the Environment, Ontario (2001). *Air Quality in Ontario in 1999, Air Quality in Ontario, 2001*. On-line reports.

MOE – Ontario Ministry of Environment (2004) *Air Quality in Ontario: 2003 Report*. Appendix. Found at: <http://www.ene.gov.on.ca/envision/techdocs/4949e.pdf>

MOE – Ontario Ministry of Environment (2005a) *Transboundary Air Pollution in Ontario*. June 2005. Found at: <http://www.ene.gov.on.ca/envision/techdocs/5158e.pdf>

MOE – Ontario Ministry of the Environment. (2005b) New Release. *Government Takes Action to Protect Health of Ontarians*. August 29, 2005. <http://www.ene.gov.on.ca/envision/news/2005/082901.pdf>

MOHLTC - Ministry of Health and Long-Term Care (1997) *Mandatory Health Programs and Services Guidelines* ©Queen's Printer for Ontario. December 1997 / ISBN #0-7778-6994-2 REV <http://www.health.gov.on.ca/english/providers/pub/pubhealth/manprog/mhp.pdf>

MOHLTC - Ministry of Health and Long Term Care (2000) *Taking action on asthma*. Report of the Chief Medical Officer of Health. Toronto. Queen's Printer for Ontario. 2000.

MOHLTC - Ministry of Health and Long-Term Care (2002) Data Extracted by the Public Health Branch from the Hospital Inpatient Data, Provincial Health Planning Database (PHPDB).

Moody RP, Chu I. (1995) Dermal exposure to environmental contaminants in the Great Lakes. *Environ Health Perspect* 103(Suppl 9):103-114.

Moore KL, Persaud TVN. 1973. *The Developing Human: Clinically Oriented Embryology*. Philadelphia:W.B. Saunders, p. 98. (As cited in Selevan et al, 2000).

Morrison H (1997) Presentation from *What on Earth? Proceedings from National Symposium on Environmental Contaminants and the Implications for Child Health*. Canadian Institute of Child Health, May 1997.

Mortensen EL, Michaelsen KF, Sanders SA, Reinisch JM. (2002) The association between duration of breastfeeding and adult intelligence. *J Am Med Assoc* 287:2365–2371.

MTTHU and SRCHC - Metropolitan Toronto Teaching Health Unit & South Riverdale Community Health Centre. (1995) *Why Barns are Red*. Health Risks from Lead and Their Prevention. Found at: [http://www.toronto.ca/health/pubs\\_index.htm#13](http://www.toronto.ca/health/pubs_index.htm#13).

Muir T (2004) Great Lakes and Corporate Affairs, Environment Canada – Ontario Region. A Monte Carlo Analysis of the Variability of Human Body Burdens of Polybrominated Diphenyl Ether Flame Retardants in North America and Associated Risk. In: Alaei, M et al (Eds) *Proceedings of the Third International Workshop on Brominated Flame Retardants - BFR 2004*. University of Toronto, Toronto, Ontario, Canada.

Muir T, Zegarac M. (2001) Societal costs of exposure to toxic substances: Economic and health costs of four case studies that are candidates for environmental causation. *Environmental Health Perspectives* 109 (Suppl. 6 ) 885-903.

Mushak P, Crocetti AF (1996) Lead & Nutrition: Part II. Some potential impacts of lead-nutrient interactions in U.S. populations at risk. *Nutrition Today* 31:115-122.

Myers GJ Davidson PW, Cox C, et al. (2003) Prenatal methylmercury exposure from ocean fish consumption in the Seychelles child development study. *Lancet* 361: 1686-92.

NCIC - National Cancer Institute of Canada (2002) *Canadian Cancer Statistics 2002*, Toronto, Canada, 2002. Available at: [www.cancer.ca](http://www.cancer.ca) and [www.ncic.cancer.ca](http://www.ncic.cancer.ca). See in particular, "Special Topic" for the year 2002 addressing cancer incidence in young adults (aged 20-44 years).

NCIC - National Cancer Institute of Canada (2003a). *Cancer Statistics, Special Topics: Non-Hodgkin's lymphoma*. On-line at: [http://www.ncic.cancer.ca/ncic/internet/standard/0,3621,84658243\\_85787780\\_194220200\\_langId-en,00.html](http://www.ncic.cancer.ca/ncic/internet/standard/0,3621,84658243_85787780_194220200_langId-en,00.html)

NCIC - National Cancer Institute of Canada (2003b). *Canadian Cancer Statistics 2003*. Toronto, Canada.

NCS – National Children's Study online (2004) The National Children's Study: Overview of the Study Plan. November 16, 2004. Found at: [http://www.nationalchildrensstudy.gov/research/study\\_plan/explanation.cfm](http://www.nationalchildrensstudy.gov/research/study_plan/explanation.cfm)

Needleman HL and Bellinger D (1991) The Health Effects of Low Level Exposure to Lead. *Ann Rev Pub Health* 12:111-40.

Needleman, H., (2001) As cited by Dr. Philip Landrigan, Mount Sinai School of Medicine, keynote address to Children's Environmental Health II: A Global Forum for Action (Washington, D.C.: September, 2001).

Neidert E, Havelock G (1998) Canadian Food Inspection Agency Report on Levels and Incidences of Pesticide Residues in Selected Agricultural Food Commodities Available in Canada During 1994-1998. November 6, 1998.

Newcomb PA, et al (1994) Lactation and a reduced risk of premenopausal breast cancer. *New Engl J Med* 330:81-87.

NEW – Northwest Environment Watch (2004) Flame Retardants in the Bodies of Pacific Northwest Residents – A Study on Toxic Body Burdens. September 29, 2004. [www.northwestwatch.org](http://www.northwestwatch.org)

Newman J. (1995) How breast milk protects newborns. *Scientific American* 273 (6): 76-79.

NIEHS - National Institute of Environmental Health Sciences (2001a) Health Disparities Research – Other Diseases that Adversely Affect Minority Health. Online at: <http://www.niehs.nih.gov/oc/factsheets/disparity/other.htm>

NIEHS - National Institute of Environmental Health Sciences (2001b) Health Disparities Research. Last revision, June 12, 2001. On-line at: <http://www.niehs.nih.gov/oc/factsheets/disparity/home.htm>

Nishioka MG, Burkholder HM, Brinkman MC, et al. (1996) Measuring transport of lawn-applied herbicide acids from turf to home: Correlation of dislodgeable 2,4-D turf residues with carpet dust and carpet surface residues. *Environ Sci Tech* 30:313-32.

Nishioka MG, Burkholder HM, Brinkman MC, Hines C (1999) Transport of lawn-applied 2,4-D from turf to home: *Assessing the relative importance of transport mechanisms and exposure pathways*. National Exposure Research Laboratory, U.S. EPA. Cooperative Agreement CR-822082, March 1999.

Nishioka MG, Lewis RG, Brinkman MC, et al (2001) Distribution of 2,4-D in air and on surfaces inside residences after lawn applications: Comparing exposure estimates from various media for young children. *Environ Health Perspect* 109:1185-91.

NPA - National Pediculosis Association. (Undated) Alternative Treatments. On-line at: <http://www.headlice.org/faq/treatments/alternatives.htm>

NRC - National Research Council (1993) *Pesticides in the Diets of Infants and Children*. Washington: National Academy Press.

NRC – National Research Council (2000a). *Toxicological Effects of Methylmercury*. Prepared by the Committee of Toxicological Effects of Methylmercury, Board on Environmental Studies and Toxicology, Commissions of Life Sciences, National Research Council. National Academy Press, Washington, D.C.

NRC - National Research Council (2000b). Committee on Developmental Toxicology, Board on Environmental Studies and Toxicology and Commission on Life Sciences. *Scientific Frontiers in Developmental Toxicology and Risk Assessment*. National Academy Press, Washington. 327 pp.

NRC - National Research Council (2001) Subcommittee on Reproductive and Developmental Toxicology, Committee on Toxicology, Board on Environmental Studies and Toxicology, Commission on Life Sciences. *Evaluating Chemical and*

*Other Agent Exposures for Reproductive and Developmental Toxicity*. National Academy Press, Washington. 235 pp.

NRCan - Natural Resources Canada (2000) Office of Energy Efficiency, *National Energy Use Database (2000) 1997 Survey of Household Energy Use – Summary Report*, p.2. Available at: [http://oee.nrcan.gc.ca/infosource/pdfs/SHEU\\_e.pdf](http://oee.nrcan.gc.ca/infosource/pdfs/SHEU_e.pdf)

NTP - National Toxicology Program (2004) Substance Profile: Chloroform. In: *Eleventh Report on Carcinogens*. U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. Accessed February 25, 2005 at: <http://ntp.niehs.nih.gov/ntp/roc/eleventh/profiles/s038chlo.pdf>

Nurminen T (1995) Maternal pesticide exposure and pregnancy outcome. *J Occ Env Med*. 37: 935-40.

NYS EPB – New York State Environmental Protection Bureau (2002) - Pest Control in Public Housing, Schools and Parks: Urban Children at Risk. Environmental Protection Bureau, August, 2002. On-line: [www.oag.state.ny.us/environment/pest\\_control\\_public\\_housing.pdf](http://www.oag.state.ny.us/environment/pest_control_public_housing.pdf)

Office of the Auditor General of Canada (OAG) (1999) *Report of the Commissioner of the Environment and Sustainable Development to the House of Commons*. Chapters 3 and 4 – Managing Toxic Substances.

Office of the Auditor General of Canada (OAG) (2003) *Report of the Commissioner of the Environment and Sustainable Development to the House of Commons*. Chapter One – Managing the Safety and Accessibility of Pesticides.

OHSC - Ontario Healthy Schools Coalition (2002) *Healthy Schools Ontario: A Cost-Effective Approach to School Renewal for Successful Learners*. On-line at the Ontario Public Health Association website: <http://www.opha.on.ca/ohsc/educationtaskforce.html>

OHSC - Ontario Healthy Schools Coalition (on-line) <http://www.opha.on.ca/ohsc/index.html>

Olden K. (1996) A bad start for socioeconomically disadvantaged children. *Environ Health Perspect*. 104(5):462-3.

Olshan AF, Anderson L, Roman E, et al (2000) Workshop to identify critical windows of exposure for children's health: cancer work group summary. *Environ Health Perspect.* 108 Suppl 3:595-7.

Olshan AF, Daniels JL (2000). Invited Commentary: Pesticides and childhood cancer. *Am J Epidem* 151:647-49.

OMA - Ontario Medical Association (1998). *The Health Effects of Ground Level Ozone*. OMA Ground Level Ozone Position Paper. On-line at: <http://www.oma.org/phealth/ground.htm>

OMA - Ontario Medical Association (2005) The Illness Costs of Air Pollution – 2005-2026 Health and Economic Damage Estimates, June 2005. [www.oma.org/health](http://www.oma.org/health)

O'Neill MS, Jerrett M, Kawachi I, et al. (2003) Health, wealth, and air pollution: advancing theory and methods. *Environ Health Perspect.* 111(16): 1861-70.

Ontario Cancer Registry, (2002). OCRIS Cancer Incidence File, February 2002, Extracted by Toronto Public Health, Health Information, May 2003.

Oosterlee A, Drijver M, Lebet E, Brunekreef B (1996) Chronic respiratory symptoms in children and adults living along streets with high traffic density *Occup Environ Med* 53(4): 241-7.

OPHA - Ontario Public Health Association (OPHA). (2004a) Balancing and Communicating Issues Related to Environmental Contaminants in Breastmilk. Position paper and resolution adopted by the Ontario Public Health Association (OPHA) [http://www.opha.on.ca/ppres/2004-01\\_pp.pdf](http://www.opha.on.ca/ppres/2004-01_pp.pdf)

OPHA - Ontario Public Health Association (2004b) Building Environmental Health Capacity Within Public Health. Letter to Dr. Sheela Basrur, Chief Medical Officer of Health & Assistant Deputy Minister, from Dr. Pieter Wiebe, Executive Director, OPHA dated June 24, 2004. <http://www.opha.on.ca/advocacy/letters/ehcapacity-june04.html>

Ott W, Roberts J (1998) Everyday exposure to toxic pollutants. *Sci. Am.* 2: 86-93.

OSSWG - Ontario Sun Safety Working Group (1998) *Sun exposure and protective behaviours: Ontario Report 1998*. Toronto, Ontario: Canadian Cancer Society (Ontario Division), 1998.

Pandya RJ, Solomon G, Kinner A, Balmes J (2002). Diesel Exhaust and Asthma: Hypothesis and Molecular Mechanisms of Action (2002) *Environ Health Perspect*. 110(Suppl.1):103-112.

PANNA - Pesticide Action Network North America (2004) *Chemical Trespass – Pesticides in our Bodies and Corporate Accountability*. On-line at: <http://www.panna.org/campaigns/docsTrespass/chemicalTrespass2004.dv.html>

PAO - Provincial Auditor of Ontario (2003) Office of the Provincial Auditor of Ontario, *Annual Report, 2003*. Chapter Three: Reports on Value-for-Money (VFM) Audits, 3.01 Food Industry Program. On-line at: <http://www.auditor.on.ca/english/reports/en01/en01fm.htm>

Parrill, M (1996) Research Implications for Health and Human Services, in Cramer and Ellis (Eds) *Learning Disabilities, Lifelong Issues*. 1996. pp. 227-295.

Passchier-Vermeer W, Passchier WF. (2000). Noise Exposure and Public Health. *Environ Health Perspect* 108(Suppl 1): 123-131.

Passos CJ, Mergler D, Gaspar E et al. (2003) Eating tropical fruit reduces mercury exposure from fish consumption in the Brazilian Amazon. *Environ Res*. 93(2):123-30.

Pearlman DL. (2004) A simple treatment for head lice: dry-on, suffocation-based pediculicide. *Pediatrics* 114(3):e275-9.

Pearson RL, Wachtel H, Ebi KL (2000) Distance-weighted traffic density in proximity to a home is a risk factor for leukemia and other childhood cancers. *J Air Waste Manag Assoc* 50(2): 175-80.

Perera FP. (1997) Environment and cancer: who are susceptible? *Science*. 278(5340):1068-73.

Perera FP, Rauh V, Tsai W-Y et al (2003) Effects of Transplacental Exposure to Environmental Pollutants on Birth Outcomes in a Multiethnic Population *Environmental Health Perspectives* 111(2) 201-205.

Perera FP, Rauh V, Whyatt RM et al (2004) Molecular Evidence of an Interaction Between Prenatal Environmental Exposures and Birth Outcomes in a Multiethnic Population *Environ Health Perspect* 112(5) 626-630.

Peters JM (2004) *Epidemiologic Investigation to Identify Chronic Effects of Ambient Air Pollutants in Southern California*. Prepared for the California Air

Resources Board and the California Environmental Protection Agency. May 14, 2004. On-line at: [www.arb.ca.gov/research/chs/chs.htm](http://www.arb.ca.gov/research/chs/chs.htm)

Pfahlberg A, Kolmel KF, Gefeller O (2001) Febim Study Group. Timing of excessive ultraviolet radiation and melanoma: epidemiology does not support the existence of a critical period of high susceptibility to solar ultraviolet radiation-induced melanoma. *Br J Dermatol*. 144(3):471-5.

PHAC - Public Health Agency of Canada, on-line. Prenatal – 6 Years; Health Pregnancy and Infancy. Multiple on-line resources at: [www.phac-aspc.gc.ca/dca-dea/prenatal/index\\_e.html](http://www.phac-aspc.gc.ca/dca-dea/prenatal/index_e.html)

PHAC - Public Health Agency of Canada. (No date) Population Health. Key Determinants of Health. On-line at [http://www.phac-aspc.gc.ca/ph-sp/phdd/determinants/index.html#key\\_determinants](http://www.phac-aspc.gc.ca/ph-sp/phdd/determinants/index.html#key_determinants) Web page last updated: 2003-06-16.

PHAC - Public Health Agency of Canada (No date) Towards a Common Understanding: Clarifying the Core Concepts of Population Health. Appendix E: Culture as a Determinant of Health [http://www.phac-aspc.gc.ca/ph-sp/phdd/docs/common/appendix\\_e.html](http://www.phac-aspc.gc.ca/ph-sp/phdd/docs/common/appendix_e.html) Web page last updated: 2002-11-29.

PHRED - Public Health Research Education and Development Program (2000). *Report on the Health Status of the Residents of Ontario*. Chapter 9 Behaviour and Health. On-line at: <http://www.opho.on.ca/resources/healthstatus/english/chapter9.pdf>

PMRA - Pest Management Regulatory Agency (2002) *Re-Evaluation Decision Document: Personal insect repellents containing DEET (N,N-diethyl-m-toluamide and related compounds)* RRD 2002-01, April 15, 2002.

PMRA – Pest Management Regulatory Agency (2004) Safety tips on using personal insect repellents. September 2004. Catalogue Number: H113-1/33-2003E-IN <http://www.hc-sc.gc.ca/pmra-arla/english/pdf/pnotes/deet-e.pdf>

Pogoda JM, Preston-Martin S (1997) Household pesticides and risk of pediatric brain tumours. *Environ Health Perspect* 105:1214-20.

Pope CA 3<sup>rd</sup>, Burnett RT, Thun MJ, et al (2002) Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particulate air pollution. *JAMA* 287:1132-41.

PS-FC - Physicians for a Smoke-Free Canada (1999) On-line resources on Cigarette Smoke and Kids' Health at: [http://www.smoke-free.ca/Second-Hand-Smoke/health\\_kids.htm](http://www.smoke-free.ca/Second-Hand-Smoke/health_kids.htm)

Raaschou-Nielsen O, Hertel O, Thomsen BL, Olsen JH (2001) Air pollution from traffic at the residence of children with cancer. *Am J Epidemiol* 153(5): 433-43.

Rasmussen K, Almvik R, Levander S. (2001) Attention deficit hyperactivity disorder, reading disability, and personality disorders in a prison population. *Journal of the American Academy of Psychiatry and the Law* 29: 189-93.

Rasmussen PE, Subramanian KS, Jessiman BJ (2001) A multi-element profile of housedust in relation to exterior dust and soils in the city of Ottawa, Canada. *Science of the Total Environment* 267: 125-140.

Reigart JR, Roberts J (1999) *Recognition and management of Pesticide Poisonings*. U.S. EPA. 5<sup>th</sup> Edition. Found at: <http://www.epa.gov/oppfead1/safety/healthcare/handbook/handbook.htm>

Reynolds P, Von Behran J, Gunier R et al (2003). Childhood cancer incidence rates and hazardous air pollutants in California: An exploratory analysis. *Environ Health Perspect* 110(4):663-68.

Rhoads GG, Ettinger AS, Weisel CP, et al. (1999) The effect of dust lead control on blood lead in toddlers: a randomized trial. *Pediatrics*. 103:551-5.

Rice D, Barone Jr S (2000) Critical periods of vulnerability for the developing nervous system: Evidence from humans and animal models. *Environ Health Perspect* 108:511-33.

Rice DC (2004) The US EPA reference dose for methylmercury: sources of uncertainty. *Environ Res*. 95(3):406-13.

Rice, D (1998) Issues in Developmental Neurotoxicology: Interpretation and Implication of the Data. *Can J Pub Health*. 89(Suppl 1): S31-36.

Rice, DC (1997) Effect of postnatal exposure to a PCB mixture in monkeys on multiple fixed interval-fixed ratio performance. *Neurotoxicol Teratol* 19:429-34.

Riedel D, Harrison J, Galarneau D, et al. (1991) Residues of arsenic, chromium, and copper on and near playground structures built of wood pressure-treated with "CCA" type preservatives. Draft report. Health Protection Branch. Health & Welfare Canada.

Rijnders E, Janssen NAH, van Vliet PHN, Brunekreef B. (2001) Personal and outdoor Nitrogen Dioxide concentrations in relation to degree of urbanization and traffic density. *Environ Health Perspect* 109 (Suppl 3): 411-417.

Riley DM, Newby CA et al (2001) Assessing elemental mercury vapor exposure from cultural and religious practices. *Environ Health Perspect*. 109(8):779-84.

Ripley B, OMAFRA, 2003. EF5062 - Investigations into Pesticide Violations of Canadian Food and Drugs Act Maximum Residue Limits on Fruits and Vegetables  
On-line at:  
<http://www.gov.on.ca/OMAFRA/english/research/archives/researchfund/efqdocs/ef5062.htm>

Ritz B, Yu F (1999) The effect of ambient carbon monoxide on low birth weight among children born in southern California between 1989 and 1993. *Environ Health Perspect* 107:17-25.

Ritz, B, Yu F, Fruin S, Chapa G, Shaw G, Harris J (2002). Ambient air pollution and risk of birth defects in Southern California. *Am J Epidem*. 155(1):17-25.

Roberts JW, Dickey P (1995) Exposure of children to pollutants in house dust and indoor air. *Rev Env Cont Tox* 143:59-78.

Roberts JW, Ruby MG, Warren GR (1987) Mutagenic activity of house dust. In: Sandhu SS, DeMarini DM et al (eds) *Short-term bioassays in the analysis of complex mixtures*, vol V. Plenum Press, New York, pp. 355-367.

Rodier PM. (1995) Developing brain as a target of toxicity. *Environ Health Perspect*. 103 (Suppl 6):73-6.

Rowland AS, Umbach DM, Stalone L et al (2002) Prevalence of medication treatment for attention-deficit hyperactivity disorder among elementary school children in Johnson County, North Carolina. *American Journal of Public Health* 92 (2) 231-4.

Rudel RA, Camann DE et al (2003) Phthalates, Alkyphenols, Pesticides, Polybrominated Diphenyl Ethers and other Endocrine-Disrupting Compounds in Indoor Air and Dust *Environ Sci Technol* 37(20) 4543-4553.

Ryan JJ et al (2002) Polybrominated Flame Retardants: Recent Trends in Levels of Brominated Diphenyl Ethers (BDEs) in Human Milks from Canada. *Organohalogen Compounds*. 58:173-176.

Sabin LD, Behrentz E, Winer AM, et al. (2004) Characterizing the range of children's air pollutant exposure during school bus commutes. *J Expo Anal Environ Epidemiol*. Advance online publication 08 December 2004; doi: 10.1038/sj.jea.7500414.

Sadikova SS (1990) Exchange of Iron and Cellular Immunity in Healthy Children and Children with Iron-Deficiency Anemia Living in Districts with Intensive and Limited Utilization of Pesticides; New Progress in Hematology and Transfusionology: Summaries of the Third Republic Congress of Hematologists and Transfusionologists of Uzbekistan, Tashkent: 104-105.

Salam MT, Li YF, Langholz B, Gilliland FD. (2004) Children's Health Study. Early-life environmental risk factors for asthma: findings from the Children's Health Study. *Environ Health Perspect*. 112(6):760-5.

Salkever, DS (1995) Updated estimates of earnings benefits from reduced exposure of children to environmental lead. *Environmental Research*, 70:1-6.

Sallmen M, Lindbohm ML, Nurminen M (2000) Paternal exposure to lead and infertility. *Epidemiology* 11:148-152.

Sandler DP, Everson RB, Wilcox AJ, Browder JP (1985) Cancer risk in adulthood from early life exposure to parents' smoking. *Am J Pub Health* 75:487-492.

Sanborn M, Cole D, Kerr, K et al (2004) Pesticides Literature Review. Ontario College of Family Physicians. On-line at: [www.ocfp.ca](http://www.ocfp.ca)

Santillo D, Labunska I et al (2003) *Consuming Chemicals – Hazardous chemicals in house dust as an indicator of chemical exposure in the home*. Greenpeace UK, May, 2003. On-line at: <http://www.greenpeace.org.uk/MultimediaFiles/Live/FullReport/5679.pdf>

Satterfield JH, Schell A. (1997) A prospective study of hyperactive boys with conduct problems and normal boys: adolescent and adult criminality. *American Academy of Adolescent Psychiatry* 36(12):1726-35.

Savitz DA, Feingold L (1989) Association of childhood cancer with residential traffic density. *Scand J Work Environ Health* 15(5): 360-3.

Savitz DA, Arbuckle T, et al (1997) Male pesticide exposure and pregnancy outcome. *Am J Epidemiol* 146:1025-3.

- Schechter A et al (2003) Polybrominated Diphenyl Ethers (PDBEs) in Mothers' Milk. *Environ Health Perspect* 111(14):1723-1729.
- Schettler T, Solmon MPH, Valenti M, Huddle A. (1999) *Generations at Risk: Reproductive Health and the Environment*. The MIT Press. Cambridge.
- Schettler, T., J. Stein, F. Reich et al (2000) *In Harm's Way: Toxic Threats to Child Development*. A report by Greater Boston Physicians for Social Responsibility. 140 pp. Online at: [www.igc.org/psr](http://www.igc.org/psr)
- Scheuplein, R., G. Charnley and M. Dourson (2002) Differential sensitivity of children and adults to chemical toxicity – I Biological basis. *Reg Toxicol Pharmacol* 35, 429-447. Online at: [www.tera.org/pubs/Scheuplein%202002.pdf](http://www.tera.org/pubs/Scheuplein%202002.pdf)
- Schreiber, J. (2001) Parents worried about breast milk contamination: What is best for baby? *Pediatrics Clinics of North America* 48(5):1113-1127.
- Schwartz, J (1994) Societal benefits of reducing lead exposure. *Environmental Research* 66, 105-124.
- Scorecard, on-line. Environmental Defense, USA List of suspected neurotoxins. On-line at [www.scorecard.org](http://www.scorecard.org). List compiled from 21 databases or references including USEPA, National Institute for Occupational Safety and Health's Registry of Toxic Effects of Chemical Substances, New Jersey Dept of Health Services Toxic Release Inventory Fact Sheets and Casarett and Doull's *Toxicology, the Basic Science of Poisons*, edited by C. Klaasen, M. Amdur J. Doull, 5<sup>th</sup> Ed. Pergamon Press, NY 1996. Complete list of references on-line at: [www.scorecard.org/health-effects/](http://www.scorecard.org/health-effects/)
- Selevan SG, Kimmel CA, Mendola P (2000) Identifying critical windows of exposure for children's health. *Environ Health Perspect* 108(Suppl 3):451-55.
- Sever LW, Arbuckle TE, Sweeney A (1997) Reproductive and developmental effects of occupational pesticide exposure: The epidemiologic evidence. *Occup Med: State of the Art Reviews* 12: 305-25.
- Shafer TJ, Meyer DA, Crofton KM. (2005) Developmental neurotoxicity of pyrethroid insecticides: critical review and future research needs. *Environ Health Perspect*. 113:123-36.
- Sharp R and Lunder S (2004) *In the dust: High Levels of Toxic Fire Retardants Contaminate American Homes*. Environmental Working Group, Washington. Available at: <http://www.ewg.org/reports/inthedust/>

Sharpe RM, Irvine DS. (2004). How strong is the evidence of a link between environmental chemicals and adverse effects on human reproductive health? *Br Med J* 328: 447-451.

Sharpe KH et al (1974) Studies of the relationship of environmental lead levels and human lead intake, Working Group on Lead, Ontario Ministry of the Environment.

Shaw GM, Wasserman CR, O'Malley CD et al (1999) Maternal pesticide exposure from multiple sources and selected congenital anomalies. *Epidemiology* 10:60-66.

Sheet LP (2000) A consideration of age-dependent differences in susceptibility to organophosphorous and pyrethroid insecticides. *NeuroToxicol* 21:57-64.

Sherriff A, Farrow A, Golding J, Henderson J (2005) Frequent use of chemical household products is associated with persistent wheezing in pre-school age children. *Thorax* 60(1):45-9.

Shima M, Nitta Y, Adachi M (2003) Traffic-related air pollution and respiratory symptoms in children living along trunk roads in Chiba Prefecture, Japan. *J Epidemiol.* 13(2):108-19.

Shoveller JA, Savoy DM, Roberts RE. (2002) Sun protection among parents and children at freshwater beaches. *Can J Pub Health* 93: 146-48.

Sierra Legal Defence Fund (2004) Letter to Janet Beauvais, Director, Existing Substances Branch, Environment Canada, RE: Comments regarding Canadian Environmental Protection Act, 1999 Environmental Screening Assessment Report on Polybrominated Diphenyl Ethers (PBDEs) as published in the Canada Gazette Part 1, Vol. 138, No. 19 — May 8, 2004 and the CEPA Environmental Registry. Found at: [http://www.sierralegal.org/reports/PBDEcomments\\_july2004.pdf](http://www.sierralegal.org/reports/PBDEcomments_july2004.pdf)

Silbergeld, E. (1986) Maternally-mediated exposure of the fetus: In utero exposure to lead and other toxins. *Neurotoxicology* 7(2): 557-568.

Sjodin A, Jones, RS, Focant J-F, et al (2004) Retrospective Time-Trend Study of Polybrominated Diphenyl Ethers and Polybrominated and Polychlorinated Biphenyl Levels in Human Serum from the United States *Environ Health Perspect* 112(6) 654-658.

Sly T, Lee J et al (1991) *A survey of knowledge, behaviour and attitudes among residents of the city of Toronto with respect to pesticides*. Prepared for the Environmental Protection Office, City of Toronto Health Department.

Smith L and Rea E (1995) Low blood-lead levels in Northern Ontario – what now? *Can J Publ Health* 86: 373-376.

Smyth A, O'Hea U, Feyerabend C, et al (2001) Trends in passive smoking in cystic fibrosis, 1993-1998. *Pediatr Pulmonol* 31(2):133-7.

Srám RJ, Binková B, et al (2005) Ambient Air Pollution and Pregnancy Outcomes: A Review of the Literature. *Environ Health Perspect* 113(4):375-382.  
Standing Committee on Environment and Sustainable Development, (Standing Committee) House of Commons, Canada (2000). *Pesticides - Making the Right Choices for the Protection of Health and the Environment*. Ottawa: May, 2000.

Stapleton HM, M Schantz and S Wise (2004) Polybrominated Diphenyl Ether Measurements in Household Dust In: Alaei, M et al (Eds) *Proceedings of the Third International Workshop on Brominated Flame Retardants - BFR 2004*. University of Toronto, Toronto, Ontario, Canada.

Statistics Canada (1997) 1997 Education Quarterly Review, Statistics Canada, Catalogue no. 81-003-XPB, Vol. 4, no. 2 - Initial Results from the School Component, NLSCY.

Statistics Canada, 2001 Census data on-line at:

<http://www12.statcan.ca/english/census01/home/index.cfm>

Statistics Canada (2004). *The Daily, Thursday, October 14, 2004*. [electronic version] Retrieved April 29, 2005 from

<http://www.statcan.ca/Daily/English/041014/d041014d.htm>

Statistics Canada, on-line. Canadian Health Measures Survey. On-line at:

<http://www.statcan.ca/english/survey/household/measures/measures.htm>

Statistics Canada, on-line. Health Conditions. Low Birth Weight. On-line at:

<http://www.statcan.ca/english/freepub/82-221-XIE/00604/hlthstatus/conditions3.htm>

Steffen C, Auclerc MF, Auvrignon A, et al (2004) Acute childhood leukaemia and environmental exposure to potential sources of benzene and other hydrocarbons; a case-control study. *Occup Environ Med*. 61(9):773-8.

Steingraber, S. (2001). *Having Faith – An Ecologist’s Journey to Motherhood*. Perseus Publishing, Cambridge, MA. 340 pp.

Steliarova-Foucher E, Stiller C, et al (2004) Geographical patterns and time trends of cancer incidence and survival among children and adolescents in Europe since the 1970s (the ACCIS project): an epidemiological study. *The Lancet* 364: 2097-105.

Stern AH, Smith AE (2003). An assessment of the cord blood:maternal blood methylmercury ratio: implications for risk assessment. *Environ Health Perspect*. 111(12):1465-70.

Stern, AH, Jacobson, JL, Ryan L, Burke TA. (2004). Commentary: Do recent data from the Seychelles Islands alter the conclusions of the NRC Report on the toxicological effects of methylmercury? *Environmental Health: A Global Access Science Source*. Available at: <http://www.ehjournal.net/content/3/1/2>.

Stewart, K (2004) Submission to Ontario Ministry of the Environment - Position of the Canadian Environmental Law Association, Citizens Environment Alliance, International Institute of Concern for Public Health, Occupational Health Clinic for Ontario Workers (Sarnia-Lambton), Pembina Institute for Appropriate Development and Toronto Environmental Alliance on new air toxic standards for Ontario. On-line at: <http://www.cela.ca/publications/cardfile.shtml?x=2033>

Taylor JA, Sanderson M (1995) A re-examination of the risk factors for the sudden infant death syndrome. *J Pediatr* 126:887-891.

TCDSB - Toronto Catholic District School Board (2001a) TCDSB Policy Register. Weed Control B.G.03. Last revised May 17, 2001. On-line at: <http://www.tcdsb.org/policyregister/BG03.html>

TCDSB - Toronto Catholic District School Board (2001b) TCDSB Pest Control Program Standard Operating Procedure. Last revised, January 2001.

TDSB - Toronto District School Board (2001) Severe Weather: School Procedure. Operational Procedure PR.519 COM. Adopted October 2001, Last revised September 2004. <http://www.tdsb.on.ca/pandp/ppdocs/docs/r/PR519.doc>

TDSB - Toronto District School Board (2004) Board Meeting minutes, November 17, 2004. [http://www.tdsb.on.ca/boardroom/bd\\_agenda/uploads/minutes/2004/41117%20Summary.pdf](http://www.tdsb.on.ca/boardroom/bd_agenda/uploads/minutes/2004/41117%20Summary.pdf)

TDSB - Toronto District School Board and Evergreen (2004) School Ground Greening: Designing for Shade and Energy Conservation Guide <http://www.tdsb.on.ca/wwwdocuments/programs/ecoschools/docs/School%20Ground%20Greening.pdf>

Thickett KM, McCoach JS, Gerber JM, et al. (2002). Occupational asthma caused by chloramines in indoor swimming-pool air. *Eur Respir J* 19:827–832.

Thompson L, Al-Azzawi A, Nguyen H (2004) Benzene in Canadian Gasoline: Report on the Effect of the Benzene in Gasoline Regulations 2003. September 2004. Environment Canada online [http://www.ec.gc.ca/energ/fuels/reports/benz\\_2003/BenzeneReport2003\\_e.cfm](http://www.ec.gc.ca/energ/fuels/reports/benz_2003/BenzeneReport2003_e.cfm)

Thompson S. (2003) Environmental Justice in a Toxic Community: Community Struggles with Environmental Health Disorders in Nova Scotia. Presentation at: 2nd Global Conference: Ecological Justice and Global Citizenship. February 2003, Copenhagen, Denmark. On-line at: <http://www.inter-disciplinary.net/ptb/ejgc/ejgc2/ejgc2s6.htm>

Thurston County Public Health & Social Services Department, Epidemiology Assessment & Planning Section. (2004) Thurston County's Perception and Practice: Environmental Factors & Lifestyle Choices Survey 2004. Unpublished manuscript.

Till C et al (2001a) Prenatal exposure to organic solvents and child neurobehavioural performance *Neurotox and Teratol* 23: 235-245.

Till C et al (2001b) Effects of Maternal Occupational Exposure to Organic Solvents on Offspring Visual Functioning: A Prospective Controlled Study *Teratology* (64) 134-141.

Till C, Rovet JF, Koren G, Westall CA (2003) Assessment of Visual Functions Following Prenatal Exposure to Organic Solvents *Neurotoxicology* 24: 725-731.

Tilson HA, Jacobson, JL, Rogan, WJ. (1990) Polychlorinated biphenyls and the developing nervous system: Cross-species comparisons. *Neurotoxicology and Teratology* 12:239-248.

To T, Dell S, Dick P et al (2004) *Burden of Childhood Asthma*. Institute for Clinical Evaluative Sciences (ICES), Toronto, Ontario. On-line at: [www.ices.on.ca/file/ACF77.pdf](http://www.ices.on.ca/file/ACF77.pdf)

Toronto, Toronto Children and Youth Action Committee (Toronto), (2000). *Toronto Report Card on Children*. Volume 2 Update.2000. <http://www.toronto.ca/children/report/repcard4/repcard4.htm>

Toronto, Toronto Children and Youth Action Committee (Toronto), (2002). *Toronto Report Card on Children*. Volume 4 Update.2002. <http://www.toronto.ca/children/report/repcard4/repcard4.htm>

Toronto, Toronto Children and Youth Action Committee (Toronto), (2003). *Toronto Report Card on Children*. Volume 5 Update 2003. <http://www.toronto.ca/children/report/repcard5/repcard5.htm>

Toronto, Toronto Department of Public Health, Environmental Protection Office (1990). Summary Report: The Quality of Drinking Water in Toronto: A Review of Tap Water, Bottled Water and Water Treated by a Point-of-Use Device. December 1990.

TPH, HI&P - Toronto Public Health. Health Information and Planning. (2005a) Toronto Breastfeeding Rates. *Health Status News*. Issue 3-1, February 2005.

TPH, HI&P - Toronto Public Health, Health Information & Planning. (2005b) Chartbook pages: Age-Specific Fertility Rate, Toronto, 1989-2000. January 2005.

TPH, HI&P - Toronto Public Health, Health Information & Planning. (2005c) Chartbook pages: Low Birth Weight Rate, Toronto, 1997-2002. January 2005.

TPH, HI&P - Toronto Public Health, Health Information & Planning. (2005d) Chartbook pages: Infant Mortality Rate, Toronto 1989-2000. January 2005.

TPH, HI&P - Toronto Public Health, Health Information & Planning. (2005e) Chartbook pages: Crude Birth Rate, Toronto 1997-2002. January 2005.

TPH - Toronto Public Health (1999a) *State of Children's Environmental Health in Toronto, Phase 1: Background Research for the Needs Assessment*. Internal report. Prepared by E. Galanis and M. Campbell.

TPH - Toronto Public Health (1999b) Health Effects of Wireless Telephone Transmission Towers. Report to the Board of Health. November 5, 1999. [http://w3.city.toronto.on.ca/health/hphe/pdf/rf\\_boh\\_final.pdf](http://w3.city.toronto.on.ca/health/hphe/pdf/rf_boh_final.pdf)

TPH - Toronto Public Health (2000) *Toronto's Air: Let's Make it Healthy*. Toronto, Ontario: December 2000.

TPH – Toronto Public Health (2001). Chemicals in Drinking Water. March 2001. Found at: [http://www.city.toronto.on.ca/health/hphe/pdf/chemicals\\_in\\_drinking\\_water\\_technical.pdf](http://www.city.toronto.on.ca/health/hphe/pdf/chemicals_in_drinking_water_technical.pdf)

TPH - Toronto Public Health (TPH) (2001a) *Toronto's Health Status: A Profile of Public Health in 2001*.

TPH – Toronto Public Health (2001b). Chemicals in Drinking Water. March 2001. Found at: [http://www.city.toronto.on.ca/health/hphe/pdf/chemicals\\_in\\_drinking\\_water\\_technical.pdf](http://www.city.toronto.on.ca/health/hphe/pdf/chemicals_in_drinking_water_technical.pdf)

TPH – Toronto Public Health (2002a) *Children's Health and the Environment Needs Assessment Project – A Proposal and Framework Study, Final Report*. Internal report prepared by L. Vanderlinden for Health Promotion and Environmental Protection Office, Toronto Public Health, September, 2002.

TPH - Toronto Public Health (2002b) *Child Health and Environment Needs Assessment Survey, Final Report*. Prepared by Smaller World Communications. April, 2002.

TPH - Toronto Public Health. (2002c) *Lawn and Garden Pesticides: A Review of Human Exposure & Health Effects Research*. April 2002.

TPH - Toronto Public Health (TPH) (2002d). *A Survey of Toronto Residents' Awareness, Uses and Attitudes Towards Lawn Pesticides*, April 2002.

TPH - Toronto Public Health. (2002e). *Public Opinion Survey for the Phase-Out of Non-Essential Outdoor Pesticide Use – Final Report*. City of Toronto. December 2002.

TPH - Toronto Public Health (TPH) (2003) *Air Pollution and Physical Activity*. Report to the Board of Health. City of Toronto. June 2003. On-line at: [http://www.city.toronto.on.ca/health/hphe/pdf/air\\_pollution\\_and\\_exercise\\_BOH.pdf](http://www.city.toronto.on.ca/health/hphe/pdf/air_pollution_and_exercise_BOH.pdf)

TPH - Toronto Public Health. (2004a) *The Cost of the Nutritious Food Basket in Toronto for 2004*. Report to the Toronto Board of Health, September 2, 2004. <http://www.toronto.ca/legdocs/2004/agendas/committees/hl/hl040920/it001b.pdf>

TPH - Toronto Public Health (TPH) (2004b) Health Promotion & Environmental Protection Office. *Survey of Knowledge, Behaviour and Attitudes among Residents of the City of Toronto with Respect to Pesticides - 2000*. City of Toronto. April 2004.

TPH - Toronto Public Health (TPH) (2004c) *Air Pollution Burden of Illness in Toronto*. July, 2004. On-line at: <http://www.toronto.ca/health/hphe/pubs.htm>

TPH – Toronto Public Health (2004d) *Low Birth Weight*. Staff Report to Toronto Board of Health from Dr. Barbara Yaffe, Acting Medical Officer of Health to Toronto Board of Health. April 26, 2004.

TPH - Toronto Public Health (TPH) (2004e) *Shade Policy and Technical Considerations for the City of Toronto* Staff Report to Toronto Board of Health from Dr. David McKeown, Medical Officer of Health to Toronto Board of Health. October 13, 2004. Accessed May 31, 2005 at: <http://www.toronto.ca/legdocs/2004/agendas/committees/hl/hl041018/it010.pdf>

TPH - Toronto Public Health (TPH) (2004f) *Toronto's Health Status: Focus on Tobacco*. City of Toronto: Toronto, Canada. April 2004. Accessed February 25, 2005 at: [http://www.city.toronto.on.ca/health/hsi/pdf/hsi\\_tobacco\\_profile.pdf](http://www.city.toronto.on.ca/health/hsi/pdf/hsi_tobacco_profile.pdf)

TPH - Toronto Public Health (2005a) WNV Personal Precautions. Found at: [http://city-dev.city.toronto.on.ca/health/westnile/wnv\\_personalprecautions.htm](http://city-dev.city.toronto.on.ca/health/westnile/wnv_personalprecautions.htm)

TPH – Toronto Public Health (2005b) *Pediculosis Procedure and Policy*. September 2005.

TPH – Toronto Public Health online *Smog Alert Days, 2005*. Found at: [www.toronto.ca/health/smog/smog\\_new.htm](http://www.toronto.ca/health/smog/smog_new.htm)

TPH – Toronto Public Health (2005c). *Update on Ontario's Plan to Revise Air Quality Emission Standards*. Report to Toronto Board of Health, June 27, 2005. Found at: <http://www.toronto.ca/legdocs/2005/agendas/committees/hl/hl050711/it004.pdf>

TSDSSC - Toronto Social Development Strategy Steering Committee (Toronto, 2001) *A Social Development Strategy for the City of Toronto, 2001*. December, 2001. On-line at: <http://www.toronto.ca/sds/reports.htm>

TWESWWS - Toronto Work and Emergency Services. *Water and Wastewater Services. Water Quality Quarterly Report*. July-September 2003. Accessed

February 28, 2005 at:

[http://www.city.toronto.on.ca/water/quality\\_report/pdf/2003\\_07\\_09.pdf](http://www.city.toronto.on.ca/water/quality_report/pdf/2003_07_09.pdf)

Trasande L, Landrigan PJ and Schechter C (2005) Public Health and Economic Consequences of Methylmercury Toxicity to the Developing Brain. *Environ Health Perspect* 113:590-596.

Tryphonas H (1998) The Impact of PCBs and Dioxins on Children's Health: Immunological Considerations *Can J. Public Health* 89(Suppl. 1) S49-S52.

UKFSA - United Kingdom Food Standards Agency (2003) Multi-element survey of infant foods (42/03) available at

<http://www.food.gov.uk/science/surveillance/fsis-2003/fsis422003>

UKFSA - United Kingdom Food Standards Agency (2004) Food Surveillance Information Sheet Number 49, (2004). Dioxins and dioxin-like PCBs in infant formulae available at

<http://www.food.gov.uk/multimedia/pdfs/fsis4904dioxinsinfantformula.pdf>

UKMAFF – United Kingdom Ministry of Agriculture, Fisheries and Food (1996) *Phthalates in infant formulae*. Food Safety Directorate, 9 pp. (Food Surveillance Information Sheet No. 83).

UNEP - United Nations Environment Program (2002) Global Mercury Assessment Report. New York:United Nations Environmental Programme. Available: <http://www.chem.unep.ch/mercury/Report/GMA-report-TOC.htm>

University of Ottawa, emcom.ca. (undated) R. Samuel McLaughlin Centre for Population Health Risk Assessment. Institute of Population Health. Chemical Exposures and Human Fertility. On-line at: <http://www.emcom.ca/health/Chemicals%20and%20Human%20Fertility%2013-01-04.pdf>

Ursitti F, Vanderlinden L, Watson R, Campbell M. (2004) Assessing and Managing Exposure from Arsenic in CCA-Treated Wood Play Structures. *Can J Publ Health* 95(6)429-433.

USDHHS - US Department of Health and Human Services (2005) Summary Health Statistics for US Children: National Health Interview Survey, 2003. Vital and Health Statistics, Series 10m No. 223. March, 2005.

USDHHS and USEPA - U.S. Department of Health and Human Services & U.S. Environmental Protection Agency (2004) Consumer Advisory: What You Need to

Know About Mercury in Fish and Shellfish. Advisory and Backgrounder on-line at: <http://www.epa.gov/waterscience/fish/MethylmercuryBrochure.pdf> and <http://www.epa.gov/waterscience/fishadvice/backgrounder.pdf>

USEPA - US Environmental Protection Agency (1991) *Guidelines for Developmental Toxicity Risk Assessment*. U.S. EPA, Risk Assessment Forum, Washington D.C.

USEPA - US Environmental Protection Agency (1996) *Guidelines for Reproductive Toxicity Risk Assessment*. U.S. EPA, Risk Assessment Forum, Washington D.C.

USEPA - US Environmental Protection Agency (1997) *Special Report on Environmental Endocrine Disruption: An Effects Assessment and Analysis*. Prepared by the Technical Panel for the Risk Assessment Forum, Washington D.C.

USEPA - US Environmental Protection Agency (1998) *Guidelines for Neurotoxicity Risk Assessment*. U.S. EPA, Risk Assessment Forum, Washington D.C.

USEPA - US Environmental Protection Agency (1999) *Toxicology Data Requirements for Assessing Risks of Pesticide Exposure for Children's Health*. Report of the Toxicology Working Group of the 10X Task Force. U.S. EPA

US EPA - United States Environmental Protection Agency (2001) Final Exposure Document. October 2001. Found at: [http://www.epa.gov/scipoly/sap/2001/october/final\\_expo\\_doc\\_927.pdf](http://www.epa.gov/scipoly/sap/2001/october/final_expo_doc_927.pdf)

USEPA - US Environmental Protection Agency (2002) Office of Pesticide Programs. Reregistration Eligibility Decision (RED) for Lindane. Case 315. September 25, 2002. Found at: [http://www.epa.gov/REDS/lindane\\_red.pdf](http://www.epa.gov/REDS/lindane_red.pdf)

USEPA - US Environmental Protection Agency (2003a) Office of Children's Health Protection (OCHP) *Overview of the Special Vulnerability and Health Problems of Children*. 39 pp. Paper Series on Children's Health and the Environment. February, 2003.

USEPA - US Environmental Protection Agency (2003b) Office of Children's Health Protection (OCHP) *Critical Periods in Development*, 48 pp. Paper Series on Children's Health and the Environment. February, 2003.

USEPA - US Environmental Protection Agency (2003c) Office of Children's Health Protection (OCHP), *Children's Environmental Exposures*, 25 pp. Paper Series on Children's Health and the Environment. March, 2003.

USEPA - US Environmental Protection Agency (2003d) *Draft Final Guidelines for Carcinogen Risk Assessment*. U.S. EPA, Risk Assessment Forum, Washington D.C.

USEPA - US Environmental Protection Agency (2003e) Office of Children's Health Protection, National Center for Environmental Economics and Policy Economics Innovation. *America's Children and the Environment: Measures of Contaminants, Body Burdens, and Illnesses*. 2nd edition. EPA240-R-03-001. 172 pp.

USEPA - US Environmental Protection Agency (2003f) *A Probabilistic Risk Assessment for Children Who Contact CCA-Treated Playsets and Decks*. Prepared by W. Dang et al. November 10, 2003. <http://www.epa.gov/oscpmont/sap/2003/december3/shedsprobabalisticriskassessmentnov03.pdf>

USEPA - US Environmental Protection Agency (2004) Sources of Indoor Air Pollution - Pesticides. National Pesticide Information Center. On-line at: <http://www.epa.gov/iaq/pesticid.html>

USEPA - US Environmental Protection Agency, on-line. Indoor Air Quality in Homes. On-line at: <http://www.epa.gov/iaq/homes/index.html>

USEPA, US Environmental Protection Agency, undated. Environmental Justice. On-line at: <http://www.epa.gov/compliance/environmentaljustice/index.html>

USEPA - United States Environmental Protection Agency, CPSC - Consumer Product Safety Commission (1995) *The Inside Story: A Guide to Indoor Air Quality*. Office of Radiation and Indoor Air (6604J) EPA Document # 402-K-93-007, April 1995. Found at: <http://www.epa.gov/iaq/pubs/insidest.html>

US EPA - United States Environmental Protection Agency (2001) Final Exposure Document. October 2001. Found at: [http://www.epa.gov/scipoly/sap/2001/october/final\\_expo\\_doc\\_927.pdf](http://www.epa.gov/scipoly/sap/2001/october/final_expo_doc_927.pdf)

US FDA - US Food and Drug Administration (2002) FDA alerts public regarding recall of powdered infant formula. available at <http://www.fda.gov/bbs/topics/NEWS/2002/NEW00849.html>

UWGT and CCSD - United Way of Greater Toronto and the Canadian Council on Social Development (2004) *Poverty by Postal Code – The Geography of Neighbourhood Poverty, 1981 – 2001*. A report prepared jointly by the United Way of Greater Toronto and the Canadian Council on Social Development.

Vanderlinden L and Cooper K (2002) Children's Health Project: Update on Childhood Cancer. *Intervenor*, newsletter of the Canadian Environmental Law Association, vol. 27, no. 1- 2, January - June 2002. Online at: [http://www.cela.ca/newsletter/detail\\_art.shtml?x=1259](http://www.cela.ca/newsletter/detail_art.shtml?x=1259)

Vainio H, Miller AB, Bianchini F (2001) An international evaluation of the cancer-preventive potential of sunscreens. *Int J Cancer*. 88(5):838-42.

Van Dam RM, Huang Z, Rimm EB, et al (1999) Risk factors for basal cell carcinoma of the skin in men: results from the health professionals follow-up study. *Am J Epidemiol*. 150(5):459-68.

Van Larebeke NA, Birnbaum LS, Boogaerts MA, et al. (2005) Unrecognized or potential risk factors for childhood cancer. *Int J Occup Environ Health*. 11:199-201.

Vohra S, Koren G (2001) Hypothetical framework for a relationship between maternal thyroid function, nausea and vomiting in pregnancy, and congenital heart disease. *Med Hypotheses* 56(3):392-4.

Wade V, Welshons, Kristina A. et al (2003) Large Effects from Small Exposures. I. Mechanisms for Endocrine-Disrupting Chemicals with Estrogenic Activity *Environ Health Perspect* 111: 994-1106.

Walkowiak J, Wiener JA, Fastabend A et al (2001) Environmental exposures to polychlorinated biphenyls and quality of the home environment: effects on psychological development in early childhood. *Lancet* 358:1602-7.

Wallace B and Cooper K (1986) *The Citizen's Guide to Lead: Uncovering a Hidden Health Hazard*. NC Press, Toronto.

Warner J (2000) Allergic Diseases and the Indoor Environment. Report for the Healthy Flooring Network. On-line at: <http://www.healthyflooring.org/report01.html>

Wasserman GA, Factor-Litvak P, Liu X et al (2003). The relationship between blood lead, bone lead and child intelligence. *Neuropsychol Dev Cogn Section C Child Neuropsychol* 9:22-34.

Weidner IS, Moller H, Jensen TK, et al. (1998) Cryptorchidism and hypospadias in sons of gardeners and farmers. *Environ Health Perspect* 106:793-96.

Weinstock MA, Colditz GA, Willett WC, et al (1989). Nonfamilial cutaneous melanoma incidence in women associated with sun exposure before 20 years of age. *Pediatrics*. 84:199-204.

Weisglas-Kuperus, Patandin S, Berbers GA, et al. (2000) Immunologic effects of background exposure to polychlorinated biphenyls and dioxins in Dutch preschool children. *Environ Health Perspect* 108:1203-7.

Weiss B (1990) Risk assessment: The insidious nature of neurotoxicity and the aging brain. *Neurotoxicol* 11:305

Weiss B, and Landrigan PJ (2000) The Developing Brain and the Environment – An Introduction. *Environ Health Perspect* 108 (Suppl. 3): 373-374.

Welshons WV, Thayer KA, Judy BM et al (2003) Large effects from small exposures. I. Mechanisms for endocrine-disrupting chemicals with estrogenic activity. *Environ Health Perspect*. 111(8):994-1006.

Whiteman DC, Whiteman CA, Green AC (2001) Childhood sun exposure as a risk factor for melanoma: a systematic review of epidemiologic studies. *Cancer Causes Control*. 12(1):69-82.

Whyatt RM, Rauh V, Barr D B, et al (2004) Prenatal Insecticide Exposures and Birth Weight and Length among an Urban Minority Cohort *Environ Health Perspect* 112(10) 1125-1132.

Wild CP, Kleinjans J. (2003) Children and increased susceptibility to environmental carcinogens: evidence or empathy? *Cancer Epidemiol Biomarkers Prev*. 12:1389-94.

Wigle D (2003). *Child Health and the Environment*, Oxford University Press. 396 pp.

Wigle D (2004) *Child Health and the Environment*, Epidemiologic evidence summary tables, Chapter 10, Outdoor Air Pollution. On-line at: <http://www.mclaughlincentre.ca/programs/child.shtml> and specifically: Outdoor air pollution: summary of epidemiologic evidence, Updated April 28, 2004, at: <http://www.mclaughlincentre.ca/programs/child/Ch10,Outdoor%20air%20pollution.pdf>

Wong HCG (2004) Mercury and Chinese herbal medicine. *BC Med J.* 46: 442.

WHO-EEA - World Health Organization Regional Office for Europe and European Environment Agency (2002) *Children's health and the environment: A review of the evidence.* On-line at:

[http://reports.eea.eu.int/environmental\\_issue\\_report\\_2002\\_29/en/eip\\_29.pdf](http://reports.eea.eu.int/environmental_issue_report_2002_29/en/eip_29.pdf)

WHO Regional Office for Europe - World Health Organization Regional Office for Europe (1989). Environment and Health, the European Charter and Commentary, Frankfurt, 1989 On-line at:

[http://www.euro.who.int/eprise/main/WHO/Progs/HEP/20030612\\_1](http://www.euro.who.int/eprise/main/WHO/Progs/HEP/20030612_1)

WHO – World Health Organization (2003a) Global Strategy for Infant and Young Child Feeding, WHO, Geneva. On-line at:

[www.who.int/nut/documents/g\\_s\\_infant\\_feeding\\_text\\_eng.pdf](http://www.who.int/nut/documents/g_s_infant_feeding_text_eng.pdf)

WHO - World Health Organization (2003b) *Climate Change and Human Health – Risks and Responses.* Geneva.

WHO - World Health Organization, Europe (2003) Joint WHO/Convention Task Force on the Health Aspects of Air Pollution. *Health Risks of Persistent Organic Pollutants from Long-range Transboundary Air Pollution.* WHO – Europe. 252 pp. On-line at: <http://www.euro.who.int/Document/e78963.pdf>

Younglai EV, Collins JA, Foster WG. (1998) Canadian semen quality: an analysis of sperm density among eleven academic fertility centers. *Fertil. Steril.* 70:76-80.

Younglai EV, Foster WG, Hughes EG, Trim K, Jarrell JF. (2002) Levels of environmental contaminants in human follicular fluid, serum, and seminal plasma of couples undergoing in vitro fertilization. *Arch Environ Contam Toxicol.* 43(1):121-6.

Zahm SH, Devesa SS (1995) Childhood cancer: Overview of incidence trends and environmental carcinogens. *Environ Health Perspect* 103(Suppl 3):177-84.

Zahm SH, Ward MH (1998). Pesticides and childhood cancer. *Environ Health Perspect* 106(Suppl 3):893-908.

Zmirou D, Gauvin S, Pin I, et al (2004) Traffic related air pollution and incidence of childhood asthma: results of the Vesta case-control study. *J Epidemiol Community Health.* 58(1):18-23.

Zock JP, Kogevinas M, Sunyer J, Jarvis D, Toren K, Anto JM. (2002) European Community Respiratory Health Survey. Asthma characteristics in cleaning workers, workers in other risk jobs and office workers. *Eur Respir J.* 20(3):679-85.