

REFERENCES

- ¹ Shore, R. (1997). *Rethinking the Brain: New Insights into Early Development*. New York, NY: Families and Work Institute.
- ² Woods, N., Laffrey, S., Duffy, M., Lentz, M., Mitchell, E., Taylor, D., and Cowan K. (1988). Being Healthy: Women's Images. *Advances in Nursing Science*, 11(1):36-46.
- ³ National Research Council and Institute of Medicine. (2000). *From Neurons to Neighborhoods: The Science of Early Child Development*. National Academy Press, Washington D.C.
- ⁴ Halfon, N., and Hochstein, M. (2002). Life Course Health Development: An Integrated Framework for Developing Health, Policy, and Research. *Milbank Quarterly*, 80(3):433-79.
- ⁵ Jefferis, B., Power, C., and Hertzman, C. (2002). Birth Weight, Childhood Socioeconomic Environment and Cognitive Development in the 1958 British Birth Cohort Study. *British Medical Journal*, 325(7359):305.
- ⁶ Health Canada. (1994). *Strategies for Population Health: Investing in the Health of Canadians*. Federal, Provincial, and Territorial Advisory on Population Health. Ottawa, ON: Minister of Supply and Services Canada. Cat No. H39-3916/1994E
- ⁷ Health Canada. (1999). *Toward A Healthy Future: Second Report on the Health Of Canadians*. Prepared by the Federal, Provincial and Territorial Advisory Committee on Population Health for the meeting of the Ministers of Health, Prince Edward Island. Cat No. H39-3916/1994E
- ⁸ Health Canada. (2005). *Growing Healthy Canadians. A Guide for Positive Child Development*. URL: <http://www.growinghealthykids.com/>
- ⁹ Doherty, G. (1997). *Zero To Six: The Basis for School Readiness*. Ottawa, ON: Applied Research Branch, Human Resources Development Canada.
- ¹⁰ Bergh, T., Ericson, A., Hillensjö, T., Nygren, K.G., and Wennerholm, U. (1999). Deliveries and Children Born After In-Vitro Fertilisation in Sweden 1982-95: A Retrospective Cohort Study. *Lancet*, 354:1579-85.
- ¹¹ Blondel, B., and Kaminski, M. (2002). Trends in the Occurrence, Determinants, and Consequences of Multiple Births. *Semin Perinatol*, 26:239-49.
- ¹² Newman, R.B., and Ellings, J.M. (1995). Antepartum Management of the Multiple Gestation: The Case for Specialized Care. *Semin Perinatol*, 9:387-403.
- ¹³ Millar, W.J., Wadhwa, S., and Nimrod, C. (1992). Multiple Births: Trends and Patterns in Canada, 1974-1990. *Health Rep*, 4:223-50.
- ¹⁴ Shah, P., and Ohlsson, A. (2002). *Literature Review of Low Birth Weight, Including Small for Gestational Age and Preterm Birth*. Submitted to Toronto Public Health by Mount Sinai Hospital Evidence-based Neonatal Care and Outcomes Research Unit.
- ¹⁵ Remis, R.S., Major, C., Wallace, E., Schiedel, L., and Whittingham, E.P. (2000). *Report on HIV/AIDS in Ontario 1999*. Toronto, ON: Ministry of Health and Long Term Care.
- ¹⁶ Health Canada. (2002). *Congenital Anomalies in Canada – A Perinatal Health Report, 2002*. Ottawa, ON: Minister of Public Works and Government Services Canada.
- ¹⁷ Health Canada. (2001). *Best Practices, Fetal Alcohol Syndrome/Fetal Alcohol Effects and the Effects of Other Substance Use During Pregnancy*. Ottawa, ON: Author.
- ¹⁸ Johnson I.L., Ashley M.J., Reynolds D., Goettler F., Lee-Han, H., Stratton J., Yim C., and Murray J. (2004). Prevalence of Smoking Associated with Pregnancy in Three Southern Ontario Health Units. *Canadian Journal of Public Health*, 95(3): 209-213.
- ¹⁹ Lewitt, E.M., Baker, L.S., Corman, H., and Shiono, P.H. (1995). The Direct Cost of Low Birth Weight. *The Future Of Children*, Spring 5(1). URL: <http://www.futureofchildren.org/>
- ²⁰ Health Information and Planning, Toronto Public Health. (2002). Live Births in Ontario: Data Quality Issues. *Health Status News*, (1-2). URL: http://www.toronto.ca/health/hsi/pdf/hsn_newsletter_1-2.pdf

- ²¹ Direction de la sante publique. Regie regionale de la sante et des services sociaux de Montreal-Centre. (1998). *Annual Report on the Health of the Population: Social Inequalities in Health*. Montreal, QC: Regie Regionale de la Sante et des Services Sociaux de Montreal-Centre.
- ²² Region of Peel. (2001). *State of the Region's Health 2001*. Brampton, ON: Region of Peel.
- ²³ Joseph, K.S., Demissie, K., and Kramer, M.S. (2002). Obstetric Intervention, Stillbirth, and Preterm Birth. *Seminars in Perinatology*, 26(4): 250-259.
- ²⁴ York, J., and DeVoe, M. (2002). Health Issues in Survivors of Prematurity. *Southern Medical Journal*, 95(9): 969-976.
- ²⁵ Kramer MS, Demissie K, Yang, H, Platt RW, Suave R and Liston R. (2000). The Contribution of Mild and Moderate Preterm Birth to Infant Mortality. *The Journal of the American Medical Association*, 284(7): 843-849.
- ²⁶ Hack, M., Klein, N.K., and Taylor, G. (1995). Long-Term Developmental Outcomes of Low Birth Weight Infants. *The Future of Children*, 5(1):176-196.
- ²⁷ *Cost of Illness Handbook*. (2002). URL: www.epa.gov/oppt/coi/toc.html
- ²⁸ Boardman, J.D., Hummer, R.A., Padilla, Y., and Powers, D. (2005). *Low Birth Weight, Social Factors, and Developmental Outcomes among Children in the United States*. NICHD Grant R01-35949. URL: www.prc.utexas.edu/working_papers/wp_pdf/01-02-05.pdf
- ²⁹ Cano, A., Fons, F., and Brines, J. (2001). The Effects on Offspring of Premature Parturition. *Human Reproduction Update*, 7(5): 487-494.
- ³⁰ Zelkowitz, P. (2004). Prematurity and Its Impact on Psychosocial and Emotional Development in Children. In: Tremblay, R.E., Barr, R.G. and Peters, R. (Eds). *Encyclopedia on Early Childhood Development* (online). Montreal, QC: Centre of Excellence for Early Childhood Development:1-5. URL: <http://excellence-earlychildhood.ca/documents/ZelkowitzANGxp.pdf>
- ³¹ Heidiger, M.L., Overpeck, M.D., Ruan, W.J., and Troendle, J.F. (2002). Birthweight and Gestational Age Effects on Motor and Social Development. *Pediatric and Perinatal Epidemiology*, 16:33-46.
- ³² Pevalin, D.J., Wade, T.J., and Brannigan, A. (2003). Parental Assessment of Early Child Development: Biological and Social Covariates. *Infant and Child Development*, 12(2):167-175.
- ³³ To, T., Guttman, A., Dick, P.T., et al. (2004). What Factors Are Associated with Poor Developmental Attainment in Young Canadian Children? *Canadian Journal of Public Health*, 95(4):258-263.
- ³⁴ Saigal, S. (2004). Behavioural and Emotional Functioning in Preterm Infants. In: Tremblay RE, Barr, RG, Peters, R. (Eds.) *Encyclopedia on Early Childhood Development* (online). Montreal, QC: Centre of Excellence for Early Childhood Development; 2004:1-7. URL: <http://www.excellence-earlychildhood.ca/documents/SaigalANGxp.pdf>
- ³⁵ Gorman, B.K. (2002). Birth Weight and Cognitive Development in Adolescence: Causal Relationship or Social Selection. *Social Biology*, 49(1-2):13-34.
- ³⁶ Strathearn, L. (2003). Long Term Cognitive Function in Very Low Birth Weight Infants. *Journal of the American Medical Association*, 289(17): 2209.
- ³⁷ Kelly, Y.J., Nazroo, J.Y., McMunn, A., Boreham, R., and Marmot, M. (2001). Birth Weight, And Behavioural Problems In Children: A Modifiable Effect? *International Journal of Epidemiology*, 30(1): 88-94.
- ³⁸ Nadeau L, Tessier, R and Boivin M. (2003). Extremely Premature and Very Low Birth Weight Infants: A Double Hazard Population. *Social Development*, 12(2):235-248.
- ³⁹ Sommerfelt K, Andersson HW, Sonnander K, Ahlsten G, Ellertsen B, Markestad T, Jacobsen G, and Bakketeig LS. (2001). Behaviour in Term, Small for Gestational Age Preschoolers. *Early Human Development*, 65(2):107-121.

- ⁴⁰ Eriksson, J.G. (2002). Growth and Coronary Heart Disease in Adult Life. *Cardiovascular Res Rev*, 23:557-560.
- ⁴¹ Alderman, H, and Behrman, JR. (2004). *Estimated Economic Benefits Of Reducing Low Birth Weight In Low-Income Countries. Health, Nutrition, and Population Discussion Paper*. Washington, DC: The World Bank: The International Bank for Reconstruction and Development.
- ⁴² Hack, M., Youngstrom, E.A., Cartar, L., Schluchter, M., Taylor, H.G., Flannery, D., Klein, N., and Borawski, E. (2004). Behavioural Outcomes and Evidence of Psychopathology among Very Low Birth Weight Infants at Age 20 Years. *Paediatrics*, 114(4):932-940.
- ⁴³ Provincial Health Indicators Work Group. (2004). *Core Indicators for Public Health in Ontario: Birth Weights*. URL: www.apheo.ca/indicators/index.html
- ⁴⁴ Berkus, M.D., Conway, D., and Langer, O. (1999). The Large Fetus. *Clinical Obstetrics and Gynecology*, 42(4):766-784.
- ⁴⁵ Sin DD, Spier S, Svenson LW, Schopflocher DP, Senthilselvan A, Cowie RL, and Man P. (2004). The Relationship between Birth Weight and Childhood Asthma: A Population Based Cohort Study. *Archives of Pediatrics and Adolescent Medicine*, 158(1):60-64.
- ⁴⁶ Langer, O. (2000). Fetal Macrosomia: Etiologic Factors. *Clinical Obstetrics and Gynecology*, 43(2):283-297.
- ⁴⁷ Jolly M.C., Sebire, N.J., Harris, J.P., Regan, L., and Robinson, S. (2003). Risk Factors for Macrosomia and its Clinical Consequences: A Study of 350, 311 Pregnancies. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 111:9-14.
- ⁴⁸ Grassi, A, and Giuliano, M.A. (2000). The Neonate with Macrosomia. *Clinical Obstetrics and Gynecology*, 43(2): 340-348.
- ⁴⁹ Hjalgrim LL, Westergaard T, Rostgaard K, Schmelgelow K, Melbye J, Hjalgrim H and Engels EA. (2003). Birth Weight as a Risk Factor for Childhood Leukemia: A Meta-Analysis of 18 Epidemiologic Studies. *American Journal of Epidemiology*, 158:724-735.
- ⁵⁰ Okasha, M., Gunnell, D., Holly, J., and Smith, GD. (2002). Childhood Growth and Adult Cancer. *Best Practice and Research Clinical Endocrinology and Metabolism*, 16(2):225-241.
- ⁵¹ Michels, KB. (2003). Early Life Predictors of Chronic Disease. *Journal of Women's Health*, 12(2):157-161.
- ⁵² Dos Santos Silva, I, de Stavola, B.L., Hardy, R.J., Kuh, D.J., McCormack, V.A., and Wadsworth, M.E. (2004). Is the Association of Birth Weight With Premenopausal Cancer Risk Mediated Through Childhood Growth? *British Journal of Cancer*, 91(3):519-524.
- ⁵³ Barker, D.J., Eriksson, J.G., Forsen, T., and Osmond, C. (2002). Fetal Origins of Adult Disease: Strength of Effects and Biological Basis. *International Journal of Epidemiology*, 31(6):1235-1239.
- ⁵⁴ Parsons, T.J., Power C, and Manor, O. (2001). Fetal and Early Life Growth and Body Mass Index from Birth to Early Adulthood in the 1958 British Cohort Longitudinal Study. *British Medical Journal*, 323(7325):1331-1335.
- ⁵⁵ Patel, H. (2001). Canadian Task Force on Preventive Health Care. Preventive Health Care, 2001 Update: Screening and Management of Developmental Dysplasia of the Hip in Newborns. *Canadian Medical Association Journal*, 164(12):1669-77.
- ⁵⁶ Harper, P.S. (1998). *Practical Genetic Counselling*, 5th Edition. Boston, MA: Butterworth Heinemann.
- ⁵⁷ Wen, S.W., Liu, S., Joseph, K.S., Rouleau, J., Allen, A. (2000). Patterns of Infant Mortality Caused By Major Congenital Anomalies. *Teratology*, 61:342-6.
- ⁵⁸ Moore, K.L., Persaud, T.V.N. (1998). *The Developing Human. Clinically Oriented Embryology*, 6th Edition. Toronto, ON: W.B. Saunders Company.
- ⁵⁹ Drug Therapy and Hazardous Substances Committee, Canadian Paediatric Society. (1997). Periconceptual Use of Folic Acid for Reduction of the Risk of Neural Tube Defects. *Paediatrics and Child Health*, 2:152-4.

- ⁶⁰ Society of Obstetricians and Gynaecologists of Canada. (1993). Recommendations on the Use of Folic Acid for the Prevention of Neural Tube Defects. *Society of Obstetricians and Gynaecologists of Canada Journal*, March Supplement: 41-6.
- ⁶¹ Parents of Kids with Infectious Diseases. (2003). *Hepatitis in Children*. URL: <http://www.pkids.org/03-01hecv.pdf>. Pg. 134.
- ⁶² Centers for Disease Control and Prevention. (2005). *CDC Division of Bacterial and Mycotic Diseases – Disease Information*. URL: http://www.cdc.gov/ncidod/dbmd/diseaseinfo/groupbstrept_g.htm
- ⁶³ Provincial Health Indicators Work Group.(2003). *Core Indicators for Public Health in Ontario: Congenital Infections indicator*. URL: www.apheo.ca/indicators/index.html
- ⁶⁴ Wong DL and Perry SE. (1998). *Maternal Child Nursing Care*. St Louis, Missouri: Mosby.
- ⁶⁵ Bitnun, A., et al. (2002). Research Letter: Failure to Prevent HIV Perinatal Infection. *Canadian Medical Association Journal*, 166(7):904-5.
- ⁶⁶ *Perinatal Education Programme: HIV/AIDS in the Newborn Infant*. URL: http://www.pepcourse.co.za/hivaids/Unit_34w.html
- ⁶⁷ General Practice Notebook – A UK Medical Encyclopaedia. (2005). *HIV Infection In Utero*. URL: <http://www.gpnotebook.co.uk>
- ⁶⁸ Canadian Paediatric Society. (1993). Position Paper on HIV Antibody Testing in Children. *Canadian Medical Association Journal*, 148(5):759-761.
- ⁶⁹ Klatt, E. (2005). *Pathology of AIDS*, Version 16. URL: <http://www.medlib.utah.edu/webPath/AIDS2005.pdf>
- ⁷⁰ Herschel, M., Gartner, L.M. (2005). *Jaundice in the Breastfed Baby: Breastfeeding and Human Lactation*, 3rd ed. J. Riordan (Ed). MA; Jones and Bartlett.
- ⁷¹ Gartner, L.M. (2001). Breastfeeding and Jaundice. *Journal of Perinatology*, 21 (Suppl 1):S35-39.
- ⁷² Wong, Donna L. (1999). *Nursing Care of Infants and Children*. St. Louis, Missouri: Mosby.
- ⁷³ Landy, S. (2002). *Pathways to Competence: Encouraging Healthy Social and Emotional Development in Young Children*. Baltimore, Maryland: Brookes Publishing Co.
- ⁷⁴ National Research Council and Institute of Medicine. (2000). *From Neurons To Neighbourhoods: The Science Of Early Child Development*. Washington, DC: National Academy Press.
- ⁷⁵ American Academy of Pediatrics. (2005). Breastfeeding and the Use of Human Milk. *Pediatrics*, 115:496-506
- ⁷⁶ American Dietetic Association. (2001). Position of the American Dietetic Association: Breaking the Barriers to Breastfeeding. *Journal of the American Dietetic Association*, 101(10):1213.
- ⁷⁷ Kramer, M.S., and Kakuma, R. (2002). *The Optimal Duration of Exclusive Breastfeeding. Systematic Review*. World Health Organization [electronic version], URL: www.who.int/nut/documents/optimal_duration_of_exc_bfeeding_report_eng.pdf
- ⁷⁸ Zeigler, R.S. (2003). Food Allergen Avoidance in the Prevention of Food Allergy in Infants and Children. *Pediatrics*, 111:1662-1671
- ⁷⁹ Fewtrell, M.S. (2004). The Long-Term Benefits of Having Been Breast-Fed. *Current Paediatrics*, 14:97-103.
- ⁸⁰ Butte, N.F., Lopez-Alarcon, M.G., and Garze, C. (2002). *Nutrient Adequacy of Exclusive Breastfeeding for the Term Infant During the First Six Months of Life*. World Health Organization. Department of Nutrition for Health and Development. URL: www.who.int/nut/documents/nut_adequacy_of_exc_bfeeding_eng.pdf
- ⁸¹ Zlotkin, S. (2003). Clinical Nutrition: The Role of Nutrition in the Prevention of Iron Deficiency Anemia in Infants, Children, and Adolescents. *Canadian Medical Association Journal*, 168(1):59-63.

- ⁸² World Health Organization. (2001). *The Optimal Duration of Exclusive Breastfeeding*. Report of an Expert Consultation. [electronic version]. URL: www.who.int/child-adolescent-health/publications/NUTRITION/WHO_FCH_CAH_01.24.pdf
- ⁸³ Health Canada. (2004). *Exclusive Breastfeeding Duration*. Health Canada Publication No. 4824. [electronic version] URL: www.healthcanada.ca/nutrition
- ⁸⁴ Toronto Public Health. (2004). *Position on the Recommended Duration of Exclusive Breastfeeding*. Toronto, ON: Author
- ⁸⁵ Health Canada. *Vitamin D Supplementation for Breastfed Infants, 2004 Recommendations*. [electronic version]. URL: www.healthcanada.ca/nutrition
- ⁸⁶ Toronto Public Health. (2004). *Position on the Age of Introduction of Complementary Foods*. Toronto, ON: Author
- ⁸⁷ Wong, Donna L. (1999). *Nursing Care of Infants and Children*. St. Louis, Missouri: Mosby.
- ⁸⁸ Elford R.W. (1994). Prevention of Household and Recreational Injuries in Children (<15 Years of Age). In *Canadian Task Force on the Periodic Health Examination. Canadian Guide to Clinical Preventive Health Care*. Ottawa, ON: Health Canada 306:17.
- ⁸⁹ Ewing-Cobbs L., Fletcher J.M., Levin H.S., Francis D.J., Davidson K., and Miner, M.E. (1997). Longitudinal Neuropsychological Outcome in Infants and Preschoolers with Traumatic Brain Injury. *Journal of the International Neuropsychological Society*, 3:581-591.
- ⁹⁰ Pickett, W., Streight, S., Simpson, K., and Brison, R. (2003). Injuries Experienced by Infant Children: A Population-Based Epidemiological Analysis. *Pediatrics*, 111(4):365-370.
- ⁹¹ Gold, R. (2002). *Your Child's Best Shot: A Parent's Guide To Vaccination, 2nd Edition*. Ottawa, ON: Canadian Paediatric Society.
- ⁹² Public Health Agency of Canada. *SIDS Sudden Infant Death Syndrome Joint Statement*.
URL: <http://www.phac-aspc.gc.ca/dca-dea/prenatal/sids-js>
- ⁹³ Ministry of Children and Youth Services. (2005). *Ontario's Best Start Plan to Expand Early Learning and Child Care*. URL: <http://www.children.gov.on.ca/CS/en/newsroom/backgrounders/050728.htm>
- ⁹⁴ Ng, W. (2003). *Information For Planning Reproductive Health Programs: Information Utility And Data Quality*. Central East Health Information Partnership Discussion Paper. URL: <http://www.healthinformation.on.ca/ce.html>
- ⁹⁵ Public Health Agency of Canada. *National Advisory Committee on Immunization (NACI)* URL: <http://www.phac-aspc.gc.ca/naci-ccni/is-si/index.html>
- ⁹⁶ Public Health Agency of Canada. *Vaccine Preventable Diseases*
URL: www.phac-aspc.gc.ca/im/vpd-mev/index.html
- ⁹⁷ Toronto Public Health. (2006). *Immunization Schedule*.
URL: http://www.toronto.ca/health/immunization_children/immunization_schedule.htm
- ⁹⁸ Wilkins, R., Berthelot, J.M., and Ng, E. (2002). Trends In Mortality By Neighbourhood Income In Urban Canada From 1971 To 1996. *Health Rep*, 13(Suppl):45-72.
- ⁹⁹ Ontario Ministry of Finance. (2000). *Ontario Population Projections, 1999 – 2028*. URL: <http://www.gov.on.ca/FIN/english/demogeng.htm>