

9. References

- American Society for Testing and Materials (ASTM) 1996. Standard guide for Risk-Based Corrective Action applied to petroleum release sites. E 1739-95.
- ATSDR, 1992. 1,3-Butadiene. U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1993a. Cadmium. U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1993b. Toxicological Profile for Chromium. Update April 93. U.S. Department of Health & Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1995a. Toxicological Profile for Asbestos. U.S. Department of Health & Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1995b. Toxicological Profile for Trichloroethylene. U.S. Department of Health & Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1995d. Polycyclic aromatic hydrocarbons (PAHs) - update. U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1996. Toxicological profile for tetrachloroethylene. U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1997. Toxicological profile for benzene. September 97. U.S. Department of Health & Human Services, Agency for Toxic Substances and Disease Registry.
- ATSDR, 1997a. Toxicological profile for benzene. US Dept. of Health and Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- ATSDR, 1997b. Toxicological profile for trichloroethylene. US Dept. of Health and Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.
- Barrett, J., Wiseman, R.W. Cellular and Molecular Mechanisms of Multistep Carcinogenesis: Relevance to Carcinogen Risk Assessment. *Environmental Health Perspectives*. 76: 65-70.
- Beck, B.D., M.R. Seeley, L.E. Tonner-Navarro and R. Deskin, 2000. Variation in Cancer Classification Between European Countries and Organizations. *Toxicologist*. 54(1): 273-274. Cited in Gradient Corporation, 2001. *Trends in Risk & Remediation*. May 2001.

Cal EPA (California Environmental Protection Agency), 1991. Technical Support Document. Proposed Identification of Tetrachloroethylene as a Toxic Air Contaminant. California Department of Health Service. State of California Air Resources Board.

Cal EPA (California Environmental Protection Agency), 1992. Final Report on the Identification of Formaldehyde as a Toxic Air Contaminant. Part B Health Assessment. Technical Support Document. California Environmental Protection Agency, Air Resources Board, Sacramento CA.

Cal EPA (California Environmental Protection Agency), 1993. Benzo[a]Pyrene as a Toxic Contaminant. Part B Health Assessment. California Environmental Protection Agency, August 1993.

Cal EPA (California Environmental Protection Agency), 1997. Technical Support Document for the Determination of Chronic Toxicity Reference Exposure Levels. Draft for Public Review. California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, Berkeley, CA.

Cancer Care Ontario, 2000. Surveillance for Cancer Control. Strategic Initiatives. September 12, 2000. <http://www.cancercare.on.ca/research/StratPlanFinal.pdf>

CARB (California Air Resources Board), 1990. Proposed Identification of Trichloroethylene as a Toxic Air Contaminant. Part B: Health Assessment. California Department of Health Services.

CEPA (Canadian Environmental Protection Act), 1990. Priority Substances List Assessment Report. no.1: polychlorinated dibenzodioxins and polychlorinated dibenzofurans. Environment Canada, Health Canada, Ottawa, Ontario. EN40-215/1-E.

CEPA 1993a. Priority Substances List Assessment Report: Trichloroethylene. Environment Canada, Health Canada, Ottawa, Ontario..

CEPA, 1993b. Priority Substances List Assessment Report: Tetrachloroethylene. Government of Canada, Environment Canada, Health Canada, Ottawa, Ontario.

CEPA , 1993c. Priority Substances List Assessment Report: Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans. Government of Canada, Environment Canada, Health Canada, Ottawa, Ontario.

CEPA, 1993d. Priority Substances List Assessment Report. Benzene. Government of Canada, Environment Canada, Health Canada, Ottawa, Ontario.

CEPA, 1994a. Human Health Risk Assessment for Priority Substances. Health Canada, Ottawa, Ontario, EN40-215/41E.

CEPA, 1994b. Polycyclic Aromatic Hydrocarbons. Environment Canada and Health Canada, Ottawa, Ontario. EN40-215/42E.

CEPA, 1994c. Priority Substances List Assessment Report: Cadmium and its Compounds. Environment Canada and Health Canada, Ottawa, Ontario.

CEPA, 1994d. Priority Substances List Assessment Report: Chromium and its Compounds. Government of Canada, Environment Canada, Health Canada, Ottawa, Ontario.

CEPA, 1999. Priority Substances List Assessment Report: 1,3-Butadiene. Draft. Government of Canada, Environment Canada, and Health Canada, Ottawa, Ontario.

CEPA, 2000a. Priority Substances List Assessment Report: 1,3-Butadiene. Government of Canada, Environment Canada, and Health Canada, Ottawa, Ontario.

CEPA, 2000b. Priority Substances List Assessment Report: Formaldehyde. Draft for Public Comments. Government of Canada, Environment Canada, and Health Canada, Ottawa, Ontario.

Dann, T., 1995. Detroit Incinerator Monitoring Program. Data report #7. PCDD/PCDF data analysis. July 1987 to April 1994. Unpublished Report of the Technology Development Directorate, Environmental Technology Centre.

Dann, T. 1997. Excel™ file titled “Formaldehyde concentration ($\mu\text{g}/\text{m}^3$) by sampling day” regarding National Air Pollution Surveillance (NAPS) program data for formaldehyde for four urban and four suburban sites for the period 1989–1996. Cited in CEPA, 2000b. Priority Substances List Assessment Report: Formaldehyde. Draft for Public Comments. Government of Canada, Environment Canada, and Health Canada, Ottawa, Ontario.

Dann, T. 1999. Excel™ file titled “Time series for formaldehyde” regarding National Air Pollution Surveillance (NAPS) program data for formaldehyde for the period 1997–1998. Cited in CEPA, 2000b. Priority Substances List Assessment Report: Formaldehyde. Draft for Public Comments. Government of Canada, Environment Canada, and Health Canada, Ottawa, Ontario.

Environment Canada, 2001a. National Pollutant Release Inventory (NPRI). http://www.ec.gc.ca/pdb/npri/npri_home_e.cfm.

Environment Canada, 2001b. Inventory of Releases of Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans. Undated Edition. February 2001.

Environmental Defence Fund (EDF), 2001. http://www.scorecard.org/env-releases/def/tep_gen.html.

Farber, E. Possible Etiologic Mechanisms in Chemical Carcinogenesis. Environmental Health Perspectives. 75: 65-70.

Fingerhut, M.A., Halperin, W.E. and D.A. Marlow, 1991a. Cancer mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *New England J. Med.* 324: 212-218.

Fingerhut, M.A., Halperin, W.E., D. Marlow *et al.* 1991b. Mortality among United States workers employed in the production of chemicals contaminated with 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NTIS# PB 91-125971.

Gehrs, B.C., M.M. Riddle, W.C. Williams and R.J. Smialowicz, 1997. Alterations in the developing immune system of the F344 rat after perinatal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. II. Effects on the pup and the adult. *Toxicology.* 122: 229-240.

Gehrs, B.C. and R.J. Smialowicz, 1998. Persistent suppression of delayed-type hypersensitivity (DTH) in rats perinatally exposed to TCDD. *Toxicologist.* 42: 1501.

Gray, L.E., J.S. Ostby, and W.R. Kelce, 1997a. A dose-response analysis of the reproductive effects of a single gestational dose of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in male Long Evans hooded rat offspring. *Toxicol. Appl. Pharmacol.* 146: 11-20.

Gray, L.E., C. Wolf, P. Mann and J.S. Ostby, 1997b. In utero exposure to low doses of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) alters reproductive development of female Long Evans hooded rat offspring. *Toxicol. Appl. Pharmacol.* 146:237-244.

Health Canada, 1996. Health-Based Tolerable Daily Intakes/Concentrations and Tumorigenic Doses/Concentrations for Priority Substances. 96-EHD-194.

Health Canada, 1998. Persistent Environmental Contaminants and the Great Lakes Basin Population: An Exposure Assessment. Environmental Health Directorate, Health Canada, Ottawa, Ontario.

IARC, 1973. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 3. Certain Polycyclic Aromatic Hydrocarbons and Heterocyclic Compounds. International Agency for Research on Cancer, Lyon.

IARC, 1976. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 11. Cadmium, Nickel, Some Epoxides, Miscellaneous Industrial Chemicals and General Considerations on Volatile Anaesthetics. International Agency for Research on Cancer, Lyon.

IARC, 1977. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 14. Asbestos. International Agency for Research on Cancer, Lyon.

IARC, 1981. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 25. Wood, Leather and Some Associated Industries. International Agency for Research on Cancer, Lyon.

IARC, 1982a. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 29. Some Industrial Chemicals and Dyestuffs. International Agency for Research on Cancer, Lyon.

IARC, 1982b. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 28. The Rubber Industry. International Agency for Research on Cancer, Lyon.

IARC, 1983. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 32. Polynuclear Aromatic Compounds, Part 1, Chemical, Environmental and Experimental Data. International Agency for Research on Cancer, Lyon.

IARC, 1984a. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 33. Polynuclear Aromatic Hydrocarbons. Part 2: Carbon Blacks, Mineral Oils (Lubricant Base Oils and Derived Products) and Some Nitroarenes. International Agency for Research on Cancer, Lyon.

IARC, 1984b. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 34. Polynuclear Aromatic Compounds. Part 3: Industrial Exposures in Aluminum Production, Coal Gasification, Coke Production, and Iron and Steel Founding. International Agency for Research on Cancer, Lyon.

IARC, 1985. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 35. Polynuclear Aromatic Compounds. Part 4: Bitumens, Coal-tars and Derived Products, Shale-oils and Soots. International Agency for Research on Cancer, Lyon.

IARC, 1987. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Supplement 7. Overall Evaluations of Carcinogenicity: An Updating of *IARC Monographs* Volumes 1 to 42. International Agency for Research on Cancer, Lyon.

IARC, 1990. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 49. Chromium, Nickel and Welding. International Agency for Research on Cancer, Lyon.

IARC, 1993. IARC Monographs on the evaluation of carcinogenic risks to humans, Vol. 58. Beryllium, cadmium, mercury, and exposures in the glass manufacturing industry. International Agency for Research on Cancer, Lyon.

IARC, 1995a. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 63. Dry Cleaning, Some Chlorinated Solvents and Other Industrial Chemicals. International Agency for Research on Cancer, Lyon.

IARC, 1995b. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 62. Wood Dust and Formaldehyde. International Agency for Research on Cancer, Lyon.

IARC, 1997. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 69. Polychlorinated Dibenzo-*para*-dioxins and Polychlorinated Dibenzofurans.

IARC, 1999. Preamble to the IARC Monographs (<http://193.51.164.11/monoeval/preamble.html>). The date is the last update of the website.

IPCS (International Programme on Chemical Safety), 1984. Environmental Health Criteria. Tetrachloroethylene. No. 31.

IPCS, 1984. Environmental Health Criteria. Tetrachloroethylene. No. 31.

IPCS, 1985. Environmental Health Criteria. Trichloroethylene. No. 50.

IPCS, 1988. Environmental Health Criteria. Chromium. No. 61.

IPCS, 1989a. Environmental Health Criteria. Formaldehyde. No. 89.

IPCS, 1989b. Environmental Health Criteria. Polychlorinated dibenzo-p-dioxins and dibenzofurans. No. 88.

IPCS, 1992a. Environmental Health Criteria. Cadmium. No.134.

IPCS, 1992b. Environmental Health Criteria. Cadmium: Environmental aspects. No. 135.

IPCS, 1993. Environmental Health Criteria. Benzene. No. 150.

IPCS, 1998. Environmental Health Criteria. Polycyclic aromatic hydrocarbons, selected non-heterocyclic. No. 202.

IRIS (Integrated Risk Information System), 1993. Asbestos. Last revised 07/01/1993.

IRIS, 1994. IRIS Database On-Line Search. US Environmental Protection Agency, Cincinnati, OH.

IRIS, 1995. IRIS Database On-Line Search. US Environmental Protection Agency, Cincinnati, OH.

IRIS, 1992. 1,3-Butadiene. Last revised 04/01/1992 .

IRIS, 1994a. Benzo[a]pyrene. Last revised 11/01/1994.

IRIS, 1994b. Cadmium. Last revised 02/01/1994.

IRIS, 1998. Chromium VI. 09/03/1998.

IRIS, 2000. Benzene. 01/19/2000.

IRIS, 1992b. Formaldehyde. Last revised 01/01/1992.

IRIS, 1992c. Tetrachloroethylene. Last revised 04/01/1992.

IRIS, 1994c. Trichloroethylene. Last revised 07/01/1994.

Kauppinena, Timo *et al.* 2000. Occupational exposure to carcinogens in the European Union. *Occup. Environ. Med.* **57**:10-18.

Kauss, P., 2001. Personal communication.

Manz, A., Berger, J., Dwyer, J.H. *et al.* 1991. Cancer mortality among workers in chemical plant contaminated with dioxin. *Lancet* 338: 959-964.

McCloskey, E. Director, Occupational Health and Safety Branch, Ontario Ministry of Labour. Personal communication, 2001.

MOE (Ministry of the Environment), 1985. Scientific Criteria Document for Multimedia Standards Development. Polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) Ministry of the Environment, Toronto, Ontario.

MOE, 1993. Ontario Typical Range of Chemical Parameters in Soil, Vegetation, Moss Bags and Snow. Ministry of the Environment, Toronto, Ontario.

MOE, 1997. Scientific Criteria Document for Multimedia Standards Development. Polycyclic Aromatic Hydrocarbons (PAH). Part1: Hazard Identification and Dose-Response Assessment. Ministry of the Environment, Toronto, Ontario.

MOE, 1998, Appendix to Guideline for use at contaminated sites in Ontario (appendix revised September 1998) <http://www.ene.gov.on.ca/envision/decomm/pubs.htm>

MOE, 2001. Ontario mandatory monitoring and reporting initiative. <http://www.ene.gov.on.ca/envision/news/0090mb.htm>.

Moolenaar, R.J., 1994. Carcinogen Risk Assessment: International Comparison. *Regulatory Tox. Pharmacol.* **20**: 302-336.

NIOSH (National Institute for Occupational Safety and Health), 1998. Criteria for recommended standard. Occupational exposure to metalworking fluids. January 1998. NIOSH 98-102.

NIOSH (National Institute for Occupational Safety and Health), 1998b. What you need to know about occupational exposure to metalworking fluids. March, 1998. NIOSH 98-116.

NIPHEP (National Institute of Public Health and Environmental Protection), 1989. Integrated Criteria Document PAHs. NIPHEP, Bilthoven, Netherlands. # 758474011.

Nordberg, G.F., T. Kjellström, and M. Nordberg, 1985. "Kinetics and Metabolism". In: Cadmium and Health: A Toxicological and Epidemiological Appraisal, Vol. 1, L. Friberg, C.-G. Elinder, T. Kjellström, and G.F. Nordberg, eds. CRC Press, Boca Raton, FL, pp. 103-178. Cited in CEPA 1994. Priority Substances List Assessment Report: Cadmium and its Compounds. Environment Canada and Health Canada, Ottawa, Ontario.

NTP, 2000. 9th Report on carcinogens. US Dept. of Health and Human Services, National Toxicology Program, Atlanta.

RAIS (Risk Assessment Information System), 2000. Risk Assessment Tools. http://risk.lsd.ornl.gov/homepage/rap_tool.shtml

Rier, S.E., D.C. Martin, R.E. Bowman, W.P. Dmowski and J.L. Becker, 1993. Endometriosis in Rhesus Monkeys (*macaca mulatta*) following chronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. Fund. Appl. Toxicol. 21: 433-441.

Science Advisory Board (SAB), 2001. Dioxin Reassessment Review Committee (DRRS) Executive committee review draft 1, March 2001. (<http://www.epa.gov/sab/drrep.htm>)

Schantz, S. and R.E. Bowman, 1989. Learning in monkeys exposed perinatally to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Neurotoxicol. Teratol. 11: 13-19.

Statistics Canada, 2001. Occupational surveillance in Canada: cause-specific mortality among workers, 1965-1991. <http://www.statcan.ca/english/IPS/Data/84-546-XCB.htm#abstract>

Timo Kauppinen *et al.* 1998. Occupational Exposure to Carcinogens in the European Union in 1990-93. Finnish Institute of Occupational Health, Helsinki. (<http://www.occuphealth.fi/list/data/CAREX/14.%20European%20Union>).

ToxProbe, 1999. Screening Risk Assessment on Air Contaminants in Teplice and Prachatice. Copies available from ToxProbe Inc.

Toronto Works & Emergency Services, 2001. 1999/2000 Review. Water...Toronto treats it with care. Works & Emergency Services, Water & Wastewater Services Division, Toronto, Ontario.

TPHCWG (Total Petroleum Hydrocarbons Working Group), 1997. Development of Fraction Specific Reference Doses (RfDs) and Reference Concentrations (RfCs) for Total Petroleum Hydrocarbons (TPH). Vol 4.

US Bureau of Census, 2000a. Annual Survey of Manufactures. Statistics for Industry Groups and Industries, 1998. <http://www.census.gov/prod/www/abs/industry.html>

US Bureau of Census, 2000b. 1997 Economic Census. Construction Subject Series. Industry Summary. <http://www.census.gov/prod/www/abs/cons-hou.html>

US Bureau of Census, 2000c. 1997 Economic Census. Transportation and Warehousing Geographic Area Series. <http://www.census.gov/epcd/www/97EC48.HTM>

US Bureau of Census, 2000d. 1997 Economic Census. Accommodation and Food services Geographic Area Series. <http://www.census.gov/epcd/www/97EC72.HTM>

USEPA, 1984. Health Effects Assessment for Benzo[a]pyrene. EPA/540/1-86/022.

USEPA, 1986. Guidelines for Carcinogen Risk Assessment. Federal Register. 33992-34003. September 24, 1986.

USEPA, 1989a. Risk Assessment Guidance for Superfund Volume I Human Health Evaluation Manual (Part A) Interim Final. December 1989. EPA/540/1-89/002.

USEPA, 1989b. Locating and estimating air emissions from sources of 1,3-butadiene. December 1989. EPA-450/2-89-021.

USEPA, 1991. Formaldehyde risk assessment update: Final draft, June 11, 1991. U.S. Environmental Protection Agency, Office of Toxic Substances, Washington DC. 154 p. + appendices.

USEPA, 1992a. Integrated Risk Information System. IRIS Database On-Line Search. US Environmental Protection Agency, Cincinnati, OH. 1,3-Butadiene, last updated 04/01/1992.

USEPA, 1992b. Dermal Exposure Assessment: Principles And Applications Interim Report. January 1992. EPA/600/8-91/011b.

USEPA, 1992c. Integrated Risk Information System. IRIS Database On-Line Search. US Environmental Protection Agency, Cincinnati, OH. Tetrachloroethylene. Last updated 04/01/1992.

USEPA, 1993a. Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons. EPA/600/#-93/089, July 1993.

USEPA, 1993b. Locating and estimating air emissions from sources of cadmium and cadmium compounds. September 1993. EPA-453/R-93-040.

USEPA, 1994a. Integrated Risk Information System. IRIS Database On-Line Search. US Environmental Protection Agency, Cincinnati, OH. Last update 02/01/1994.

USEPA, 1994b. Health Assessment document for 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) and Related Compounds. External Review Draft. United States Environmental Protection Agency, Office of Health and Environmental Assessment and Office of Research and Development, Washington, D.C. EPA/600/BP-92/001a-c.

USEPA, 1995. Region III Technical Guidance Manual Risk Assessment Assessing Dermal Exposure from Soil. December 1995. EPA/903-K-95-003.

USEPA, 1996. Proposed Guidelines for Carcinogen Risk Assessment. April 1996. EPA/600/P-92/003C.

USEPA, 1996a. Proposed guidelines for carcinogen risk assessment. Federal Register. 61(79): 17960-18011. April 23, 1996.

USEPA, 1996b. Soil Screening Guidance. Technical Background Document (TBD). July 1996.

USEPA, 1997a. Chapter 8. Dose Response Modeling of 2,3,7,8-TCDD. Jan 1997 Workshop Review Draft. United States Environmental Protection Agency, Office of Research and Development, Washington, D.C. EPA/600/P-92/001c8.

USEPA, 1997b. Locating and estimating air emissions from sources of dioxins and furans. May 1997. EPA-454/R-97-003.

USEPA, 1998. IRIS Database, Benzene. Last updated 10/16/1998.

USEPA, 1998. Carcinogenic effects of benzene: An update. Prepared by the National Center for Environmental Health, Office of Research and Development. Washington, DC. EPA/600/P-97/001F.

USEPA, 1998a. Health Risk Assessment of 1,3-Butadiene. External Review Draft. National Center for Environmental Assessment, Office of Research and Development, U.S. Environmental Protection Agency, Washington, D.C.

USEPA, 1998b. Toxicological Review of Hexavalent Chromium (CAS No. 18540-29-9) In Support of Summary Information on the Integrated Risk Information System (IRIS). U.S. Environmental Protection Agency, Washington, DC, August 1998.

USEPA, 1998c. Region 9 Preliminary Remediation Goals (PRGs). June 1998.

USEPA, 2000. Draft Exposure and Human Health Reassessment of 2,3,7,8-Tetrachlorodibenzo-*p*-Dioxin (TCDD) and Related Compounds. September 2000. United States Environmental Protection Agency, Office of Research and Development, Washington, D.C.

USEPA, 2000a. Formaldehyde. <http://www.epa.gov/region01/eco/airtox/formaldehyde.html>

USEPA, 2001. Toxic Release Inventory (TRI). <http://www.epa.gov/tri/>.

WHO (World Health Organization), 1995a. Updating and Revision of the Air Quality Guidelines for Europe. Report on the WHO Working Group on Inorganic Air Pollutants. Düsseldorf, Germany. 24-27 October, 1994. WHO Regional Office for Europe, Denmark.

WHO (World Health Organization), 1995b. Updating and Revision of the Air Quality Guidelines for Europe. Report on a WHO Working Group on PCBs, PCDDs, PCDFs. Maastricht, Netherlands, 8-10 May, 1995.

WHO (World Health Organization), 1996. Updating and Revision of the Air Quality Guidelines for Europe. Report on a WHO Working Group on Volatile Organic Compounds. Brussels, Belgium, 2-6 October, 1995.

WHO, 1998. Assessment of the Health Risk of Dioxins: Re-evaluation of the Tolerable Daily Intake (TDI). WHO Consultation, May 25-29 1998, Geneva, Switzerland. WHO European Centre for Environment and Health, International Programme on Chemical Safety.

Zober, A., Messerer, P. and P. Huber, 1990. Thirty-four-year mortality follow-up of BASF employees exposed to 2,3,7,8-TCDD after the 1953 accident. *Int. Arch. Occup. Environ. Health* 62: 139-157.