

Authority: Toronto and East York Community Council Item 35.52,
as adopted by City of Toronto Council on July 6, 7 and 8, 2010
Enacted by Council: July 8, 2010

CITY OF TORONTO

BY-LAW No. 801-2010

To authorize the narrowing of Roncesvalles Avenue between The Queensway/Queen Street West and Dundas Street West, by constructing built-out TTC-platforms and widening the sidewalks.

The Council of the City of Toronto HEREBY ENACTS as follows:

1. The narrowing of Roncesvalles Avenue by providing built-out TTC passenger loading platforms on either the east or the west side between The Queensway/Queen Street West and Dundas Street West at the following locations:
 - a. from Marion Street to a point 52.2 metres further south, from a width of 12.9 metres to a width varying between 9.8 metres and 11.5 metres;
 - b. from a point 8.4 metres north of Marion Street to a point 45.4 metres further north, from a width of 12.9 metres to a width varying between 9.8 metres and 11.5 metres;
 - c. from a point 6.5 metres north of Galley Avenue to a point 48.6 metres further north, from a width of 12.8 metres to a width varying between 6.6 metres and 9.8 metres;
 - d. from a point 6.5 metres south of Garden Avenue to a point 52.9 metres further south, from a width of 12.9 metres to a width varying between 6.6 metres and 9.8 metres;
 - e. from High Park Boulevard to a point 50 metres further south, from a width of 12.9 metres to a width varying between 6.6 metres and 10.1 metres;
 - f. from Fermanagh Avenue to a point 58.6 metres further south, from a width of 12.9 metres to a width varying between 6.6 metres and 11.7 metres;
 - g. from a point 15.3 metres north of Geoffrey Street to a point 53.1 metres further north, from a width of 12.9 metres to a width varying between 9.8 metres and 11.6 metres;
 - h. from widened north curb of Grenadier Road to a point 43 metres further north, from a width of 12.9 metres to a width varying between 7.6 metres and 11.4 metres;
 - i. from Howard Park Avenue to Marmaduke Street, from a width of 12.8 metres to a width varying between 6.6 and 11.7 metres;

- j. from a point 23.2 metres south of Howard Park Avenue to a point 55 metres further south, from a width of 12.8 metres to a width varying between 6.6 metres and 10.2 metres;
- k. from Boustead Avenue to a point 57.2 metres further south, from a width of 12.8 metres to a width varying between 6.6 metres and 10.1 metres;
- l. from Dundas Street West to a point 100.9 metres further south, from a width of 12.8 metres to a width varying between 6.6 metres and 11.5 metres,

generally as shown on Drawing Nos. 421G-0036, 421G-0037, 421G-0038, 421G-0039, 421G-0040, 421G-0042, 421G-0043, dated May 2010, on file in the offices of Transportation Services, is authorized.

- 2. The narrowing of Roncesvalles Avenue by widening the sidewalk on either the east or the west side between The Queensway/Queen Street West and Dundas Street West at the following locations:
 - a. from Grafton Avenue to a point 26.1 metres further south, from a width of 17.3 metres to a width of 9.1 metres;
 - b. from a point 31 metres north of The Queensway to a point 31 metres further north, from a width of 17.3 metres to a width varying between 9.1 metres and 12.2 metres;
 - c. from a point 74 metres north of The Queensway to a point 79.3 metres further north, from a width of 17.3 metres to a width varying between 13.6 metres and 14.4 metres;
 - d. from Fern Avenue to a point 49.4 metres further north, from a width of 12.9 metres to a width of 10.7 metres;
 - e. from Wright Avenue to a point 10 metres further south, from a width of 12.9 metres to a width of 10.7 metres;
 - f. from Fermanagh Avenue to a point 30 metres further north, from a width of 12.8 metres to a width of 10.8 metres;
 - g. from Westminster Avenue to a point 22.7 metres further north, from a width of 12.9 metres to a width of 10.7 metres;
 - h. from Geoffrey Street to a point 15.2 metres further south, from a width of 12.9 metres to a width of 10.8 metres;
 - i. from Grenadier Road to a point 15.2 metres further north, from a width of 12.9 metres to a width of 7.6 metres;

- j. from Neepawa Avenue to a point 25.6 metres further south, from a width of 13 metres to a width of 10.7 metres;
- k. from Boustead Avenue to a point 49 metres further north, from a width of 12.8 metres to a width of 10.3 metres,

generally as shown on Drawing Nos. 421G-0036, 421G-0038, 421G-0039, 421G-0040, 421G-0041, 421G-0044, dated May 2010, on file in the offices of Transportation Services, is authorized.

ENACTED AND PASSED this 8th day of July, A.D. 2010.

SANDRA BUSSIN,
Speaker

ULLI S. WATKISS
City Clerk

(Corporate Seal)