



MEMO

Martin Silva
City Councillor
Vereador
Trinity-Spadina
Ward 20

To: Toronto and East York Community Council
From: Councillor Martin Silva
Subject: Harbourfront Centre Noise

施利文
多倫多市議員

RECOMMENDATION:

That the Executive Director of Municipal Licensing and Standards investigate and report to the first meeting of Toronto and East York Community Council in 2007 for consideration as a deputation item on the feasibility of applying the following standards to the Harbourfront Centre outdoor activities:

- (1) That decibels will be held to a maximum of 85 and contracts will stipulate an 85 db maximum;
- (2) That limiter/governor will be installed which would prevent the sound technician from exceeding the limit;
- (3) That only Harbourfront equipment and sound technicians will be used;
- (4) That Harbourfront staff will regularly monitor and advise technician(s) to reduce the sound if needed;
- (5) That staff will be fully briefed on what to do and action taken.

Helen Kennedy
Executive Assistant

Shana Almeida
Special Assistant

Mais Lee
Special Assistant

Diane Silver
Special Assistant

Jay Thiessen
Special Assistant

BACKGROUND:

Residents in the vicinity of Harbourfront Centre have been plagued with noise from the outside stage for many summers. Various mechanisms have been tried but none have succeeded to date.

City Hall
100 Queen St. W
2nd Floor, Suite C50
Toronto, M5H 2N2

多倫多市大會堂
皇后西街一百號
二樓C五十室
M5H 2N2

Thank you,

Councillor Martin Silva

Phone: 416-392-4044
中文熱線:
416-392-0347
Fax / 傳真:
416-392-4130
Email / 電子郵件:
councillor_silva@toronto.ca