



## Table of Contents

<b>1.0 INTRODUCTION.....</b>	<b>1</b>
1.1 Project Description.....	2
1.1.1 Priority Air Contaminants .....	2
1.1.2 Air Quality Modelling System .....	3
1.1.3 Modelling Domain and Sources of Emissions .....	4
1.2 Structure of the Report .....	4
<b>2.0 AIRSHED MODELLING SYSTEM DESCRIPTION .....</b>	<b>6</b>
2.1 Major Features of CALMET .....	7
2.1.1 Initial Wind Field.....	9
2.1.1.1 Kinematic Effects of Terrain.....	9
2.1.1.2 Blocking Effects .....	9
2.1.2 CALMET Boundary Layer Models.....	9
2.1.2.1 Overland Boundary Layer Model .....	9
2.1.2.2 Overwater Boundary Layer Model .....	10
2.2 Major Features of CALPUFF .....	10
2.2.1 Puff Sampling Functions .....	10
2.2.2 Dispersion Coefficients .....	10
2.2.3 Overwater and Coastal Interaction Effects.....	11
2.2.4 Dry Deposition .....	11
2.2.5 Wind Shear Effects .....	11
<b>3.0 EMISSION INVENTORY .....</b>	<b>13</b>
3.1 Tier I - US Emission Sources and Processing .....	16
3.1.1 Emissions from the United States .....	16
3.1.2 Point Source Modelling .....	18
3.1.3 Area Source Modelling.....	18
3.1.4 Mobile Source Modelling.....	19
3.1.5 Summary of Emissions .....	20
3.2 TIER II and TIER III – Ontario and Toronto Emission Sources.....	26



# SOUTH RIVERDALE - LESLIEVILLE - BEACHES AIRSHED MODELLING STUDY

3.2.1	Industrial Sources .....	29
3.2.1.1	Below threshold reporting for NPRI Sources .....	31
3.2.2	Commercial/Residential Sources .....	32
3.2.2.1	Natural Gas Combustion .....	33
3.2.2.2	Other Main Heating Sources .....	36
3.2.2.3	Small-Scale Industry and Commercial Emissions.....	40
3.2.2.4	Total Commercial/Residential Emissions.....	40
3.2.3	Mobile Sources .....	43
3.2.4	Non-Road Mobile Emissions.....	54
3.2.4.1	Airport.....	54
3.2.4.2	Marine.....	54
3.2.4.3	Railways .....	57
3.2.4.4	Lawn and Garden Equipment .....	57
3.2.4.4.1	Other Non- Road Sources.....	59
3.2.4.5	Total Non-Road Mobile Emissions.....	59
3.2.5	Biogenic and Agriculture Sources .....	62
3.2.5.1	Biogenic Sources.....	62
3.2.5.2	Agriculture Sources .....	63
3.2.5.2.1	NO Emissions from Agricultural Land.....	65
3.2.5.2.2	Other Agricultural Sources .....	66
3.3	Summary of Tier II and Tier III Emissions.....	68
3.4	Summary of Domain Emissions.....	68
<b>4.0</b>	<b>METEOROLOGICAL MODELLING.....</b>	<b>79</b>
4.1	MM5 Meteorological Modelling .....	80
4.2	Meteorological Data Requirements for CALMET .....	81
4.3	Land Use and Geophysical Parameters .....	81
4.3.1	Land Use.....	81
4.3.2	Terrain Elevation.....	81
4.3.3	Roughness Length.....	82
4.3.4	Albedo.....	82
4.3.5	Bowen Ratio.....	82



# SOUTH RIVERDALE - LESLIEVILLE - BEACHES AIRSHED MODELLING STUDY

4.3.6	Soil Heat Flux.....	82
4.3.7	Leaf Area Index.....	82
4.4	Meteorological Data Processing .....	83
4.5	Assessment of the Meteorological Data .....	83
4.6	Smog Season Wind Vectors.....	83
<b>5.0</b>	<b>CALPUFF DISPERSION MODELLING .....</b>	<b>98</b>
5.1	Model Set-up .....	98
5.1.1	Meteorological Data .....	98
5.1.2	Emissions and Source .....	98
5.1.3	Terrain Effects.....	101
5.1.4	Dispersion Coefficients .....	101
5.2	Model Confidence.....	101
<b>6.0</b>	<b>OZONE MODELLING .....</b>	<b>104</b>
6.1	Modelling Approach.....	105
6.2	Evaluation of OBM Model.....	107
6.3	Determination of Background and Cumulative NO and NO2 Concentrations.....	108
6.4	Modelling Results .....	109
<b>7.0</b>	<b>CUMULATIVE AIR QUALITY MODELLING RESULTS.....</b>	<b>111</b>
7.1	Comparison of Modelled and Monitoring Levels.....	111
7.2	Modelling Results in South Riverdale-Leslieville-Beaches .....	114
7.2.1	Annual Concentrations.....	114
7.2.1.1	Source Apportionment of Annual Concentrations.....	123
7.2.2	Daily Concentrations .....	125
7.3	Smog Days .....	132
7.4	Impact of Portlands Energy Centre on SRLB.....	132
7.5	Standard Neighborhood Grouping Approach.....	134
7.6	Criteria to Identify Neighbourhood and Downwind Neighbourhood Impact Grouping Area of Interest.....	135
<b>8.0</b>	<b>SUMMARY AND CONCLUSIONS .....</b>	<b>138</b>
8.1	Summary .....	138
8.1.1	Approach.....	139



# SOUTH RIVERDALE - LESLIEVILLE - BEACHES AIRSHED MODELLING STUDY

8.1.2	Findings .....	141
8.2	Conclusions .....	142
8.3	Potential Modelling Improvements.....	143
<b>9.0</b>	<b>REFERENCES.....</b>	<b>145</b>

## TABLES

Table 1-1:	Priority Air Contaminants (PACs) .....	3
Table 2-1:	Major Features of the CALMET Meteorological Model.....	9
Table 2-2:	Major Features of the of the CALPUFF Model .....	12
Table 3-1:	Emission Source Classification .....	13
Table 3-2:	Annual 2002 Emissions From TIER I (tonne/yr).....	20
Table 3-3:	Distribution of Industrial Sources in 2006 within TIER II and Tier III domains.....	29
Table 3-4:	Annual 2006 Emissions from NPRI Industrial Sources (Tonne/yr) .....	32
Table 3-5:	Annual 2006 Emissions from Natural Gas Combustion (Tonne/yr) .....	37
Table 3-6:	Estimated Heating Fuel Type Usage in Tier II Households.....	38
Table 3-7:	Estimated Heating Fuel Type Usage in Tier III Households .....	38
Table 3-8:	Annual 2006 Emissions from Other Main Heating Types (Tonne/yr).....	39
Table 3-9:	Annual 2006 Emissions from Small Industrial/Commercial Sources (Tonne/yr).....	41
Table 3-10:	Annual 2006 Emissions from Commercial/Residential Sources (Tonne/yr).....	42
Table 3-11:	Average Emission Factors during Peak Traffic Hours .....	44
Table 3-12:	Average Emission Factors during Non-peak Traffic Hours Local Roads .....	45
Table 3-13:	Average Emission Factors during Peak Traffic Hours for Urban Arterial Roads.....	46
Table 3-14:	Average Emission Factors during Non-peak Traffic Hours for Urban Arterial Roads.....	47
Table 3-15:	Annual Average Daily Traffic (AADT) by Road Type Tier II & Tier III.....	51
Table 3-16:	Expected Vehicle Fleet Distribution .....	52
Table 3-17:	Annual 2006 Emissions from Mobile On Road Sources (Tonne/yr).....	53
Table 3-18:	Annual 2005 Emissions from Airport Sources (Tonne/yr) .....	55
Table 3-19:	Annual 2006 Emissions from Marine Port Sources (Tonne/yr) .....	56
Table 3-20:	Annual 2005 Emissions from Railway Sources (Tonne/yr) .....	58
Table 3-21:	Emission Factors for Gasoline Powered Lawn and Garden Equipments.....	59
Table 3-22:	Annual 2006 Emissions from Lawn/Agricultural Equipment (Tonne/yr) .....	60
Table 3-23:	Annual 2006 Emissions from Mobile Non-Road Sources (Tonne/yr).....	61
Table 3-24:	Biogenic Emission Parameters .....	63



# SOUTH RIVERDALE - LESLIEVILLE - BEACHES AIRSHED MODELLING STUDY

Table 3-25: Annual 2006 Emissions from Biogenic and Agricultural Sources (Tonne/yr) .....	67
Table 3-26: Summary of 2006 TIER II Emissions by Category (Tonnes/yr).....	69
Table 3-27: Summary of 2006 TIER III Emissions by Category (Tonnes/yr).....	70
Table 3-28: Summary of 2006 TIERS I, II & III Emissions by Category (Tonnes/yr).....	71
Table 3-29: Summary 2006 Emissions by Category (Tonnes/yr).....	72
Table 3-30: Summary of 2006 Emissions by Sector .....	73
Table 4-1: Map Projections and Horizontal Grid Parameters .....	79
Table 4-2: Summary of MM5 Parameters.....	80
Table 4-3: CALMET Options and Flags (Other than Default) .....	85
Table 4-4 Wind Summary of Toronto Lester B. Pearson Int'l Airport Station (2006) .....	86
Table 4-5: Wind Summary of CALMET Data (2006) Near Lester B. Pearson Int'l Airport Station.....	86
Table 4-6: SMOG Alert Days for City of Toronto (2006).....	92
Table 5-1: CALPUFF Options and Flags.....	102
Table 6-1: Modelled Vs. Monitored O <sub>3</sub> Concentrations in Toronto Downtown for 2006.....	107
Table 6-2: Wind Sectors Used To Determine Transboundary NO And NO <sub>2</sub> Concentrations In The City Of Toronto Region.....	108
Table 6-3: Annual mean background concentrations of NO and NO <sub>2</sub> in the GTA .....	108
Table 6-4: Predicted versus Monitored O <sub>3</sub> Concentrations SRLB Neighbourhood.....	109
Table 7-1: Applicable Air Quality Criteria.....	112
Table 7-2: Comparison Between Annual Monitoring and Modelling Results in Downtown Toronto (2006).....	113
Table 7-3: Predicted Annual PAC Levels in SRLB (2006).....	115
Table 7-4: Contribution of Tier III Source Categories to Annual Average SRLB PAC Levels (2006).....	116
Table 7-5: Contribution of Source Categories to Annual Average SRLB PAC Levels (2006).....	124
Table 7-6: Predicted Maximum 24-hour PAC Levels in SRLB (2006) .....	126
Table 7-7: Modelling and Monitoring On SMOG Days (2006) .....	133
Table 7-8: Annual and 24-hr Concentrations Without and With the PEC in Operation.....	134

## FIGURES

Figure 1-1: Three Tiered Computational Domains .....	5
Figure 2-1: CALPUFF Modelling System .....	8
Figure 3-1: Gridded Tier I Computational Domain .....	15
Figure 3-2: Point Source Processing .....	18
Figure 3-3: Area Source Processing .....	19
Figure 3-4: Mobile Source Processing .....	19



# SOUTH RIVERDALE - LESLIEVILLE - BEACHES AIRSHED MODELLING STUDY

Figure 3-5:	Annual NO <sub>x</sub> Emissions from Tier I (2002)	21
Figure 3-6:	Annual B[a]P Emissions from Tier I (2002)	22
Figure 3-7:	Annual SO <sub>2</sub> Emissions from Tier I (2002)	23
Figure 3-8:	Annual PM <sub>2.5</sub> Emissions from Tier I (2002)	24
Figure 3-9:	Annual 1,3 Butadiene Emissions from Tier I (2002)	25
Figure 3-10:	Gridded Tier II Computational Domain	27
Figure 3-11:	Gridded Tier III Computational Domain	28
Figure 3-12:	NPRI Industrial Sources in Tier II	30
Figure 3-13:	Ontario Land Use	34
Figure 3-14:	Annual 2006 Natural Gas Consumption for All Sources Tier III	35
Figure 3-15:	Annual Average Daily Traffic for Ontario Major Routes	48
Figure 3-16:	Annual Average Daily Traffic for GTA Major Routes	49
Figure 3-17:	Annual Average Daily Traffic for Toronto Major Routes	50
Figure 3-18:	Ontario Forestry Data	64
Figure 3-19:	Hourly and Monthly Variation of VOC Emissions from Biogenic Sources	65
Figure 3-20:	Hourly and Monthly Variation of NO Emissions from Agriculture Land	66
Figure 3-21:	Percent Distribution of Industrial, Residential, Mobile and Biogenic Sources for All Tiers	73
Figure 3-22:	Tier II & Tier III Annual NO <sub>x</sub> Emissions (Tonne/yr)	74
Figure 3-23:	Tier II and Tier III Annual B[a]P Emissions (Tonne/yr)	75
Figure 3-24:	Tier II and Tier III Annual SO <sub>2</sub> Emissions (Tonne/yr)	76
Figure 3-25:	Tier II & Tier III Annual PM <sub>2.5</sub> Emissions (Tonne/yr)	77
Figure 3-26:	Tier II & Tier III Annual 1,3 Butadiene Emissions (Tonne/yr)	78
Figure 4-1:	Land Use and Terrain Elevation Data for Tier II Modelling	84
Figure 4-2:	Comparison of Annual Wind Roses (2006)	87
Figure 4-3:	Comparison of Winter Season Wind Roses (2006)	88
Figure 4-4:	Comparison of Spring Season Wind Roses (2006)	89
Figure 4-5:	Comparison of Summer Season Wind Roses (2006)	90
Figure 4-6:	Comparison of Fall Season Wind Roses (2006)	91
Figure 4-7:	Typical Weather Pattern for SMOG Alerts	93
Figure 4-8:	Average Wind Vector Flow for July-August 2006	94
Figure 4-9:	May 2006 SMOG Day Wind Vectors	95
Figure 4-10:	June 2006 SMOG Day Wind Vectors	96
Figure 4-11:	July – August 2006 SMOG Day Wind Vectors	97



# SOUTH RIVERDALE - LESLIEVILLE - BEACHES AIRSHED MODELLING STUDY

Figure 5-1: Tier I and Tier II Overlapping Grids on South Riverdale/ Beaches .....	99
Figure 5-2: Discrete Receptors over South Riverdale/ Beaches .....	100
Figure 6-1: Variation of annual mean OX (O <sub>3</sub> + NO <sub>2</sub> ) mixing ratio with NO <sub>x</sub> .....	106
Figure 6-2: Isopleth of Annual Average O <sub>3</sub> Concentrations from All Sources Including Background .....	110
Figure 7-1: Isopleth of Annual Average NO <sub>2</sub> Concentrations from All Sources (2006) .....	118
Figure 7-2: Isopleth of Annual Average B[a]P Concentrations from All Sources (2006) .....	119
Figure 7-3: Isopleth of Annual Average SO <sub>2</sub> Concentrations from All Sources (2006).....	120
Figure 7-4: Isopleth of Annual Average PM <sub>2.5</sub> Concentrations from All Sources (2006) .....	121
Figure 7-5: Isopleth of Annual Average 1,3 Butadiene Concentrations from All Sources (2006) .....	122
Figure 7-6: Isopleth of 24-hr Maximum NO <sub>2</sub> Concentrations from All Sources (2006) .....	127
Figure 7-7: Isopleth of 24-hr Maximum B[a]P Concentrations from All Sources (2006) .....	128
Figure 7-8: Isopleth of 24-hr Maximum SO <sub>2</sub> Concentrations from All Sources (2006) .....	129
Figure 7-9: Isopleth of 24-hr Maximum PM <sub>2.5</sub> Concentrations from All Sources (2006) .....	130
Figure 7-10: Isopleth of 24-hr Maximum 1,3 Butadiene Concentrations from All Sources (2006) .....	131
Figure 7-11: City of Toronto Annual NO <sub>x</sub> Concentrations from Tier III Sources (2006).....	136
Figure 7-12: City of Toronto Annual PM <sub>2.5</sub> Concentrations from Tier III Sources (2006) .....	137

## APPENDICES

### APPENDIX A

Tier I (US) Gridded PAC Emissions

### APPENDIX B

Tier II (Southern Ontario) Gridded PAC Emissions

### APPENDIX C

Tier III (Toronto) Gridded PAC Emissions

### APPENDIX D

Annual PAC Concentrations over South Riverdale - Leslieville - Beaches

### APPENDIX E

Daily PAC Concentrations over South Riverdale - Leslieville - Beaches