

Authority: Toronto and East York Community Council
Item TE33.2, as adopted by City of Toronto Council on
June 24, 25 and 26, 2026

CITY OF TORONTO

Bill 631

BY-LAW -2026

To amend Zoning By-law 438-86, as amended, with respect to the lands municipally known in the year 2026 as 291 Lake Shore Boulevard East, 2 Small Street and 200 Queens Quay E, also known as Quayside Blocks 1B, 1C and 2.

Whereas Council of the City of Toronto has the authority pursuant to Section 34 of the Planning Act, R.S.O. 1990, c. P. 13, as amended, to pass this By-law; and

Whereas Council of the City of Toronto has provided adequate information to the public and has held at least one public meeting in accordance with the Planning Act, as amended; and

Whereas pursuant to Section 36 of the Planning Act, as amended, the council of a municipality may, in a by-law passed under Section 34 of the Planning Act, use a holding symbol "(H)" in conjunction with any use designation to specify the use that lands, buildings or structures may be put once the holding symbol "(H)" is removed by amendment to the by-law; and

Whereas the Official Plan for the City of Toronto and the Central Waterfront Secondary Plan contains provisions relating to the use of holding symbol "(H)"; and

Whereas the Official Plan for the City of Toronto contains provisions relating to the authorization of increases in height and density of development; and

Whereas pursuant to subsection 37.1(3) and subsections 37(1) to (4) of the Planning Act, as they read the day before Section 1 of Schedule 17 to the COVID-19 Economic Recovery Act, S.O. 2020 c. 18 came into force continue to apply where a municipality passes a by-law described in the repealed subsection 37(1) prior to the date that a community benefits charge by-law is passed under subsection 37(2) provided the by-law is not amended to remove the requirement to provide any of the facilities, services or matters secured therein or repealed; and

Whereas on August 15, 2022, City Council passed By-law 1139-2022 being the City's Community Benefits Charge By-law pursuant to Subsection 37(2) of the Planning Act; and

Whereas Council at its meeting of September 26, 2006 enacted By-law 1049-2006 being a bylaw described in the repealed subsection 37(1) of the Planning Act and By-law 1049-2006 was appealed and approved as amended by the Ontario Municipal Board on November 19, 2012 and this By-law does not amend or remove the requirement to provide facilities, services and therefore subsections 37(1) to (4) of the Planning Act, as they read the day before Section 1 of Schedule 17 to the COVID-19 Economic Recovery Act, 2020 came into force continue to apply; and

Whereas subsection 37(3) of the Planning Act, as it read the day before Section 1 of Schedule 17 to the COVID-19 Economic Recovery Act, 2020 came into force, provides that where an owner of land elects to provide facilities, services or matters in return for an increase in the density and/or height of development, the municipality may require the owner to enter into one or more agreements with the municipality dealing with the facilities, services and matters; and

Whereas the owner has elected to provide certain facilities, services and matters in return for certain increases in density and height as set out in the Zoning by-law Amendment herein; and

Whereas the increase in height and density permitted beyond that otherwise permitted on the aforesaid lands by By-law 438-86 as amended by By-law 1049-2006 and By-law 852-2024 and 1510-2025, as amended, is permitted in return for the provision of the facilities, services and matters set out in this By-law which are to be secured by one or more agreements between the owner and the City of Toronto;

The Council of the City of Toronto enacts:

1. Section 12(1) of the aforesaid By-law 438-86 is amended by adding the following Exception:

511. To prevent the erection or use of buildings or structures or the use of land within the area delineated by heavy lines on Map 1 attached to and forming part of this Exception in accordance with the following provisions:

- (A) The *lot* comprises at least the lands delineated by heavy lines on Map 1 attached to and forming part of this Exception:

Permitted Uses

- (B) The following uses shall be permitted within a CR district:

- (i) Those non-residential uses permitted within a CR district in section 8(1)(f)(b), and subject to the qualifications in section 8(2) where applicable; except for an *automobile service and repair shop, automobile service station, car washing establishment, cold storage locker plant, motor vehicle repair shop, class A, or commercial parking lot*;
- (ii) A *district energy, heating and cooling plant*, a vacuum waste collection facility;
- (iii) Those residential uses permitted within a CR district in section 8(1)(f)(a), and subject to the qualifications in section 8(2) where applicable, provided that the *owner* of the *lot* elects to provide the facilities, services or matters referred to in paragraph (GG) below and enters into the agreement(s) referred to in paragraph (JJ);

- (iv) A *commercial parking garage*, the floor of which, excluding any access ramp and or pedestrian entrance, is situated wholly below finished ground level;
 - (v) A *sales office*; a *market garden*; a *outdoor open air market*, outdoor recreation uses, a public market, a *custom work shop*, a *transportation use*, and a brewery operated in conjunction with a *restaurant* or a *retail store*;
 - (vi) A brewery permitted under (v) above, may occupy more than 50 percent of the total *interior floor area* of the *restaurant* or *retail store* provided the total *interior floor area* of the *restaurant* or *retail store* does not exceed a maximum of 1,000 square metres;
 - (vii) An *outdoor patio* is permitted in combination with a permitted *ground floor animation use*, provided that no portion of the *outdoor patio* is located above the first storey of the building; and
 - (viii) An *outdoor patio* may be used to provide entertainment such as performances, music, and dancing, provided the outdoor patio is not located above the first storey of the building and the entertainment area does not exceed the greater of 10 percent of the outdoor patio area or 5.0 square metres;
- (C) Notwithstanding subsection (B)(i) to (vii) above, only non-residential uses and residential amenity areas, and the exemptions in subsection (M) are permitted above a height of 44.5 metres for any building wholly within Block 1C as shown on Map 2 attached to and forming part of this Exception, provided the aggregate area of the non-residential uses and indoor residential amenity areas, measured above a height limit of 44.5 metres, does not exceed 40 percent of the area of the roof of the building and is set back a minimum of 2.3 metres from the outermost building edge except where the building fronts onto Small Street, where it may be set back 0 metres;
- (D) Where the zoning for a CR district is followed by an (h) holding symbol, permitted uses prior to the removal of the (h) shall be limited to the following:
- (i) Those uses and buildings existing on the *lot* on the date of the passing of the by-law adopting this Exception, or an addition thereto, not exceeding 100 square metres in *non-residential gross floor area* or 10 percent of the non-residential gross floor area existing on September 27, 2006, whichever is the greater;

- (ii) Any use permitted within a CR district by paragraph (B) herein, with the exception of *sensitive land uses*, within a building existing on the *lot* on the date of the by-law adopting this Exception, or an addition thereto not exceeding 100 square metres in *non-residential gross floor area* or 10 percent of the non-residential gross floor area existing on September 27, 2006; whichever is the greater;
- (iii) Notwithstanding Section 8(2)(11), a *commercial parking lot* provided that:
 - (a) any lights used for illumination are so arranged as to divert the light away from adjacent premises;
- (iv) Notwithstanding Section 8(2)(11), a *parking station* provided that:
 - (a) any lights used for illumination are so arranged as to divert the light away from adjacent premises;
- (v) Outdoor sales and displays, outdoor recreation uses, and *outdoor open air markets*;
- (vi) An *outdoor patio* is permitted in combination with any use permitted under (D)(ii) above, provided that no portion of the *outdoor patio* is located above the first storey of the building;
- (vii) An *outdoor patio* may be used to provide entertainment such as performances, music, and dancing, provided the outdoor patio is not located above the first storey of the building and the entertainment area does not exceed the greater of 10 percent of the outdoor patio area or 5.0 square metres; and
- (viii) A *sales office*;

Density

- (E) The combined total of *non-residential gross floor area and residential gross floor area* on the *lot* shall not exceed a maximum of 127,500 square metres of which:
 - (i) the total *residential gross floor area* shall not exceed 123,400 square metres; and
 - (ii) the minimum non-residential gross floor area is 3,400 square metres of which:

- (a) A minimum of 2,500 square metres located on Block 1B, 1C, or 2 as shown on Map 2 attached to and forming part of this Exception is used for no purpose other than those set out under Section 8(1)(f)(b)(ii) and (iii), including a minimum of 650 square metres of interior *non-residential gross floor area* used for a *day nursery* with an associated outdoor play area;

Maximum Height and Building Envelope:

- (F) No portion of a building above *grade* may be located otherwise than wholly within the heavy lines on Map 3 attached to and forming part of this Exception;
- (G) Notwithstanding subsection (F) above, no portion of a building above or below *grade* may be located within 5 metres of the outermost edge of the Gardiner Expressway structure;
- (H) No portion of a building shall have a greater *height* in metres than the *height* limits specified by the numbers following the symbol H on Map 1 attached to and forming part of this Exception;
- (I) Notwithstanding subsections (F) and (H) above, on Block 1B, one *tower*, may be located within each Tower Transition Zone shown on Map 4 attached to and forming part of this Exception, in accordance with the following Permitted Tower Transition Zone Table;

Permitted Tower Transition Zones Table	
Tower Transition Zone Identified on Map 4	Maximum Permitted Transition Zone <i>height</i>
Tower Transition Zone 1	70 metres

- (J) The *tower* within the Tower Transition Zone shown on Map 4 attached to and forming part of this Exception shall comply with the following requirements:
- (i) for Tower Transition Zone 1:
- (a) the average *tower floorplate* of each storey shall not exceed 975 square metres, and the maximum *tower floorplate* shall not exceed 1,000 square metres;
- (K) Notwithstanding subsections (F) and (H) above, one *tower* may be located within each Tower Zone shown on Map 5 attached to and forming part of this Exception, in accordance with the following Permitted Tower Zones Table:

Permitted Tower Zones Table	
Permitted Tower Zone Identified on Map 5	Maximum permitted <i>height</i>
Tower Zone 1	222 metres
Tower Zone 2	179 metres

- (L) The *tower* within each Tower Zone shown on Map 5 attached to and forming part of this Exception shall comply with the following requirements:
- (i) for Tower Zone 1:
 - (a) the average *tower floorplate* of each storey shall not exceed 850 square metres, and the maximum *tower floorplate* shall not exceed 890 square metres;
 - (ii) for Tower Zone 2:
 - (a) the average *tower floorplate* of each storey shall not exceed 850 square metres, and the maximum *tower floorplate* shall not exceed 890 square metres;

Exception – Height, Building Envelope:

- (M) Notwithstanding sections (F), (H), (I), (J), (K), and (L) above, the types of structures listed in the column titled "STRUCTURE" in the following chart are permitted to:
- (i) Project beyond the heavy lines and above the *heights* shown on Map 3, attached to and forming part of this Exception, provided the projections comply with the restrictions set out opposite the structure in the columns entitled "MAXIMUM PERMITTED HORIZONTAL PROJECTION" and "OTHER APPLICABLE QUALIFICATIONS" and provided the projections are within the *lot*;
 - (ii) Project beyond the Tower Transition Zone areas shown on Map 4, attached to and forming part of this Exception, and above the *heights* set out in section (I) above, provided the projections comply with the restrictions set out opposite the structure in the columns entitled "MAXIMUM PERMITTED HORIZONTAL PROJECTION" and "OTHER APPLICABLE QUALIFICATIONS", and provided the projections are within the *lot*; and

- (iii) Project beyond the Tower Zone areas shown on Map 5 attached to and forming part of this Exception, and above the maximum permitted *heights* set out in section (K) above, provided the projections comply with the restrictions set out opposite the structure in the columns entitled "MAXIMUM PERMITTED HORIZONTAL PROJECTION" and "OTHER APPLICABLE QUALIFICATIONS", and provided the projections are within the *lot*;

	STRUCTURE	MAXIMUM PERMITTED HORIZONTAL PROJECTION	OTHER APPLICABLE QUALIFICATIONS
1.	Eaves, cornices, parapets	1.5 metres	2.0 metres above the <i>heights</i> shown on Map 3, Map 4, and Map 5
2.	A bay window or bow window	The projection cannot exceed 1.5 metres from the wall to which it is attached, at a height above 5 metres	Width not to exceed 3.0 metres where the window meets the wall.
3.	Balconies	Not more than 2.0 metres beyond the wall to which the balcony is attached	
4.	Patios, uncovered platform	Not more than 5.0 metres beyond the heavy lines shown on Map 3	No more than 1.0 metre above finished ground level
5.	Privacy screens, fences and privacy walls	No restriction	The height of such structures shall be limited to 2.1 metres above finished ground level with the exception that such structures located between a building and the privately owned publicly accessible open space shown on Map 6 shall be limited to 1.0 metre above finished ground level and privacy screens on buildings

	STRUCTURE	MAXIMUM PERMITTED HORIZONTAL PROJECTION	OTHER APPLICABLE QUALIFICATIONS
			shall be limited to 3 metres above the <i>heights</i> shown on Map 3, Map 4 and Map 5
6.	Guardrails, bollards, railings, stairs, stair enclosures, trellises, wheel chair ramps and underground garage ramps and associated structures; <i>public art</i> , noise, odour and wind mitigation features, lightning rods, elements related to generation of solar power, flues, vents, window washing equipment	No restriction	No restriction
7.	Landscape features and transparent structures, such as greenhouses, that permit the growing of horticultural crops.	No restriction	No more than 3.0 metres above the <i>height</i> limit shown on Map 3
8.	Mechanical equipment and enclosures, elevator shaft, heating, cooling or ventilating equipment, including vents and stacks,		Where such elements are not located on a <i>tower</i> , the maximum <i>height</i> of the top of such elements shall be no higher than the sum of: <ul style="list-style-type: none"> • 5.3 metres and the <i>height</i> limit of

	STRUCTURE	MAXIMUM PERMITTED HORIZONTAL PROJECTION	OTHER APPLICABLE QUALIFICATIONS
	tuned mass damper on the roof of the building or a fence, wall, screen or structure enclosing such elements.		<p>Block 1C shown on Map 3</p> <ul style="list-style-type: none"> 6.5 metres and the <i>height</i> limits of Blocks 1B and 2 shown on Map 3, Map 4, and Map 5 <p>Where such elements are not located on a <i>tower</i>, the aggregate horizontal area of such elements, including the area contained within an enclosure, measured at a point above the level of the <i>height</i> limit, does not exceed 50 percent of the area of the roof of the building</p> <p>Where such elements are located on a <i>tower</i>, the maximum height of the top of such elements shall be no higher than the sum of:</p> <ul style="list-style-type: none"> 14.0 metres and the <i>height</i> limit of Tower Zone 1 shown on Map 5 12.0 metres and the <i>height</i> limit of Tower Zone 2 shown on Map 5
9.	Awnings, canopies.	4.0 metres beyond the heavy lines shown on Map 3	Must be located below the level of the third <i>storey</i>
10.	Elements of a green roof.		The maximum <i>height</i> of the top of such

	STRUCTURE	MAXIMUM PERMITTED HORIZONTAL PROJECTION	OTHER APPLICABLE QUALIFICATIONS
			<p>elements shall be no higher than the sum of:</p> <ul style="list-style-type: none"> • 5.3 metres above the <i>height</i> limit of Block 1C shown on Map 3 • 2.0 metres above the <i>height</i> limit of Blocks 1B and 2 shown on Map 3, Map 4, and Map 5
11.	A structure on the roof of a building, used for outside or open air recreation, or safety purposes.		The maximum <i>height</i> of the top of such structures is no higher than the sum of 4.0 metres and the <i>height</i> limits shown on Map 3, Map 4, and Map 5 and the structures shall not enclose space so as to constitute a form of penthouse or other room or rooms
12.	Chimney stack for a <i>district energy, heating and cooling plant</i> , which has been approved by the Ministry of the Environment and Climate Change	No restriction	No restriction
13.	Pilaster, roof assemblies, decorative column, sill, belt course or other architectural feature on a building	2.0 metres	No restriction

	STRUCTURE	MAXIMUM PERMITTED HORIZONTAL PROJECTION	OTHER APPLICABLE QUALIFICATIONS
14.	Screens, fences, and structures for wind mitigation and safety purposes	No restriction	No restriction

Vehicle Access:

- (N) Vehicle access is not permitted to be taken from Queens Quay Boulevard East;
- (O) Vehicle access is not permitted to be taken from Bonnycastle Street;

Parking and Loading

- (P) If an *apartment building, mixed use building,* or a building with *non-residential uses* has an area for parking vehicles, a total of 25 percent of parking spaces provided for visitor and non-residential uses shall be equipped with electric vehicle supply equipment (EVSE) capable of supplying Level 2 charging capability or a higher level of charging;
- (Q) If on-site parking is provided, a minimum of 5 parking spaces and an additional 2 percent of the total number of parking spaces must be provided as accessible parking spaces;
- (R) If an *apartment building, mixed use building,* or a building with non-residential uses has an area for parking vehicles,
 - (i) the requirements of Section 4(17), shall apply with the exception that:
 - (a) a maximum of 10 percent of the provided parking spaces on may be obstructed without being required to provide additional width for the obstructed sides of the parking space;
 - (b) electric vehicle infrastructure, including electric vehicle supply equipment, does not constitute an obstruction to a parking space; and
 - (c) any *parking spaces* provided may be provided on a non-exclusive basis in a commercial parking garage;

- (S) *loading spaces* shall be provided on the *lot* in accordance with the following:
- (a) a minimum of 1 Type "C" *loading space*, and 1 Type "G" *loading space* shall be provided;
 - (b) a minimum of 3 Type "C" *loading spaces* shall be provided to serve Block 1C; and
 - (c) the required *loading spaces* may be shared between Block 1B, 1C and 2 attached to and forming part of this Exception;
- (T) *Bicycle parking spaces* shall be provided and maintained on the *lot* in accordance with the following requirements:
- (i) long term *bicycle parking spaces* are for use by the occupants or tenants of a building;
 - (ii) short term *bicycle parking spaces* are for use by visitors to a building;
 - (iii) for dwelling units: 0.9 *bicycle parking spaces* for each dwelling unit, allocated as long term *bicycle parking spaces* and 0.2 *bicycle parking spaces* for each dwelling unit allocated as short term *bicycle parking spaces*;
 - (iv) for all non-residential uses: 0.2 *bicycle parking spaces* for each 100 square metres of *interior floor area* used for all other non-residential uses allocated as long term *bicycle parking spaces* and 3 plus 0.3 *bicycle parking spaces* for each 100 square metres of *interior floor area* used for non-residential uses allocated as short term *bicycle parking spaces* provided that if a use on a lot is 2,000 square meters or less, then no *bicycle parking space* is required;
 - (v) short-term *bicycle parking spaces* may also be located in a stacked *bicycle parking space*;
 - (vi) short-term *bicycle parking spaces* may be located below ground, and at and above established *grade* and may not be more than 40 metres from a pedestrian entrance to a building on the *lot*;
 - (vii) long-term *bicycle parking spaces* may be located below ground, and at and above established *grade* and may be located in a secure controlled access room;
 - (viii) if a building has uses, other than *dwelling units*, for which a long-term *bicycle parking space* is required, shower and change facilities must be provided at the following rate:

- (a) none if less than 5 required long-term *bicycle parking spaces*;
 - (b) 1 for 5 to 60 required long-term *bicycle parking spaces*;
 - (c) 2 for 61 to 120 required long-term *bicycle parking spaces*;
 - (d) 3 for 121 to 180 required long-term *bicycle parking spaces*;
and
 - (e) 4 for more than 180 required long-term *bicycle parking spaces*;
- (ix) the number of bicycle parking spaces required by subsections (T)(iii) may be reduced, subject to the following:
- (a) the reduced number of short-term *bicycle parking spaces* reduced is not less than half the number required by subsections (T)(iii) and (T)(iv), rounded down to the nearest whole number;
 - (b) the reduced number of long-term *bicycle parking spaces* is not less than half the number required by regulations (T)(iii) and (T)(iv), rounded down to the nearest whole number;
 - (c) payment-in-lieu of bicycle parking shall be made to the City of Toronto for each *bicycle parking space* not provided in accordance with (T)(iii) and (T)(iv); and
 - (d) For Blocks 1B and 2, the owner shall enter into an agreement with the City of Toronto pursuant to Section 40 of the Planning Act.

Sales Office:

- (U) Where a building or structure is erected and used for the purposes of a *sales office*, then the provisions of subparagraphs (A) to (EE) of this Exception, as pertains to Ground Floor Animation Areas, shall not apply to the building or structure;

Residential Amenity Space:

- (V) *Residential amenity space* shall be provided in accordance with Section 4(12), except that:

- (i) Indoor *residential amenity space* shall be provided at a minimum rate of 2 square metres per *dwelling unit* for the first 100 *dwelling units* in a building and at a rate of 1.0 square metre thereafter, provided that;
 - (a) Indoor amenity space may include *guest suites* provided at a maximum rate of 25.0 square metres of gross floor area per 100 dwelling units in a building; and
 - (b) For the purposes of this exception, *guest suites* units do not constitute dwelling units;
- (ii) Indoor *residential amenity space* required for a building on the lot may be provided within another building on the lot provided that there is an interior connection between such buildings;
- (iii) Outdoor *residential amenity space* shall be provided at the following minimum rates:
 - (a) 0.34 square metres per *dwelling unit* on Block 1B shown on Map 2;
 - (b) 1.10 square metres per *dwelling unit* on Block 1C shown on Map 2; and
 - (c) 0.50 square metres per *dwelling unit* on Block 2 shown on Map 2;
- (W) Required indoor *residential amenity space* may be provided in a room or rooms which are not contiguous;
- (X) A maximum of 0.1 square metres per *dwelling unit* in a building of *indoor amenity space* may be located below-ground; and
- (Y) *Residential amenity space* shall only be required for a building containing 20 or more *dwelling units* which are not *grade-related* and where access to all such *dwelling units* is by means of common internal corridors;

Dwelling Units:

- (Z) The provision of dwelling units is subject to the following:
 - (i) a minimum of 25 percent of the total number of *dwelling units* on the *lot* shall contain two or more bedrooms;
 - (ii) a minimum of 10 percent of the dwelling units on the *lot* shall contain three or more bedrooms; and

- (iii) any dwelling units with three or more bedrooms provided to satisfy (ii) above are not included in the provision required by (i) above;

Ground Floor Animation Areas:

- (AA) No building or structure on the *lot* subject to a Ground Floor Animation Area requirement, shown on Map 7 attached to and forming part of this Exception, may be erected or used unless:
 - (i) At least 70 percent of the length of the exterior building wall of the *first floor* level of the building that is subject to an Animation Frontage as shown on Map 7 attached at the end of and forming part of this Exception is used for no purpose other than *ground floor animation uses*;
 - (ii) No *dwelling units* shall be located within the *first floor* of a building subject to a Ground Floor Animation Area unless other permitted uses are provided, in an enclosed structure, between the dwelling units and a frontage identified as being subject to a Ground Floor Animation Area;
- (BB) The *non-residential gross floor area* provided on the ground level of Block 1C shown on Map 2 attached to and forming part of this Exception must be divided into a minimum of three non-residential units;
- (CC) The maximum *non-residential gross floor area* of a non-residential unit located on the ground level of any building on Block 1C as shown on Map 2 attached to and forming part of this Exception is 450 square metres;
- (DD) Notwithstanding subsection (CC) above, one non-residential unit located on the ground level of Block 1C as shown on Map 2 attached to and forming part of this Exception may have a maximum *non-residential gross floor area* of 1,000 square metres;
- (EE) For the purposes of subsections (AA) to (DD) above, all buildings on Block 1C, shown on Map 2 attached to and forming part of this Exception, are considered one building.

Availability of Services:

- (FF) No land may be used and no building or structure may be erected or used on the land unless:
 - (i) The land abuts an existing street, or is connected to an existing street by a street or streets, constructed to a minimum base curb and base asphalt or concrete; and

- (ii) All Municipal water mains and Municipal sewers, and their appurtenances, are installed to a lot line of the property and are operational.

Section 37 Agreement:

- (GG) Pursuant to Section 37 of the Planning Act, and subject to compliance with this By-law, the increase in height and/or density of development on the lot contemplated herein beyond that otherwise permitted in By-law 438-86, as amended, is permitted in return for the provision by the *owner*, at the *owner's* expense certain facilities, services and matters set out in Appendix 1 hereof and which are secured by one or more agreements pursuant to Section 37(3) of the Planning Act that are in a form and registered on title to the lands, to the satisfaction of the City Solicitor;
- (HH) Where Appendix 1 of this By-law requires the *owner* to provide certain facilities, services or matters prior to the issuance of a building permit, the issuance of such permit shall be dependent on satisfaction of the same;
- (II) The *owner* shall not use, or permit the use of, a building or structure erected with an increase in height and/or density pursuant to this By-law unless all provisions of Appendix 1 are satisfied; and
- (JJ) The *owner* shall enter into an agreement(s) to the satisfaction of the City Solicitor pursuant to Section 37(3) and (4) of the Planning Act as it read on the day before section 1 of Schedule 17 to the COVID-19 Economic Recovery Act, 2020 came into force to secure the community benefits above;

Holding Provisions:

- (KK) Lands zoned with the "(h)" symbol shall not be used for any purpose other than as provided for in paragraph (C) above until the "(h)" symbol has been removed. An amending by-law to remove the "(h)" symbol in whole or in part shall be enacted by City Council or its delegate when the implementation of the following conditions have been secured to the satisfaction of Council or its delegate through the execution and registration on title of an agreement or agreements pursuant to Section 37, 41, 51 and/or 53 of the Planning Act, as appropriate:
 - (i) A Functional Servicing and Stormwater Management Report has been submitted to the City satisfactory to the Chief Engineer and Executive Director, Engineering and Construction Services;
 - (ii) The condition above includes securing any required upgrades and/or construction to any municipal infrastructure to support the development;

- (iii) Architectural plans demonstrating the provision of waste storage rooms have been submitted to the City satisfactory to the General Manager, Solid Waste Management Services;
- (iv) A public art contribution in accordance with the City's public art program of a value not less than 1 percent of the gross construction costs of all buildings and structures to be erected on the *lot*, to be payable to Waterfront Toronto, or an alternative acceptable contribution as may be proposed by Waterfront Toronto and accepted by the Director of the Waterfront Secretariat and the Executive Director, Development Review;
- (v) The connection of all buildings to a district energy system and/or on-site renewable energy sources, if available at costs comparable to other energy sources;
- (vi) The submission of *Site Plan Application(s)* for review and comment by the Toronto Waterfront Revitalization Corporation Design Review Panel;
- (vii) The provision of a *noise study* and detailed design plans in support of *Site Plan Applications* for any *sensitive land use* proposed on the *lot*, except for park and outdoor promenade uses. The *noise study* shall be submitted by the owner to the City of Toronto and the City shall provide a copy to *Redpath*. The *noise study* shall be peer reviewed by the City and, should it so choose *Redpath*. Upon request by *Redpath*, comments received from *Redpath* shall be presented to City Council in a process that permits a reasonable opportunity for *Redpath* to give reasons for such comments;
- (viii) Inclusion of a provision in the agreement that the owner will provide and maintain any required mitigation, attenuation or equivalent measures identified in the *noise study*, to the satisfaction of the City;
- (ix) The provision of a *vibration study* and detailed design plans in support of *Site Plan Applications* for any use any *sensitive land use* proposed within 75 metres of Queens Quay East, or within 75 metres of the future transit line. The *vibration study* shall be submitted by the owner to the City of Toronto and the City shall provide a copy to *Redpath*. The *vibration study* shall be peer reviewed by the City and, should it so choose, *Redpath*. Upon request by *Redpath*, comments *received* from *Redpath*, shall be presented to City Council in a process that permits a reasonable opportunity for *Redpath* to give reasons for such comments;

- (x) Inclusion of a provision in the agreement that the owner will provide and maintain any required mitigation, attenuation or equivalent measures identified in the *vibration study*, to the satisfaction of the City;
- (xi) The provision of an emissions study and detailed design plans in support of *Site Plan Applications* for any *sensitive land* use proposed on the lot. The emissions study shall be submitted by the owner to the City of Toronto and the City shall provide a copy to *Redpath*. The emissions study shall be peer reviewed by the City and, should it so choose, *Redpath*. Upon request by *Redpath*, comments received from *Redpath*, shall be presented to City Council in a process that permits a reasonable opportunity for *Redpath* to give reasons for such comments;
- (xii) Inclusion of a provision in the agreement that the owner will provide and maintain any required mitigation, attenuation or equivalent measures identified in the emissions study, to the satisfaction of the City;
- (xiii) Inclusion of a provision in the agreement that the owner shall not request City Council to approve or grant any *Site Plan Application* for any development that will accommodate a land use for which a noise study, *vibration study* or emissions study was undertaken, until *Redpath*, has been given at least 30 days to review the *noise study*, *vibration study* and emissions study, in order to provide a response to the City;
- (xiv) Inclusion of a provision in the agreement that prior to the issuance of a Building Permit in respect of any building(s) that will accommodate a land use for which a *noise study*, *vibration study* or emissions study was undertaken, written confirmation(s) by appropriate qualified consultants will be submitted to the City that the Building Permit plans for such building(s) incorporate the mitigation and architectural control measures required by such *noise study*, *vibration study* and/or emissions study, and that the City shall provide such confirmation(s) to *Redpath*;
- (xv) Inclusion of the following specific warning clause (the "Warning Clause") in all agreements of purchase and sale and lease, excluding agreements pertaining to the resale or lease of individual residential condominium units;

- (xvi) "Warning: This site is in proximity to the heavy industrial Redpath Sugar Refinery located at 95 Queens Quay Boulevard East (the "Redpath Facility") which operates 24 hours a day, 7 days a week. Various processes, shipping and receiving, either operate continuously or at any time of day or night, Activities may include: loading, unloading and repair of large tractor trailers or bulk bin trucks; docking and unloading of ocean and lake going ships; venting of steam; construction and repair; and operation of various sugar refining processes. In addition, there may be industrial odours and light emanating from the refinery from time to time. Redpath may apply to alter or expand the Redpath Facility in the future. Notwithstanding the inclusion of certain mitigation features within this development to lessen potential noise, air emissions, dust, odour, vibration, and visual impact from the Redpath Facility, from time to time noise from the Redpath Facility is likely to be audible, odours may be unpleasant, and dust and light emissions may be bothersome and such potential noise, air emissions, dust, odour, vibration, and visual impact may impact the enjoyment of indoor and outdoor areas of this development. Redpath Sugar advises that it will not be responsible for any complaints or claims arising from any of the activities at or relating to the Redpath Facility, property or operations thereon.";
- (xvii) The inclusion of the Warning Clause in any condominium disclosure statement and declaration applicable to all lands, or portions thereof, and the condominium purchasers and their successors and assigns shall be advised of the Warning Clause in the Status Certificate (both for original and subsequent purchasers). Equivalent provisions are to be contained in any subdivision agreement pursuant to the Planning Act;
- (xviii) The inclusion of a provision in all condominium disclosure statements and declarations applicable to all lands, or portions thereof, prohibiting any owner, tenant or condominium board to make any changes to units and common elements that would contravene the mitigation and architectural control measures required by the *noise study*, *vibration study*, *emissions study*, and/or Building Permit plans for such building(s), as is applicable. The owner shall certify to the City that the aforementioned requirements have been complied with prior to clearance of the condominium for registration;
- (xix) A large area plan shall be displayed in the sales pavilion(s)/office(s) for any residential development, prominently identifying the *Redpath* facility;

- (xx) In the case of lands proposed for residential uses, in addition to those matters set out above, the owner has elected to provide the facilities, services or matters referred to in paragraph (GG) above and entered into the agreement(s) referred to in paragraph (JJ); and
- (xxi) The City shall provide *Redpath* with a copy of the final Agreement within 10 days of it being executed;

Definitions:

(LL) For the purposes of this Exception, each word or expression that is italicized in this exception shall have the same meaning as each such word or expression as defined in the said By law 438-86, as amended, except for the following or where otherwise defined in this Exception:

(i) "*accessible parking space*" mean a parking space free of physical, architectural or design barriers that would restrict access or use to a person with a disability as defined in the Accessibility for Ontarians with Disabilities Act, 2005, S.O. 2005 with the following minimum dimensions:

- (a) length of 5.6 metres;
- (b) width of 3.4 metres; and
- (c) vertical clearance of 2.1 metre;

and with the following minimum dimensions when adjacent and parallel to a drive aisle from which vehicle access is provided:

- (a) length of 5.6 metres;
- (b) width of 3.4 metres; and
- (c) vertical clearance of 2.1 metre;

and the length of an *accessible parking space* must be adjacent to a 1.5 metre wide accessible barrier free aisle or path as shown on Map 1 and Map 2 of By-law 579-2017;

(ii) "*affordable rent*" means gross monthly Rent that is at or below the lesser of one (1) times the CMHC Average Market Rent or thirty percent (30 percent) of the before-tax monthly income of renter households in the City of Toronto as follows:

- (a) Studio units: one-person households at or below the 50th percentile income;

- (b) One-bedroom units: one-person households at or below the 60th percentile income;
 - (c) Two-bedroom units: two-person households at or below the 60th percentile income;
 - (d) Three-bedroom units: three-person households at or below the 60th percentile income;
 - (e) Four-bedroom units: average market rent for four-bedroom apartment units as reported by the Canada Mortgage and Housing Corporation (CMHC) in its annual Rental Market Report;
- (iii) "*affordable rental unit*" means a new designated Rental Dwelling Unit provided and maintained on the Lands after the date of the applicable agreement at Affordable Rent;
- (iv) "*bicycle parking space*" means an area that is equipped with a bicycle rack, bicycle ring, *bicycle stacker* or bicycle locker for the purpose of parking and securing bicycles, and:
- (a) Where the bicycles are to be parked on a horizontal surface, has horizontal dimensions of at least 0.6 metres by 1.8 metres and vertical dimension of at least 1.9 metres; and
 - (b) Where the bicycles are to be parked in a vertical position, has horizontal dimensions of at least 0.6 metres by 1.2 metres and a vertical dimension of at least 1.9 metres;
- (v) Notwithstanding (a) and (b) above, where the bicycles are to be in a *bicycle stacker*, being a device that allows spaces to be positioned above or below one another with the aid of an elevating mechanism, the parking space within the stacker shall have horizontal dimensions of at least 1.8 metres by 0.45 metres and the *bicycle stacker* shall be located in an area with a vertical dimension of at least 2.4 metres;
- (vi) "*bicycle stacker*" means a device whereby a *bicycle parking space* is positioned above or below another *bicycle parking space* and is accessed by means of an elevating device;
- (vii) "*Building Permit*" means a permit to construct a building or structure, or any part thereof, pursuant to Section 8 of the Building Code Act, 1992, S.O. 1992, c.23, as amended, superseded or replaced from time to time, including, but not limited to, excavation, shoring, and building permits but shall not include any such permit issued in respect of a *sales office*;

- (viii) "*car-share*" and "*car-sharing*" means the practice where a number of people share the use of one or more cars that are owned by a profit or non-profit car-sharing organization and where such organization may require that use of cars be reserved in advance, charge fees based on time and/or kilometres driven, and set membership requirements of the car sharing organization, including the payment of a membership fee that may or may not be refundable;
- (ix) "*car-share parking space*" means a parking space that is reserved and actively used for car-sharing;
- (x) "*district energy, heating and cooling plant*" means a building or structure that is used for the production of electrical power, heating and cooling which is generated/converted at one or more linked locations and then is distributed to the users;
- (xi) "*emissions study*" means a study which includes:
- (a) a determination of the predictable worst case operating scenario of all relevant emissions, including dust, odour and air quality;
 - (b) the identification of all receptor locations in the proposed development with the potential to experience (adverse) impacts;
 - (c) ascertaining the numerical excess and nuisance potential at such receptors, if any;
 - (d) preparation of specific recommendations for mitigation at receptor and/or at source to create an appropriate air quality environment for future occupants/users of the proposed development; and
 - (e) assuming the industries that are the relevant emissions sources are in compliance with the instruments listed below, an assessment of applicable Ministry of the Environment, Conservation and Parks regulations and guidelines, having the force of law; all relevant sections of the *Environmental Protection Act*, including Sections 9 and 14; and existing Certificates of Approval, if publicly available, relative to the proposed development and the industries that are the source of the relevant emissions and where there are objective standards in the above-listed instruments, an assessment of the expected compliance with said instruments.

Such emissions study shall be prepared by a qualified air quality consultant and shall be consistent with professional standards and good practice for such studies, taking into account expansion or alteration plans identified by the source(s) that can reasonably be expected to be implemented in the future.

- (xii) "*first floor*" means the floor of the building, other than an area used for parking, that is closest in elevation to the elevation of the adjacent finished ground level;
- (xiii) "*guest suite*" means a suite, other than a dwelling unit, that has no kitchen facilities and is available for use on a temporary basis as overnight accommodation for persons visiting residents of an *apartment building* or *mixed use building* on the lot;
- (xiv) "*grade*" means 77.5 metres Canadian Geodetic Datum;
- (xv) "*ground floor animation uses*" means those uses listed in Sections 8(1)(f)(b)(i), (ii) and (iv), an *artist's or photographers studio*, and a *custom workshop*;
- (xvi) "*height*" means the vertical distance between *grade* and the highest point of the roof, building, structure or element;
- (xvii) "*interior floor area*" means the floor area of any part of a building measured to the interior side of a main wall, the centre line of an interior wall, or as measured to a line delineating the part being measured;
- (xviii) "*market garden*" means premises used for growing and harvesting vegetables, fruits, flowers, shrubs, trees or other horticultural products for the purpose of sale;
- (xix) "*noise study*" means a study which includes:
 - (a) a determination of the planned and predictable worst case impact from all relevant noise sources;
 - (b) the identification of all receptor locations in the proposed development with the potential to experience (adverse) noise impact, ascertaining the noise excess at such receptors, if any;
 - (c) ascertaining the numerical excess and nuisance potential at such receptors, if any;

- (d) preparation of specific recommendations for mitigation at receptor and/or at source to create an appropriate sound environment for future occupants/users of the proposed development; and
- (e) assuming the industries that are the relevant noise sources are in compliance with the instruments listed below, an assessment of applicable Ministry of the Environment, Conservation and Parks regulations and guidelines, having the force of law; all relevant sections of the Environmental Protection Act, including sections 9 and 14; existing Certificates of Approval, if publicly available; and all relevant sections of the Toronto Municipal Code, including Chapter 591 or their successors, relative to the proposed development and the industries that are the source of the relevant emissions.

Such *noise study* shall be prepared by a qualified acoustical engineer and shall be consistent with professional standards and good practice for such studies, taking into account expansion or alteration plans identified by the stationary source(s) that can reasonably be expected to be implemented in the future.

- (xx) "*outdoor open air market*" means portion of a *lot* where, goods, wares, merchandise or a substance, article or thing is offered, kept or stored for retail sales, which may include food sales, retail sales and other uses from containers kiosks, tents vehicles, tables or similar facilities and such facilities are not buildings or structures;
- (xxi) "*outdoor patio*" means an outdoor patron area that is ancillary to a non-residential use;
- (xxii) "*owner*" means a person who owns the fee simple or the equity of redemption in the *lot*, or any part thereof;
- (xxiii) "*Public Art*" means works of sculptured art, works of visual and graphic art, sculptured landscaping, fountains, and artistic treatment of publicly accessible areas including, without limitation, exterior publicly accessible areas (public sidewalks, exterior walls or other building elements), clearly visible at all times from publicly accessible areas, including but not limited to flooring, structure, lighting and street furnishings, provided such elements of work have been designed by or in collaboration with artists and selected by a process and are in accordance with a program recommended by the Toronto *Public Art* Commission (the "Commission") through the Chief Planner and approved by City Council;

- (xxiv) "*Redpath*" means the lands and premises known municipally as 95 Queens Quay Boulevard East, in the City of Toronto, owned and operated by Redpath Sugar Ltd., its successors or assigns;
- (xxv) "*restaurant*" shall have the same meaning provided in Section 2 of By-law 438-86, as amended, with the exception that the subsection (iv) shall be amended to permit a maximum of 20 percent of the gross floor area or 200 square metres, whichever is less to be used for one or more of the uses noted in subsection (iv) and subsection (v) does not apply;
- (xxvi) "*residential amenity space*" means a common area or areas within the *lot* which are provided for the exclusive use of residents of the *lot* for recreational or social purposes;
- (xxvii) "*sales office*" means a building, structure, facility or trailer, or part thereof, used for the purposes of marketing, sales, rental or leasing and other functions related to a building or buildings that will be constructed on the *lot* and or on the lands municipally known as 259 Lake Shore Boulevard East in the year 2024;
- (xxviii) "*sensitive land use*" means a *hotel, commercial school, trade school, college, university, post secondary institution, and related uses, and all those uses permitted within a CR district in sections 8(1)(f)(a)(i) and (ii), and 8(1)(f)(b)(ii) and (iii), but does not include a fire hall, police station or post office.*
- (xxix) "*Site Plan Application*" means an application for the approval of plans and drawings pursuant to Section 41(4) of the Planning Act, as amended or the City of Toronto Act, 2006, as is applicable;
- (xxx) "*storey*" means the portion of a building that is between the top of a floor and the top of the floor next above it, if there is no floor above it, the portion between the top of the floor and the ceiling above it and for the purpose of this By-law shall exclude a mezzanine;
- (xxxi) "*temporary open air markets*" means an area where good, wares, merchandise, substances articles or things are offered for retail sale on a temporary basis, outside of any permanent buildings or structures;
- (xxxii) "*tower*" means the portion of a building located above the *heights* shown in metres on Map 3 attached to and forming part of this Exception;

(xxxiii) "*tower floorplate*" means the total built area within a "*tower*", measured from the exterior of the main wall on each storey, but excluding balconies;

(xxxiv) "*transportation use*" means the use of premises or facilities for the operation of a mass transit system or a transportation system that is provided by, or on behalf of, the City of Toronto, Province of Ontario or Government of Canada, or is privately operated and Federally regulated; and

(xxxv) "*vibration study*" means a study of vibration from transportation sources, and stationary source(s), prepared by a qualified noise and vibration consultant, that makes specific recommendations for mitigation features to be incorporated into the design of the development taking into account commonly used criteria in Ontario for assessing vibration in building(s). Such vibration study shall be consistent with professional standards and good practice;

(MM) For the purpose of the definitions of *non-residential gross floor area* and *residential gross floor area* an exterior wall shall be measured to a maximum of 0.15 metres from the interior face of the exterior wall;

(NN) In addition to the permitted exclusions set out in the definitions of *non-residential gross floor area* and *residential gross floor area*, portions of a building associated with a Toronto Transit Commission Substation facility, at, below, and above grade, including electrical, mechanical and utility rooms, shafts and connections, access corridors, service corridors, vestibules, associated exit stairwells, and any portion of a *commercial parking garage* are not included in the calculation of *non-residential gross floor area* or *residential gross floor area*;

(OO) In addition to the permitted exclusions set out in the definition of *residential gross floor area* and *non-residential gross floor area* and items (LL), (MM) and (NN), the following are not included in the calculation of *residential gross floor area* or *non-residential gross floor area*:

- (i) *parking spaces*, loading spaces, and *bicycle parking spaces*;
- (ii) indoor *residential amenity areas* including *guests suites*;
- (iii) storage rooms, electrical, utility, mechanical and ventilation rooms;
- (iv) rooms for the collection, compaction, storage and removal of refuse;

- (v) portions of a building located on Block 1C show on Map 2 attached to and forming part of this Exception, obstructed by a diagonal mass timber truss as measured between a finished floor and a height of 2.2 metres measured from finished floor;
 - (vi) *accessory* greenhouse and storage areas associated with a rooftop urban farm located on any building located on Block 1C, shown on Map 2 attached to and forming part of this Exception; and
 - (vii) Open to below areas;
- (PP) None of the provisions of Section 12(2)380 of By-law 438-86 apply to prevent the erection or use of a building or structure on the lot.
2. Despite any existing or future severance, partition, or division of the *lot*, the provisions of this Exception shall apply to the whole of the *lot* as if no severance, partition or division occurred.
3. By-law 438-86, as amended, is hereby amended by the addition of:
- (A) Map 1 – Lands Subject to Exception (Exception 511)
 - (B) Map 2 – Block Plan (Exception 511)
 - (C) Map 3 – Base Building Areas and Heights (Exception 511)
 - (D) Map 4 – Tower Transition Zone Areas and Heights (Exception 511)
 - (E) Map 5 – Tower Zone Areas and Heights (Exception 511)
 - (F) Map 6 – Public Realm (Exception 511)
 - (G) Map 7 - Ground Floor Animation Areas (Exception 511)
- all of which pertain to and form part of Exception 12(1)(511).

Enacted and passed on June , 2026.

Frances Nunziata,
Speaker

John D. Elvidge,
City Clerk

(Seal of the City)

APPENDIX 1

SECTION 37 PROVISIONS – TO EXCEPTION 12(1)(511)

Pursuant to Section 37 of the Planning Act, the heights and density of residential development contemplated herein are permitted subject to compliance with all of the provisions of Exception 511 and in return for the provision by the *owner* of the *lot* of the following facilities, services and matters to the City at the *owner's* sole expense and in accordance with and subject to the agreement(s) referred to in paragraph (GG) above:

Affordable Housing

- (i) The provision of a minimum of 20 percent of all residential gross floor area of the proposed development for affordable rental units through a dedication to the City of sufficient land, which for clarity may be stratified for the purpose of constructing the new affordable rental units on the lot to be owned by the City, to the satisfaction of the Chief Planner and Executive Director, Development Review and Executive Director, Housing Secretariat.
- (ii) The provision of not less than 996 square metres of new affordable rental units in addition to the requirement in item (i) above through a dedication to the City of sufficient land which may be stratified for the purpose of constructing the new affordable rental units on the lot.
- (iii) Prior to the earlier of issuance of Notice of Approval Conditions for the Site Plan Application or first building permit for each building on the site, the *owner* shall provide an affordable housing report identifying the provision of land within the subject building, subject to the confirmation of funding for the construction of units within the subject building, or in the absence of confirmation of funding, the provision of land within the site to satisfy the affordable housing obligations, all to be accepted by and to the satisfaction of the Chief Planner and Executive Director, Development Review and the Executive Director, Housing Secretariat. For clarity, such report may apply to one or more buildings within the site.
- (iv) The provision of land to fulfill the affordable housing obligations shall be provided on a timely basis to the satisfaction of the Chief Planner and Executive Director, Development Review and Executive Director, Housing Secretariat, in accordance with the following principles:
 - a. Where land is provided as a stratified parcel within a market residential building as reflected in the accepted affordable housing report, and funding has been committed to construct affordable housing units within that building, the affordable housing units will be delivered commensurate with the market units within the building.
 - b. Where land is not being provided within a market building, the *owner* shall identify the provision of land elsewhere on the site to satisfy the affordable housing obligations for that market building.

- c. Where the accepted affordable housing report for a market residential building identifies that land will be provided elsewhere on the site, a Section 118 Restriction under the Land Titles Act, agreeing not to transfer or charge any part of the lands without prior written consent of the Chief Planner and Executive Director, Development Review, or their designate, may be required to be registered on the lands identified to be conveyed to the City, to the satisfaction of the City Solicitor.
 - d. Depending on the timing of funding being secured, delivery of land for affordable housing may not be fully commensurate with the rate of market residential construction, provided that the ultimate delivery of the land is satisfactorily secured to the satisfaction of the Chief Planner and Executive Director, Development Review and Executive Director, Housing Secretariat.
 - e. The Section 37 agreement may include provisions regarding the order of development of residential buildings within the site.
- (v) The provision of a minimum 5 percent of residential gross floor area of the proposed development for low-end-of-market housing, subject to the availability of funding and to the satisfaction of the Chief Planner and Executive Director, Development Review and Executive Director, Housing Secretariat.
- (vi) Any development containing ownership *dwelling units* shall provide not less than 5 percent of all ownership *dwelling units* with the following size restrictions:
- a. A maximum residential gross floor area of 46.5 square metres for bachelor dwelling units;
 - b. A maximum residential gross floor area of 60.4 square metres for a one-bedroom dwelling unit;
 - c. A maximum residential gross floor area of 79 square metres for two bedroom dwelling units; and
 - d. A maximum residential gross floor area of 93 square metres for three bedroom dwelling units;

Library Base Building

- (vii) As a matter of legal convenience, the Owner shall design and deliver to the City, a minimum 1,850 square metres of space for a Toronto Public Library (the "Library Space"), and all subject to the following:

- a. The Library Space shall be conveyed to the City and finished to base building condition, with the terms and specifications to be secured in the amended Section 37 Agreement, to the satisfaction of the Executive Director, Development Review, the Chief Planner and Executive Director, City Planning, the Executive Director, Corporate Real Estate Management, the General Manager, Toronto Public Library and the City Solicitor;
- b. The Library Space shall be conveyed to the City no later than 61 days after the certificate of substantial performance for the Library Space base building condition or an acceptable alternative process as may be approved by the Chief Planner and Executive Director, Development Review; and
- c. For greater clarity, the design and delivery of the Library Space as set out in subparagraphs (vii) a. and b. above includes the reallocation of \$2,500,000 of the Owner's community benefit contribution that would have been payable pursuant to Appendix 1 (viii) of By-law 852-2025 towards the Library Space base building condition.

TTC Substation


- (viii) As a matter of legal convenience, the *owner* shall enter into an agreement to, as may be required, design, construct, commission, finish and convey to the City a three-dimensional strata conveyance and necessary easements in place for a TTC Substation Facility to service the future Waterfront East LRT, all subject to the following:
 - a. The *owner* shall agree to complete a Toronto Transit Commission Technical Review respecting the development and the Toronto Transit Commission Substation facility to service the future Waterfront East LRT and shall address all concerns arising from the technical review(s) to the satisfaction of the Toronto Transit Commission in consultation with the Executive Director, Development Review;
 - b. The *owner* shall convey an easement conveyance transfer to the City and Toronto Transit Commission for access and other rights as may be required for the Toronto Transit Commission Substation facility over and through the portion of development lands owned by the Owner, should such be requested; and
 - c. The *owner* shall enter into agreement(s) with the Toronto Transit Commission that will set out the Owner's obligations to construct, commission, finish and convey to the City a three-dimensional strata conveyance and necessary easements in place for the Substation Facility. The terms of the agreement shall be negotiated with the Owner, in consultation with the Executive Director, Development Review and the agreement shall be to the satisfaction of Toronto Transit Commission in consultation with the Executive Director, Development Review.

Other Matters

- (ix) As a matter of legal convenience, the *owner* agrees to the following to support the development:
- a. The *owner* shall, at its own expense, design, construct, provide easements for public use of and thereafter maintain on terms set out in the Section 37 Agreement the Privately-Owned Publicly-Accessible Spaces ("POPS") as generally illustrated on Map 6 having a minimum area of 1,700square metres, with the location, configuration and design to be determined and secured in the context of site plan approval all to the satisfaction of the Chief Planner and Executive Director, Development Review.
 - b. The owner will agree at the time of Site Plan Approval to grant to the City a 3 metre pedestrian easement for each pedestrian connection as generally shown on Map 6.
 - c. If a pedestrian connection generally shown on Map 6 is located on publicly owned land or facilities at the time of Site Plan Approval, an access agreement will be entered into for any pedestrian connection that may be located on publicly owned land as generally shown on Map 6.
 - d. Prior to the issuance of Notice of Approval Conditions for the first development on the *lot*, City Council shall endorse Urban Design Guidelines for all of the lands within the *lot*.
 - e. Prior to the issuance of any Building Permit in Development Blocks 1C and Development Block 2, including a permit for excavation and shoring, the *owner* shall retain a consultant archaeologist, licensed by the Ministry of Citizenship and Multiculturalism, under the provisions of the Ontario Heritage Act, to carry out a program of archaeological monitoring for any subgrade disturbance, in accordance with the Archaeological memorandum prepared by ASI, dated June 9, 2023, and the Archaeological Monitoring and Mitigation Strategy prepared by ASI, dated January 18, 2024.
 - f. The consultant archaeologist shall submit a copy of the relevant assessment report(s) to the Heritage Planning Unit as an Acrobat PDF file.
 - g. Significant archaeological resources and findings will be incorporated into the proposed development through either in situ preservation and interpretation where feasible or will be commemorated and interpreted through exhibition development on site including, but not limited to, commemorative plaquing.
 - h. The owner shall, at the time of Site Plan Approval for each phase of development on the *lot*, complete wind tunnel testing and implementation of any identified mitigation measures to the satisfaction of the Chief Planner and Executive Director, Development Review.

- i. In addition to the requirements of the Toronto Green Standard (TGS) version applicable at the time of the complete site plan application for each building on the lot, the owner shall provide sustainable development measures that, in the opinion of the City, would achieve the Canada Green Building Council (CaGBC) Zero Carbon Building Standard (Design) Version 3 or later, as an alternative compliance pathway to TGS Tier 2 energy and emissions performance as outlined in the City of Toronto Energy Modelling Guidelines, or an acceptable provision of alternative sustainable development measures as may be approved by the Chief Planner and Executive Director, Development Review.
 - j. If requested at the time of site plan approval, the *owner* shall provide a 5.0 metre wide easement from the outermost edge of the F.G. Gardiner Expressway consistent with the City of Toronto Municipal Consent requirements – Appendix S – Third Party Work in the Vicinity of City Bridge Structures, to the satisfaction of Transportation Services and Engineering and Construction Services.
 - k. The *owner* shall work with Waterfront Toronto to deliver, and the owner shall fund, a minimum of \$500,000 value, indexed from the date of enactment of the Zoning By-law to first building occupancy, toward the provision of publicly accessible activations within the Privately-Owned Publicly Accessible Spaces (as generally illustrated on Map 6 such as skating facilities, dog infrastructure, children's play areas, and other such activations as may be proposed by Waterfront Toronto and accepted by the Director of the Waterfront Secretariat, in consultation with the local Councillor, on the *lot* for a period of 10 years from the point of building occupancy.
- (x) The *owner* of lands proposed for residential uses shall enter into one or more agreements with the City pursuant to section 37 of the Planning Act to secure the facilities, services and matters required by this paragraph and such agreements are to be registered on title, to the satisfaction of the City.


Map 1



Toronto
Map 1 - Lands Subject to Exemption
291 Lake Shore Boulevard E
File # 26 149454 STE 10 0Z

City of Toronto By-law 569-2013
Not to Scale
11/20/2025

Map 2



Map 2 - Block Plan


291 Lake Shore Boulevard E

File # 26 149454 STE 10 0Z



City of Toronto By-law 569-2013
Not to Scale
11/20/2025


Map 3



Toronto
Map 3 - Base Building Area and Heights
291 Lake Shore Boulevard E
File # 26 149454 STE 10 0Z

City of Toronto By-law 569-2013
Not to Scale
05/26/2026

Map 4




291 Lake Shore Boulevard E

Map 4 - Tower Transition
Zone Areas and Heights

File # 26 149454 STE 10 02

City of Toronto Bylaw 569-2013
Not to Scale
05/26/2026

Map 5



Toronto
Map 5 - Tower Zone Areas and Heights


291 Lake Shore Boulevard E

File # 26 149454 STE 10 0Z

City of Toronto By-law 569-2013
Not to Scale
05/26/2026



Map 6



Toronto
Map 6 - Public Realm
291 Lake Shore Boulevard E

File # 26 149454 STE 10 0Z


City of Toronto By-law 569-2013
Not to Scale
05/26/2026

Proposed Pedestrian Connection

Proposed Privately-Owned Publicly Accessible Spaces (POPS)

**The location of POPS and pedestrian connections are shown for illustrative purposes only.*

Map 7



Map 7 - Ground Floor Animation Areas

291 Lake Shore Boulevard E

File # 26 149454 STE 10 0Z



Animation Areas

*Minimum 60% of animation areas
within 10m of Queens Quay East
Road



City of Toronto By-law 569-2013
Not to Scale
05/26/2026