CITY OF TORONTO ZONING BY-LAW

Volume 2

Draft

November 8, 2012

Planning and Growth Management Committee



Table of Contents

Volume 1

This would be the cover page	1
Chapter 1 Administration	1
1.5 General	1
1.5.1 Title	
1.5.2 Purpose and Intent of this By-law	1
1.5.3 Licenses, Permits and Other By-laws	1
1.5.4 Defined Terms	1
1.5.5 Zoning By-law Map	
1.5.6 Former General Zoning By-laws	
1.5.7 Lands Subject to this By-law	
1.5.8 Items that are part of this By-law	
1.5.9 Items that are not part of this By-law	
1.5.10 Severability of this By-law	
1.20 Interpretation	
1.20.1 By-law Structure	
1.20.2 How to Read this By-law -Text	
1.20.3 How to Read this By-law - Zoning By-law Map	
1.20.4 How to Read this By-law - Overlay Maps	
1.40 Zones and Zone Categories	
1.40.10 Residential Zone Category	
1.40.15 Residential Apartment Zone Category	
1.40.30 Commercial Zone Category	
1.40.40 Commercial Residential Zone Category	
1.40.50 Commercial Residential Employment Zone Category	
1.40.60 Employment Industrial Zone Category	
1.40.80 Institutional Zone Category	
1.40.90 Open Space Zone Category	
1.40.100 Utility and Transportation Zone Category	
Chapter 2 Compliance with this By-law	
2.1 Matters to Comply	
2.1.1 General	
2.1.2 Variances	
2.1.3 Transition Clauses	
Chapter 5 Regulations applying to all Zones	
5.10 General Regulations	
5.10.1 General	
5.10.20 Permitted Uses	
5.10.30 Lot Requirements	
5.10.40 Principal Building Requirements	
O. TU.OU TAIUS	เก

5.10.60 Ancillary Buildings and Structures	
5.10.75 Energy Regulations	17
5.10.175 Fence	17
Chapter 10 Residential	
10.5 Regulations Applying to the Residential Zone Category	18
10.5.1 General	18
10.5.20 Permitted Uses	18
10.5.30 Lot Requirements	19
10.5.40 Principal Building Requirements	
10.5.50 Yards	27
10.5.60 Ancillary Buildings and Structures	28
10.5.75 Energy Regulations	
10.5.80 Parking	
10.5.100 Access to Lot	36
10.5.150 Waste	37
10.10 Residential Zone (R)	37
10.10.1 General	37
10.10.20 Permitted Uses	37
10.10.30 Lot Requirements	
10.10.40 Principal Building Requirements	40
10.10.50 Yards	44
10.10.60 Ancillary Buildings and Structures	
10.10.80 Parking	
10.10.90 Loading	
10.20 Residential Detached Zone (RD)	
10.20.1 General	
10.20.20 Permitted Uses	
10.20.30 Lot Requirements	
10.20.40 Principal Building Requirements	
10.40 Residential Semi-Detached Zone (RS)	
10.40.1 General	
10.40.20 Permitted Uses	
10.40.30 Lot Requirements	
10.40.40 Principal Building Requirements	
10.60 Residential Townhouse Zone (RT)	
10.60.1 General	
10.60.20 Permitted Uses	
10.60.30 Lot Requirements	
10.60.40 Principal Building Requirements	
10.80 Residential Multiple Dwelling Zone (RM)	
10.80.1 General	
10.80.20 Permitted Uses	
10.80.30 Lot Requirements	
10.80.40 Principal Building Requirements	
Chapter 15 Residential Apartment	
15.5 Regulations applying to the Residential Apartment Zone Category	66

15.5.1 General	66
15.5.20 Permitted Uses	67
15.5.30 Lot Requirements	67
15.5.40 Principal Building Requirements	68
15.5.50 Yards	
15.5.60 Ancillary Buildings and Structures	72
15.5.75 Energy Regulations	75
15.5.80 Parking	76
15.5.100 Access to Lot	77
15.5.150 Waste	77
15.10 Residential Apartment Zone (RA)	77
15.10.1 General	
15.10.20 Permitted Uses	77
15.10.30 Lot Requirements	80
15.10.40 Principal Building Requirements	80
15.20 Residential Apartment Commercial (RAC)	82
15.20.1 General	82
15.20.20 Permitted Uses	82
15.20.30 Lot Requirements	85
15.20.40 Principal Building Requirements	86
Chapter 30 Commercial	
30.5 Regulations applying to the Commercial Zone Category	87
30.5.1 General	
30.5.20 Permitted Uses	88
30.5.40 Principal Building Requirements	88
30.5.75 Energy Regulations	90
30.5.80 Parking	91
30.20 Commercial Local Zone (CL)	91
30.20.1 General	91
30.20.20 Permitted Uses	91
30.20.30 Lot Requirements	93
30.20.40 Principal Building Requirements	94
30.20.50 Yards	
30.20.80 Parking	99
30.20.90 Loading	99
30.20.100 Access to Lot	100
30.20.150 Waste	100
Chapter 40 Commercial Residential	100
40.5 Regulations applying to the Commercial Residential Zone Category	100
40.5.1 General	
40.5.20 Permitted Uses	
40.5.40 Principal Building Requirements	
40.5.75 Energy Regulations	
40.5.80 Parking	105
40.10 Commercial Residential Zone (CR)	105
40.10.1 General	

40.10.20 Permitted Uses	106
40.10.30 Lot Requirements	112
40.10.40 Principal Building Requirements	113
40.10.50 Yards	
40.10.80 Parking	123
40.10.90 Loading	123
40.10.100 Access to Lot	124
40.10.150 Waste	124
Chapter 50 Commercial Residential Employment	125
50.5 Regulations applying to the Commercial Residential Employment Zone	
Category	125
50.5.1 General	
50.5.20 Permitted Uses	125
50.5.40 Principal Building Requirements	126
50.5.75 Energy Regulations	
50.5.80 Parking	
50.10 Commercial Residential Employment Zone (CRE)	130
50.10.1 General	
50.10.20 Permitted Uses	130
50.10.40 Principal Building Requirements	137
50.10.50 Yards	
50.10.80 Parking	143
50.10.90 Loading	
50.10.100 Access to Lot	
50.10.150 Waste	145
Chapter 60 Employment Industrial	
60.5 Regulations applying to the Employment - Industrial Zone Category	
60.5.1 General	
60.5.20 Permitted Uses	
60.5.30 Lot Requirements	
60.5.40 Principal Building Requirements	
60.5.50 Yards	
60.5.75 Energy Regulations	
60.5.80 Parking	
60.5.90 Loading	
60.5.100 Access to Lot	
60.10 Employment Light Industrial Zone (EL)	
60.10.1 General	
60.10.20 Permitted Uses	
60.10.30 Lot Requirements	
60.10.40 Principal Building Requirements	
60.10.50 Yards	
60.10.60 Ancillary Buildings and Structures	
60.10.80 Parking	
60.10.90 Loading	
60.20 Employment Industrial Zone (E)	

60.20.1 General	158
60.20.20 Permitted Uses	158
60.20.30 Lot Requirements	161
60.20.40 Principal Building Requirements	162
60.20.50 Yards	
60.20.60 Ancillary Buildings and Structures	163
60.20.80 Parking	163
60.20.90 Loading	164
60.30 Employment Heavy Industrial Zone (EH)	164
60.30.1 General	
60.30.20 Permitted Uses	165
60.30.30 Lot Requirements	
60.30.40 Principal Building Requirements	167
60.30.50 Yards	168
60.30.60 Ancillary Buildings and Structures	168
60.30.90 Loading	
60.40 Employment Industrial Office Zone (EO)	168
60.40.1 General	
60.40.20 Permitted Uses	
60.40.30 Lot Requirements	
60.40.40 Principal Building Requirements	
60.40.50 Yards	
60.40.60 Ancillary Buildings and Structures	
60.40.80 Parking	
60.40.90 Loading	
Chapter 80 Institutional	
80.5 Regulations applying to the Institutional Zone Category	
80.5.1 General	
80.5.20 Permitted Uses	
80.5.30 Lot Requirements	
80.5.40 Principal Building Requirements	
80.5.50 Yards	
80.5.60 Ancillary Buildings and Structures	
80.5.75 Energy Regulations	
80.5.80 Parking	
80.5.100 Access to Lot	
80.5.150 Waste	
80.10 Institutional General Zone (I)	
80.10.1 General	
80.10.20 Permitted Uses	
80.10.30 Lot Requirements	
80.10.40 Principal Building Requirements	
80.10.50 Yards	
80.10.80 Parking	
80.10.90 Loading	
80.10.150 Waste	188

80.20 Institutional Hospital Zone (IH)	188
80.20.1 General	188
80.20.20 Permitted Uses	188
80.20.30 Lot Requirements	
80.20.40 Principal Building Requirements	191
80.20.60 Ancillary Buildings and Structures	192
80.20.80 Parking	192
80.20.90 Loading	193
80.20.100 Access to Lot	193
80.20.150 Waste	193
80.30 Institutional Education Zone (IE)	193
80.30.1 General	
80.30.20 Permitted Uses	193
80.30.30 Lot Requirements	196
80.30.40 Principal Building Requirements	196
80.30.60 Ancillary Buildings and Structures	197
80.30.80 Parking	197
80.30.90 Loading	197
80.30.150 Waste	198
80.40 Institutional School Zone (IS)	198
80.40.1 General	
80.40.20 Permitted Uses	
80.40.30 Lot Requirements	
80.40.40 Principal Building Requirements	
80.40.50 Yards	
80.40.60 Ancillary Buildings and Structures	
80.40.80 Parking	
80.40.90 Loading	
80.40.150 Waste	
80.50 Institutional Place of Worship Zone (IPW)	
80.50.1 General	
80.50.20 Permitted Uses	
80.50.30 Lot Requirements	
80.50.40 Principal Building Requirements	
80.50.50 Yards	
80.50.60 Ancillary Buildings and Structures	
80.50.80 Parking	
80.50.150 Waste	
Chapter 90 Open Space	
90.5 Regulations applying to the Open Space Zone Category	
90.5.1 General	
90.5.20 Permitted Uses	
90.5.40 Principal Building Requirements	
90.5.75 Energy Regulations	
90.5.80 Parking	
90.10 Open Space Zone (O)	212

90.10.1 General	212
90.10.20 Permitted Uses	213
90.10.40 Principal Building Requirements	213
90.20 Open Space - Natural Zone (ON)	
90.20.1 General	
90.20.20 Permitted Uses	214
90.20.40 Principal Building Requirements	215
90.30 Open Space - Recreation Zone (OR)	
90.30.1 General	
90.30.20 Permitted Uses	216
90.30.40 Principal Building Requirements	217
90.40 Open Space - Golf Course Zone (OG)	
90.40.1 General	218
90.40.20 Permitted Uses	218
90.40.40 Principal Building Requirements	219
90.50 Open Space - Marina Zone (OM)	220
90.50.1 General	
90.50.20 Permitted Uses	
90.50.40 Principal Building Requirements	221
90.70 Open Space - Cemetery Zone (OC)	222
90.70.1 General	
90.70.20 Permitted Uses	222
90.70.40 Principal Building Requirements	223
Chapter 100 Utility and Transportation	224
100.5 Regulations applying to the Utility and Transportation Zone Category	224
100.5.1 General	224
100.5.75 Energy Regulations	224
100.5.80 Parking	225
100.10 Utility and Transportation Zone (UT)	225
100.10.1 General	225
100.10.20 Permitted Uses	225
100.10.40 Principal Building Requirements	226
100.10.80 Parking	226
Chapter 150 Specific Use Regulations	227
150.5 Home Occupation	
150.5.1 General	227
150.5.20 Use Requirements	227
150.5.40 Building Requirements	228
150.5.60 Ancillary Buildings and Structures	228
150.10 Secondary Suite	228
150.10.1 General	
150.10.20 Use Requirements	228
150.10.40 Building Requirements	
150.10.80 Parking	
150.15 Group Home	
150.15.1 Ġeneral	

150.15.20 Use Requirements	230
150.15.30 Lot Requirements	230
150.15.80 Parking	231
150.20 Crisis Care Shelter	231
150.20.1 General	231
150.20.20 Use Requirements	231
150.20.30 Lot Requirements	
150.22 Municipal Shelter	232
150.22.1 General	232
150.22.30 Lot Requirements	232
150.25 Rooming House	232
150.25.1 General	232
150.25.10 Rooming House Area 'A'	232
150.25.20 Rooming House Area 'B'	
150.25.30 Rooming House Area 'B1'	
150.25.40 Rooming House Area 'B2'	234
150.25.50 Rooming House Area 'B3'	234
150.25.120 Rooming House Area 'C'	
150.30 Senior's Community House	
150.30.1 General	235
150.30.20 Use Requirements	236
150.30.30 Lot Requirements	
150.30.40 Building Requirements	236
150.45 Day Nursery	236
150.45.1 General	236
150.45.20 Use Requirements	236
150.45.40 Building Requirements	237
150.45.50 Yards	
150.48 School	237
150.48.1 General	237
150.48.20 Use Requirements	237
150.48.50 Yards	238
150.48.60 Ancillary Buildings and Structures	238
150.48.150 Waste	
150.50 Place of Worship	239
150.50.1 General	239
150.50.20 Use Requirements	239
150.50.40 Building Requirements	
150.50.50 Yards	240
150.50.80 Parking	240
150.50.150 Waste	
150.80 Drive-Through	241
150.80.1 General	241
150.80.20 Use Requirements	241
150.80.40 Building Requirements	
150.90 Vehicle Dealership	

150.90.1 General	241
150.90.20 Use Requirements	242
150.92 Vehicle Fuel Station	242
150.92.1 General	242
150.92.20 Use Requirements	242
150.92.30 Lot Requirements	242
150.92.40 Building Requirements	243
150.92.50 Yards	
150.92.60 Ancillary Buildings and Structures	243
150.94 Vehicle Service Shop	244
150.94.1 General	
150.94.20 Use Requirements	244
150.94.30 Lot Requirements	
150.94.40 Building Requirements	
150.94.50 Yards	
150.96 Vehicle Washing Establishment	245
150.96.1 General	
150.96.20 Use Requirements	
150.96.30 Lot Requirements	
150.96.40 Building Requirements	
150.100 Eating Establishment	
150.100.1 General	
150.100.20 Use Requirements	246
150.100.30 Lot Requirements	
150.110 Adult Entertainment Establishment	
150.110.1 General	247
150.110.30 Lot Requirements	247
150.120 Funeral Home	
150.120.1 General	
150.120.30 Lot Requirements	247
150.120.50 Yards	
150.120.80 Parking	248
150.130 Firing Range	
150.130.1 General	
150.130.20 Use Requirements	248
Chapter 200 Parking Space Regulations	
200.5 Regulations applying to Parking Spaces	
200.5.1 General	
200.5.10 Parking Rates	251
200.5.200 Parking Exemptions	
200.10 Regulations applying to Visitor Parking Spaces	
200.10.1 General	
200.15 Regulations applying to Accessible Parking Spaces	
200.15.1 General	
200.15.10 Parking Rate	
200.20 Regulations applying to Parking Spaces for Heritage Buildings	

200.20.10 General	269
Chapter 220 Loading Space Regulations	
220.5 Regulations applying to Loading Spaces	
220.5.1 General	
220.5.10 Loading Space Rates	
220.5.20 Access to Loading Space	273
220.5.200 Loading Exemptions	
220.20 Regulations applying to Loading Spaces in Heritage Buildings	
220.20.1 General	
Chapter 230 Bicycle Parking Space Regulations	275
230.5 General Regulations applying to All Bicycle Parking Spaces	
230.5.1 General	
230.5.10 Bicycle Parking Rates All Zones	276
230.10 Residential Zone Category Regulations	
230.10.1 General	
230.20 Residential Apartment Zone Category Regulations	280
230.20.1 General	
230.30 Commercial Zone Category Regulations	281
230.30.1 General	
230.40 Commercial - Residential Zone Category Regulations	281
	281
230.50 Commercial Residential Employment Zone Category Regulations	282
230.50.1 General	282
230.60 Employment Zone Category	
230.60.1 General	
230.80 Institutional Zone Category Regulations	283
230.80.1 General	
Chapter 280 Special Districts - Downtown	
280.5 General Regulations applying to the Downtown	284
280.5.80 Parking	284
280.5.90 Loading	284
Chapter 300 Special Districts - Centres	285
300.5 Regulations Applying to All Centres	285
300.10 North York Centre	
300.20 Scarborough Centre	285
300.30 Etobicoke Centre	285
Chapter 400 Special Districts - Avenues	285
400.5 General Regulations applying to Special Districts - Avenues	285
400.10 Specific Regulations for Special Districts - Avenues	285
Chapter 500 Special Districts - Heritage	285
500.5 General Regulations applying to Heritage Zones	
500.10 Zone Regulations	
Chapter 600 Regulations for Overlay Zones	
600.5 General Regulations applying to Overlay District	
Chapter 800 Definitions	
800.50 Defined Terms	

Volume 2

	301
900.1 General	301
900.1.10 Interpretation	301
900.2 R - Zone	302
900.2.1 General	302
900.2.10 Exceptions for R Zone	302
900.3 RD - Zone	417
900.3.1 General	417
900.3.10 Exceptions for RD Zone	417
900.4 RS - Zone	770
900.4.1 General	770
900.4.10 Exceptions for RS Zone	770
900.5 RT - Zone	871
900.5.1 General	871
900.5.10 Exceptions for RT Zone	871
900.6 RM - Zone	941
900.6.1 General	941
900.6.10 Exceptions for RM Zone	941
900.7 RA - Zone	
900.7.1 General	1062
900.7.10 Exceptions for RA Zone	1062
Volume 3	
900.10 CL - Zone	1238
900.10.1 General	1238
900.10.10 Exceptions for CL Zone	1238
900.11 CR - Zone	1430
900.11.1 General	
500.11.1 Octional	1267
900.11.10 Exceptions for CR Zone	
900.11.10 Exceptions for CR Zone	
900.11.10 Exceptions for CR Zone900.12 CRE - Zone	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone 900.20.1 General 900.20.10 Exceptions for E Zone	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone 900.20.1 General 900.20.10 Exceptions for E Zone 900.21 EL - Zone 900.21.1 General	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone 900.20.1 General 900.20.10 Exceptions for E Zone 900.21 EL - Zone 900.21.1 General 900.21.10 Exceptions for EL Zone	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone 900.20.1 General 900.20.10 Exceptions for E Zone 900.21 EL - Zone 900.21 EL - Zone 900.21.1 General 900.22 EH - Zone	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone 900.20.1 General 900.20.10 Exceptions for E Zone 900.21 EL - Zone 900.21 EL - Zone 900.21 General 900.21 General 900.21.10 Exceptions for EL Zone 900.22 EH - Zone 900.22.1 General	
900.11.10 Exceptions for CR Zone 900.12 CRE - Zone 900.12.1 General 900.12.10 Exceptions for CRE Zone 900.20 E - Zone 900.20.1 General 900.20.10 Exceptions for E Zone 900.21 EL - Zone 900.21 EL - Zone 900.21.1 General 900.22 EH - Zone	

900.24 EO - Zone	1662
900.24.1 General	1662
900.24.10 Exceptions for EO Zone	1662
900.30 I - Zone	1666
900.30.1 General	1666
900.30.10 Exceptions for I Zone	1666
900.31 IH - Zone	
900.31.1 General	1687
900.31.10 Exceptions for IH Zone	1687
900.32 IE - Zone	
900.32.1 General	1691
900.32.10 Exceptions for IE Zone	
900.33 IS - Zone	
900.33.1 General	1692
900.34 IPW - Zone	1692
900.34.1 General	1692
900.34.10 Exceptions for IPW Zone	1692
900.40 O - Zone	
900.40.1 General	1713
900.40.10 Exceptions for O Zone	1713
900.41 ON - Zone	
900.41.1 General	1717
900.41.10 Exceptions for ON Zone	1717
900.42 OR - Zone	
900.42.1 General	1720
900.42.10 Exceptions for OR Zone	1720
900.43 OG - Zone	1727
900.43.1 General	1727
900.43.10 Exceptions for OG Zone	1727
900.44 OE - Zone	
900.45 OC - Zone	1728
900.45.1 General	1728
900.45.10 Exceptions for OC Zone	1728
900.50 UT - Zone	
900.50.1 General	1729
900.50.10 Exceptions for UT Zone	1729
Chapter 970 Appendices	1733
970.1 General	1733
Chapter 990 Zoning By-law Map	1733
990.1 General	1733
Chapter 995 Overlay Maps	1733
995.10 Policy Area Overlay Map	1733
995.10.1 General	1733
995.20 Height Overlay Map	
995.20.1 General	1733
995.30 Lot Coverage Overlay Map	1733

995.30.1 General	1733
995.40 Rooming House Overlay Map	1733
995.40.1 General	

Chapter 900 Site Specific Exceptions

900.1 General

900.1.10 Interpretation

- (1) Contents of Chapter 900 Site Specific Exceptions
 - (A) Chapter 900 Site Specific Exceptions are provisions pertaining to lands, or a portion thereof that have an exception number shown as an "X" with a numeral in the zone label on the Zoning By-law Map.
 - (B) Chapter 900 Site Specific Exceptions consist of one or more of the following:
 - (i) Site Specific Provisions;
 - (ii) a Prevailing By-law or By-laws; or
 - (iii) a Prevailing Section or Sections.
 - (C) "Site Specific Provisions" are the provisions set out in text in Sections 900.2 to 900.'50' inclusive which pertain to the property and which are identified as "Site Specific Provisions" in those Sections. A "Prevailing By-law" or a "Prevailing Section" is not a Site Specific Provision.
 - (D) "Prevailing By-laws" are the by-laws, as amended, listed in Sections 900.2 to 900.'50' inclusive and identified as such in those Sections.
 - (E) "Prevailing Sections" are the sections, as amended, of the **Former General Zoning By-laws** listed in Sections 900.2 to 900.'50' inclusive and identified as such in those Sections.
- (2) Effect of a Chapter 900 Site Specific Exception
 - If there is a Chapter 900 Site Specific Exception, all of the regulations of this By-law, including the Chapter 900 Site Specific Exception, apply.
- (3) Effect of a Site Specific Provision in Chapter 900 Site Specific Exceptions
 - The regulations of a Site Specific Provision in Chapter 900 Site Specific Exceptions govern over any inconsistent regulations in Chapters 10 to 800 inclusive of this By-law.
- (4) Effect of a Prevailing By-law or Prevailing Section listed in Chapter 900 Site Specific Exceptions
 - (A) Despite regulation 900.1(2), none of the regulations of Chapters 10 to 800 inclusive of this By-law that are inconsistent with the regulations of a Prevailing By-law or Prevailing Section apply to prevent:
 - (i) the erection or use of a **building** or **structure** or any permitted addition or enlargement; or
 - (ii) the use of land,
 - in compliance with the provisions of a Prevailing By-law or a Prevailing Section, provided all the specific requirements of the Prevailing By-law or Prevailing Section are complied with.
 - (B) All applicable regulations of this By-law apply to:
 - (i) any new buildings or structures and additions enlargements; and
 - (ii) any use of land, not permitted by the Prevailing By-law or Prevailing Section.
 - (C) Where this By-law applies to lands pursuant to regulation 1.5.7(1):
 - (i) the provisions and the definitions of the Former General Zoning By-laws continue to apply only to the extent necessary to interpret and support the Prevailing By-laws or Prevailing Sections;
 - (ii) the provisions of the Former General Zoning By-laws do not have priority over this By-law, except to the extent needed in subsection (i); and
 - (iii) despite any language in a Prevailing By-law or a Prevailing Section which indicates that the provisions of the **Former General Zoning By-laws** otherwise continue to apply, the applicability of the **Former General Zoning By-laws** are limited by subsections (i) and (ii).

900.2 R - Zone

900.2.1 General

(1) R Zone Exceptions

The regulations located in Article 900.2.10 apply only to the exceptions subject to the R zone and identified with the corresponding exception number.

900.2.10 Exceptions for R Zone

(2) Exception R 2

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 325 of former City of Toronto By-law 438-86.
- (B) City of Toronto by-law 191-2001(OMB).

(3) Exception R 3

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 363 of former City of Toronto By-law 438-86.

(4) Exception R 4

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 232 of former City of Toronto By-law 438-86.

(5) Exception R 5

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) A **dwelling unit** is only permitted in a **detached house**, a **semi-detached house**, or a **duplex**; and for a **duplex**, the following also applies:
 - (i) a duplex may be attached to one other duplex on an adjacent lot in the same zone; and
 - (ii) the minimum side yard setback for a duplex or for the exterior of two attached duplex residential buildings is 3.0 metres. [TO: 438-86; 6(1)(f)(a)(i)] and [TO:438-86; 6(3) PART II 3. D.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(6) DELTE - Exception R 6

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) a hospital is a permitted use, if:

- (i) the height of the **building** does not exceed 30.5 metres; and
- (ii) an area of no less than 465 square metres is maintained as landscaped open space that extends along the northerly limit of Grosvenor Street for a distance of not less than 23.0 metres. [TO: 438-86; 12(1) 100]

Prevailing By-laws and Prevailing Sections: (None Apply)

(7) Exception R 7

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) In addition to the uses permitted in the R zone, the following uses are also permitted if they comply with the specific conditions set out for each use in (B), below:

Nursing Home (1)

Retirement Home (1)

Religious Residence (2)

- (#) The number after the listed use is the condition number reference in (B), below.
- (B) In addition to the requirements of the R zone, the uses described in (A), above, must comply with the following specific conditions set out for each use:
 - (1) Nursing Home or Retirement Home Condition

A **nursing home**, **retirement home** or a combination of these two uses, must occupy the whole of the **building** and not be combined with any other permitted use, and must:

- (i) be located in a building originally constructed and used as a detached house, a semidetached house, or a townhouse; or
- (ii) be on a lot that has a front lot line or side lot line abutting:
 - (a) a major street shown on the Policy Areas Overlay Map; or
 - (b) a street which intersects a major street shown on the Policy Areas Overlay Map, and the lot is located, in whole or in part, within a distance of 80 metres from that intersection.
 - (2) Religious Residence Condition

A **religious residence**, unless it is in the same **building** as a **place of worship**, must occupy the whole of the **building** and not be combined with any other permitted use, and must:

- (i) be located in a **building** originally constructed and used as a **detached house**, a **semi-detached house**, or a **townhouse**; or
- (ii) be on a lot that has a front lot line or side lot line abutting:
 - (a) a major street shown on the Policy Areas Overlay Map; or
 - (b) a **street** which intersects a major **street** shown on the Policy Areas Overlay Map, and the **lot** is located, in whole or in part, within a distance of 80 metres from that intersection. [TO: 438-86; 6(1)(f)(a)(ii)] and [TO:438-86; 6(2) 7.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(8) Exception R 8

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 166 DOWLING AVE, City of Toronto by-law 768-06.

(10) Exception R 10

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 249 WESTMORELAND AVE, former City of Toronto by-law 373-78.

(11) Exception R 11

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 102 HALLAM ST, former City of Toronto by-law 522-86.

(12) Exception R 12

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 5 CARLING AVE, former City of Toronto by-law 36-90.

(18) Exception R 18

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 217 of former City of Toronto By-law 438-86.

(19) Exception R 19

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 217 of former City of Toronto By-law 438-86.

(20) Exception R 20

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 288 of former City of Toronto By-law 438-86.

(29) Exception R 29

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot, a Tong House is a permitted use; and
- (B) for the purposes of this exception, a Tong House is defined as a **building** operated by a benevolent association or fraternal organization where living accommodation may be provided and where community functions are conducted including, but not limited to, physical, social, charitable and educational activities, not used for a commercial purpose, and the activities are in the **basement** and/or on the **first floor** portion thereof. [TO: 438-86; 12(1) 116]
- (C) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 233 of former City of Toronto By-law 438-86.

(30) Exception R 30

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 45 Walmer Road in 1954, a **post secondary school** known as the University of Toronto Institute of Child Study is a permitted use. [TO:438-86; Sec. 12(1) 12]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(33) Exception R 33

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) On the lands, an **ancillary building** or **structure** is not permitted on a **lot** with a **lot frontage** of less than 4.57 metres. [TO: 438-86; 12(2) 115]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections: (None Apply)

(43) Exception R 43

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) On the lands municipally known as 37 Mitchell Avenue in 1979, public parking and a vehicle service station are permitted uses if they are located within a building that existed on the lands on November 1, 1979. [TO: 438-86; 12 (1) 148]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 287 of former City of Toronto By-law 438-86.

(45) Exception R 45

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 1066-1078 Dovercourt Road even and inclusive, and 1009 Dupont Street in 1981, a personal service shop, dry cleaning shop, medical office, financial institution, post office, service shop, day nursery, and place of assembly that is a union hall are permitted uses on the lot, if:
 - (i) the use is located on the ground floor of the building;
 - (ii) the gross floor area pertaining to the use does not exceed a floor space index of 1.0;
 - (iii) the **gross floor area** pertaining to permitted residential uses does not exceed a floor space index of 1.0:
 - (iv) the **gross floor area** of uses permitted in (A) and permitted residential uses does not exceed a floor space index of 1.5. [TO: 438-86; 12 (1) 151]

Prevailing By-laws and Prevailing Sections: (None Apply)

(46) Exception R 46

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) On the lands municipally known as 1080 Dovercourt Road in 1981, a **laboratory** is a permitted use. [TO: 438-86; 12 (1) 169]
- (B) On the lands municipally known as 1080 Dovercourt Road, 1089, 1089A, 1091, 1097 Dovercourt

Road in 1981, a **personal service shop**, dry cleaning shop, medical office, **financial institution**, post office, **service shop**, **day nursery**, and **place of assembly** that is a union hall are permitted uses on the **lot**, if:

- (i) the use is located on the ground floor of the building;
- (ii) the gross floor area pertaining to the use does not exceed a floor space index of 1.0;
- (iii) the **gross floor area** pertaining to permitted residential uses does not exceed a floor space index of 1.0:
- (iv) the **gross floor area** of uses permitted in (A) and permitted residential uses does not exceed a floor space index of 1.5. [TO: 438-86; 12 (1) 151]

Prevailing By-laws and Prevailing Sections: (None Apply)

(54) Exception R 54

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 580 Christie Street in 1988, Section 12(1) 19 of former City of Toronto By-law 438-86.

(58) Exception R 58

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 187 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 335 of former City of Toronto By-law 438-86.
- (C) On 2 MERCHANT LANE, former City of Toronto by-law 695-92.

(59) Exception R 59

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 187 of former City of Toronto By-law 438-86.

(65) Exception R 65

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an ancillary building or structure is not permitted on a lot with a lot frontage of less than 4.57 metres. [TO: 438-86; 12(2) 115]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections: (None Apply)

(68) Exception R 68

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(B) Section 12(2) 214 of former City of Toronto By-law 438-86.

(72) Exception R 72

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 221 Seaton Street in 1973, Section 12(1) 60 of former City of Toronto By-law 438-86.

(77) Exception R 77

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 287 of former City of Toronto By-law 438-86.

(81) Exception R 81

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(82) Exception R 82

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 96, 98, and 100 Granby Street, Section 12(2) 148 of former City of Toronto By-law 438-86.

(86) Exception R 86

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(87) Exception R 87

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) On a **lot**, a use permitted in an O zone, a **detached house**, **semi-detached house**, **townhouse**, office or **artist studio** is permitted.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(95) Exception R 95

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 66 of former City of Toronto By-law 438-86.

(102) Exception R 102

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the building lot coverage does not exceed 50%;
 - (iii) the building setback to the side lot lines is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]

Prevailing By-laws and Prevailing Sections: (None Apply)

(104) Exception R 104

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the **building lot coverage** does not exceed 50%;
 - (iii) the building setback to the side lot lines is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]
- (B) The requirements of (A), above, do not apply on or between the odd numbered addresses of 545-565 Sherbourne Street.
- (C) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 555 SHERBOURNE ST, former City of Toronto by-law 258-71 and City of Toronto by-law 1044-06.

(105) Exception R 105

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 690-720 Broadview Avenue, an apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the **building lot coverage** does not exceed 50%;
 - (iii) the building setback to the side lot lines is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]
- (B) On the lands, the maximum interior floor area used for an amusement arcade, recreation use, eating establishment, or any combination of these uses is 400 square metres. [TO: 438-86; 12(2) 199]

Prevailing By-laws and Prevailing Sections: (None Apply)

(109) Exception R 109

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 244 of former City of Toronto By-law 438-86.

(110) Exception R 110

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On a lot, a residential use is permitted if:
 - (i) the floor space index does not exceed 2.25;
 - (ii) the height of the **building** does not exceed 26.0 metres;
 - (iii) the building will have a minimum southerly lot line building setback of 6.0 metres, a northerly lot line building setback of 7.6 metres, a westerly lot line building setback of 4.5 metres, and a easterly lot line building setback of 2.3 metres;
 - (iv) the building will have a maximum southerly lot line building setback of 37.6 metres, excluding ventilation shafts or stairwells or similar openings; and
 - (v) a minimum of 35 per cent of the **lot** must be used for **soft landscaping**. [TO: 438-86; 12(1) 254]
- (B) On the lands municipally known as 64 Prince Arthur Avenue in 1983, a medical office is a permitted use, if:
 - (i) it located within a **building** that existed on the **lot** on May 30, 1983; and
 - (ii) the number of **parking spaces** that existed on **lot** on May 30, 1983 is not reduced. [TO: 438-86; 12 (1) 246]
- (C) On the lands municipally known as 64 Prince Arthur Avenue in 1983, a residential building or a mixed use building are permitted on the lands if:
 - (i) the gross floor area of the residential portion of the building does not result in a floor space index that exceeds 2.25;
 - (ii) the height of the **building** does not exceed 26.0 metres;
 - (iii) the **building** has a minimum southerly **lot line** setback of 6.0 metres, a northerly **lot line** setback of 7.6 metres, a westerly **lot line** setback of 4.5 metres, and a easterly **lot line** setback of 2.3 metres;
 - (iv) the **building** has a maximum southerly **lot line** setback of 37.6 metres, excluding ventilation shafts or stairwells or similar openings; and

(v) a minimum of 35 per cent of the **lot** must be used for **soft landscaping**. [TO: 438-86; 12 (1) 254]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(113) Exception R 113

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 173-175 Madison Avenue in 1983, a religious residence that is a monastery is a permitted use if it is located in a building that existed on the lot on May 30, 1983. [TO: 438-86; 12 (1) 249]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(115) Exception R 115

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) On the lands municipally known as 54 Madison Avenue in 1983, a **nursing home**, **residential care home**, **retirement home**, or seniors' community house are permitted uses if the **building** or additions to the **building** comply with the other regulations of this By-law. [TO: 438-86; 12 (1) 250]
- (B) On the lands municipally known as 661 Huron Street in 1983, a nursing home, residential care home, retirement home, or seniors' community house are permitted uses if the building or additions to the building comply with the other regulations of this By-law. [TO: 438-86; 12 (1) 250]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(116) Exception R 116

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 20 Prince Arthur Avenue in 1988, Section 12(1) 253 of former City of Toronto By-law 438-86.

(128) Exception R 128

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 348 of former City of Toronto By-law 438-86.

(129) Exception R 129

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(143) Exception R 143

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 348 of former City of Toronto By-law 438-86.

(147) Exception R 147

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 348 of former City of Toronto By-law 438-86.

(148) Exception R 148

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 348 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 63 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 227 of former City of Toronto By-law 438-86.

(151) Exception R 151

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 1356 to 1402 Davenport Road, even addresses only, in 1994, a building or structure that existed on the lot on May 30, 1994 may have a height greater than 9.0 metres. This exception does not apply to any addition to such a building or structure. [TO: 438-86; 12 (1) 356]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 288 of former City of Toronto By-law 438-86.

(154) Exception R 154

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On a lot, parking is permitted for a lot located in another zone. [TO: 438-86; 12(1) 381]

Prevailing By-laws and Prevailing Sections: (None Apply)

(160) Exception R 160

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections: (None Apply)

(161) Exception R 161

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(162) Exception R 162

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(169) Exception R 169

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections: (None Apply)

(175) Exception R 175

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 3 Nassau Street in 1981, an education use by George Brown College is a permitted use, if the floor space index of the buildings or additions to the buildings does not exceed 3.5. [TO: 438-86; 12(1) 73]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections: (None Apply)

(183) Exception R 183

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 29 Draper Street in 1978, a retail store is a permitted use on the ground floor of the building. [By-law 438-86: Sec. 12 (1) 89]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections: (None Apply)

(184) Exception R 184

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On the lands municipally known as 331 and 349 Sherbourne Street in 1979, a **building** or **structure** existing on the **lot** on May 1, 1979 may be used as a **hospital**, if:
 - (i) the **gross floor area** of the **hospital** does not exceed the **gross floor area** of the **building** that existed on the **lot** on March 31, 1979;
 - (ii) the height of the **building** that was constructed after March 31, 1979 does not exceed 18.0 metres;
 - (iii) the amount of landscaping that existed on the lot on March 31, 1979 is not reduced; and
 - (iv) the **building setbacks** are not less than that required for **residential buildings** in an R zone. [TO: 438-86; 12 (1) 92]
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for

each dwelling unit.

(C) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 434 of former City of Toronto By-law 438-86.

(187) Exception R 187

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 9 Earl Street in 1979, a **building** or **structure** that existed on the **lot** on May 1, 1979 may be used as a **hospital**. [TO: 438-86; 12 (1) 96]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(189) Exception R 189

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 9.0 metres for a **detached house**; and
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 1 of former City of Toronto By-law 438-86.

(208) Exception R 208

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the minimum rear yard setback of the building is 12.0 metres.
- (B) A minimum of 7.5 metres of the **rear yard**, as measured from the **rear lot line**, must be used for **soft landscaping**. [TO: 438-86; 12 (2) 16]

Prevailing By-laws and Prevailing Sections: (None Apply)

(209) Exception R 209

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the minimum rear yard setback is 12.0 metres.
- (B) A minimum of 7.5 metres of the **rear yard**, as measured from the **rear lot line**, must be used for **soft landscaping**. [TO: 438-86; 12 (2) 16]
- (C) A maximum of three attached dwelling units are permitted in a townhouse building. [TO: 438-86; 12(2) 142]

Prevailing By-laws and Prevailing Sections: (None Apply)

(213) Exception R 213

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A dwelling unit is only permitted in a detached house or a duplex; and for a duplex, the following also applies:
 - (i) a duplex may be attached to one other duplex on an adjacent lot in the same zone; and
 - (ii) the minimum **side yard setback** for a **duplex** or for the exterior of two attached **duplex residential buildings** is 3.0 metres. [TO: 438-86; 6(1)(f)(a)(i)] and [TO:438-86; 6(3) PART II 3. D.] and [TO: 438-86; 12 (2) 183]
- (B) The minimum **lot frontage** for a **lot** containing a **detached house** or a **duplex** is 12.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']
- (C) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 183 of former City of Toronto By-law 438-86.

(216) Exception R 216

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections: (None Apply)

(218) Exception R 218

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

(A) Section 12 (2) 227 of former City of Toronto By-law 438-86.

(221) Exception R 221

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands, the maximum **interior floor area** used for an **amusement arcade**, **recreation use**, **eating establishment**, or any combination of these uses is 400 square metres. [TO: 438-86; 12(2) 1991

Prevailing By-laws and Prevailing Sections: (None Apply)

(230) Exception R 230

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands, former City of Toronto by-law 1996-0317.

(234) Exception R 234

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 288 of former City of Toronto By-law 438-86.

(235) Exception R 235

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 289 of former City of Toronto By-law 438-86.

(242) Exception R 242

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 318 of former City of Toronto By-law 438-86.

(246) Exception R 246

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 51(a) of former City of Toronto By-law 438-86.

(248) Exception R 248

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 63 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 227 of former City of Toronto By-law 438-86.

(252) Exception R 252

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is not a permitted building type. [TO: 438-86; 12 (2) 8]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 269 of former City of Toronto By-law 438-86.

(256) Exception R 256

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On the lands, a parking facility is only permitted, if:
 - (i) it is located on the same lot as a residential building, non-residential building, or a mixed use building; and

(ii) it contains no more than 125 per cent of the number of **parking spaces** required to be provided for the **building** on the **lot**. [TO: 438-86; 12 (2) 80]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 259 of former City of Toronto By-law 438-86.

(258) Exception R 258

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(265) Exception R 265

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections: (None Apply)

(267) Exception R 267

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 244 of former City of Toronto By-law 438-86.

(278) Exception R 278

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A dwelling unit is only permitted in a detached house or a duplex; and for a duplex, the following also applies:
 - (i) a duplex may be attached to one other duplex on an adjacent lot in the same zone; and
 - (ii) the minimum **side yard setback** for a **duplex** or for the exterior of two attached **duplex residential buildings** is 3.0 metres. [TO: 438-86; 6(1)(f)(a)(i)] and [TO:438-86; 6(3) PART II 3. D.] and [TO: 438-86; 12 (2) 217]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 217 of former City of Toronto By-law 438-86.

(282) Exception R 282

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]
- (C) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 63 of former City of Toronto By-law 438-86.

(B) Section 12(2) 227 of former City of Toronto By-law 438-86.

(285) Exception R 285

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12 (1) 271 of former City of Toronto By-law 438-86.

(290) Exception R 290

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 74 Roncesvalles Avenue in 1992, a **personal service shop** is a permitted use, if:
 - (i) the remaining portion of the building contains one dwelling unit; and
 - (ii) the regulations of this By-law are complied with. [TO: 438-86; 12 (1) 339]

Prevailing By-laws and Prevailing Sections:

- (A) On 130 GRENADIER RD, former City of Toronto by-law 95-0339;
- (B) On 314 RONCESVALLES AVE, City of Toronto by-law 479-2010; and
- (C) Section 12(1) 231(b) of former City of Toronto By-law 438-86.

(296) Exception R 296

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 15 CALLENDER ST, City of Toronto by-law 66-04.
- (B) On 61 HARVARD AVE, City of Toronto by-law 871-05.
- (C) On or between the odd numbered addresses of 1 19 LUKOW TER, the even numbered addresses of 2 - 20 LUKOW TER, 252 MACDONELL AVE, 272 MACDONELL AVE, the even numbered addresses of 274 - 276 MACDONELL AVE, 17 WABASH AVE, 22R WRIGHT AVE, former City of Toronto by-law 97-0247.
- (D) On 86 PEARSON AVE, City of Toronto by-law 72-04.
- (E) On 10 SORAUREN AVE, City of Toronto by-law 65-04.
- (F) On 13 SORAUREN AVE, City of Toronto by-law 519-03.
- (G) On 108 SORAUREN AVE, City of Toronto by-law 265-06.
- (H) On 62 TRILLER AVE, City of Toronto by-law 62-04.
- (I) On 77 WRIGHT AVE, City of Toronto by-law 179-71.

(298) Exception R 298

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 78 COLEMAN AVE, former City of Toronto by-law 423-76.
- (B) On 88 COLEMAN AVE, former City of Toronto by-law 424-76.
- (C) On 314 MAIN ST, former City of Toronto by-law 95-0454.

(299) Exception R 299

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 152 ASHDALE AVE, former City of Toronto by-law 687-78.

(304) Exception R 304

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 57 COWAN AVE, City of Toronto bylaw 941-01.
- (C) On 93 COWAN AVE, City of Toronto bylaw 718-02.
- (D) On 94 COWAN AVE, City of Toronto By-law 259-05.
- (E) On 100 COWAN AVE, City of Toronto bylaw 489-04.
- (F) On 157 DUNN AVE, former City of Toronto by-law 94-0004.
- (G) On 18 Spencer Avenue, City of Toronto by-law 769-2006.
- (H) On 102 SPENCER AVE, City of Toronto by-law 669-01.
- (I) On 116 SPENCER AVE, City of Toronto by-law 70-04.
- (J) On 120 SPENCER AVE, City of Toronto by-law 486-04.
- (K) On 122 SPENCER AVE, City of Toronto by-law 487-04.
- (L) On 22 SPRINGHURST AVE, City of Toronto by-law 531-03.
- (M) On 15 TEMPLE AVE, City of Toronto bylaw 700-00.
- (N) On 5 THORBURN AVE, City of Toronto by-law 548-01.
- (O) On 15 THORBURN AVE, City of Toronto by-law 769-2006.
- (P) On 22 THORBURN AVE, being City of Toronto by-law 484-04.
- (Q) On 24 THORBURN AVE, City of Toronto by-law 485-04.

(306) Exception R 306

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 372 KINGSWOOD RD, former City of Toronto by-law 254-72.

(309) Exception R 309

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the even numbered addresses of 16 - 20 KIMBERLEY AVE, City of Toronto by-law 169-06.

(312) Exception R 312

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 40 AINSWORTH RD, former City of Toronto by-law 323-85.
- (B) On or between the odd numbered addresses of 19 23 CANNING AVE, the even numbered addresses of 20 24 CANNING AVE, former City of Toronto by-law 376-78.
- (C) On 21R PRETORIA AVE, City of Toronto by-law 250-08.

(313) Exception R 313

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 39 BEATY AVE, City of Toronto by-law 624-01.
- (C) On 40 BEATY AVE, City of Toronto by-law 428-01.
- (D) On 42 BEATY AVE, City of Toronto by-law 67-04.
- (E) On 71 BEATY AVE, former City of Toronto by-law 374-84.
- (F) On 15 WILSON PARK RD, City of Toronto by-law 266-06.
- (G) On 59 WILSON PARK RD, City of Toronto by-law 476-2010.
- (H) On 69 WILSON PARK RD, City of Toronto by-law 474-2010.
- (I) On 70 WILSON PARK RD, City of Toronto by-law 64-04.

(314) Exception R 314

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 6 and 16 Plymouth Avenue, City of Toronto by-law 545-2005.

(316) Exception R 316

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 13 KERR RD, former City of Toronto by-law 487-78.

(318) Exception R 318

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 143 DOWLING AVE, City of Toronto by-law 107-03.
- (C) On 181 DOWLING AVE, City of Toronto by-law 257-02.
- (D) On 14 MAYNARD AVE, City of Toronto by-law 424-01.
- (E) On 20 MAYNARD AVE, City of Toronto by-law 426-01.
- (F) On 22 MAYNARD AVE, former City of Toronto by-law 473-93.
- (G) On 26 MAYNARD AVE, City of Toronto by-law 550-01.
- (H) On 28 MAYNARD AVE, City of Toronto by-law 109-03.

(322) Exception R 322

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On or between the even numbered addresses of 700 706 COXWELL AVE, the odd numbered addresses of 701 719 COXWELL AVE, former City of Toronto by-law 145-72.
- (B) On or between the odd numbered addresses of 49 51 DONLANDS AVE, former City of Toronto

by-law 678-84.

- (C) On 27 EATON AVE, former City of Toronto by-law 198-77.
- (D) On or between the odd numbered addresses of 137 145 STRATHMORE BLVD, former City of Toronto by-law 187-71.

(324) Exception R 324

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 164 CLOSE AVE, City of Toronto by-law 117-02.
- (C) On 149 COWAN AVE, City of Toronto by-law 423-01.
- (D) On 156 COWAN AVE, City of Toronto by-law 364-02.
- (E) On or between the even numbered addresses of 176 186 COWAN AVE, former City of Toronto by-law 249-91.
- (F) On 220 COWAN AVE, 245 DUNN AVE, former City of Toronto by-law 284-69.
- (G) On 300 DUFFERIN ST, 9 GWYNNE AVE, former City of Toronto by-law 785-77.
- (H) On 189 DUNN AVE, City of Toronto by-law 260-05.
- (I) On 196 DUNN AVE, City of Toronto by-law 208-03.
- (J) On 198 DUNN AVE, City of Toronto by-law 1046-01.
- (K) On 203 DUNN AVE, City of Toronto by-law 1048-01.
- (L) On 216 DUNN AVE, City of Toronto by-law 1049-01.
- (M) On 11 ELM GROVE AVE, City of Toronto by-law 103-03.
- (N) On 11A ELM GROVE AVE, City of Toronto by-law 105-03.
- (O) On or between the odd numbered addresses of 57 59 ELM GROVE AVE, City of Toronto by-law 1209-09.
- (P) On 59 GWYNNE AVE, City of Toronto by-law 68-04.
- (Q) On 70 MELBOURNE AVE, City of Toronto by-law 473-2010.
- (R) On 74 MELBOURNE AVE, City of Toronto by-law 697-00.

(326) Exception R 326

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 20 TRENT AVE, former City of Toronto by-law 117-91.

(329) Exception R 329

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 323 of former City of Toronto By-law 438-86.

(332) Exception R 332

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 5 - 7A BRANDON AVE, former City of Toronto bylaw 157-82.

(334) Exception R 334

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 66 OAKMOUNT RD, former City of Toronto by-laws 22318, 171-67, and 188-71.

(338) Exception R 338

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 363 ALBANY AVE, former City of Toronto by-law 48-85.
- (B) On 645 DAVENPORT RD, former City of Toronto by-law 20626.

(339) Exception R 339

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 2 GLENAVON RD, City of Toronto by-law 212-03.
- (C) On 5 GLENAVON RD, City of Toronto by-law 471-2010.

(341) Exception R 341

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 50 CAMBRIDGE AVE, former City of Toronto by-law 22260.

(343) Exception R 343

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 52 HIGH PARK AVE, and the odd numbered addresses of 51 - 59 QUEBEC AVE, former City of Toronto by-law 22621.

(344) Exception R 344

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 71 - 81 EDGEWOOD AVE, the odd numbered addresses of 5 - 31 KELLNER CRT, the even numbered addresses of 6 - 32 KELLNER CRT, former City of Toronto by-law 234-81.

(346) Exception R 346

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 75 DOWLING AVE, the odd numbered addresses of 107 127 SPRINGHURST AVE, former City of Toronto by-law 82-87.
- (C) On 114 SPRINGHURST AVE, City of Toronto by-law 546-01.
- (D) On 155 SPRINGHURST AVE, City of Toronto by-law 546-01.

(349) Exception R 349

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 515 PARKSIDE DR, former City of Toronto by-law 280-86.

(351) Exception R 351

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections: (None Apply)

(352) Exception R 352

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On 717 BROADVIEW AVE, a municipal shelter is a permitted use. [TOR: 138-2003]

Prevailing By-laws and Prevailing Sections:

(A) On 717 BROADVIEW AVE, former City of Toronto by-law 307-68.

(354) Exception R 354

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 1 - 43 CANNES CRCL, the even numbered addresses of 2050 - 2136 ST CLAIR AVE W, 2140 ST CLAIR AVE W, the even numbered addresses of 2146 - 2204 ST CLAIR AVE W, the odd numbered addresses of 1 - 155 TARRAGONA BLVD, the even numbered addresses of 34 - 154 TARRAGONA BLVD, the even numbered addresses of 36 - 158 VIELLA ST, 39 - 159 VIELLA ST, City of Toronto by-law 383-99.

(356) Exception R 356

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 7.5 metres for a detached house;
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house;
 - (iii) 10.5 metres for a **duplex**, and if a **duplex** is attached to one other **duplex** on an adjacent **lot** in the same zone, the minimum **lot frontage** for each **lot** is 7.5 metres; and
 - (iv) 10.5 metres for a **triplex**, and if a **triplex** is attached to one other **triplex** on an adjacent **lot** in the same zone, the minimum **lot frontage** for each **lot** is 7.5 metres. [TO: 438-86; 6(3),

Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 1 - 15 BALMY AVE, 20 BALMY AVE, the even numbered addresses of 6 - 18 BALMY AVE, the odd numbered addresses of 3 - 23 GLENFERN AVE, the even numbered addresses of 4 - 30 GLENFERN AVE, the even numbered addresses of 412 - 424 LAKE FRONT, the odd numbered addresses of 1 - 79 SILVER BIRCH AVE, the even numbered addresses of 4 - 66 SILVER BIRCH AVE, the odd numbered addresses of 23 - 71 WILLOW AVE, the even numbered addresses of 50 - 80 WILLOW AVE, former City of Toronto bylaw 423-80.

(357) Exception R 357

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 235 - 241 WOODBINE AVE, former City of Toronto by-law 464-81.

(358) Exception R 358

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 55 HOWARD PARK AVE, former City of Toronto by-law 46-69.

(359) Exception R 359

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 19 - 29 MAUGHAN CRES, City of Toronto by-law 507-09.

(360) Exception R 360

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 17 MCCORMACK ST, former City of Toronto by-law 661-91.

(361) Exception R 361

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the even numbered addresses of 18A - 22 OSLER ST, 24 OSLER ST, the even numbered addresses of 26 - 62 OSLER ST, 62R OSLER ST, the even numbered addresses of 64 - 84 OSLER ST, City of Toronto by-law 831-00.

(364) Exception R 364

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands, a parking facility is only permitted, if:

- (i) it is located on the same lot as a residential building, non-residential building, or a mixed use building; and
- (ii) it contains no more than 125 per cent of the number of **parking spaces** required to be provided for the **building** on the **lot**. [TO: 438-86; 12 (2) 80]
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.
- (C) The minimum front yard setback is 6.0 metres.
- (D) The lands must comply with exception 900.2.10(4).

(A) Section 12(1) 66 of former City of Toronto By-law 438-86.

(377) Exception R 377

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands known as 33 Jackes Avenue in a **building** that existed on the **lot** on May 27, 1963, an office is a permitted use, if:
 - (i) it is a medical office,
 - (ii) an office of a professional person,
 - (iii) an office of a non-profit organization, or
 - (iv) a business administration office. [TO:438-86; 12(1) 43]
- (B) On the lands, an apartment building, duplex, triplex, or townhouse is not a permitted building type, unless:
 - (i) the **lot frontage** is greater than 8.5 metres or the **lot** legally existed on January 11, 1988; and
 - (ii) the required parking is provided in a garage or area on the lot. [TO: 438-86; 12(2) 192]
- (C) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

(A) On 33 JACKES AVE, former City of Toronto by-law 441-86.

(380) Exception R 380

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections: (None Apply)

(388) Exception R 388

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 260 of former City of Toronto By-law 438-86.
- (C) On 338 JARVIS ST, former City of Toronto by-law 247-87.
- (D) On 340 JARVIS ST, former City of Toronto by-laws 534-80 and 643-88.
- (E) On 281 MUTUAL ST, City of Toronto by-law 716-01.
- (F) On 95 WOOD ST, former City of Toronto by-law 364-92.

(403) Exception R 403

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections: (None Apply)

(405) Exception R 405

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 154 of former City of Toronto By-law 438-86.

(407) Exception R 407

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On the lands known municipally as 123 Coxwell Avenue in 1993, Section 12(1) 309 of former City of Toronto By-law 438-86.

(418) Exception R 418

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 4.5 metres for a detached house;
 - (ii) 4.5 metres for each dwelling unit in a semi-detached house;
 - (iii) 4.5 metres for a duplex;
 - (iv) 4.5 metres for a triplex; and
 - (v) 4.5 metres for each **dwelling unit** in a **townhouse**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) On or between the even numbered addresses of 90 92 KNOX AVE, former City of Toronto by-law 664-77.
- (B) On 1363 QUEEN ST E, former City of Toronto by-law 721-81.
- (C) On 137 SEARS ST, former City of Toronto by-law 341-91.

(424) Exception R 424

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 1041 COLLEGE ST, former City of Toronto by-law 113-85.

(427) Exception R 427

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 61 PELHAM PARK GDNS, former City of Toronto by-law 22946.

(428) Exception R 428

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On the lands municipally known as 453 Broadview Avenue in 1973, Section 12(1) 60 of former City of Toronto By-law 438-86.
- (B) On 655 BROADVIEW AVE, 10 HOGARTH AVE, former City of Toronto by-law 54-67.

(433) Exception R 433

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(b) On 330 SPADINA RD, City of Toronto by-law 470-05.

(434) Exception R 434

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On or between the even numbered addresses of 2A - 2C BEATRICE ST, the even numbered addresses of 982 - 984 DUNDAS ST W, City of Toronto by-law 569-00.

(435) Exception R 435

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 2110 DUNDAS ST E, the odd numbered addresses of 15 - 17 EDGEWOOD AVE, the even numbered addresses of 112 - 126 KINGSTON RD, City of Toronto by-law 673-2005.

(436) Exception R 436

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 700 HURON STREET and 380 MACPHERSON AVE, City of Toronto by-law 758-2006.

(438) Exception R 438

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 720 BATHURST ST, former City of Toronto by-law 818-87.

(439) Exception R 439

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 75 DOWLING AVE, the odd numbered addresses of 107 127 SPRINGHURST AVE, former City of Toronto by-law 82-87.

(440) Exception R 440

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 4.5 metres for a detached house;
 - (ii) 4.5 metres for each dwelling unit in a semi-detached house;
 - (iii) 4.5 metres for a duplex;
 - (iv) 4.5 metres for a triplex; and
 - (v) 4.5 metres for each **dwelling unit** in a **townhouse**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) On or between the even numbered addresses of 962 - 968 EASTERN AVE, City of Toronto by-law 858-07.

(449) Exception R 449

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 4.5 metres for a detached house;
 - (ii) 4.5 metres for each dwelling unit in a semi-detached house;
 - (iii) 4.5 metres for a duplex;
 - (iv) 4.5 metres for a triplex; and
 - (v) 4.5 metres for each **dwelling unit** in a **townhouse**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 180 of former City of Toronto By-law 438-86.
- (B) On or between the odd numbered addresses of 1 23 BRICK CRT, the even numbered addresses of 2 - 24 BRICK CRT, 25 BRICK CRT, the odd numbered addresses of 41 - 49 LESLIE ST, former City of Toronto by-law 448-92.

(451) Exception R 451

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]
- (C) The lands must comply with exception 900.2.10(7).
- (D) A private racquet **club** and office uses are also permitted at 30 and 40 Price Street.

Prevailing By-laws and Prevailing Sections:

(A) On 30 PRICE ST, former City of Toronto by-law 816-77.

(453) Exception R 453

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 288 of former City of Toronto By-law 438-86.

(456) Exception R 456

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 580 and 582 Church Street in 1979, a **building** that existed on the lands on May 1, 1979 may be used as an **eating establishment**. [TO: 438-86; 12 (1) 105]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 259 of former City of Toronto By-law 438-86.

(459) Exception R 459

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot, a Tong House is a permitted use; and
- (B) for the purposes of this exception, a Tong House is defined as a building operated by a benevolent association or fraternal organization where living accommodation may be provided and where community functions are conducted including, but not limited to, physical, social, charitable and educational activities, not used for a commercial purpose, and the activities are in the basement and/or on the first floor portion thereof. [TO: 438-86; 12 (1) 116]
- (C) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 233 of former City of Toronto By-law 438-86.
- (B) On 169 JOHN ST, City of Toronto by-law 114-05.

(466) Exception R 466

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(2) 331 of former City of Toronto By-law 438-86.
- (B) On the odd numbered addresses of 135 137 WESTON RD, City of Toronto by-law 886-03.

(471) Exception R 471

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(485) Exception R 485

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) On 50 HILLSBORO AVE, former City of Toronto by-law 22405.
- (B) On 94 BELMONT ST, former City of Toronto by-law 479-75.

(488) Exception R 488

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections: (None Apply)

(491) Exception R 491

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) On 251 SHERBOURNE ST, former City of Toronto by-law 157-74.

(494) Exception R 494

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 287 of former City of Toronto By-law 438-86.
- (B) On 853 RICHMOND ST W, City of Toronto by-law 776-07.

(498) Exception R 498

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(501) Exception R 501

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 25 ST MARY ST, former City of Toronto by-law 21875.

(504) Exception R 504

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(512) Exception R 512

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 33 CHARLES ST E, the even numbered addresses of 30 34 ISABELLA ST, City of Toronto by-law 235-04.

(513) Exception R 513

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 100 MAITLAND ST, former City of Toronto by-law 269-69.

(516) Exception R 516

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 434 of former City of Toronto By-law 438-86.

(517) Exception R 517

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

(b) Section 12(1) 434 of former City of Toronto By-law 438-86.

(C)

On 130 GERRARD ST E, the even numbered addresses of 12 - 18 HORTICULTURAL AVE, 337 JARVIS ST, City of Toronto by-law 8-00.

(518) Exception R 518

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 259 of former City of Toronto By-law 438-86.

(520) Exception R 520

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum front yard setback is 6.0 metres.
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(521) Exception R 521

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the building lot coverage does not exceed 50%;
 - (iii) the **building setback** to the **side lot lines** is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections: (None Apply)

(522) Exception R 522

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 710-714 Spadina Avenue, an apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the building lot coverage does not exceed 50%;
 - (iii) the **building setback** to the **side lot lines** is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections: (None Apply)

(523) Exception R 523

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the **building lot coverage** does not exceed 50%;
 - (iii) the **building setback** to the **side lot lines** is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(526) Exception R 526

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 98 and 100 Dupont Street in 1983, an office is a permitted use if it is in a **building** that existed on the **lot** on May 30, 1983. [TO: 438-86; 12 (1) 247]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(527) Exception R 527

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 325 St. George Street in 1983, a **retail store** for the purpose of a variety or smoke shop is a permitted use, if:
 - (i) the use is located on the first floor of the building; and
 - (ii) the use is in the **building** that existed on the lands on May 30, 1983. [TO: 438-86; 12 (1) 248]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(529) Exception R 529

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions:

(A) On the lands municipally known as 123 Spadina Road, 221 - 225 St. George Street and 251 St. George Street in 1983, a nursing home, residential care home, retirement home, or seniors' community house are permitted uses if the building or additions to the building comply with the other regulations of this By-law. [TO: 438-86; 12(1) 250]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(530) Exception R 530

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands a **custom workshop**, artist's studio, or office, are permitted uses if they comply with the other regulations of this By-law. [TO: 438-86; 12 (1) 257(a)]
- (B) On the lands municipally known as 385 Madison Avenue and 497 Davenport Road in 1983, a custom workshop, artist's studio, or office, are permitted uses if they comply with the other regulations of this By-law. [TO: 438-86; 12 (1) 257(b)]
- (C) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections: (None Apply)

(532) Exception R 532

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On a lot, a production studio is a permitted use. [TO: 438-86; 12(1) 275]

Prevailing By-laws and Prevailing Sections:

(A) On the lands known municipally as 567 Dupont Street in 1992, Section 12(1) 303 of former City of Toronto By-law 438-86.

(536) Exception R 536

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 1 - 43 CANNES CRCL, the even numbered addresses of 2050 - 2136 ST CLAIR AVE W, 2140 ST CLAIR AVE W, the even numbered addresses of 2146 - 2204 ST CLAIR AVE W, the odd numbered addresses of 1 - 155 TARRAGONA BLVD, the even numbered addresses of 34 - 154 TARRAGONA BLVD, the even numbered addresses of 36 - 158 VIELLA ST, the odd numbered addresses of 39 - 159 VIELLA ST, City of Toronto by-law 383-99.

(538) Exception R 538

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 707 Eglinton Avenue West and 717 Eglinton Avenue West in 1968, an **apartment building** is a permitted **building** type. [TO: 438-86; 12 (1) 316]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections: (None Apply)

(539) Exception R 539

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 600 Eglinton Avenue West, 660 Eglinton Avenue West, 740 Eglinton Avenue West and 780 Eglinton Avenue West in 1968, an apartment building is a permitted building type. [TO: 438-86; 12 (1) 316]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections: (None Apply)

(540) Exception R 540

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A **dwelling unit** is only permitted in a **detached house** or a **duplex**; and for a **duplex**, the minimum **side yard setback** is 3.0 metres. [TO: 438-86; 6(1)(f)(a)(i)] and [TO:438-86; 6(3) PART II 3. D.] and [TO: 438-86; 12 (2) 272]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (C) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 10.5 metres for a detached house; and
 - (ii) 15.0 metres for a **duplex**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 272 of former City of Toronto By-law 438-86.

(542) Exception R 542

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 304 Lonsdale Road in 1998, Section 12(1) 446 of former City of Toronto By-law 438-86.

(543) Exception R 543

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 765 and 777 Eglinton Avenue West and 130 Old Forest Hill Road in 1968, an **apartment building** is a permitted **building** type. [TO: 438-86; 12 (1) 316]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections: (None Apply)

(545) Exception R 545

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions:

(A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections:

(A) On 130 RIDELLE AVE, former City of Toronto by-law 194-75.

(546) Exception R 546

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) On the lands, an office of a physician or dentist is a permitted use, subject to the conditions that:
 - (i) it is located in the **basement** or on the **first floor** of a detached dwelling which such physician or dentist uses as their private residence; and
 - (ii) the principal entrance is from Bathurst Street. [TO: 438-86; 12(2) 274]

Prevailing By-laws and Prevailing Sections: (None Apply)

(547) Exception R 547

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 327 of former City of Toronto By-law 438-86.

(548) Exception R 548

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 348 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 70 of former City of Toronto By-law 438-86.

(549) Exception R 549

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 348 of former City of Toronto By-law 438-86.

(552) Exception R 552

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Former City of Toronto by-law 130-92.
- (B) On the lands municipally known as 315, 323, 327 & 329 Albany Avenue in 1992, Section 12(1) 367

of former City of Toronto By-law 438-86.

(554) Exception R 554

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (C) On 74 MC GILL ST, former City of Toronto by-law 151-78.

(555) Exception R 555

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(558) Exception R 558

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 461 of former City of Toronto By-law 438-86.

(559) Exception R 559

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 504 Jarvis Street in 1979, in a **building** that existed on the **lot** on June 30, 1979, the following uses are permitted:
 - (i) eating establishment,
 - (ii) take-out eating establishment,
 - (iii) retail store that is a caterer's shop,
 - (iv) office,
 - (v) art gallery,
 - (vi) museum,
 - (vii) place of assembly,
 - (viii) private school, and
 - (ix) club

[TO: 438-86; 12 (1) 65]

- (B) The lands must comply with exception 900.2.10(4).
- (C) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(561) Exception R 561

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions:

- (A) Retail store, personal service shop, eating establishment, take-out eating establishment, or art gallery are permitted uses, if:
 - (i) the principal entrance to the use is located within 5.0 metres of the lot's front lot line or the required front building setback;
 - (ii) the principal entrance to the use is located on a **building** wall that is within an 85 degree angle of the **front lot line**;
 - (iii) the level of the floor of the principal entrance is within 0.2 metres of the level of the public sidewalk opposite such entrance; and
 - (iv) a maximum of 15.0 metres of the **building'sfront wall** may be used for **club**, **place of assembly**, **community centre**, or **financial institution**. [TO: 438-86; 12 (1) 87]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections: (None Apply)

(563) Exception R 563

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 43 Wellesley Street East in 1979, a hospital is a permitted use, if:
 - (i) the gross floor area of the hospital does not exceed the gross floor area of the building that existed on the lot on March 31, 1979;
 - (ii) the height of the **building** does not exceed 30.5 metres;
 - (iii) the amount of landscaping that existed on the lot on March 31, 1979 is not reduced; and
 - (iv) the building setbacks are not less than that required for residential buildings in an R zone. [TO: 438-86; 12 (1) 95]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(570) Exception R 570

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections: (None Apply)

(573) Exception R 573

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A maximum of three attached **dwelling units** are permitted in a **townhouse building**. [TO: 438-86; 12(2) 142]
- (B) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 13.5 metres for a detached house;
 - (ii) 9.0 metres for each dwelling unit in a semi-detached house;
 - (iii) 13.5 metres for a duplex;
 - (iv) 13.5 metres for a triplex;
 - (v) 30.0 metres for an apartment building; and

(vi) a minimum of 27 metres in total for a townhouse building containing 3 dwelling units, of which the minimum lot frontage for the middle dwelling unit is 7.5 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections: (None Apply)

(575) Exception R 575

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands north of Constance Street, the minimum **lot frontage** for a **lot** containing one of the following **residential building** types is:
 - (i) 12.0 metres for a detached house;
 - (ii) 12.0 metres for each dwelling unit in a semi-detached house;
 - (iii) 12.0 metres for a duplex; and
 - (iv) 24.0 metres for a fourplex, and if one fourplex is situated on two lots, the minimum lot frontage for each of those lots is 12.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 175 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 231(b) of former City of Toronto By-law 438-86.

(576) Exception R 576

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 86 Silver Birch Avenue in 1987, the minimum yard **building setback** from Queen Street East is 6.0 metres. [TO: 438-86; 12(2)185 (i)]
- (B) On the lands municipally known as 86 Silver Birch Avenue in 1987, no **vehicle** may be parked within 6.0 metres of the **lot line** abutting Queen Street East. [TO: 438-86; 12(2)185 (ii)]

Prevailing By-laws and Prevailing Sections:

(A) On 86 SILVER BIRCH AVE, former City of Toronto by-law 423-80.

(591) Exception R 591

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]
- (C) The lands must comply with exception 900.2.10(5).
- (D) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 9.0 metres for a detached house;
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house; and
 - (iii) 12.0 metres for a duplex. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) On or between the even numbered addresses of 38 - 64 ASTLEY AVE, the odd numbered addresses of 47 - 79 ASTLEY AVE, 69 STANDISH AVE, 74 STANDISH AVE, former City of Toronto by-law 575-79.

(594) Exception R 594

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 217 of former City of Toronto By-law 438-86.
- (B) On or between the odd numbered addresses of 43 49 EDGEWOOD AVE, the odd numbered addresses of 1 - 17 FITZGERALD MEWS, the even numbered addresses of 2 - 24 FITZGERALD MEWS, former City of Toronto by-law 94-0576.

(596) Exception R 596

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(none apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 257 of former City of Toronto By-law 438-86.

(597) Exception R 597

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 288 of former City of Toronto By-law 438-86.

(604) Exception R 604

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) An apartment building is not a permitted building type. [TO: 438-86; 12 (2) 8]

Prevailing By-laws and Prevailing Sections: (None Apply)

(605) Exception R 605

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) An apartment building is not a permitted building type. [TO: 438-86; 12 (2) 8]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 5 of former City of Toronto By-law 438-86.

(609) Exception R 609

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands a **custom workshop**, artist's studio, or office, is permitted. [TO: 438-86; 12 (1) 257(a)]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections: (None Apply)

(610) Exception R 610

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

(B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(611) Exception R 611

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

(A) On 62 DAWES RD, former City of Toronto by-law 565-91.

(614) Exception R 614

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(619) Exception R 619

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands a **custom workshop**, artist's studio, or office, are permitted uses if they comply with the other regulations of this By-law. [TO: 438-86; 12 (1) 257(a)]
- (B) On the lands municipally known as 250 Madison Avenue in 1983, office is a permitted use if:
 - (i) the **gross floor area** of the office portion of the **building** does not result in a floor space index that exceeds 1.75; and [TO: 438-86; 12 (1) 264]
- (C) On the lands municipally known as 271 Spadina Road, office is a permitted use if:
 - (i) the building does not exceed five storeys;
 - (ii) the gross floor area of the building does not exceed 3,623 square metres;
 - (iii) a minimum of 36 parking spaces are provided on the lot; and [TO: 438-86; 12 (1) 265]
- (D) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections: (None Apply)

(620) Exception R 620

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands a **custom workshop**, artist's studio, or office, is permitted. [TO: 438-86; 12 (1) 257(a)]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections: (None Apply)

(621) Exception R 621

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(5).

- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (C) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 7.5 metres for a detached house;
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house; and
 - (iii) 15.0 metres for a **duplex**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']
- (D) On the lands municipally known as 25 and 30 THELMA AVE, despite (A), an **apartment building** is a permitted **residential building** type. [TO: 438-86; 12 (1) 319]

Prevailing By-laws and Prevailing Sections: (None Apply)

(623) Exception R 623

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections: (None Apply)

(625) Exception R 625

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(5).
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (C) On the lands, an office of a physician or dentist is a permitted use, subject to the conditions that:
 - (i) it is located in the **basement** or on the **first floor** of a detached dwelling which such physician or dentist uses as their private residence; and
 - (ii) the principal entrance is from Bathurst Street. [TO: 438-86; 12(2) 274]
- (D) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 10.5 metres for a detached house;
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house; and
 - (iii) 15.0 metres for a **duplex**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections: (None Apply)

(639) Exception R 639

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a building containing assisted housing is 0.3 parking spaces for each dwelling unit.
- (C) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) On 286 GEORGE ST and 300 GEORGE ST, former City of Toronto by-law 487-91.

(640) Exception R 640

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, a parking facility is only permitted, if:
 - (i) it is located on the same lot as a residential building, non-residential building, or a mixed use building; and
 - (ii) it contains no more than 125 per cent of the number of **parking spaces** required to be provided for the **building** on the **lot**. [TO: 438-86; 12 (2) 80]
- (B) The lands must comply with exception 900.2.10(4).
- (C) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.
- (D) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 66 of former City of Toronto By-law 438-86.

(644) Exception R 644

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(660) Exception R 660

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) On the lands municipally known as 620 Church Street in 1974, a retail store that is used as a tuck shop and a personal service shop that is used as a dry cleaning depot are permitted uses on the lot. if:
 - (i) the **interior floor area** of the combined uses is no greater than 37.0 square metres;
 - (ii) the uses are located on the first floor of the north tower of the building that existed on the lot in 1974;
 - (ii) the pedestrian entrance to the uses are only internal to the **building**;
 - (iii) no portion of the exterior of the **building** or windows can be used for signage for the uses. [TO: 438-86; 12 (1) 62]

Prevailing By-laws and Prevailing Sections:

(A) On 620 CHURCH ST, 66 ISABELLA ST, former City of Toronto by-law 242-68.

(661) Exception R 661

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 500 Sherbourne Street in 1979, a **building** or **structure** that existed on the lands on May 1, 1979 may be used as a **hospital**. [TO: 438-86; 12 (1) 101]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(B) On 500 SHERBOURNE ST, City of Toronto by-law 1072-05.

(665) Exception R 665

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 495 Sherbourne Street in 1979, public parking is a permitted use, if the use is operated either by or on behalf of the owners of the lands municipally known in 1979 as 331 and 349 Sherbourne Street. [TO: 438-86; 12 (1) 97]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 260 of former City of Toronto By-law 438-86.

(668) Exception R 668

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 338 of former City of Toronto By-law 438-86.
- (B) On lands municipally known as 80 and part of 100 Turnberry Avenue, City of Toronto by-law 153-2005.

(670) Exception R 670

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 451 - 515 ROSEWELL AVE, City of Toronto bylaw 942-2002.

(671) Exception R 671

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 10.5 metres for a detached house;
 - (ii) 7.5 metres for each **dwelling unit** in a **semi-detached house**:
 - (iii) 10.5 metres for a **duplex**, and if a **duplex** is attached to one other **duplex** on an adjacent **lot** in the same zone, the minimum **lot frontage** for each **lot** is 7.5 metres;
 - (iv) 10.5 metres for a **triplex**, and if a **triplex** is attached to one other **triplex** on an adjacent **lot** in the same zone, the minimum **lot frontage** for each **lot** is 7.5 metres; and
 - (v) 7.5 metres for each **dwelling unit** in a **townhouse**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) On 19 BEECH AVE, former City of Toronto by-law 50-81, and Section 12(1) 240 of former City of Toronto By-law 438-86.

(674) Exception R 674

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage for a lot containing one of the following residential building types is:

- (i) 15.0 metres for a detached house;
- (ii) 15.0 metres for each dwelling unit in a semi-detached house;
- (iii) 15.0 metres for a duplex; and
- (iv) 30.0 metres for a fourplex, and if one fourplex is situated on two lots, the minimum lot frontage for each of those lots is 15.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

- (A) Section 12(2) 175 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 231(b) of former City of Toronto By-law 438-86.

(675) Exception R 675

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 9.0 metres for a detached house;
 - (ii) 9.0 metres for each dwelling unit in a semi-detached house;
 - (iii) 9.0 metres for a duplex; and
 - (iv) 18.0 metres for a fourplex, and if one fourplex is situated on two lots, the minimum lot frontage for each of those lots is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 175 of former City of Toronto By-law 438-86.
- (B) On 387 PARKSIDE DR, former City of Toronto by-law 767-83.
- (C) Section 12(1) 231(b) of former City of Toronto By-law 438-86.

(677) Exception R 677

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 3 - 15 ROWNTREE AVE, the even numbered addresses of 2 - 22 ROWNTREE AVE, former City of Toronto by-law 572-79.

(678) Exception R 678

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three dwelling units are permitted in a townhouse. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on March 13, 1978. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** built after March 13, 1978 is permitted if the same **building** type existed on the **lot** on March 13, 1978. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a detached house may be converted to contain two or more secondary suites in compliance with Section 150.10 if the building has a minimum interior floor area of 140 square metres. [TO: 438-86; 12(1)68 (c)]

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.

(679) Exception R 679

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) A **dwelling unit** is only permitted in a **detached house** or a **duplex**; and for a **duplex**, the minimum **side yard setback** is 3.0 metres. [TO: 438-86; 6(1)(f)(a)(i)] and [TO:438-86; 6(3) PART II 3. D.] and [TO: 438-86; 12 (2) 213]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 213 of former City of Toronto of By-law 438-86.

(680) Exception R 680

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On the even numbered addresses of 1750 1752 BAYVIEW AVE, 595 EGLINTON AVE E, former City of Toronto by-law 96-0145.
- (D) On the lands municipally known as 601 Eglinton Avenue East in 1988, Section 12(2) 45 of former City of Toronto By-law 438-86.

(681) Exception R 681

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 1 - 1C BRACONDALE HILL RD, the even numbered addresses of 1000 - 1048 DAVENPORT RD, 2 TURNER RD, Section 12(2) 241 former City of Toronto of By-law 438-86.

(682) Exception R 682

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(683) Exception R 683

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

- (A) On the even numbered addresses of 494 496 KINGSTON RD, City of Toronto by-law 963-01.
- (B) On 520 KINGSTON RD, former City of Toronto by-law 266-89.

(C) On the even numbered addresses of 530 - 550 KINGSTON RD, former City of Toronto by-law 402-85.

(684) Exception R 684

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an office for a physician, dentist, osteopath or chiropractor in a portion of an apartment building is not a permitted, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West.
- (B) On the lands, a place of worship, religious education use, religious residence, community centre, hospital, retirement home, nursing home, library, museum, or art gallery in not a permitted use, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West. [TO: 438-86; 12 (2) 10]
- (C) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) On 262 ST CLAIR AVE W, City of Toronto by-law 831-02.

(685) Exception R 685

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an office for a physician, dentist, osteopath or chiropractor in a portion of an apartment building is not a permitted, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West; and
- (B) On the lands, a place of worship, religious education use, religious residence, community centre, hospital, retirement home, nursing home, library, museum, or art gallery in not a permitted use, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West. [TO: 438-86; 12 (2) 10]
- (C) On the lands, the minimum lot area is 900 square metres. [TO: 438-86; 12 (2) 59]
- (D) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 26 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 45 of former City of Toronto By-law 438-86.

(686) Exception R 686

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 110 DAVENPORT RD, former City of Toronto by-law 86-86.

(687) Exception R 687

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 80 WINCHESTER ST, former City of Toronto by-law 88-78.

(688) Exception R 688

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, a semi-detached house is the only building type permitted. [TO: 438-86; 12(2) 170]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On the even numbered addresses of 10 - 56 COATSWORTH CRES, the odd numbered addresses of 77 - 123 HANSON ST, former City of Toronto by-law 656-86.

(689) Exception R 689

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) The minimum **lot frontage** for a **lot** containing a **detached house** is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.

(690) Exception R 690

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) The minimum **lot frontage** for a **lot** containing a **detached house** is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On the even numbered addresses of 1746 -1748 BAYVIEW AVE, City of Toronto by-law 96-0145.

(692) Exception R 692

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 116 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 233 of former City of Toronto By-law 438-86.
- (C) On 22 MC CAUL ST, former City of Toronto by-law 649-87.

(693) Exception R 693

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the maximum permitted gross floor area of a residential building or structure may not exceed a floor space index of 1.5, unless 25% of the dwelling units on the lot are assisting housing units, in which case the maximum gross floor area may exceed the floor space index of 1.5. [TO: 438-86; 12 (2) 92]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 116 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 233 of former City of Toronto By-law 438-86.

(695) Exception R 695

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 186 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 187 of former City of Toronto By-law 438-86.
- (C) On 36 COLGATE AVE, 42 COLGATE AVE, the odd numbered addresses of 291 353 LOGAN AVE, 103 NATALIE PL, the odd numbered addresses of 23 - 101 NATALIE PL, 102 NATALIE PL, the even numbered addresses of 4 - 90 NATALIE PL, City of Toronto by-law 603-99.

(697) Exception R 697

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 23 Alvin Avenue in 1985, an office is a permitted use, if:
 - (i) it is located in the basement or first floor of the residential building that existed on the lot in 1985:
 - (ii) parking is provided on the **lot** at a ratio of 1 **parking space** per **dwelling unit** and 1 **parking space** for every 93.0 square metres of office use; and
 - (iii) any alteration to the front of the **residential building** does not alter its appearance as a **semi-detached house**. [TO: 438-86; 12(1) 201]
- (B) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(701) Exception R 701

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 322 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as the odd numbered addresses of 23 to 29 Webster Avenue in 1997, Section 12(1) 437 of former City of Toronto By-law 438-86.

(702) Exception R 702

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

- (A) On the even numbered addresses of 76 86 ASQUITH AVE, the even numbered addresses of 90 96 ASQUITH AVE, former City of Toronto by-law 669-80.
- (B) On 88 ASQUITH AVE, former City of Toronto by-laws 669-80 and 779-83.

(703) Exception R 703

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 322 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 31 Webster Avenue in 1997, Section 12(1) 437 of former City of Toronto By-law 438-86.

(704) Exception R 704

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 287 of former City of Toronto By-law 438-86.
- (B) On 60 STANLEY TER, former City of Toronto by-law 480-91.
- (C) On or between the odd numbered addresses of 71 99 STAFFORD ST, and the even numbered addresses of 70 - 98 STANLEY TER, former City of Toronto by-laws 252-74, 399-74, 301-75 and 453-75.

(705) Exception R 705

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 287 of former City of Toronto By-law 438-86.
- (B) Former City of Toronto by-law 97-0521.
- (C) On or between the odd numbered addresses of 891 901 ADELAIDE ST W, 24 SHAW ST, former City of Toronto by-law 694-86.

(706) Exception R 706

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 208 of former City of Toronto By-law 438-86.
- (C) On 17 ISABELLA ST, former City of Toronto by-law 472-82.

(707) Exception R 707

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 25 BLEECKER ST, former City of Toronto by-law 514-93.

(708) Exception R 708

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 40 HOMEWOOD AVE, former City of Toronto by-law 51-69.
- (C) On 60 HOMEWOOD AVE, former City of Toronto by-law 522-83.

(709) Exception R 709

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) On the lands municipally known as 190 Lowther Avenue in 1983, a nursing home, residential care home, retirement home, or seniors' community house are permitted uses if the building or additions to the building comply with the other regulations of this By-law. [TO: 438-86; 12 (1) 250]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(710) Exception R 710

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A nursing home is a permitted use, if:
 - (i) the **building** does not exceed 2 **storeys**;
 - (ii) the maximum lot coverage does not exceed 35%;
 - (iii) the minimum building setback to a side lot line is 7.5 metres; and
 - (iv) the minimum building setback to a rear lot line is 12.0 metres. [TO: 438-86; 12(1) 33]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 63 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 119 of former City of Toronto By-law 438-86

(711) Exception R 711

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

- (A) Section 12(1) 81 of former City of Toronto By-law 438-86.
- (B) On the even numbered addresses of 10 30 RODEN PL, former City of Toronto by-law 632-82.

(712) Exception R 712

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 252 McCaul Street in 1978, an art gallery, library, museum, public school, post-secondary school, medical office, post office, education use, hospital, religious education use, or a place of assembly that is a union hall are permitted uses, if the gross floor area of the building does not exceed the gross floor area of the building that existed on the lot on June 30, 1978. [TO: 438-86; 12 (1) 84]
- (B) On a lot, a Tong House is a permitted use; and
- (C) for the purposes of this exception, a Tong House is defined as a **building** operated by a benevolent association or fraternal organization where living accommodation may be provided and where community functions are conducted including, but not limited to, physical, social, charitable and educational activities, not used for a commercial purpose, and the activities are in the **basement** and/or on the **first floor** portion thereof. [TO: 438-86; 12 (1) 116]
- (D) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 233 of former City of Toronto By-law 438-86.

(713) Exception R 713

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 2 and 4 Wellesley Place in 1979, a **building** or **structure** that existed on the **lot** on May 1, 1979 may be used as a **hospital**. [TO: 438-86; 12 (1) 96]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 2R WELLESLEY PL, 6 WELLESLEY PL, City of Toronto by-law 902-02.

(714) Exception R 714

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) On 10 ADMIRAL RD, former City of Toronto by-law 505-92.

(715) Exception R 715

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A maximum of three attached dwelling units are permitted in a townhouse building. [TO: 438-86; 12(2) 142]
- (B) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 13.5 metres for a detached house;
 - (ii) 9.0 metres for each dwelling unit in a semi-detached house;
 - (iii) 13.5 metres for a duplex;

- (iv) 13.5 metres for a triplex;
- (v) 30.0 metres for an apartment building; and
- (vi) a minimum of 27 metres in total for a townhouse building containing 3 dwelling units, of which the minimum lot frontage for the middle dwelling unit is 7.5 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(716) Exception R 716

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the minimum rear yard setback of the building is 12.0 metres.
- (B) A minimum of 7.5 metres of the **rear yard**, as measured from the **rear lot line**, must be used for **soft landscaping**. [TO: 438-86; 12 (2) 16]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(717) Exception R 717

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(718) Exception R 718

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 86 Woodlawn Avenue East in 1990, Section 12:(2) 279 former City of Toronto of By-law 438-86.

(719) Exception R 719

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 263 of former City of Toronto By-law 438-86.

(720) Exception R 720

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands on the north side of Walker Avenue, the minimum rear yard setback is 12 metres and, the rear yard for a depth of 7.5 metres from the rear lot line, must be for landscaping. [TO: 438-86; 12 (2) 21]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(721) Exception R 721

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 32 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 119 of former City of Toronto By-law 438-86

(722) Exception R 722

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 63 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 269 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (D) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (E) On 9 HILLSDALE AVE E, former City of Toronto by-law 809-84.

(723) Exception R 723

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 111 REDPATH AVE, former City of Toronto by-law 714-81.

(724) Exception R 724

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(725) Exception R 725

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum building length is 14.0 metres. [TO: 438-86; 12(2) 112]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three **dwelling units** are permitted in a **townhouse**. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on October 11, 1977. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **triplex**, **fourplex** or **apartment building** built after October 11, 1977 is permitted if the same **building** type existed on the **lot** on October 11, 1977. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a detached house may be converted to contain two or more secondary suites in compliance with Section 150.10 if the building has a minimum interior floor area of 140 square metres. [TO: 438-86; 12(1)68 (c)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.

(726) Exception R 726

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 9.0 metres for a detached house;
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house; and
 - (iii) 9.0 metres for a duplex. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 326 of former City of Toronto By-law 438-86.

(727) Exception R 727

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three **dwelling units** are permitted in a **townhouse**. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on March 13, 1978. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a lot for dwelling units in a townhouse, triplex, fourplex or

- **apartment building** built after March 13, 1978 is permitted if the same **building** type existed on the **lot** on March 13, 1978. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a **detached house** may be converted to contain two or more **secondary suites** in compliance with Section 150.10 if the **building** has a minimum **interior floor area** of 140 square metres. [TO: 438-86; 12(1)68 (c)]

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 65 SHELDRAKE BLVD, City of Toronto by-law 856-01.

(728) Exception R 728

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 9.0 metres for a detached house;
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house; and
 - (iii) 9.0 metres for a **duplex**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(729) Exception R 729

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 18 of By-law 438-86.
- (B) On 382 DOVERCOURT RD, the odd numbered addresses of 5 7 HEYDON PARK RD, former City of Toronto by-law 97-0556.
- (C) On 263 GLADSTONE AVE, former City of Toronto by-laws 668-83 and 706-86.
- (D) On 277 GLADSTONE AVE, 41 RUSHOLME PARK CRES, former City of Toronto by-law 706-86.
- (E) On 46 LAKEVIEW AVE, City of Toronto by-law 311-00.
- (F) On 422 OSSINGTON AVE, former City of Toronto by-law 97-0375.

(730) Exception R 730

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 1615 Dufferin Street in 1992, office and **retail store** are permitted uses. [TO: 438-86; 12 (1) 295]

- (A) On 49 AUBURN AVE, former City of Toronto by-law 285-75.
- (B) On the odd numbered addresses of 1 65 HENDRICK AVE, the even numbered addresses of 30 74 HENDRICK AVE, former City of Toronto by-law 340-79.
- (C) between the even numbered addresses of 14 120 PETERBOROUGH AVE, the odd numbered addresses of 15 107 PETERBOROUGH AVE, former City of Toronto by-law 222-79.
- (D) On or between the even numbered addresses of 200 202 RUSHTON RD, former City of Toronto by-law 446-78.

(731) Exception R 731

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 861 Avenue Road in 1992, a **vehicle fuel station** is a permitted use. [TO: 438-86; 12 (1) 298]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On the lands municipally known as 866 Avenue Road in 1999, Section 12(1) 443 of former City of Toronto By-law 438-86.

(732) Exception R 732

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 329 of former City of Toronto By-law 438-86.
- (B) On 6 CONNOLLY ST, City of Toronto by-law 709-00.

(733) Exception R 733

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On the lands municipally known as 90 The Queensway in 1993, Section 12(1) 330 of former City of Toronto By-law 438-86.
- (B) On 21 WINDERMERE AVE, former City of Toronto by-laws 362-70 and 19-71.

(734) Exception R 734

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 93 THE QUEENSWAY, 110 THE QUEENSWAY, 15 WINDERMERE AVE, 6 WINDERMERE AVE, City of Toronto by-law 708-01.
- (B) On 1 RIPLEY AVE, former City of Toronto by-law 382-88.
- (C) On or between the even numbered addresses of 20 24 SOUTHPORT ST, former City of Toronto by-law 193-85.
- (D) On the lands municipally known as 3 Windermere Avenue in 1994, Section 12(2) 300 of former City of Toronto By-law 438-86.

(735) Exception R 735

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(2) 68 of former City of Toronto By-law 438-86.
- (B) On 72 CLINTON ST, former City of Toronto by-law 200-85.
- (C) On 130 CLINTON ST, former City of Toronto by-law 266-71.
- (D) On 146 146E CLINTON ST, 146F 146G CLINTON ST, 146H 146L CLINTON ST, former City of Toronto by-law 190-89.

- (E) On or between the even numbered addresses of 318 318R CLINTON ST, City of Toronto by-law 610-00.
- (F) On 322 CLINTON ST, former City of Toronto by-law 97-0159.
- (G) On 419 CRAWFORD ST, former City of Toronto by-law 300-80.
- (H) On 701 DOVERCOURT RD, City of Toronto by-law 1276-07.
- (I) On 730 DOVERCOURT RD, former City of Toronto by-law 22461.
- (J) On 488 EUCLID AVE, former City of Toronto by-law 152-91.
- (K) On or between the even numbered addresses of 420 492 GLADSTONE AVE, former City of Toronto by-laws 62-67 and 190-69.
- (L) On 480 and 482 MARKHAM ST, former City of Toronto by-law 304-80.
- (M) On the even numbered addresses of 10 24 NANCY POCOCK PL, former City of Toronto by-law 97-0159.
- (N) On the odd numbered addresses of 11 23 NANCY POCOCK PL, City of Toronto by-law 610-00.
- (O) On 34 PAGE ST, former City of Toronto by-law 298-80.
- (P) On 323 PALMERSTON BLVD, City of Toronto by-law 262-00.
- (Q) On 543 PALMERSTON BLVD, former City of Toronto by-laws 419-83, 224-84, and 225-84.
- (R) On 391 and 393 ROXTON RD, City of Toronto by-law 219-02.
- (S) On 721 SHAW ST, former City of Toronto by-law 115-75.

(736) Exception R 736

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 50 BAIN AVE, former City of Toronto by-law 372-78.
- (B) On or between the odd numbered addresses of 71 117 BLAKE ST, City of Toronto by-law 136-78.
- (C) On 10 BOULTBEE AVE, former City of Toronto by-law 22936.
- (D) On 66 BOULTBEE AVE, former City of Toronto by-laws 370-77, 458-83 and 742-83.
- (E) On 655 BROADVIEW AVE, former City of Toronto by-law 54-67.
- (F) On 60 CAVELL AVE, 97 CAVELL AVE, former City of Toronto by-law 299-75.
- (G) On 39 HARCOURT AVE, former City of Toronto by-law 356-75.
- (H) On 148 HAZELWOOD AVE, former City of Toronto by-law 94-0737.
- (I) On 10 HOGARTH AVE, former City of Toronto by-law 54-67.
- (J) On 885 LOGAN AVE, City of Toronto by-law 686-01.
- (K) On 24 MOUNTJOY AVE, former City of Toronto by-law 226-69.
- (L) On 369 PAPE AVE, former City of Toronto by-law 414-78; 555-78.
- (M) On 660 PAPE AVE, former City of Toronto by-law 356-75.
- (N) On 662 PAPE AVE, City of Toronto by-law 533-01.
- (O) On 720 RHODES AVE, former City of Toronto by-law 22876.
- (P) On 355 RIVERDALE AVE, former City of Toronto by-law 154-80.
- (Q) On or between the even numbered addresses of 100 110 UNITY RD, former City of Toronto bylaws 118-82; 474-82, 595-82, 80-84 and 229-84.
- (R) On or between the odd numbered addresses of 887 903 WOODBINE AVE, former City of Toronto by-law 273-93.

(737) Exception R 737

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) On the lands municipally known as 64 Glenlake Avenue in 1980, two **dwelling units** in a **residential building** are permitted. [TO: 438-86; 12(1) 235]

Prevailing By-laws and Prevailing Sections:

- (A) On 168 ANNETTE ST, City of Toronto by-law 423-03.
- (B) On 19 DORVAL RD, 20 DORVAL RD, former City of Toronto by-law 578-88.
- (C) On the odd numbered addresses of 2549B -2551B DUNDAS ST W, City of Toronto by-law 251-00.
- (D) On the odd numbered addresses of 53 59 EDNA AVE, former City of Toronto by-law 578-88.
- (E) On 152 EVELYN AVE, former City of Toronto by-law 94-0189.
- (F) On 216 GLENDONWYNNE RD, former City of Toronto by-law 447-76.
- (G) On 64 GLENLAKE AVE, former City of Toronto by-law 816-80.
- (H) On 299 GLENLAKE AVE, former City of Toronto by-law 188-71.
- (I) On 21 HIGH PARK AVE, former City of Toronto by-laws 22318, 171-67 and 188-71.
- (J) On or between the even numbered addresses of 40 50 HIGH PARK AVE, former City of Toronto by-law 22621.
- (K) On 65 HIGH PARK AVE, former City of Toronto by-laws 22318, 22754, 171-67 and 188-71.
- (L) On 100 HIGH PARK AVE, former City of Toronto by-law 22877.
- (M) On 260 HIGH PARK AVE, former City of Toronto by-law 23-75.
- (N) On 36 MOUNTVIEW AVE, former City of Toronto by-law 302-80.
- (O) On 60 MOUNTVIEW AVE, former City of Toronto by-laws 21986, 22215, and 22308.
- (P) On 22 OAKMOUNT RD, former City of Toronto by-laws 22318, 171-67 and 188-71.
- (Q) On the lands municipally known as 48 Pine Crest Road in 1983, Section 12(2) 155 of former City of Toronto By-law 438-86.
- (R) On 48 PINE CREST RD, former City of Toronto by-laws 770-83 and 605-85.
- (S) On or between the odd numbered addresses of 61 77 QUEBEC AVE, former City of Toronto bylaw 22621.
- (T) On or between the odd numbered addresses of 223 225 QUEBEC AVE, former City of Toronto by-law 332-76.
- (U) On 260 WILLARD AVE, former City of Toronto by-law 405-75.

(738) Exception R 738

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On or between the odd numbered addresses of 41 57 BRANDON AVE, former City of Toronto by-law 131-84.
- (B) On the even numbered addresses of 46 52A PRIMROSE AVE, the even numbered addresses of 54 76 PRIMROSE AVE, former City of Toronto by-law 673-84.
- (C) On or between the odd numbered addresses of 911 917 ST CLARENS AVE, former City of Toronto by-law 122-72.

(739) Exception R 739

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(1) 144 of former City of Toronto By-law 438-86, as amended by By-law 1996-0067 and OMB File. R960113, March 5, 1997.
- (B) On 1087 DAVENPORT RD. 1246 SHAW ST. former City of Toronto by-law 147-85.
- (C) On 1281 DAVENPORT RD, former City of Toronto by-law 570-77.
- (D) On or between the even numbered addresses of 512 616 DELAWARE AVE N, the odd

numbered addresses of 517 - 525 DELAWARE AVE N, the odd numbered addresses of 527 - 537 DELAWARE AVE N, 539 DELAWARE AVE N, the odd numbered addresses of 541 - 545 DELAWARE AVE N, the odd numbered addresses of 547 - 605 DELAWARE AVE N, former City of Toronto by-law 221-79.

(740) Exception R 740

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 1359 Dupont Street, City of Toronto by-law 920-2006.
- (B) On 1011 LANSDOWNE AVE, 730 ST CLARENS AVE, former City of Toronto by-law 354-86.
- (C) On 376 MARGUERETTA ST, former City of Toronto by-law 450-76.
- (D) On 39 PAULINE AVE, former City of Toronto by-law 202-81.
- (E) On 100 PAULINE AVE, former City of Toronto by-law 417-77.

(741) Exception R 741

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On the odd numbered addresses of 419 425 COXWELL AVE, former City of Toronto by-law 384-91.
- (B) On 426 COXWELL AVE, former City of Toronto by-law 248-83.
- (C) On or between the even numbered addresses of 12 22 DARRELL AVE, former City of Toronto by-law 231-80.

(742) Exception R 742

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 21 ASCOT AVE, former City of Toronto by-law 418-77.
- (B) On 126 BOON AVE, former City of Toronto by-law 277-84.
- (C) On 1710 DUFFERIN ST, former City of Toronto by-laws 363-67 and 32-69.

(743) Exception R 743

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On the even numbered addresses of 388 398 CLINTON ST, City of Toronto by-laws 733-01 and 580-02.
- (B) On 560 PALMERSTON AVE, former City of Toronto by-law 181-69.

(744) Exception R 744

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) On or between the even numbered addresses of 16 20 CAMBRIDGE AVE, 18 DONCREST RD, former City of Toronto by-law 539-81.
- (B) On 33 EASTMOUNT AVE, former City of Toronto by-laws 22753 and 22833.

(745) Exception R 745

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Former City of Toronto By-law 880-79.
- (C) On the lands municipally known as 8-10 Alcorn Avenue in 1988, Section 12 (2) 266(d) of former City of Toronto By-law 438-86.
- (D) On the even numbered addresses of 22 98A ALCORN AVE, the odd numbered addresses of 63 -71 WALKER AVE, former City of Toronto by-law 565-80.
- (E) On the lands municipally known as 26, 30, and 40 Birch Avenue in 1992, Section 12(1) 369 of former City of Toronto By-law 438-86.
- (F) On the lands municipally known as 46, 54, 60, 62, and 82 Birch Avenue in 1982, Section 12(1) 180 of By-law 438-86.
- (G) On the lands municipally known as 7 Gange Avenue in 1999, Section 12(1) 448 of former City of Toronto By-law 438-86.

(747) Exception R 747

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 21 SWANWICK AVE, City of Toronto by-law 827-08.

(748) Exception R 748

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 1 - 21 MULOCK AVE, former City of Toronto by-law 96-0362.

(749) Exception R 749

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 781 - 789 OSSINGTON AVE, former City of Toronto by-law 820-78 and former City of Toronto by-law 523-79.

(750) Exception R 750

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) On 117 DUVERNET AVE, former City of Toronto by-law 152-74.
- (B) On 106 EASTWOOD RD, the odd numbered addresses of 129 143 EDGEWOOD AVE, the even numbered addresses of 130 140 EDGEWOOD AVE, City of Toronto by-law 738-01.
- (C) On or between the odd numbered addresses of 193 261 EASTWOOD RD, the even numbered addresses of 224 246 EASTWOOD RD, former City of Toronto by-law 267-76.
- (D) On or between the odd numbered addresses of 1 39 HEYWORTH CRES, the even numbered addresses of 2 - 28 HEYWORTH CRES, 43 HEYWORTH CRES, former City of Toronto by-law 441-80.

- (E) On 520 KINGSTON RD, former City of Toronto by-laws 899-88 and 266-89.
- (F) On 11 NEWBOLD AVE, former City of Toronto by-law 625-76.

(751) Exception R 751

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 2 ANTLER ST, former City of Toronto by-law 474-77.
- (B) On 53 CAMPBELL AVE, former City of Toronto by-law 182-84.
- (C) On 5 ERNEST AVE, former City of Toronto by-law 500-81.

(752) Exception R 752

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On the odd numbered addresses of 41 49 CURZON ST, former City of Toronto by-law 569-77.
- (B) On the even numbered addresses of 60 70 CURZON ST, 97 JONES AVE, former City of Toronto by-laws 94-0261 and 95-0627.
- (C) On 67 CURZON ST, the even numbered addresses of 162 172 LESLIE ST, former City of Toronto by-law 416-77.
- (D) On 90 CURZON ST, the even numbered addresses of 98J 98M CURZON ST, former City of Toronto by-law 582-89.
- (E) On the even numbered addresses of 98A 98H CURZON ST, former City of Toronto by-law 485-86.
- (F) On 112 CURZON ST, 1467 DUNDAS ST E, former City of Toronto by-law 143-71.
- (G) On 7 JONES AVE, former City of Toronto by-law 263-84.

(753) Exception R 753

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On the even numbered addresses of 2 - 120 LAMBERTLODGE AVE, the odd numbered addresses of 61 - 153 LAMBERTLODGE AVE, the even numbered addresses of 332 - 384 MELITA AVE, 367 MELITA AVE, the odd numbered addresses of 401 - 605 MELITA CRES, the even numbered addresses of 402 - 600 MELITA CRES, the odd numbered addresses of 19 - 101 WYCHCREST AVE, the even numbered addresses of 62 - 108 WYCHCREST AVE, former City of Toronto by-laws 233-78, 105-78, 106-78, 484-79, and 169-81.

(755) Exception R 755

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.

(756) Exception R 756

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

- (A) On 439 SHERBOURNE ST, former City of Toronto by-law 183-84.
- (B) On 467 SHERBOURNE ST, former City of Toronto by-law 21512.

(757) Exception R 757

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto By-law 880-79.
- (B) Former City of Toronto by-law 96-0279.
- (C) City of Toronto by-law 805-99.

(758) Exception R 758

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 66 RONCESVALLES AVE, City of Toronto by-law 866-00.

(759) Exception R 759

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 263 of former City of Toronto By-law 438-86.
- (D) Section 12(2) 267 of former City of Toronto By-law 438-86.
- (E) On 15 DELISLE AVE, former City of Toronto by-laws 182-72 and 765-85.
- (F) On 33 DELISLE AVE, the even numbered addresses of 48 50 ST CLAIR AVE W, former City of Toronto by-law 541-93.
- (G) On 55 DELISLE AVE, City of Toronto by-law 184-99.
- (H) On the lands municipally known as 70 DeLisle Avenue, Section 12 (2) 18 of former City of Toronto By-law 438-86.
- (I) On 70 DELISLE AVE, former City of Toronto by-law 419-67.
- (J) On 112 ST CLAIR AVE W, former City of Toronto by-law 379-67.

(760) Exception R 760

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(761) Exception R 761

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 1214 AVENUE RD, former City of Toronto by-law 95-0556.

(762) Exception R 762

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(763) Exception R 763

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1541 DAVENPORT RD, former City of Toronto by-law 368-77.

(764) Exception R 764

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 441 - 471 JARVIS ST, 77 MAITLAND PL, former City of Toronto by-law 804-80.

(765) Exception R 765

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto By-law 880-79.
- (B) Former City of Toronto by-law 96-0279.
- (C) City of Toronto by-law 805-99.

(766) Exception R 766

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 436 PERTH AVE, former City of Toronto by-law 808-78.

(767) Exception R 767

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 500 DUPLEX AVE, former City of Toronto by-laws 184-69 and 143-72.

(768) Exception R 768

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 40 ORCHARD VIEW BLVD, former City of Toronto by-laws 191-73, 391-81, 144-82, 145-82, and 267-82.

(769) Exception R 769

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto by-law 704-79.
- (B) Former City of Toronto by-law 844-79.
- (C) Former City of Toronto by-law 535-80.
- (D) On or between the odd numbered addresses of 451 475 GREENWOOD AVE, the odd numbered addresses of 1 43 LOUNT ST, the even numbered addresses of 2 48 LOUNT ST, the odd numbered addresses of 1 23 QUARRY CRT, the even numbered addresses of 2 24 QUARRY CRT, the odd numbered addresses of 1 35 SANDSTONE LANE, the even numbered addresses of 2 40 SANDSTONE LANE, the even numbered addresses of 2 120 TORBRICK RD, the odd numbered addresses of 1 49 UNITY RD, the even numbered addresses of 2 48 UNITY RD, the odd numbered addresses of 1 27 VALIFOR PL, the even numbered addresses of 2 32 VALIFOR PL, former City of Toronto by-law 162-84.

(770) Exception R 770

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On the even numbered addresses of 100 102 RANKIN CRES, the even numbered addresses of 104 - 150 RANKIN CRES, the even numbered addresses of 152 - 154 RANKIN CRES, former City of Toronto by-laws 43-90, 44-90, 45-90 and 182-90, 94-0428.
- (B) On the odd numbered addresses of 159 225 RANKIN CRES, the even numbered addresses of 158 - 212 RANKIN CRES, the odd numbered addresses of 275 - 277 WALLACE AVE, City of Toronto by-law 46-00.

(771) Exception R 771

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 28 BELLEFAIR AVE, former City of Toronto by-law 187-74.
- (B) On 97 LEE AVE, former City of Toronto by-laws 306-79 and 560-79.

(772) Exception R 772

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On or between the odd numbered addresses of 29 71 BERWICK AVE, former City of Toronto by-

law 204-80.

(D) On the odd numbered addresses of 57 - 59 HILLSDALE AVE W, former City of Toronto by-law 392-78.

(773) Exception R 773

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 103 WEST LODGE AVE, former City of Toronto by-laws 22037 and 51-79.

(774) Exception R 774

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 30 EDITH DR, former City of Toronto by-law 22322.

(776) Exception R 776

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 35 ORMSKIRK AVE, former City of Toronto by-laws 464-67, 76-69, and 52-70.
- (B) On the odd numbered addresses of 45 65 SOUTHPORT ST, 60 SOUTHPORT ST, former City of Toronto by-laws 464-67, 76-69, and 52-70.

(777) Exception R 777

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 289 - 289G BARTLETT AVE, former City of Toronto by-law 278-87.

(778) Exception R 778

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On or between the even numbered addresses of 2 22 BOLER ST, the even numbered addresses of 10 - 20 SHIPMAN ST, the odd numbered addresses of 11 - 21 SHIPMAN ST, former City of Toronto by-laws 283-69 and 317-70.
- (B) On the odd numbered addresses of 147 155 VINE AVE, 157 VINE AVE, the odd numbered addresses of 159 - 161 VINE AVE, the odd numbered addresses of 163 - 171 VINE AVE, the odd numbered addresses of 175 - 177 VINE AVE, the odd numbered addresses of 179 - 201 VINE AVE, former City of Toronto by-law 347-77.

(779) Exception R 779

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.

(780) Exception R 780

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(781) Exception R 781

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 16R ST JAMES CRT, former City of Toronto by-laws 839-80 and 172-81.

(782) Exception R 782

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 20 GOTHIC AVE, former City of Toronto by-laws 337-75 and 352-75.
- (B) On 50 QUEBEC AVE, former City of Toronto by-laws 337-75 and 352-75.
- (C) On 100 QUEBEC AVE, former City of Toronto by-laws 337-75 and 352-75.

(783) Exception R 783

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 147 BRANDON AVE, City of Toronto by-law 488-2006.

(784) Exception R 784

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto By-law 880-79.
- (B) Former City of Toronto by-law 96-0279.
- (C) City of Toronto by-law 805-99.
- (D) On the even numbered addresses of 76 150 WOODBINE AVE, City of Toronto by-law 806-99.

(785) Exception R 785

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto By-law 880-79.
- (B) Former City of Toronto by-law 96-0279.
- (C) City of Toronto by-law 805-99.

(786) Exception R 786

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None apply)

Prevailing By-laws and Prevailing Sections:

- (A) On the even numbered addresses of 30 78 ALENTEJO ST, City of Toronto by-laws 85-00 and 87-00 .
- (B) On the addresses 1 32 ESTORIL TERR, 8 30 BRAGA GDS, and 1 27 SAGRES CRES, and the odd numbered addresses of 81 115 TURNBERRY AVE, City of Toronto by-law 85-00.

(787) Exception R 787

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 40 and 42 WESTMORELAND AVE, City of Toronto by-law 872-04.

(788) Exception R 788

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On the even numbered addresses of 2 - 20 GROGAN MEWS, the even numbered addresses of 10 - 28 LIGHTBOURN AVE, City of Toronto by-law 927-03.

(789) Exception R 789

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 15-21, 25-27 Alvin Avenue in 1985, an office is a permitted use, if:
 - (i) it is located in the basement or first floor of the residential building that existed on the lot in 1985;
 - (ii) required **parking spaces** are provided on the **lot** or within 300 metres of the **lot** at a minimum rate of one space for 93 square metres of office use; and
 - (iii) any alteration to the front of the **residential building** does not alter its appearance as a **detached house**, **semi-detached house**, or **townhouse**. [TO:438-86; 12 (1) 127]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(795) Exception R 795

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]
- (B) The lands must comply with exception 900.2.10(7).

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 21 ST CLEMENTS AVE, former City of Toronto by-laws 620-80, 118-81 and 551-90.
- (D) On the lands municipally known as 21 45 St. Clement's Avenue in 2004, Section 12(2) 337 of

former City of Toronto By-law 438-86.

(796) Exception R 796

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum **building length** is 14.0 metres. [TO: 438-86; 12(2) 112]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three **dwelling units** are permitted in a **townhouse**. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on October 11, 1977. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **triplex**, **fourplex** or **apartment building** built after October 11, 1977 is permitted if the same **building** type existed on the **lot** on October 11, 1977. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a detached house may be converted to contain two or more secondary suites in compliance with Section 150.10 if the building has a minimum interior floor area of 140 square metres. [TO: 438-86; 12(1)68 (c)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 107 of former City of Toronto By-law 438-86.
- (B) On 19 CRAIGHURST AVE, 20 CRAIGHURST AVE, former City of Toronto by-law 310-83.

(797) Exception R 797

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections:

(A) On 11 LAVINIA AVE, former City of Toronto by-law 323-80.

(798) Exception R 798

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 93 - 95 LAVINIA AVE, former City of Toronto by-law 560-90.

(799) Exception R 799

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections:

(A) On 2 BUDGELL TER, 2A BUDGELL TER, the even numbered addresses of 4 - 10 BUDGELL TER, former City of Toronto by-law 326-71.

(800) Exception R 800

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 11 CHRISTIE ST, City of Toronto by-law 733-01.
- (B) On the lands known municipally as 204 Christie Street and 2 Essex Street in 1992, Section 12(1) 296 of former City of Toronto By-law 438-86.

(801) Exception R 801

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (B) On 105 MAITLAND ST, former City of Toronto by-law 56-78.

(802) Exception R 802

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 1117 GERRARD ST E, former City of Toronto by-law 640-91.

(803) Exception R 803

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 27 BROCK AVE, 21 23 EARNBRIDGE ST, former City of Toronto by-law 97-0591.
- (B) On 58 BROCK AVE, former City of Toronto by-law 275-82 and 567-82.
- (C) On 62 BROCK AVE, City of Toronto by-law 115-02.
- (D) On 26 Lansdowne Avenue, City of Toronto by-laws 262-2005 and 414-2005.
- (E) On 30 LANSDOWNE AVE, City of Toronto by-law 113-02.
- (F) On 48 OHARA AVE, former City of Toronto by-law 513-79.

(804) Exception R 804

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 142 ARGYLE ST, former City of Toronto by-law 437-75.

(805) Exception R 805

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

- (A) On the odd numbered addresses of 2019 2025 DAVENPORT RD, former City of Toronto by-law 95-0289.
- (B) On 2027 DAVENPORT RD, the odd numbered addresses of 2029 2035 DAVENPORT RD, former City of Toronto by-law 95-0289 and City of Toronto by-law 726-02.

(806) Exception R 806

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 284 BATHURST ST, former City of Toronto by-law 411-67.
- (B) On 1117 DUNDAS ST W, City of Toronto by-law 743-98.
- (C) On the even numbered addresses of 18 30 MARKHAM ST, 34 MARKHAM ST, 36 MARKHAM ST, 38 MARKHAM ST, the even numbered addresses of 140 144 WOLSELEY ST, 146 WOLSELEY ST, former City of Toronto by-law 514-84.

(807) Exception R 807

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 502 EASTERN AVE, former City of Toronto by-law 211-91.
- (B) On 2 EMPIRE AVE, the even numbered addresses of 4 14 EMPIRE AVE, City of Toronto by-law 382-85.
- (C) On or between the odd numbered addresses of 195 201 LOGAN AVE, former City of Toronto bylaw 320-75.
- (D) On the odd numbered addresses of 7A 15 MC GEE ST, City of Toronto by-law 699-04.
- (E) On 15 PAPE AVE, former City of Toronto by-law 175-82.
- (F) On 43 PAPE AVE, former City of Toronto by-law 654-91.
- (G) On or between the odd numbered addresses of 71 71R PAPE AVE, 83 PAPE AVE, former City of Toronto by-law 369-76.
- (H) On 1195 QUEEN ST E, City of Toronto by-law 695-00.

(808) Exception R 808

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

- (A) On 179 BROADVIEW AVE, former City of Toronto by-law 448-88.
- (B) On 275 BROADVIEW AVE, 275A BROADVIEW AVE, former City of Toronto by-laws 812-77 and 177-78.
- (C) On 147 DE GRASSI ST, the odd numbered addresses of 149 165 DE GRASSI ST, former City of Toronto by-laws 82-77 and 287-77.
- (D) On the odd numbered addresses of 175 185 DE GRASSI ST, former City of Toronto by-law 585-90.
- (E) On the odd numbered addresses of 990 1000 DUNDAS ST E, former City of Toronto by-laws 82-77 and 287-77.
- (F) On 444 LOGAN AVE, former City of Toronto by-law 22534;

- (G) On 2 WEST AVE, the even numbered addresses of 4 8 WEST AVE, former City of Toronto bylaws 82-77 and 287-77.
- (H) On the even numbered addresses of 56 56H WEST AVE, former City of Toronto by-law 705-82.

(809) Exception R 809

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 1A BADGEROW AVE, the odd numbered addresses of 1B 1F BADGEROW AVE, former City of Toronto by-law 22103.
- (B) On 86 JONES AVE, former City of Toronto by-law 562-91.
- (C) On 126 PAPE AVE, former City of Toronto by-law 491-76.

(810) Exception R 810

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On or between the odd numbered addresses of 15 25 AWDE ST, former City of Toronto by-law 327-82.
- (B) On or between the odd numbered addresses of 1 3 BOLAND LANE, former City of Toronto bylaw 327-82.
- (C) On 1155 COLLEGE ST, former City of Toronto by-law 124-73.
- (D) On or between the odd numbered addresses of 1197 1207 COLLEGE ST, former City of Toronto by-law 317-75.
- (E) On 1236 COLLEGE ST, former City of Toronto by-law 143-91.
- (F) On 648 DUFFERIN ST, former City of Toronto by-law 327-82.
- (G) On or between the odd numbered addresses of 651 661 DUFFERIN ST, former City of Toronto by-laws 88-67 and 165-67.
- (H) On or between the odd numbered addresses of 919 1005 DUFFERIN ST, former City of Toronto by-laws 62-67 and 190-69.
- (I) On 180 SHERIDAN AVE, former City of Toronto by-law 124-73.

(811) Exception R 811

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 256 DUFFERIN ST, former City of Toronto by-law 330-93.
- (B) On 1251 KING ST W, former City of Toronto by-laws 145-68, 256-68, and 346-68.
- (C) On or between the odd numbered addresses of 63 63A SPENCER AVE, City of Toronto by-law 717-02.
- (D) On 65 SPENCER AVE, City of Toronto by-law 1045-01.
- (E) On 85 SPENCER AVE, former City of Toronto by-law 271-70.
- (F) On 8 TEMPLE AVE, City of Toronto by-law 518-06.
- (G) On 151 TYNDALL AVE, City of Toronto by-law 1044-01.

(812) Exception R 812

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 119 DOWLING AVE, City of Toronto by-law 108-03.
- (C) On 1447 KING ST W, former City of Toronto by-law 550-83.
- (D) On 1510 King Street West, City of Toronto by-law 882-2007(OMB).
- (E) On 1512 King Street West, City of Toronto by-law 872-2005.
- (F) On 1518 King Street West, City of Toronto by-law 873-2005.
- (G) On 1544 King Street West, City of Toronto by-law 770-2006.
- (H) On 1554 King Street West, City of Toronto by-law 257-2005.

(813) Exception R 813

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(814) Exception R 814

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On the odd numbered addresses of 423 425 AVENUE RD, former City of Toronto by-law 92-71.

(815) Exception R 815

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 2261 GERRARD ST E, City of Toronto by-law 201-04.
- (B) On these lands municipally known as 2263 and 2265 Gerrard Street East, City of Toronto by-law 677-2005.

(816) Exception R 816

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

- (A) On 716 KINGSTON RD, former City of Toronto by-law 472-91.
- (B) On the even numbered addresses of 720A 724H KINGSTON RD, City of Toronto by-law 743-99.

(C) On the lands municipally known as 736 and 738 Kingston Road, City of Toronto by-law 805-2007.

(817) Exception R 817

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On the odd numbered addresses of 1 23 BASTEDO AVE, the even numbered addresses of 2 -30 BASTEDO AVE, the odd numbered addresses of 179 - 199 HANSON ST, former City of Toronto by-law 97-0150.
- (B) On the odd numbered addresses of 7 11 COATSWORTH CRES, former City of Toronto by-law 658-86.
- (C) On 33 COATSWORTH CRES, former City of Toronto by-law 657-86.

(820) Exception R 820

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On 120 PERTH AVE, former City of Toronto by-law 90-85.

(821) Exception R 821

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 2 ELM GROVE AVE, City of Toronto by-law 475-2010.
- (B) On 6 ELM GROVE AVE, City of Toronto by-law 207-03.
- (C) On 1244 KING ST W, former City of Toronto by-law 385-85.
- (D) On 1302 KING ST W, City of Toronto by-law 554-01.
- (E) On 1311 KING ST W, former City of Toronto by-law 27-84.
- (F) On 1313 KING ST W, former City of Toronto by-law 403-88.
- (G) On the odd numbered addresses of 1339 1355 KING ST W, former City of Toronto by-law 156-74.
- (H) On 1363 KING ST W, City of Toronto by-law 716-02.

(822) Exception R 822

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 11 - 43 PEAR TREE MEWS, the odd numbered addresses of 7 - 39 RANKIN CRES, the odd numbered addresses of 17 - 29 SYMINGTON AVE, former City of Toronto by-laws 43-90, 182-90 and 94-0428.

(823) Exception R 823

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 22 CLOSE AVE, former City of Toronto by-laws 227-69 and 18-70.

(824) Exception R 824

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) On 517 DAVENPORT RD, the odd numbered addresses of 519 535 DAVENPORT RD, the even numbered addresses of 490 - 494 MACPHERSON AVE, the even numbered addresses of 210 -222 SPADINA RD, the even numbered addresses of 226 - 270 SPADINA RD, the odd numbered addresses of 201 - 251 WALMER RD, former City of Toronto by-laws 553-83, 730-84 and 813-87.
- (B) On or between the odd numbered addresses of 537 551 DAVENPORT RD, the even numbered addresses of 200 248 WALMER RD, former City of Toronto by-laws 553-83, 730-84 and 814-87.

(825) Exception R 825

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an office for a physician, dentist, osteopath or chiropractor in a portion of an apartment building is not a permitted, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West.
- (B) On the lands, a place of worship, religious education use, religious residence, community centre, hospital, retirement home, nursing home, library, museum, or art gallery in not a permitted use, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West. [TO: 438-86; 12 (2) 10]
- (C) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 26 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 45 of former City of Toronto By-law 438-86.
- (D) On the lands municipally known as 265 Russell Hill Road and 82 Warren Road, Section 12(1) 27 of former City of Toronto By-law 438-86.
- (E) On 183 ST CLAIR AVE W, former City of Toronto by-law 875-87.

(826) Exception R 826

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an office for a physician, dentist, osteopath or chiropractor in a portion of an apartment building is not a permitted, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West.
- (B) On the lands, a place of worship, religious education use, religious residence, community centre, hospital, retirement home, nursing home, library, museum, or art gallery in not a permitted use, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West. [TO: 438-86; 12 (2) 10]
- (C) The lands must comply with exception 900.2.10(7).

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 26 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 45 of former City of Toronto By-law 438-86.

(827) Exception R 827

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an office for a physician, dentist, osteopath or chiropractor in a portion of an apartment building is not a permitted, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West.
- (B) On the lands, a place of worship, religious education use, religious residence, community centre, hospital, retirement home, nursing home, library, museum, or art gallery in not a permitted use, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West. [TO: 438-86; 12 (2) 10]
- (C) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 26 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 45 of former City of Toronto By-law 438-86.
- (D) On 355 ST CLAIR AVE W, 355R ST CLAIR AVE W, former City of Toronto by-law 162-67.
- (E) On or between the odd numbered addresses of 413 423 WALMER RD, former City of Toronto by-laws 318-70 and 455-87.

(828) Exception R 828

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (C) On 114 SHUTER ST, 118 SHUTER ST, former City of Toronto by-laws 382-78 and 383-78.

(829) Exception R 829

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) On 23 PEMBROKE ST, former City of Toronto by-law 612-78.

(830) Exception R 830

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A maximum of three attached **dwelling units** are permitted in a **townhouse building**. [TO: 438-86; 12(2) 142]
- (B) The minimum lot frontage for a lot containing one of the following residential building types is:

- (i) 13.5 metres for a detached house;
- (ii) 9.0 metres for each dwelling unit in a semi-detached house;
- (iii) 13.5 metres for a duplex;
- (iv) 13.5 metres for a triplex;
- (v) 30.0 metres for an apartment building; and
- (vi) a minimum of 27 metres in total for a townhouse building containing 3 dwelling units, of which the minimum lot frontage for the middle dwelling unit is 7.5 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']
- (C) The lands must comply with exception 900.2.10(7).
- (D) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(832) Exception R 832

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 288 of former City of Toronto By-law 438-86.
- (B) On 6A GREENLAW AVE, former City of Toronto by-law 165-93.

(833) Exception R 833

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot along both sides of Avenue Road, north of St. Clair Avenue West and south of Lonsdale Road, the minimum front yard setback is 10.5 metres.
- (B) On a lot along the east side of Avenue Road, north of St. Clair Avenue West and south of Lonsdale Road, and the west side of Avenue Road, north of Heath Street West to a point 46.5 metres south of Lonsdale Road, and north of St. Clair Avenue West to a point 59 metres south of Heath Street West, the minimum rear yard setback is 12.0 metres.
- (C) On a **lot** along the west side of Avenue Road, south of Lonsdale Road to a point 46.5 metres south of Lonsdale Road, the minimum **rear yard setback** is 3.0 metres.
- (D) On a **lot** along the west side of Avenue Road, south from Heath Street West to a point 59 metres south of Heath Street West, the minimum **rear yard setback** is 15.0 metres. [TO: 438-86; 12 (2) 7]
- (E) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 609 Avenue Road, City of Toronto by-law 1428-2007(OMB).
- (C) On 619 AVENUE RD, former City of Toronto by-law 379-68.

(834) Exception R 834

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

- (B) Section 12(1) 116 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 233 of former City of Toronto By-law 438-86.
- (D) On the lands municipally known as 108, 110, 112, 114, 116 and 118 Beverley Street in 1984,

- Section 12(1) 176 of former City of Toronto By-law 438-86.
- (E) On or between the odd numbered addresses of 69 69E GRANGE AVE, former City of Toronto by-law 262-89.
- (F) On 76 GRANGE AVE, 15 LARCH ST, former City of Toronto by-laws 646-87 and 659-89.
- (G) On 190 JOHN ST, former City of Toronto by-law 633-82.

(835) Exception R 835

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 116 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 233 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 256 of former City of Toronto By-law 438-86.
- (D) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (E) On or between the even numbered addresses of 40 42 BALDWIN ST, the odd numbered addresses of 181 - 201A BEVERLEY ST, the odd numbered addresses of 201 - 203 BEVERLEY ST, the odd numbered addresses of 9 - 15 CECIL ST, former City of Toronto by-laws 310-74, 342-74 and 38-75.
- (F) On the lands municipally known as 136 Beverley Street in 1988, Section 12(2) 77 of former City of Toronto By-law 438-86.
- (G) On 206 BEVERLEY ST, former City of Toronto by-law 20-72.
- (H) On 38 CECIL ST, former City of Toronto by-law 699-82.
- (I) On the even numbered addresses of 30 36 D ARCY ST, former City of Toronto by-law 82-93.
- (J) On 6 HENRY ST, former City of Toronto by-law 42-76.
- (K) On 125 HURON ST, former City of Toronto by-law 9420.

(836) Exception R 836

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot, a Tong House is a permitted use; and
- (B) for the purposes of this exception, a Tong House is defined as a **building** operated by a benevolent association or fraternal organization where living accommodation may be provided and where community functions are conducted including, but not limited to, physical, social, charitable and educational activities, not used for a commercial purpose, and the activities are in the **basement** and/or on the **first floor** portion thereof. [TO: 438-86; 12 (1) 116]
- (C) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 233 of former City of Toronto By-law 438-86.

(837) Exception R 837

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On the lands, a parking facility is only permitted, if:
 - (i) it is located on the same lot as a residential building, non-residential building, or a mixed use building; and
 - (ii) it contains no more than 125 per cent of the number of **parking spaces** required to be provided for the **building** on the **lot**. [TO: 438-86; 12 (2) 80]
- (B) On a lot, a Tong House is a permitted use; and

- (C) for the purposes of this exception, a Tong House is defined as a **building** operated by a benevolent association or fraternal organization where living accommodation may be provided and where community functions are conducted including, but not limited to, physical, social, charitable and educational activities, not used for a commercial purpose, and the activities are in the **basement** and/or on the **first floor** portion thereof. [TO: 438-86; 12 (1) 116]
- (D) The lands must comply with exception 900.2.10(4).

(A) Section 12(1) 233 of former City of Toronto By-law 438-86.

(838) Exception R 838

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the maximum permitted gross floor area of a residential building or structure may not exceed a floor space index of 1.5, unless 25% of the dwelling units on the lot are assisting housing units, in which case the maximum gross floor area may exceed the floor space index of 1.5. [TO: 438-86; 12 (2) 92]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 116 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 233 of former City of Toronto By-law 438-86.
- (C) On 50 STEPHANIE ST, former City of Toronto by-law 22752.

(839) Exception R 839

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 29, 31, 33, 35, 37, 39, 41, 43, and 45 Alvin Avenue in 1985, an office is a permitted use, if:
 - (i) it is located in the basement or first floor of the residential building that existed on the lot in 1985;
 - (ii) required **parking spaces** are provided on the **lot** or within 300 metres of the **lot** at a minimum rate of one space for 93 square metres of office use;
 - (iii) no more than two **parking spaces** may be beyond the main **front wall** of the **residential building**; and
 - (iv) any alteration to the front of the **residential building** does not alter its appearance as a **detached house**, **semi-detached house**, or **townhouse**. [TO: 438-86; 12 (1) 127]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 33 ALVIN AVE, former City of Toronto by-law 114-75.
- (C) On 35 ALVIN AVE, former City of Toronto by-law 113-75.
- (D) On 37 ALVIN AVE, former City of Toronto by-law 112-75.
- (E) On 39 ALVIN AVE, former City of Toronto by-law 111-75.
- (F) On 41 ALVIN AVE, former City of Toronto by-law 558-86.
- (G) On 43 ALVIN AVE, former City of Toronto by-law 52-79.

(840) Exception R 840

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) On 349 ONTARIO ST, former City of Toronto by-laws 237-69 and 287-69.

(841) Exception R 841

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an office for a physician, dentist, osteopath or chiropractor in a portion of an apartment building is not a permitted, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West; and
- (B) On the lands, a place of worship, religious education use, religious residence, community centre, hospital, retirement home, nursing home, library, museum, or art gallery in not a permitted use, unless the building or structure fronts on and gains its principal entrance from St. Clair Avenue West. [TO: 438-86; 12 (2) 10]
- (C) On the lands, a financial institution is a permitted use. [TO: 438-86; 12(1) 15]
- (D) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) On 468 AVENUE RD, City of Toronto by-law 1103-06.

(843) Exception R 843

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 42 to 62 Shaftsbury Avenue in 1959, an office is a permitted use if it is located in a **building** that existed on the **lot** on June 29, 1959. [TO: 438-86; 12(1) 21]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(844) Exception R 844

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 22 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 119 of former City of Toronto By-law 438-86

(845) Exception R 845

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 561 Avenue Road in 1959, a dining room and kitchen facility in conjunction with an **apartment building** that existed on the **lot** in 1959 is a permitted use, if:

- (i) the dining room and kitchen facility are located within the north-west portion of the first **storey** of the **apartment building**;
- (ii) the dining room and kitchen facility is completely contained within the apartment building with no direct access to the street;
- (iii) the dining room has an interior floor area that does not exceed 52 square metres;
- (iv) no signage or notice of the dining room is displayed on the exterior of the apartment building; and
- (v) a minimum of 10 **parking spaces** are provided on the **lot** that are exclusively used for patrons of the dining room and the spaces are clearly so designated. [TO: 438-86; 12 (1) 23]
- (B) On a **lot** along both sides of Avenue Road, north of St. Clair Avenue West and south of Lonsdale Road, the minimum **front yard setback** is 10.5 metres.
- (C) On a lot along the east side of Avenue Road, north of St. Clair Avenue West and south of Lonsdale Road, and the west side of Avenue Road, north of Heath Street West to a point 46.5 metres south of Lonsdale Road, and north of St. Clair Avenue West to a point 59 metres south of Heath Street West, the minimum rear yard setback is 12.0 metres.
- (D) On a **lot** along the west side of Avenue Road, south of Lonsdale Road to a point 46.5 metres south of Lonsdale Road, the minimum **rear yard setback** is 3.0 metres.
- (E) On a **lot** along the west side of Avenue Road, south from Heath Street West to a point 59 metres south of Heath Street West, the minimum **rear yard setback** is 15.0 metres. [TO: 438-86; 12 (2) 7]
- (F) The lands must comply with exception 900.2.10(7).

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(846) Exception R 846

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an ancillary building or structure is not permitted on a lot with a lot frontage of less than 4.57 metres. [TO: 438-86; 12(2) 115]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (B) On 34 OXFORD ST, former City of Toronto by-laws 566-76 and 567-76.

(847) Exception R 847

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an ancillary building or structure is not permitted on a lot with a lot frontage of less than 4.57 metres. [TO: 438-86; 12(2) 115]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 56 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 240 of former City of Toronto By-law 438-86.
- (C) On 55 LEONARD AVE, former City of Toronto by-law 21004.
- (D) On or between the even numbered addresses of 96 108 NASSAU ST, former City of Toronto bylaw 21279.
- (E) On or between the even numbered addresses of 112 114 NASSAU ST, former City of Toronto by-law 20-68.
- (F) On 69 WALES AVE, former City of Toronto by-laws 360-79 and 590-79.

(848) Exception R 848

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (B) On 161R BRUNSWICK AVE, 129 HARBORD ST, former City of Toronto by-law 287-93.
- (C) On 620 SPADINA AVE, former City of Toronto by-laws 660-78 and 661-78.

(849) Exception R 849

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (B) Former City of Toronto by-law 531-78.
- (C) Former City of Toronto by-law 532-78.
- (D) Former City of Toronto by-law 533-78.
- (E) Former City of Toronto by-law 696-81.
- (F) Former City of Toronto by-law 59-82.
- (G) Former City of Toronto by-law 546-83.
- (H) Former City of Toronto by-law 547-83.
- (I) Former City of Toronto by-law 39-80.
- (J) Former City of Toronto by-law 49-90.
- (K) On or between the even numbered addresses of 2 10 FEE PL, 30 RIVER ST, and the even numbered addresses of 34 60 RIVER ST, 118 SUMACH ST, the odd numbered addresses of 81 111 SUMACH ST, the even numbered addresses of 92 116 SUMACH ST, the odd numbered addresses of 1 9 WASCANA AVE, the odd numbered addresses of 11 23 WASCANA AVE, the even numbered addresses of 2 42 WASCANA AVE, and the odd numbered addresses of 25 39 WASCANA AVE, former City of Toronto by-laws 284-72 and 204-79.

(850) Exception R 850

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

- (A) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (B) Former City of Toronto by-law 531-78.
- (C) Former City of Toronto by-law 532-78.
- (D) Former City of Toronto by-law 533-78.
- (E) Former City of Toronto by-law 39-80.
- (F) Former City of Toronto by-law 696-81.
- (G) Former City of Toronto by-law 59-82.
- (H) Former City of Toronto by-law 546-83.
- (I) Former City of Toronto by-law 547-83.
- (J) Former City of Toronto by-law 49-90.
- (K) On 465 DUNDAS ST E, former City of Toronto by-law 97-0105.
- (L) On 101 SACKVILLE ST, the even numbered addresses of 108 130 SACKVILLE ST, the odd

numbered addresses of 123 - 125 SACKVILLE ST, 134 SACKVILLE ST, the even numbered addresses of 136 - 138 SACKVILLE ST, 140 SACKVILLE ST, 325 SHUTER ST, the odd numbered addresses of 335 - 341 SHUTER ST, the odd numbered addresses of 343 - 423 SHUTER ST, 427 SHUTER ST, the odd numbered addresses of 429 - 445 SHUTER ST, 447 SHUTER ST, the odd numbered addresses of 15 - 37 SYDENHAM ST, the even numbered addresses of 2 - 40 SYDENHAM ST, the odd numbered addresses of 29 - 31 TRACY ST, the even numbered addresses of 12 - 40 TREFANN ST, and the odd numbered addresses of 5 - 15 TREFANN ST, former City of Toronto by-laws 284-72 and 204-79.

(M) On 427 SHUTER ST, 447 SHUTER ST, former City of Toronto by-law 94-0446.

(851) Exception R 851

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) On or between the even numbered addresses of 32 34A AMELIA ST, the even numbered addresses of 36 - 40 AMELIA ST, former City of Toronto by-law 154-90.
- (B) On the even numbered addresses of 42 48 AMELIA ST, former City of Toronto by-law 419-75.
- (C) On 255 CARLTON ST, former City of Toronto by-laws 377-74, 58-75, 228-80, 776-84.
- (D) On or between the odd numbered addresses of 303 303R CARLTON ST, City of Toronto by-law 232-88.
- (E) On 430 GERRARD ST E, former City of Toronto by-law 326-67.
- (F) On the even numbered addresses of 6 16 ST JAMES CRT, former City of Toronto by-laws 839-80 and 172-81.
- (G) On 14 SPRUCE ST, former City of Toronto by-laws 377-74, 58-75, 228-80, 776-84.
- (H) On 388 WELLESLEY ST E, former City of Toronto by-law 583-75.
- (I) On 390 WELLESLEY ST E, former City of Toronto by-laws 582-75 and 133-76.
- (J) On 125 WINCHESTER ST, former City of Toronto by-law 109-75.
- (K) On 125 1/2 WINCHESTER ST, former City of Toronto by-law 110-75.

(852) Exception R 852

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) On 666 SPADINA AVE, former City of Toronto by-law 20-69.
- (B) On 704 SPADINA AVE, former City of Toronto by-law 841-80.

(853) Exception R 853

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

- (A) Section 12(2) 208 of former City of Toronto By-law 438-86.
- (B) On 91 AUGUSTA AVE, former City of Toronto by-law 60-67.
- (C) On 165 GRANGE AVE, former City of Toronto by-law 164-71.
- (D) On 77 RYERSON AVE, former City of Toronto by-law 163-71.
- (E) On 20 VANAULEY ST, former City of Toronto by-law 680-83.

(854) Exception R 854

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 233 of former City of Toronto By-law 438-86.
- (B) On 11 SULLIVAN ST, former City of Toronto by-laws 100-80, 768-80, 769-80, and 837-80.

(855) Exception R 855

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto by-law 515-76.
- (B) Former City of Toronto by-law 576-76.
- (C) Former City of Toronto by-law 677-76.
- (D) Former City of Toronto by-law 24-77.
- (E) Former City of Toronto by-law 614-77.
- (F) Former City of Toronto by-law 391-78.
- (G) Former City of Toronto by-law 478-78.
- (H) Former City of Toronto by-law 664-78.
- (I) Former City of Toronto by-law 812-78.
- (J) Former City of Toronto by-law 889-78.
- (K) Former City of Toronto by-law 373-79.
- (L) Former City of Toronto by-law 615-79.(M) Former City of Toronto by-law 884-79.
- (N) Former City of Toronto by-law 61-80.
- (O) Former City of Toronto by-law 879-80.
- (P) Former City of Toronto by-law 116-82.
- (O) Farmer Oite of Tarrenta had been 445 00
- (Q) Former City of Toronto by-law 145-83.
- (R) Former City of Toronto by-law 92-85.
- (S) Former City of Toronto by-law 514-86.
- (T) On 3 BERKELEY ST, former City of Toronto by-laws 606-87 and 65-90.

(856) Exception R 856

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The lands must comply with exception 900.2.10(4).
- (B) if the following **building** types are permitted on a **lot**, the minimum **lot frontage** is:
 - (i) 5 metres if it contains a **detached house**;
 - (ii) 10 metres if it contains a semi-detached house;
 - (iii) 5 metres if it contains a duplex;
 - (iv) 5 metres if it contains a triplex;
 - (v) 10 metres if it contains a fourplex; and
 - (vi) 5 metres if it contains a townhouse or apartment building.

(A) Former City of Toronto by-law 1996-0118.

(857) Exception R 857

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto by-law 531-78.
- (B) Former City of Toronto by-law 532-78.
- (C) Former City of Toronto by-law 533-78.
- (D) Former City of Toronto by-law 39-80.
- (E) Former City of Toronto by-law 696-81.
- (F) Former City of Toronto by-law 59-82.
- (G) Former City of Toronto by-law 546-83.
- (H) Former City of Toronto by-law 547-83.
- (I) Former City of Toronto by-law 49-90.
- (J) On the odd numbered addresses of 449 463 SHUTER ST, former City of Toronto by-laws 284-72 and 204-79.

(858) Exception R 858

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Toronto by-law 531-78.
- (B) Former City of Toronto by-law 532-78.
- (C) Former City of Toronto by-law 533-78.
- (D) Former City of Toronto by-law 39-80.
- (E) Former City of Toronto by-law 696-81.
- (F) Former City of Toronto by-law 59-82.
- (G) Former City of Toronto by-law 546-83.(H) Former City of Toronto by-law 547-83.
- (I) Former City of Toronto by-law 49-90.
- (J) On 467 SHUTER ST, former City of Toronto by-law 94-0446.

(859) Exception R 859

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) On the even numbered addresses of 188 - 190 CARLTON ST, former City of Toronto by-law 514-93.

(860) Exception R 860

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 322 of former City of Toronto By-law 438-86.
- (B) On the even numbered addresses of 40 100 HAZELTON AVE, former City of Toronto by-law 192-69.
- (C) On 41 HAZELTON AVE, former City of Toronto by-law 18442;
- (D) On 115 HAZELTON AVE, former City of Toronto by-law 941-79.
- (E) On 116 HAZELTON AVE, former City of Toronto by-laws 17544,17609,17863,18278,18442, 19062,19228,19291,19345,20994,21298,21963,22192, and 22906.
- (F) On the odd numbered addresses of 11 13 NEW ST, 15 NEW ST, former City of Toronto by-law 63-76.
- (G) On 1 WEBSTER AVE, former City of Toronto by-law 192-69.
- (H) On 9 WEBSTER AVE, former City of Toronto by-laws 192-69 and 22-75.

(862) Exception R 862

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 208 of former City of Toronto By-law 438-86.
- (B) On 98 TRINITY ST, former City of Toronto by-law 803-84.
- (C) On 104 TRINITY ST, City of Toronto by-law 346-04.

(863) Exception R 863

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (B) On 66 COLLIER ST, former City of Toronto by-laws 313-71 and 241-72.
- (C) On 32 PARK RD, former City of Toronto by-laws 560-77 and 208-82.

(864) Exception R 864

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) On 17 PEMBROKE ST, former City of Toronto by-laws 407-77, 70-78 and 611-78.
- (C) On 23 PEMBROKE ST, 200 SHERBOURNE ST, 218 SHERBOURNE ST, former City of Toronto by-laws 407-77 and 611-78.

(865) Exception R 865

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (B) On 291 GEORGE ST, former City of Toronto by-law 255-85.
- (C) On or between the odd numbered addresses of 139 149 GERRARD ST E, the odd numbered addresses of 151 - 159 GERRARD ST E, the odd numbered addresses of 161 - 163 GERRARD ST E, the odd numbered addresses of 179 - 191 GERRARD ST E, 306 SHERBOURNE ST, former City of Toronto by-law 21115.
- (D) On 169 GERRARD ST E, former City of Toronto by-laws 21115 and 65-86.
- (E) On 266 SHERBOURNE ST, former City of Toronto by-law 237-70.
- (F) On 280 SHERBOURNE ST, former City of Toronto by-laws 206-76, 389-76, and 422-76.

(868) Exception R 868

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 287 of former City of Toronto By-law 438-86.
- (B) On the even numbered addresses of 158 160 STRACHAN AVE, former City of Toronto by-law 417-76.

(869) Exception R 869

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 287 of former City of Toronto By-law 438-86.
- (B) On 575 ADELAIDE ST W, the odd numbered addresses of 645 653 ADELAIDE ST W, former City of Toronto by-laws 690-79, 586-80, 587-80 and 489-84.
- (C) On the even numbered addresses of 618 654 ADELAIDE ST W, former City of Toronto by-law 690-79 and 583-80.
- (D) On 788 ADELAIDE ST W, former City of Toronto by-law 560-87.
- (E) On the odd numbered addresses of 49 57 MICHENER CRT, the even numbered addresses of 48 56 MICHENER CRT, former City of Toronto by-laws 690-79, 586-80, 587-80 and 489-84.
- (F) On 241 NIAGARA ST, former City of Toronto by-law 590-91.
- (G) On 260 NIAGARA ST, 774 RICHMOND ST W, former City of Toronto by-law 21026.
- (H) On the odd numbered addresses of 75 101 TECUMSETH ST, former City of Toronto by-laws 690-79, 586-80, 587-80 and 489-84.
- (I) On the odd numbered addresses of 109 123 TECUMSETH ST, former City of Toronto by-law 690-79 and 583-80.

(870) Exception R 870

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 287 of former City of Toronto By-law 438-86.
- (B) On 831 RICHMOND ST W, former City of Toronto by-laws 252-74, 399-74, 301-75 and 453-75.

(871) Exception R 871

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 38 EARL ST, being former City of Toronto by-law 408-81.
- (C) On 123 ISABELLA ST, former City of Toronto by-law 384-70.
- (D) On the even numbered addresses of 164 166 ISABELLA ST, former City of Toronto by-law 395-87
- (E) On 5 SELBY ST, former City of Toronto by-law 516-87.
- (F) On 582 Sherbourne Street, by-laws 35-76 and 430-76 Section 12(5)(f), of former City of Toronto By-law 438-86.

(872) Exception R 872

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (C) On 8 IRWIN AVE, City of Toronto by-law 809-88.
- (D) On 11 IRWIN AVE, former City of Toronto by-law 551-77.
- (E) On the even numbered addresses of 12 14 IRWIN AVE, former City of Toronto by-law 733-79.
- (F) On 13 IRWIN AVE, the odd numbered addresses of 17 19 IRWIN AVE, former City of Toronto bylaw 810-88.
- (G) On or between the even numbered addresses of 8 12 ST JOSEPH ST, former City of Toronto bylaw 328-88.
- (H) On 14 ST JOSEPH ST, former City of Toronto by-laws 616-77 and 617-77.

(873) Exception R 873

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (C) On 159 BLEECKER ST, former City of Toronto by-laws 377-77 and 378-77.

(874) Exception R 874

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The lands must comply with exception 900.2.10(4).
- (B) On a lot, a tourist home is a permitted use;
- (C) Any lot used as a tourist home must provide one parking space for the principal dwelling unit on the lot if such parking space existed on the lot either prior to or during the use of the building as a tourist home.

- (A) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (B) On 71 CHARLES ST E, 589 CHURCH ST, 72 ISABELLA ST, former City of Toronto by-laws 506-77 and 507-77.
- (C) On 77 CHARLES ST E., former City of Toronto by-law 580-89;
- (D) On the odd numbered addresses of 99 103 CHARLES ST E, 568 JARVIS ST City of Toronto bylaw 577-09.
- (E) On 561 CHURCH ST, former City of Toronto by-laws 26-76 and 28-76.
- (F) On the odd numbered addresses of 577 585 CHURCH ST, the even numbered addresses of 86 96 GLOUCESTER ST, 79 ISABELLA ST, former City of Toronto by-law 28-76.
- (G) On 19 DUNDONALD ST, former City of Toronto by-law 532-83.
- (H) On 36 DUNDONALD ST, former City of Toronto by-law 363-80.
- (I) On the even numbered addresses of 90 92 ISABELLA ST, former City of Toronto by-laws 362-78 and 363-78.

(875) Exception R 875

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 208 of former City of Toronto By-law 438-86.
- (C) On 26 ALEXANDER ST, former City of Toronto by-laws 22303 and 35-74.
- (D) On 25 MAITLAND ST, former City of Toronto by-laws 511-82 and 277-85.

(876) Exception R 876

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 556 SHERBOURNE ST, former City of Toronto by-law 261-68.

(877) Exception R 877

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 172 CARLTON ST, former City of Toronto by-law 334-81.

(878) Exception R 878

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 56 WELLESLEY ST E, former City of Toronto by-law 443-84.

(879) Exception R 879

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 209 215 WELLESLEY ST E, former City of Toronto by-laws 657-76, 494-77, 572-77, 678-79, 689-80, 525-82, and 740-04.

(880) Exception R 880

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 15 DUNDONALD ST, former City of Toronto by-law 22654.
- (C) On 22 WELLESLEY ST E, City of Toronto by-law 454-03.

(881) Exception R 881

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 54 ABERDEEN AVE, former City of Toronto by-law 234-69.
- (C) On 253 WELLESLEY ST E, former City of Toronto by-law 326-87.

(882) Exception R 882

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 30 GLOUCESTER ST and 33 ISABELLA ST, former City of Toronto by-law 188-68 and 310-69.

(883) Exception R 883

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 40 ALEXANDER ST and 70 ALEXANDER ST, former City of Toronto by-laws 21950 and 537-93.

(884) Exception R 884

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 20 ST JOSEPH ST, former City of Toronto by-laws 31-84 and 275-84.
- (C) On 22 ST JOSEPH ST, former City of Toronto by-law 464-85.
- (D) On 26 ST JOSEPH ST, former City of Toronto by-law 742-85.

(885) Exception R 885

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 1055 BAY ST, former City of Toronto by-law 329-85.
- (C) On 5 INKERMAN ST, 44 IRWIN AVE, former City of Toronto by-laws 693-78 and 329-85.

(886) Exception R 886

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86;
- (B) Section 12(5)(h) of former City of Toronto By-law 438-86; and
- (C) On the odd numbered addresses of 25 27B WELLESLEY ST E, former City of Toronto by-law 758-78.

(887) Exception R 887

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 380 SHERBOURNE ST, former City of Toronto by-law 21280.

(888) Exception R 888

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the building lot coverage does not exceed 50%;
 - (iii) the building setback to the side lot lines is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]
- (B) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 275 BLEECKER ST, former City of Toronto by-law 478-91.
- (C) On 240 WELLESLEY ST E, former City of Toronto by-laws 22947 and 23087.

(889) Exception R 889

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 116 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 233 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 256 of former City of Toronto By-law 438-86.

(890) Exception R 890

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the main pedestrian entrance access to any non-residential use must be from King Street West. [TO: 438-86; 12(2) 169]
- (B) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 287 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 288 of By-law 438-86.
- (C) Former City of Toronto by-law 97-0521.
- (D) On 25 MASSEY ST, former City of Toronto by-laws 694-86 and 96-0513.

(891) Exception R 891

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (C) On 250 DAVENPORT RD, former City of Toronto by-laws 22637, 22904, 23047, and 66-74.
- (D) On 142 PEARS AVE, former City of Toronto by-laws 276-77 and 277-77.

(892) Exception R 892

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 10 ALEX MEWS, 10R ALEX MEWS, 12 ALEX MEWS, 12R ALEX MEWS, the even numbered addresses of 14 - 16 ALEX MEWS, 16R ALEX MEWS, 18 ALEX MEWS, 18R ALEX MEWS, 2 ALEX MEWS, 20 ALEX MEWS, 20R ALEX MEWS, the even numbered addresses of 22 - 24 ALEX MEWS, 24R ALEX MEWS, 2R ALEX MEWS, 4 ALEX MEWS, 4R ALEX MEWS, the even numbered addresses of 6 - 8 ALEX MEWS, 8R ALEX MEWS, 100 MARLBOROUGH AVE, the even numbered addresses of 20 - 36 MARLBOROUGH AVE, 50 MARLBOROUGH AVE, 1172 YONGE ST, former City of Toronto by-law 191-72.
- (B) On the odd numbered addresses of 121 123 MARLBOROUGH AVE, former City of Toronto bylaw 379-73.
- (C) On the lands known in 1995 as 20 MARLBOROUGH AVE, former City of Toronto by-law 96-0334 clause 5.(1) and (2).

(893) Exception R 893

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 793 Spadina Road in 1992, a vehicle fuel station is a permitted use. [TO: 438-86; 12 (1) 314]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 271 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 653 Eglinton Avenue West in 1982 and 1989, Section 12(1) 324 of former City of Toronto By-law 438-86.
- (C) On 45 GARDINER RD and 800 SPADINA RD, Section 12:(2) 271 former City of Toronto of By-law 438-86
- (D) On 800 SPADINA RD, former City of Toronto by-laws 258-89 and 507-82.

(894) Exception R 894

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections:

(A) On 19 LOWER VILLAGE GT, the even numbered addresses of 18 - 20 LOWER VILLAGE GT, 15 RELMAR GDNS, former City of Toronto by-law 330-82.

(895) Exception R 895

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) Section 12(1) 364 of former City of Toronto By-law 438-86.
- (B) On the odd numbered addresses of 3 11 ICE CREAM LANE, the even numbered addresses of 2 12 ICE CREAM LANE, 1 TRENT AVE, 1A TRENT AVE, 3 TRENT AVE, City of Toronto by-law

826-00.

(C) On or between the odd numbered addresses of 5 -29 TRENT AVE, City of Toronto by-law 1106-01.

(896) Exception R 896

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an apartment building, duplex, triplex, or townhouse is not a permitted building type, unless:
 - (i) the **lot frontage** is greater than 8.5 metres or the **lot** legally existed on January 11, 1988; and
 - (ii) the required parking is provided in a garage or area on the lot. [TO: 438-86; 12(2) 192]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 33 JACKES AVE, former City of Toronto by-law 441-86.

(897) Exception R 897

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On the odd numbered addresses of 55 135 BLEECKER ST, former City of Toronto by-laws 657-76, 494-77, 572-77, 678-79, 689-80, 34-82, 154-82, 525-82, and 740-04.
- (C) On the even numbered addresses of 484 508A ONTARIO ST, former City of Toronto by-laws 657-76, 494-77, 572-77, 678-79, 689-80, 34-82, 154-82, 525-82, and 740-04.
- (D) On the even numbered addresses of 550 584 ONTARIO ST, former City of Toronto by-laws 657-76, 494-77, 572-77, 678-79, 689-80, 34-82, 154-82, 525-82, and 740-04.
- (E) On 225 WELLESLEY ST E, former City of Toronto by-laws 657-76, 494-77, 572-77, 678-79, 689-80, 34-82, 154-82, 525-82, and 740-04.

(898) Exception R 898

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot, parking for the permitted uses must be provided on the lot, provided:
 - (i) no parking space is within 6.0 metres of the lot line abutting Shuter Street;
 - (ii) an minimum of 3 parking spaces for every 4 dwelling units are provided.
- (B) For the purposes of this provision, the area that this exception pertains to shall be considered to be one lot. [TO: 438-86; 12(1) 46]
- (C) The minimum parking rate for a **building** containing assisted housing is 0.3 **parking spaces** for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 46 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 66 of former City of Toronto By-law 438-86.
- (C) On 155 SHERBOURNE ST, former City of Toronto by-laws 22956 and 22994.

(899) Exception R 899

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) Section 12(5)(h) of former City of Toronto By-law 438-86.
- (C) On the even numbered addresses of 102 142 DUPONT ST, former City of Toronto by-laws 515-77, 516-77, and 529-82.

(900) Exception R 900

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 140 Madison Avenue in 1983, a **nursing home**, **residential care home**, **retirement home**, or seniors' community house are permitted uses if the **building** or additions to the **building** comply with the other regulations of this By-law. [TO: 438-86; 12 (1) 250]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) On 96 and 96A ADMIRAL RD, former City of Toronto by-law 100-82.
- (C) On the odd numbered addresses of 395 397 BRUNSWICK AVE, the odd numbered addresses of 399 - 403 BRUNSWICK AVE, City of Toronto by-law 397-00.
- (D) On 8 DALTON RD, former City of Toronto by-law 157-69;
- (E) On 81 MADISON AVE, former City of Toronto by-law 622-91.
- (F) On 93 MADISON AVE, former City of Toronto by-law 198-85.
- (G) On 133 MADISON AVE, former City of Toronto by-law 299-84.
- (H) On 187 MADISON AVE, former City of Toronto by-law 10-87.
- (I) On the lands municipally known as 316-318 St. George Street in 1987, Section 12(1) 255 of former City of Toronto By-law 438-86.
- (J) On 169 SPADINA RD, former City of Toronto by-law 11-87.
- (K) On 97 WALMER RD, City of Toronto by-law 1091-05.
- (L) On 99 WALMER RD, former City of Toronto by-law 622-91 and City of Toronto by-law 1091-05.

(901) Exception R 901

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) On 88 SPADINA RD, former City of Toronto by-law 622-91 and City of Toronto by-law 1091-05.

(902) Exception R 902

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) On 206 ST GEORGE ST, former City of Toronto by-law 409-78.
- (C) On 212 ST GEORGE ST, former City of Toronto by-law 302-75.

(903) Exception R 903

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 251 of former City of Toronto By-law 438-86.
- (B) On 43 CHICORA AVE, former City of Toronto by-law 552-78.

(904) Exception R 904

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum **building setback** from a **lot line** abutting Bayview Avenue is 4.87 metres. [TO: 438-86; 12(2) 278]

Prevailing By-laws and Prevailing Sections:

- (A) On 50 CORNWALL ST, former City of Toronto by-laws 234-83 and 457-83.
- (B) On 210 OAK ST, the even numbered addresses of 220 230 OAK ST, former City of Toronto bylaws 22846, 23046 and 783-78.

(905) Exception R 905

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A maximum of three attached **dwelling units** are permitted in a **townhouse building**. [TO: 438-86; 12(2) 142]
- (B) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 13.5 metres for a detached house;
 - (ii) 9.0 metres for each dwelling unit in a semi-detached house;
 - (iii) 13.5 metres for a duplex;
 - (iv) 13.5 metres for a triplex;
 - (v) 30.0 metres for an apartment building; and
 - (vi) a minimum of 27 metres in total for a townhouse building containing 3 dwelling units, of which the minimum lot frontage for the middle dwelling unit is 7.5 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']
- (C) On the lands municipally known as 31 and 33 Oriole Road in 1988, 37 and 37A Gormley Avenue in 1988, 32 and 34 Duggan Avenue in 1981, 30 and 32 Lonsdale Road in 1983, 39 Oriole Road in 1983, and 41 Oriole Road in 1983, the minimum lot frontage for a dwelling unit in a semi-detached house may be less than is required in (B)(ii) above. [TO: 438-86; 12(1) 241]

- (A) Section 12(1) 355 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 262 former City of Toronto of By-law 438-86.
- (C) On the even numbered addresses of 32 34 DUGGAN AVE, former City of Toronto by-law 527-82.
- (D) On the even numbered addresses of 2 4 GORMLEY AVE, the former City of Toronto by-law 574-79.
- (E) On 17 GORMLEY AVE, former City of Toronto by-law 39-77.
- (F) On the odd numbered addresses of 37 37A GORMLEY AVE, former City of Toronto by-law 527-82.
- (G) On the even numbered addresses of 120 150 LAWTON BLVD, the former City of Toronto by-law 574-79.
- (H) On 30 and 32 LONSDALE RD, former City of Toronto by-laws 527-82 and 194-83.
- (I) On the lands municipally known as 65 and 67 Oriole Gardens in 1990, Section 12 (2) 233 of former City of Toronto By-law 438-86.
- (J) On the odd numbered addresses of 31 33 ORIOLE RD, former City of Toronto by-law 527-82.
- (K) On 39 ORIOLE RD, the odd numbered addresses of 41A 41B ORIOLE RD, former City of

Toronto by-laws 527-82 and 464-83.

(906) Exception R 906

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) A maximum of three attached dwelling units are permitted in a townhouse building. [TO: 438-86; 12(2) 142]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On the odd numbered addresses of 111 145 LAWTON BLVD, former City of Toronto by-law 574-79.

(907) Exception R 907

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the minimum rear yard setback of the building is 12.0 metres; and
- (B) a minimum of 7.5 metres of the **rear yard**, as measured from the **rear lot line**, must be used for **soft landscaping**. [TO: 438-86; 12 (2) 16]
- (C) A maximum of three attached dwelling units are permitted in a townhouse building. [TO: 438-86; 12(2) 142]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 10 DELISLE AVE, City of Toronto by-law 104-01.

(908) Exception R 908

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, an apartment building, duplex, triplex, or townhouse is not a permitted building type, unless:
 - (i) the **lot frontage** is greater than 8.5 metres or the **lot** legally existed on January 11, 1988;
 - (ii) the required parking is provided in a garage or area on the lot. [TO: 438-86; 12(2) 192]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 16 SUMMERHILL AVE, former City of Toronto by-laws 167-68, 235-68, and 331-67.

(909) Exception R 909

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 10 AVOCA AVE, former City of Toronto by-law 251-67.
- (C) On 21 PLEASANT BLVD, former City of Toronto by-law 22740.

- (D) On 40 ROSEHILL AVE, former City of Toronto by-law 599-82.
- (E) On 50 ROSEHILL AVE, City of Toronto by-law 589-05.
- (F) On 70 ROSEHILL AVE, former City of Toronto by-laws 645-76, 64-80, and 65-80.

(910) Exception R 910

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 144 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 265 of former City of Toronto By-law 438-86.
- (D) Section 12(2) 326 of former City of Toronto By-law 438-86.
- (E) On 70 SHAFTESBURY AVE, former City of Toronto by-law 395-76.
- (F) On 15 SUMMERHILL AVE, former City of Toronto by-law 286-83.
- (G) On 95 SUMMERHILL AVE, former City of Toronto by-laws 835-80 and 333-81.

(911) Exception R 911

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 325 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 326 of former City of Toronto By-law 438-86.
- (D) On 80 ST CLAIR AVE E, former City of Toronto by-laws 285-67 and 100-68.

(912) Exception R 912

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 25 BROADWAY AVE, City of Toronto by-law 817-07.
- (D) On 88 BROADWAY AVE, City of Toronto by-law 1109-04.
- (E) On 107 BROADWAY AVE, former City of Toronto by-law 165-69.
- (F) On 15 ERSKINE AVE, former City of Toronto by-law 195-67.
- (G) On or between the odd numbered addresses of 133 141 ERSKINE AVE, the odd numbered addresses of 165 171 ERSKINE AVE, former City of Toronto by-law 20904.
- (H) On the even numbered addresses of 140 144 REDPATH AVE, City of Toronto by-law 49-02.
- (I) On 177 REDPATH AVE, former City of Toronto by-law 165-69.
- (J) On 188 REDPATH AVE, City of Toronto by-law 360-98.
- (K) On 241 REDPATH AVE, former City of Toronto by-law 20904.

- (L) On 70 Roehampton Avenue, City of Toronto by-law 817-2007.
- (M) On the even numbered addresses of 150 152 Roehampton Avenue, City of Toronto by-laws 732-2005, and 6-2006(OMB).
- (N) On 200 ROEHAMPTON AVE, former City of Toronto by-law 165-69.

(913) Exception R 913

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The minimum **lot frontage** for a **lot** containing a **detached house** is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 22 BALLIOL ST, former City of Toronto by-laws 113-70 and 798-85.
- (D) On 185 BALLIOL ST, former City of Toronto by-law 365-67.
- (E) On 200 BALLIOL ST, City of Toronto by-law 805-04.
- (F) On 33 DAVISVILLE AVE, former City of Toronto by-laws 22535 and 113-70.
- (G) On or between the odd numbered addresses of 87 107 DAVISVILLE AVE, former City of Toronto by-law 22535.
- (H) On 141 DAVISVILLE AVE, former City of Toronto by-law 365-67.
- On or between the odd numbered addresses of 223 225 DAVISVILLE AVE, former City of Toronto by-law 22535.

(914) Exception R 914

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The minimum **lot frontage** for a **lot** containing a **detached house** is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 18 BROWNLOW AVE, City of Toronto by-laws 22036 and 1280-07, and City of Toronto by-law 267-08.
- (D) On 55 BROWNLOW AVE, former City of Toronto by-law 22034.
- (E) On 45 DUNFIELD AVE, former City of Toronto by-laws 22418 and City of Toronto by-law 546-02.
- (F) On 77 DUNFIELD AVE, City of Toronto by-law 546-02.
- (G) On 11 LILLIAN ST, former City of Toronto by-law 201-80.
- (H) On these lands municipally known as the odd numbered addresses of 66 72 Redpath Avenue, City of Toronto by-law 714-2005.
- (I) On 158 SOUDAN AVE, former City of Toronto by-law 162-75.

(915) Exception R 915

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On or between the odd numbered addresses of 195 221 DAVISVILLE AVE, and on or between the odd numbered addresses of 77 - 85 and 109 to 111 DAVISVILLE AVE, former City of Toronto by-law 22535.

(916) Exception R 916

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 88 ERSKINE AVE, former City of Toronto by-laws 362-67, 400-67, and 483-79.
- (D) On 160 ERSKINE AVE, former City of Toronto by-laws 362-67, 400-67, and 483-79.

(917) Exception R 917

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The minimum **lot frontage** for a **lot** containing a **detached house** is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 45 BALLIOL ST and 155 BALLIOL ST, former City of Toronto by-law 22120.

(918) Exception R 918

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 345 MERTON ST, former City of Toronto by-law 22269.

(919) Exception R 919

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193] (B) The minimum **lot frontage** for a **lot** containing a **detached house** is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On or between the odd numbered addresses of 221 265 BALLIOL ST, former City of Toronto bylaw 22290.

(920) Exception R 920

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On or between the even numbered addresses of 108 128 BALLIOL ST, 200 BALLIOL ST, the even numbered addresses of 216 240 BALLIOL ST, former City of Toronto by-law 22535.

(921) Exception R 921

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 88 REDPATH AVE, City of Toronto by-law 833-02.
- (D) On the lands municipally known as 88 Redpath Avenue in 1988, Section 12(2) 37 of former City of Toronto By-law 438-86.
- (E) On the lands municipally known as 88 Redpath Avenue in 1988, Section 12(2) 38 of former City of Toronto By-law 438-86.
- (F) On 108 REDPATH AVE, former City of Toronto by-laws 325-69 and 94-0312.

(922) Exception R 922

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 326 of former City of Toronto By-law 438-86.
- (C) On 45A ALVIN AVE, the odd numbered addresses of 35 51 HEATH ST E, the even numbered addresses of 38 - 64 HEATH ST E, the even numbered addresses of 66 - 70 HEATH ST E, former City of Toronto by-law 670-80.
- (D) On 57 ALVIN AVE, former City of Toronto by-law 44-86.
- (E) On 12 GLEN ELM AVE, City of Toronto by-law 394-06.
- (F) On 30 GLEN ELM AVE, former City of Toronto by-law 623-76.

(924) Exception R 924

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 269 of former City of Toronto By-law 438-86.
- (D) On 7 BROADWAY AVE, 2345 YONGE ST, former City of Toronto by-law 709-86.

(926) Exception R 926

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, no window of a **building** facing Pleasant Boulevard shall display goods or advertising. [TO: 438-86; 12 (2) 30]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 267 of former City of Toronto By-law 438-86.
- (C) On 40 PLEASANT BLVD, former City of Toronto by-laws 21699, 21670 and 89-68.

(927) Exception R 927

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 303 of former City of Toronto By-law 438-86.
- (B) On the even numbered addresses of 170 198 BRANDON AVE, the odd numbered addresses of 1111 -1193 LANSDOWNE AVE, 1195 LANSDOWNE AVE, the odd numbered addresses of 1197 -1201 LANSDOWNE AVE, the even numbered addresses of 808 - 920 ST CLARENS AVE, former City of Toronto by-law 96-0276.

(928) Exception R 928

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions (None Apply)

- (A) Section 12(2) 303 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 313 of former City of Toronto By-law 438-86.
- (C) On or between the odd numbered addresses of 9 47 ACORES AVE, City of Toronto by-laws 97-0229 and 747-98.
- (D) On or between the even numbered addresses of 22 48 ACORES AVE, City of Toronto by-laws 97-0229 and 747-98.
- (E) On the odd numbered addresses of 1 39 MINHO BLVD, City of Toronto by-laws 97-0229 and 747-98.
- (F) On the odd numbered addresses of 1095 -1111 OSSINGTON AVE, City of Toronto by-laws 97-0229 and 747-98.

(G) On the even numbered addresses of 1152 -1204 SHAW ST, City of Toronto by-laws 97-0229 and 747-98.

(929) Exception R 929

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 5 Austin Terrace in 1983, a day nursery, a library, a private school, a retirement home, a religious residence, an office, a nursing home, hospice care home, or a residential care home are permitted uses if:
 - (i) they are located in the **building** that existed on the **lot** on July 11, 1983;
 - (ii) there is no increase in floor area of the **building** that existed on the **lot** on July 11, 1983;
 - (iii) all other regulations of this By-law are complied with. [TO: 438-86; 12 (1) 261]
- (B) A **dwelling unit** is only permitted in a **detached house** or a **duplex**; and for a **duplex**, the following also applies:
 - (i) a duplex may be attached to one other duplex on an adjacent lot in the same zone; and
 - (ii) the minimum **side yard setback** for a **duplex** or for the exterior of two attached **duplex residential buildings** is 3.0 metres. [TO: 438-86; 6(1)(f)(a)(i)] and [TO:438-86; 6(3) PART II 3. D.] and [TO: 438-86; 12 (2) 50]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 50 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 323 of former City of Toronto By-law 438-86.
- (C) On 121 EAST LIBERTY ST, the even numbered addresses of 128 132 EAST LIBERTY ST, 132R EAST LIBERTY ST, 45 EAST LIBERTY ST, the even numbered addresses of 90 - 120 LYNDHURST AVE, the even numbered addresses of 14 - 20 STRACHAN AVE, City of Toronto by-law 566-00.
- (D) On 20R CONNABLE DR, 22 CONNABLE DR, the even numbered addresses of 6 20 CONNABLE DR, the odd numbered addresses of 153 169 LYNDHURST AVE, 169R LYNDHURST AVE, former City of Toronto by-laws 365-75, 416-75, and 489-75.
- (E) On or between the odd numbered addresses of 183 187 LYNDHURST AVE, former City of Toronto by-law 295-79.

(930) Exception R 930

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The minimum **lot frontage** for a **lot** containing a **detached house** is 7.5 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 63 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 119 of former City of Toronto By-law 438-86
- (D) On the odd numbered addresses of 61 65 PETMAN AVE, former City of Toronto by-law 354-73.
- (E) On 36 WHITEWOOD RD, City of Toronto by-laws 545-2004 and 134-2005.

(931) Exception R 931

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On lands municipally known as 84 Davisville Avenue in 1984, a **retirement home** maintained by the Salvation Army is a permitted use, if:
 - (i) the **building setback** from the **lot line** that abuts Millwood Road is a minimum of 30.0 metres; and
 - (ii) no driveway to the lot is provided by way of Millwood Road. [TO: 438-86; 12(1) 40]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (C) The minimum **lot frontage** for a **lot** containing a **detached house** is 9.0 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

- (A) Section 12(2) 63 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (D) On 21 HILLSDALE AVE E, former City of Toronto by-law 809-84.
- (E) On 32 HILLSDALE AVE E, former City of Toronto by-law 518-83.
- (F) On the even numbered addresses of 12 16 MANOR RD E, former City of Toronto by-law 809-84.
- (G) On 168 MANOR RD E, former City of Toronto by-law 165-75.
- (H) On 170 MANOR RD E, City of Toronto by-law 543-04.

(933) Exception R 933

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is not a permitted building type. [TO: 438-86; 12 (2) 8]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) On or between the even numbered addresses of 20 74 BOWOOD AVE, the odd numbered addresses of 21 - 87 BOWOOD AVE, former City of Toronto by-law 136-77.
- (B) On 248 RANLEIGH AVE, former City of Toronto by-law 603-86.
- (C) On or between the odd numbered addresses of 207 217 ROSLIN AVE, City of Toronto by-law 106-01.

(934) Exception R 934

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) An apartment building is not a permitted building type. [TO: 438-86; 12 (2) 8]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 107 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 269 of former City of Toronto By-law 438-86.

(935) Exception R 935

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(B) On 54 FOXBAR RD, former City of Toronto by-law 121-82.

(937) Exception R 937

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(938) Exception R 938

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(7).
- (B) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

(A) On 61 MAIN ST, former City of Toronto by-law 455-85.

(940) Exception R 940

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum building length is 14.0 metres. [TO: 438-86; 12(2) 112]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(941) Exception R 941

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 890 MOUNT PLEASANT RD, former City of Toronto by-laws 22719, 22804, 803-78, and 429-80.
- (D) On 808 MOUNT PLEASANT RD, former City of Toronto by-law 389-83.
- (E) On 900 MOUNT PLEASANT RD, City of Toronto by-law 920-03.

(942) Exception R 942

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]
- (D) The minimum **lot frontage** for a **lot** containing a **detached house** is 7.5 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On or between the odd numbered addresses of 106 108 BANFF RD and the even numbered addresses of 500 518 EGLINTON AVE E, former City of Toronto by-law 200-80.
- (D) On or between the odd numbered addresses of 12 BRUCE PARK AVE, the even numbered addresses of 538 550 EGLINTON AVE E, 1 WALDER AVE, former City of Toronto by-law 326-80.
- (E) On 398 EGLINTON AVE E, former City of Toronto by-law 94-0183.

(943) Exception R 943

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]
- (D) The minimum **lot frontage** for a **lot** containing a **detached house** is 7.5 metres. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 595 EGLINTON AVE E, former City of Toronto by-law 96-0145.

(944) Exception R 944

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(7).
- (C) An office is a permitted use. [TO: 438-86; 6(1)(f)(b)(iv)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 263 of former City of Toronto By-law 438-86.
- (C) On 29 PLEASANT BLVD, former City of Toronto by-law 208-72.

(946) Exception R 946

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]

- (B) On the lands, an office of a physician or dentist is a permitted use, subject to the conditions that:
 - (i) it is located in the **basement** or on the **first floor** of a detached dwelling which such physician or dentist uses as their private residence; and
 - (ii) the principal entrance is from Bathurst Street. [TO: 438-86; 12(2) 274]
- (C) The lands must comply with exception 900.2.10(5).
- (D) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 12.0 metres for a detached house;
 - (ii) 7.5 metres for each dwelling unit in a semi-detached house; and
 - (iii) 15.0 metres for a **duplex**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

- (A) Section 12(1) 365 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 1733-1735 Bathurst Street in 1988, Section 12(1) 325 of former City of Toronto By-law 438-86.

(947) Exception R 947

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) On the lands, an office of a physician or dentist is a permitted use, subject to the conditions that:
 - (i) it is located in the **basement** or on the **first floor** of a detached dwelling which such physician or dentist uses as their private residence; and
 - (ii) the principal entrance is from Bathurst Street. [TO: 438-86; 12(2) 274]
- (C) The lands must comply with exception 900.2.10(5).

Prevailing By-laws and Prevailing Sections:

(948) Exception R 948

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On or between the odd numbered addresses of 573 607 ROEHAMPTON AVE, former City of Toronto by-law 154-74.

(949) Exception R 949

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The maximum building length is 14.0 metres. [TO: 438-86; 12(2) 112]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three **dwelling units** are permitted in a **townhouse**. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on October 11, 1977. [TO: 438-86; 12(1)68 (d) (i)]

- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **triplex**, **fourplex** or **apartment building** built after October 11, 1977 is permitted if the same **building** type existed on the **lot** on October 11, 1977. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a **detached house** may be converted to contain two or more **secondary suites** in compliance with Section 150.10 if the **building** has a minimum **interior floor area** of 140 square metres. [TO: 438-86; 12(1)68 (c)]

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On the lands municipally known as 85 Craighurst Avenue in 1978, Section 12(1) 68(e).
- (D) On the lands municipally known as 31 St. Clements Avenue in 1998, Section 12(1) 442 of former City of Toronto By-law 438-86.
- (E) On the lands municipally known as 575-583 Duplex Avenue in 2004, Section 12(2) 337 of former City of Toronto By-law 438-86.
- (F) On the even numbered addresses of 42 44 ROSELAWN AVE, former City of Toronto by-law 615-
- (G) On 168 ROSEWELL AVE, former City of Toronto by-law 636-77.

(951) Exception R 951

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum building length is 14.0 metres. [TO: 438-86; 12(2) 112]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three **dwelling units** are permitted in a **townhouse**. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a lot for dwelling units in a triplex, fourplex or apartment building is permitted if the lot was used for such purpose on October 11, 1977. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **triplex**, **fourplex** or **apartment building** built after October 11, 1977 is permitted if the same **building** type existed on the **lot** on October 11, 1977. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a **detached house** may be converted to contain two or more **secondary suites** in compliance with Section 150.10 if the **building** has a minimum **interior floor area** of 140 square metres. [TO: 438-86; 12(1)68 (c)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 218 ROSELAWN AVE, former City of Toronto by-law 689-78.
- (D) On 224 ROSELAWN AVE, former City of Toronto by-law 457-81.

(952) Exception R 952

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 12.0 metres for a detached house;
 - (ii) 9.0 metres for each dwelling unit in a semi-detached house; and
 - (iii) 12.0 metres for a duplex. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 326 of former City of Toronto By-law 438-86.

(953) Exception R 953

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 12.0 metres for a detached house;
 - (ii) 9.0 metres for each dwelling unit in a semi-detached house; and
 - (iii) 12.0 metres for a **duplex**. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(954) Exception R 954

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three **dwelling units** are permitted in a **townhouse**. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on March 13, 1978. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** built after March 13, 1978 is permitted if the same **building** type existed on the **lot** on March 13, 1978. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a **detached house** may be converted to contain two or more **secondary suites** in compliance with Section 150.10 if the **building** has a minimum **interior floor area** of 140 square metres. [TO: 438-86; 12(1)68 (c)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 88 KEEWATIN AVE and 1015R MOUNT PLEASANT RD, former City of Toronto by-laws 598-78, 728-78 and 326-80.
- (D) On the even numbered addresses of 260 416 KEEWATIN AVE, former City of Toronto by-laws 375-78 and 716-78.
- (E) On 13 SHERWOOD LANE, former City of Toronto by-laws 728-78 and 326-80.

(955) Exception R 955

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).

- (C) Despite (B), a maximum of three dwelling units are permitted in a townhouse. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on March 13, 1978. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** built after March 13, 1978 is permitted if the same **building** type existed on the **lot** on March 13, 1978. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a **detached house** may be converted to contain two or more **secondary suites** in compliance with Section 150.10 if the **building** has a minimum **interior floor area** of 140 square metres. [TO: 438-86; 12(1)68 (c)]

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On 7 GLAZEBROOK AVE, the odd numbered addresses of 7 29 GLENAVY AVE, the even numbered addresses of 8 - 28 GLENAVY AVE, the even numbered addresses of 572 - 590 ROEHAMPTON AVE, the even numbered addresses of 2 - 28 ROWLEY AVE, the odd numbered addresses of 9 - 27 ROWLEY AVE, former City of Toronto by-laws 149-78 and 326-80.

(956) Exception R 956

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three dwelling units are permitted in a townhouse. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on March 13, 1978. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** built after March 13, 1978 is permitted if the same **building** type existed on the **lot** on March 13, 1978. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a detached house may be converted to contain two or more secondary suites in compliance with Section 150.10 if the building has a minimum interior floor area of 140 square metres. [TO: 438-86; 12(1)68 (c)]

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On the even numbered addresses of 16 26 BRUCE PARK AVE, the odd numbered addresses of 565 - 571 ROEHAMPTON AVE, the odd numbered addresses of 3 - 45 WALDER AVE, former City of Toronto by-laws 149-78 and 326-80.
- (D) On or between the odd numbered addresses of 109 137 BANFF RD, the even numbered addresses of 110 138 BANFF RD, former City of Toronto by-law 200-80.
- (E) On the odd numbered addresses of 147 159 BANFF RD, the odd numbered addresses of 449 467 ROEHAMPTON AVE, former City of Toronto by-law 99-73.
- (F) On or between the odd numbered addresses of 147 159 BANFF RD, former City of Toronto bylaw 154-74.
- (G) On the odd numbered addresses of 147 159 BANFF RD, the odd numbered addresses of 29 43 CARDIFF RD, former City of Toronto by-law 637-77.
- (H) On 240 BROADWAY AVE, the even numbered addresses of 244 246 BROADWAY AVE, former City of Toronto by-law 671-79.

(957) Exception R 957

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(5).
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (D) On or between the even numbered addresses of 128 134 HEATH ST E, former City of Toronto by-law 203-80.
- (E) On or between the even numbered addresses of 2 36 CORNISH RD, the odd numbered addresses of 9 29 CORNISH RD, former City of Toronto by-law 576-79.

(958) Exception R 958

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) Despite (B), a maximum of three **dwelling units** are permitted in a **townhouse**. [TO: 438-86; 12(1)68 (a)]
- (D) Despite (B) and (C), the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** is permitted if the **lot** was used for such purpose on March 13, 1978. [TO: 438-86; 12(1)68 (d) (i)]
- (E) Despite (B) and (C) the use of a **lot** for **dwelling units** in a **townhouse**, **triplex**, **fourplex** or **apartment building** built after March 13, 1978 is permitted if the same **building** type existed on the **lot** on March 13, 1978. [TO: 438-86; 12(1)68 (d) (ii)]
- (F) Despite regulation 150.10.40.40(2)(A), a **detached house** may be converted to contain two or more **secondary suites** in compliance with Section 150.10 if the **building** has a minimum **interior floor area** of 140 square metres. [TO: 438-86; 12(1)68 (c)]

Prevailing By-laws and Prevailing Sections:

- (B) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (A) On or between the odd numbered addresses of 251 359 KEEWATIN AVE, the odd numbered addresses of 367 411 KEEWATIN AVE, former City of Toronto by-laws 375-78 and 716-78.
- (D) On the odd numbered addresses of 361 365A KEEWATIN AVE, former City of Toronto by-laws 435-75, 375-78 and 716-78.

(960) Exception R 960

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) A dwelling unit is only permitted in a detached house, a semi-detached house, or a duplex; and for a duplex, the following also applies:
 - (i) a duplex may be attached to one other duplex on an adjacent lot in the same zone; and
 - (ii) the exterior side yard setback for a duplex or for two attached duplex residential

buildings is 3 metres.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 107 of former City of Toronto By-law 438-86.

(961) Exception R 961

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 319 of former City of Toronto By-law 438-86.

(962) Exception R 962

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) City of Toronto by-law 716-01.

(963) Exception R 963

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 434 of former City of Toronto By-law 438-86.

(964) Exception R 964

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 514 JARVIS ST, former City of Toronto by-law 264-89.

(965) Exception R 965

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.2.10(4).
- (B) The minimum front yard setback is 6.0 metres.

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 100 WELLESLEY ST E, former City of Toronto by-law 378-67.

(966) Exception R 966

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands known as 35 Jackes Avenue in a **building** that existed on the **lot** on May 5, 1986, office is a permitted use, if it is an office associated with The Frontier College. [TO: 438-86; 12 (1) 43]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 35 JACKES AVE, former City of Toronto by-law 441-86.

(967) Exception R 967

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands known as 7 and 9 Jackes Avenue in a **building** that existed on the **lot** on May 27, 1963, office is a permitted use, if:
 - (i) it is a medical office,
 - (ii) an office of a professional person,
 - (iii) an office of a non-profit organization, or
 - (iv) a business administration office. [TO:438-86; 12(1) 43]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 7 JACKES AVE, former City of Toronto by-laws 331-67, 167-68, 235-68, 164-75, and 380-75.

(968) Exception R 968

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands known as 44 Jackes Avenue in a **building** that existed on the **lot** on May 27, 1963, office is a permitted use, if:
 - (i) it is a medical office,
 - (ii) an office of a professional person,
 - (iii) an office of a non-profit organization, or
 - (iv) a business administration office. [TO:438-86; 12(1) 43]
- (B) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 44 JACKES AVE, former City of Toronto by-law 22195.

(969) Exception R 969

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) On 155 WELLESLEY ST E, former City of Toronto by-law 22751.

(970) Exception R 970

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86.
- (B) 405 SHERBOURNE ST, former City of Toronto by-laws 657-76, 494-77, 572-77, 678-79, 689-80, 34-82, 525-82, and 740-04.
- (C) 437 SHERBOURNE ST, former City of Toronto by-law 450-90.

(974) Exception R 974

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

- (A) On 95 WELLESLEY ST E, 111 WELLESLEY ST E, former City of Toronto by-law 525-88.
- (B) On 440 JARVIS ST, former City of Toronto by-law 55-88.
- (C) On 460 JARVIS ST, former City of Toronto by-law 525-88.

(975) Exception R 975

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections

- (A) Section 12(2) 260 of former City of Toronto By-law 438-86.
- (B) On 28 LINDEN ST, former City of Toronto by-law 436-77 and City of Toronto by-law 986-2007.
- (C) On the lands municipally known as 540 and 583 Sherbourne Street, Section 12(2) 209 of former City of Toronto By-law 438-86.
- (D) On 540 SHERBOURNE ST, former City of Toronto by-law 532-85.
- (E) On 555 SHERBOURNE ST, former City of Toronto by-laws 258-71, 693-80, 258-85, 94-0612, and 94-0727 and City of Toronto by-law 1044-06.
- (F) On 582 Sherbourne Street, City of Toronto by-law 986-2007.
- (G) On 583 SHERBOURNE ST, former City of Toronto by-laws 547-85 and 94-0727.
- (H) On 592 SHERBOURNE ST, former City of Toronto by-law 207-90.

(976) Exception R 976

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 70 of former City of Toronto By-law 438-86.
- (B) On 124 Spencer Avenue, City of Toronto by-law 977-2009.

(977) Exception R 977

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) The lands must comply with exception 900.2.10(5).
- (C) The minimum lot frontage for a lot containing one of the following residential building types is:
 - (i) 12.0 metres for a detached house;
 - (ii) 9.0 metres for each dwelling unit in a semi-detached house; and
 - (iii) 12.0 metres for a duplex. [TO: 438-86; 6(3), Part VII, 1.(i) and Appendix 'B']

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 107 ROSE PARK DR, former City of Toronto by-law 584-86.

(980) Exception R 980

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 250 Lawrence Avenue West in 1988, a medical office is a permitted use, if:
 - (i) the **building lot coverage** does not exceed 50%;
 - (ii) the **building** floor space index does not exceed 1.5;
 - (iii) the building height does not exceed 10.7 metres;
 - (iv) the building setback from the front lot line is not less than 9.1 metres;
 - (v) the **building setback** from the **rear yard lot line** is not less than 7.5 metres;
 - (vi) the **building setback** from the west **side lot line** is not less than 7.5 metres;
 - (vii) the building setback from the east side lot line is not less than 6.4 metres;
 - (viii) parking is provided on the lot at a minimum rate of 1 parking space for every 46 square metres of interior floor area; and
 - (ix) no **vehicle** access to or from the parking area is by way of Glengarry Avenue. [TO:438-86; 12(1) 20]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 53 of former City of Toronto By-law 438-86.

(982) Exception R 982

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 15, 25, 45, 47 and 51 Brunswick Avenue and 10, 12, 14, 20, 22, 24 and 38 Major Street, a hospital is a permitted use in a building or structure that existed on the lot on May 1, 1979, if:
 - (i) the gross floor area of the hospital does not exceed the gross floor area of the building that existed on the lot on March 31, 1979;
 - (ii) the height of the **building** constructed after March 31, 1979 does not exceed 18.0 metres;
 - (iii) the amount of landscaping that existed on the lot on March 31, 1979 is not reduced; and
 - (iv) the building setbacks are not less than that required for residential buildings in an R zone. [TO: 438-86; 12 (1) 94]

Prevailing By-laws and Prevailing Sections: (None Apply)

(983) Exception R 983

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands municipally known as 495 Sherbourne Street in 1979, public parking is a permitted use, if the use is operated either by or on behalf of the owners of the lands municipally known in 1979 as 331 and 349 Sherbourne Street. [TO: 438-86; 12 (1) 97]

Prevailing By-laws and Prevailing Sections: (None Apply)

(984) Exception R 984

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(4).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 66 of former City of Toronto By-law 438-86.

(985) Exception R 985

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 251 of former City of Toronto By-law 438-86.

(986) Exception R 986

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the building lot coverage does not exceed 50%;
 - (iii) the **building setback** to the **side lot lines** is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 70 of former City of Toronto By-law 438-86.

(987) Exception R 987

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) An apartment building is a permitted building type, if:
 - (i) the floor space index does not exceed 3.5; [TO: 438-86; 12(1) 24]
 - (ii) the building lot coverage does not exceed 50%;
 - (iii) the **building setback** to the **side lot lines** is no less than 3.0 metres;
 - (iv) the building setback to the front lot line is no less than 6.0 metres; and
 - (v) parking for an **apartment building** must be provided at a minimum rate of 1 **parking space** for each two **dwelling units**. [TO: 438-86; 12(1) 25]
- (B) The lands must comply with exception 900.2.10(7).

(A) Section 12(2) 70 of former City of Toronto By-law 438-86.

(988) Exception R 988

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 70 of former City of Toronto By-law 438-86.

(989) Exception R 989

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 206 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 215 of former City of Toronto By-law 438-86.

(990) Exception R 990

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 206 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 215 of former City of Toronto By-law 438-86.

(991) Exception R 991

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 70 of former City of Toronto By-law 438-86.

(993) Exception R 993

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands must comply with exception 900.2.10(7).

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 434 of former City of Toronto By-law 438-86;
- (B) Section 12(2) 260 of former City of Toronto By-law 438-86;
- (C) On the lands bounded by Wood Street, Alexander Street, Yonge Street, and Church Street, Section 12(1) 9 of former City of Toronto By-law 438-86.

(994) Exception R 994

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193] (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 107 of former City of Toronto By-law 438-86.
- (B) City of Toronto by-law 375-2010(OMB).

900.3 RD - Zone

900.3.1 General

(1) RD Zone Exceptions

The regulations located in Article 900.3.10 apply only to the exceptions subject to the RD zone and identified with the corresponding exception number.

900.3.10 Exceptions for RD Zone

(1) Exception RD 1

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is 9.0 metres or 13.5 metres for lots with flankage on streets with a 23 metre right-of-way or greater.
- (B) the minimum lot area is 290 square metres.
- (C) the minimum front yard setback is 6.5 metres.
- (D) the minimum **side yard setback** is 0.9 metres and 3 metres for **side yards** where the **lot line** flanks a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(2) Exception RD 2

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot area is 330 square metres.
- (B) the minimum **lot frontage** is the frontage of the **lot** that legally existed on the day of the enactment of this By-law.
- (C) the minimum rear yard setback is:
 - (i) 6.0 metres for the following lots:
 - (a) Registered plan 8673 Block "E". Lots 68, 69,79,98,99,106,107
 - (b) Registered plan 8673 Block "J". Lots 44, 47,49,59,85
 - (c) Registered plan 8673 Block "F". Lot 22; and
 - (ii) 3.0 metres for the following lots:
 - (a) Registered plan 8673 Block "E". Lot 81
 - (b) Registered plan 8673 Block "J". Lots 7, 22.
- (D) front yard parking is permitted.
- (E) attached garages may be erected no closer than 0.45 metres to a **side lot line** if the roof overhang is not closer than 0.3 metres to the side **lot**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(3) Exception RD 3

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) The minimum lot frontage is 13.7 metres.
- (B) The minimum lot area is 460 square metres.
- (C) The maximum lot coverage is 35%.
- (D) The minimum front yard setback is 7.5 metres.
- (E) The minimum rear yard setback is 9.0 metres.
- (F) The minimum side yard setback is 0.9 metres and 3.5 metres for side yards abutting a street.
- (G) The minimum side yard setback for yards abutting Kipling Avenue is 7.5 metres.
- (H) The maximum **building** height is 11.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(4) Exception RD 4

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) The minimum front yard setback is 5.25 metres; and
- (B) the minimum **building setback** from the T.R.C.A top-of-bank line is 10.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(5) Exception RD 5

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) Despite 10.20.40.70 (3), the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(6) Exception RD 6

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-laws 1978-66 and 4123.

(7) Exception RD 7

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2586 Lakeshore Boulevard West, former City of Etobicoke by-law 4091.

(8) Exception RD 8

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 11 Irwin Road, former City of Etobicoke by-law 9010.

(9) Exception RD 9

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the maximum lot coverage, excluding a garage, is 25%; and
 - (i) the maximum **lot coverage**, excluding a garage, if the **lot area** is 510 square metres or less is 28%
- (B) the maximum gross floor area of a garage attached to a residential building is 38 square metres.
- (C) the maximum floor space index of a detached house is 0.30; and
 - (i) the maximum floor space index of a **detached house**, if the **lot area** is 510 square metres or less, is 0.33.
- (D) the minimum **side yard setback** is 1.2 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 3.0 metres; and
 - (i) the minimum **side yard setback**, if the **lot frontage** is 15.2 metres or less, is 1.0 metre and the minimum aggregate **side yard setbacks** of both **side yards** is 2.4 metres; and
 - (ii) the minimum side yard setback for any addition to a detached house existing on the date of the enactment of this By-law is the lesser of either the side yard setback existing on the date of the enactment of this By-law or the minimum requirements of this exception.
- (E) the maximum floor space index of the **building** on the **lot** known as 19 Barker Avenue is 0.33; and
 - (i) the maximum floor space index of the **building** on the **lot** known as 37 Gibson Avenue is 0.34.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(10) Exception RD 10

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) The minimum front yard setback for lots with a lot depth of less than 30.0 metres is 3.0 metres.
- (B) The minimum front yard setback for lots with a lot depth of 30.0 metres or more is 4.5 metres.
- (C) The minimum **rear yard setback** is 7.5 metres, except for **lots** where the **rear lot lines** abut Martin Grove Road, the minimum **rear yard setback** is 9.0 metres.
- (D) The minimum side yard setback is 0.3 metres on one side, provided the minimum aggregate side yard setbacks for both side yards is 1.2 metres.
- (E) The minimum distance between adjacent **buildings** is 1.2 metres.
- (F) The minimum side yard setback for a building on a lot that flanks on a street is 3.0 metres.
- (G) On lots with one or more side yard setbacks less than 0.9 metres and abutting one or more side yards or rear yards, there must be one or more maintenance easements of 0.9 metres abutting the minimum side yard setback, and the maintenance easements must not be obstructed.
- (H) On lots where the rear lot line abuts Martin Grove Road, the maximum height of a fence on or within 1.2 metres of the rear lot line is 1.2 metres.
- (I) The maximum **building** height is 10.5 metres.
- (J) The maximum lot coverage is 45%.
- (K) A private garage must be set back a minimum of 4.5 metres from the front lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(11) Exception RD 11

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

(A) former City of Etobicoke by-law 1981-257.

(12) Exception RD 12

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum front yard setback is 4.5 metres;
- (B) the minimum rear yard setback is 7.5 metres, except for lots where the rear lot lines abut Martin Grove Road or Steeles Avenue, the minimum rear yard setback is 10.5 metres;
- (C) the minimum side yard setback is 0.6 metres;
- (D) the minimum side yard setback for a building on a lot that abuts a street is 3.0 metres;
- (E) on lots with one or more side yard setbacks less than 1.2 metres and abutting one or more side yards or rear yards, there must be one or more maintenance easements of 0.6 metres abutting the minimum side yard setback, and the maintenance easements must not be obstructed;
- (F) no fence is permitted within any side yard that abuts one or more side yards or rear yards, and no fence is permitted to obstruct any maintenance easement within any rear yard that abuts a side yard;
- (G) the maximum height of a fence within 1.2 metres of a rear lot line is 2.4 metres, and the maximum height of a fence in a front yard or a side yard abutting a street is 1.2 metres, and no fence or similar structure shall obstruct any maintenance easement;
- (H) the maximum **building** height is 10.5 metres;
- (I) maximum lot coverage is 40%; and
- (J) a garage must be set back a minimum of 6.0 metres from a **street** line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(13) Exception RD 13

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 2.1 metres;
- (B) the minimum rear yard setback is 7.5 metres, except for lots where the rear lot lines abut Kipling Avenue or Steeles Avenue, the minimum rear yard setback is 10.5 metres;
- (C) the minimum **side yard setback** is 0.6 metres;
- (D) the minimum side yard setback for a building on a lot that flanks on a street is 2.1 metres;
- (E) on lots with one or more side yard setbacks less than 1.2 metres and abutting one or more side yards or rear yards, there must be one or more maintenance easements of 0.6 metres abutting the minimum side yard setback, and the maintenance easements must not be obstructed;
- (F) no fence is permitted within any side yard that abuts one or more side yards or rear yards, and no fence is permitted to obstruct any maintenance easement within any rear yard that abuts a side yard;
- (G) the maximum height of a fence within 1.2 metres of a rear lot line is 2.4 metres, and the maximum height of a fence in a front yard or a side yard abutting a street is 1.2 metres, and no fence or similar structure shall obstruct any maintenance easement;
- (H) the maximum building height is 3 storeys; and
- (I) a private garage or any other **ancillary building** must be set back a minimum of 4.5 metres from a **street** line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(14) Exception RD 14

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot depth of any new lot created after the date of the enactment of this By-law is the average of the lot depths of the lots existing on either side of the new lot. Prevailing By-laws and Prevailing Sections: (None Apply)

(15) Exception RD 15

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 109 Delroy Drive, former City of Etobicoke by-law 1981-51.

(16) Exception RD 16

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 686-2005.

(17) Exception RD 17

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 851 Royal York Road, former City of Etobicoke by-law 10,616.

(18) Exception RD 18

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum height of a **detached house** with a peak roof is 8.5 metres;
- (B) the maximum height of a **main wall** of a **detached house** is 6.0 metres above **established grade** for either,
 - (i) all front and rear main walls, or
 - (ii) all side main walls;
- (C) the maximum height of a **detached house** with a flat roof is 6.0 metres;
- (D) despite 10.20.40.30 (1), the maximum **building depth** permitted by that regulation includes the one **storey** extension permitted by 10.20.40.20 (2);
- (E) the maximum **gross floor area** on a **lot** is 185 square metres, up to a maximum floor space index of 0.45, including,
 - (i) the floor area of an attached or detached garage, and
 - (ii) void areas in the building, and
 - (iii) for the purpose of calculating a void area as part of the calculation of the maximum **gross floor area** in this Regulation:
 - (a) a void area is any part of a **building** above the **basement** level where the floor to ceiling height is 4.6 metres or greater;
 - (b) the floor area of a void area is doubled;
 - (c) a maximum void area of 4% of the **gross floor area** of a **building** may be excluded from the calculation of the maximum **gross floor area** permitted in a **building**;
- (F) the minimum side yard setback of a detached house that is 2 or more storeys on a lot with a lot frontage,
 - (i) less than 15.3 metres is 0.9 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 2.1 metres,
 - (ii) of 15.3 metres to 18.0 metres is 1.2 metres and the minimum aggregate side yard setbacks of both side yards is 20% of the lot frontage,

- (iii) greater than 18.0 metres is 1.2 metres and the minimum side yard setback of each side yard is increased by an additional 0.3 metres for every 3.0 metres greater than 18.0 metres to a maximum side yard setback of 3.0 metres for each side yard, and the minimum aggregate side yard setbacks of both side yards is 20% of the lot frontage;
- (G) a garage with parking spaces for 3 or more vehicles is permitted only on a lot with a lot frontage greater than 27.0 metres; and
- (H) on a **lot** with a **lot frontage** of less than 12.0 metres, the maximum combined width of all vehicular entrances through the **front wall** of a **building** is 3.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(19) Exception RD 19

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 738 Royal York Road, former City of Etobicoke by-law 1985-158.

(20) Exception RD 20

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-law 15,166.

(21) Exception RD 21

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum height of a **detached house** with a flat roof is 6.5 metres;
- (B) despite 10.20.40.30 (1), the maximum **building depth** permitted by that regulation includes the one **storey** extension permitted by 10.20.40.20 (2);
- (C) the maximum gross floor area on a lot is 135 square metres plus 25% of the lot area, up to a maximum floor space index of 0.5, including,
 - (i) the floor area of an attached or detached garage, and
 - (ii) void areas in the building, and
 - (iii) for the purpose of calculating a void area as part of the calculation of the maximum **gross floor area** in this Regulation:
 - (a) a void area is any part of a **building** above the **basement** level where the floor to ceiling height is 4.6 metres or greater;
 - (b) the floor area of a void area is doubled;
 - (c) a maximum void area of 4% of the **gross floor area** of a **building** may be excluded from the calculation of the maximum **gross floor area** permitted in a **building**;
- (D) the minimum side yard setback of a detached house that is 2 or more storeys on a lot with a lot frontage,
 - (i) less than 15.3 metres is 0.9 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 2.1 metres,
 - (ii) of 15.3 metres to 18.0 metres is 1.2 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 20% of the **lot frontage**,
 - (iii) greater than 18.0 metres is 1.2 metres and the minimum side yard setback of each side yard is increased by an additional 0.3 metres for every 3.0 metres greater than 18.0 metres to a maximum side yard setback of 3.0 metres for each side yard, and the minimum aggregate side yard setbacks of both side yards is 20% of the lot frontage; and

(E) a garage with **parking spaces** for 3 or more **vehicles** is permitted only on a **lot** with a **lot frontage** greater than 27.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(22) Exception RD 22

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 18 Westmount Park Drive, former City of Etobicoke by-laws 3205 and 1981-209.

(23) Exception RD 23

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum **lot depth** of any new **lot** created after the date of the enactment of this By-law is the average of the **lot depths** of the **lots** existing on either side of the new **lot**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(24) Exception RD 24

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Lots with a lot frontage of 13.5 metres or less that are within the lands subject to this exception must comply with the following:
 - (i) a **detached house** is not permitted on a **lot** with a **lot frontage** of 9.0 metres or less;
 - (ii) the minimum lot area is 275 square metres;
 - (iii) the maximum lot coverage of a residential building is 40%;
 - (iv) the maximum number of **storeys** of any **building** is 2; and
 - (v) the maximum floor space index of a **detached house** is .60, which excludes the **basement** of the **detached house** in the calculation of the maximum **gross floor area**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(25) Exception RD 25

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 28 Grenview Boulevard South, former City of Etobicoke by-law 179.
- (B) On 1494 Islington Avenue, former City of Etobicoke by-law 15,200.
- (C) On 483 Renforth Drive, former City of Etobicoke by-law 1256.
- (D) On 1525 Royal York Road, former City of Etobicoke by-law 1255.
- (E) On 636 Scarlett Road, former City of Etobicoke by-law 1950.

(26) Exception RD 26

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum **lot depth** of any new **lot** created after the date of the enactment of this By-law is the average of the **lot depths** of the **lots** existing on either side of the new **lot**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(27) Exception RD 27

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot depth is 91.0 metres
- (B) the maximum **building** height of a **building** with a flat roof is 6.5 metres measured to the highest point of the roof;
- (C) the maximum building depth for a detached house that is 2 or more storeys on a lot with a lot frontage of less than 18.0 metres is 16.5 metres; and a 1 storey extension beyond the maximum building depth of 16.5 metres may be permitted if the width of the extension is 50% or less of the width of the detached house and the extension maintains the minimum side yard setbacks required by this By-law or 3.0 metres whichever is greater;
- (D) the maximum **gross floor area** on a **lot** is 165 square metres plus 25% of the **lot area**, up to a maximum floor space index of 0.5, including,
 - (i) the floor area of an attached or detached garage, and
 - (ii) void areas in the building, and
 - (iii) for the purpose of calculating a void area as part of the calculation of the maximum **gross floor area** in this Regulation:
 - (a) a void area is any part of a **building** above the **basement** level where the floor to ceiling height is 4.6 metres or greater;
 - (b) the floor area of a void area is doubled;
 - (c) a maximum void area of 4% of the **gross floor area** of a **building** may be excluded from the calculation of the maximum **gross floor area** permitted in a **building**;
- (E) the minimum front yard setback is 15 metres;
- (F) the minimum side yard setback of a detached house that is 2 or more storeys on a lot with a lot frontage,
 - (i) less than 15.3 metres is 0.9 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 2.1 metres,
 - (ii) of 15.3 metres to 18.0 metres is 1.2 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 20% of the **lot frontage**,
 - (iii) greater than 18.0 metres is 1.5 metres and the minimum side yard setback of each side yard is increased by an additional 0.3 metres for every 3.0 metres greater than 18.0 metres to a maximum side yard setback of 3.0 metres for each side yard, and the minimum aggregate side yard setbacks of both side yards is 20% of the lot frontage; and
- (G) a garage with **parking spaces** for 3 or more **vehicles** is permitted only on a **lot** with a **lot frontage** of greater than 27.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(28) Exception RD 28

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum **building** height of a **building** with a flat roof is 6.5 metres measured to the highest point of the roof;
- (B) the maximum building depth for a detached house that is 2 or more storeys on a lot with a lot frontage of less than 18.0 metres is 16.5 metres; and a 1 storey extension beyond the maximum building depth of 16.5 metres may be permitted if the width of the extension is 50% or less of the width of the detached house and the extension maintains the minimum side yard setbacks required by this By-law or 3.0 metres whichever is greater;
- (C) the maximum **gross floor area** on a **lot** is 165 square metres plus 25% of the **lot area**, up to a maximum floor space index of 0.5, including,
 - (i) the floor area of an attached or detached garage, and
 - (ii) void areas in the building, and

- (iii) for the purpose of calculating a void area as part of the calculation of the maximum **gross floor area** in this Regulation:
 - (a) a void area is any part of a **building** above the **basement** level where the floor to ceiling height is 4.6 metres or greater;
 - (b) the floor area of a void area is doubled;
 - (c) a maximum void area of 4% of the **gross floor area** of a **building** may be excluded from the calculation of the maximum **gross floor area** permitted in a **building**;
- (D) the minimum side yard setback of a detached house that is 2 or more storeys on a lot with a lot frontage.
 - (i) less than 15.3 metres is 0.9 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 2.1 metres,
 - (ii) of 15.3 metres to 18.0 metres is 1.2 metres and the minimum aggregate side yard setbacks of both side yards is 20% of the lot frontage,
 - (iii) greater than 18.0 metres is 1.5 metres and the minimum side yard setback of each side yard is increased by an additional 0.3 metres for every 3.0 metres greater than 18.0 metres to a maximum side yard setback of 3.0 metres for each side yard, and the minimum aggregate side yard setbacks of both side yards is 20% of the lot frontage;
- (E) a garage with **parking spaces** for 3 or more **vehicles** is permitted only on a **lot** with a **lot frontage** of greater than 27.0 metres; and
- (F) the minimum **lot depth** of a **lot** fronting on Ashley Park Road and on the properties known as 1161 and 1169 Royal York Road is 46 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(29) Exception RD 29

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 8 Newell Court, former City of Etobicoke by-law 14,358.

(30) Exception RD 30

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a detached house if located within 7.3 metres of the southerly most lot line must be set back a minimum of 6.0 metres from the street line of Duncombe Boulevard;
- (B) The minimum building setback from a side lot line is 0.3 metres from one side lot line and 0.9 metres on the other side lot line;
- (C) the portion of the main wall containing a vehicular entrance to a parking space must be set back a minimum of 5.7 metres from a front lot line;
- (D) the minimum front yard building setback is:
 - (i) 2.1 metres from a lot line that abuts Kingston (service) Road; and
 - (ii) 3 metres from all other lot lines that abut a street;
- (E) the maximum **gross floor area** of each **dwelling unit** must not be greater than 0.7 time the area of the **lot**; and
- (F) the maximum **lot coverage** is 47%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(31) Exception RD 31

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum lot coverage is 28%;
- (B) the maximum height of a **detached house** is 2 **storeys** and 8.6 metres to the highest point of the roof of the **detached house**;
- (C) the maximum **gross floor area**, including the floor area of an attached or detached garage, is 325 square metres, up to a maximum floor space index of 0.33;
- (D) the minimum rear yard setback for a detached house is 40% of the lot depth, but in no case is a rear yard setback to be less than 12.0 metres;
- (E) the maximum encroachment of a **detached house** into a **rear yard** is 5.0 metres, if a minimum **rear yard setback** of 25% of the **lot depth** is maintained, but in no case is a **rear yard setback** to be less than 7.5 metres;
- (F) the maximum encroachment of an addition, other than a 1 storey addition, to an existing detached house into a rear yard is 5.0 metres, if a minimum rear yard setback of 40% of the lot depth is maintained, but in no case is a rear yard setback to be less than 12.0 metres;
- (G) the minimum side yard setback of a 1 storey detached house or a 1 storey addition to an existing detached house is 1.2 metres and the minimum aggregate side yard setbacks of both side yards is 3.0 metres;
- (H) the minimum side yard setback of a 2 storey detached house or a second storey addition or a 2 storey addition to an existing detached house is 2.0 metres and the minimum aggregate side yard setbacks of both side yards is 5.0 metres; and
- (I) the minimum side yard setback for the side yard abutting a street of a corner lot is 7.5 metres.
- (J) a platform, such as a deck or balcony, at or above the second storey of a detached house is not permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(32) Exception RD 32

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 28%;
- (B) the maximum height of a detached house is 2 storeys and 8.6 metres to the highest point of the roof of the detached house;
- (C) the maximum **gross floor area**, including the floor area of an attached or detached garage, is 465 square metres, up to a maximum floor space index of 0.35;
- (D) the minimum rear yard setback for a detached house is 40% of the lot depth, but in no case shall a rear yard setback be less than 12.0 metres;
- (E) the maximum encroachment of a **detached house** into a **rear yard** is 5.0 metres, if a minimum **rear yard setback** of 25% of the **lot depth** is maintained, but in no case is a **rear yard setback** to be less than 7.5 metres;
- (F) the maximum encroachment of an addition, other than a 1 storey addition, to an existing detached house into a rear yard is 5.0 metres, if a minimum rear yard setback of 40% of the lot depth is maintained, but in no case is a rear yard setback to be less than 12.0 metres;
- (G) the minimum side yard setback of a 1 storey detached house or a 1 storey addition to an existing detached house is 1.2 metres and the minimum aggregate side yard setbacks of both side yards is 3.0 metres;
- (H) the minimum side yard setback of a 2 storey detached house or a second storey addition or a 2 storey addition to an existing detached house is 2.0 metres and the minimum aggregate side yard setbacks of both side yards is 5.0 metres; and
- (I) the minimum side yard setback for the side yard abutting a street of a corner lot is 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(33) Exception RD 33

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

(A) On 73 Valecrest Drive, former City of Etobicoke by-law 1993-41.

(34) Exception RD 34

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 57 Valecrest Drive, former City of Etobicoke by-law 1993-40.

(35) Exception RD 35

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum gross floor area on a lot, including the floor area of an attached or detached garage, is 150 square metres, plus 25% of the lot area, up to a maximum floor space index of 0.5; and
- (B) the minimum side yard setback of a full or partial second storey addition above an existing 1 storey detached house on a lot with a lot frontage of less than 15.3 metres is equal to the side yard setback of the existing detached house if the side yard setback of the addition is not less than 0.6 metres and the minimum aggregate side yard setbacks of both side yards is 2.1 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(36) Exception RD 36

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-law 1985-264.

(37) Exception RD 37

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The maximum height of a **detached house** with a flat roof is 6.5 metres.
- (B) Despite 10.20.40.30 (1), the maximum **building depth** permitted by that regulation includes the one **storey** extension permitted by 10.20.40.20 (2).
- (C) The maximum **gross floor area** on a **lot** is 150 square metres plus 25% of the **lot area**, up to a maximum floor space index of 0.5, including:
 - (i) the floor area of an attached or detached private garage; and
 - (ii) void areas in the building; and
 - (iii) for the purpose of calculating a void area as part of the calculation of the maximum gross floor area.
 - (a) a void area is any part of a **building** above the **basement** level where the floor to ceiling height is 4.6 metres or greater,
 - (b) the floor area of a void area is doubled, and
 - (c) a maximum void area of 4% of the **gross floor area** of a **building** may be excluded from the calculation of the maximum **gross floor area** permitted in a **building**.
- (D) The minimum side yard setback of a detached house on a lot with a lot frontage:
 - (i) less than 15.0 metres, is 0.9 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 2.1 metres;
 - (ii) between 15.0 metres and 18.0 metres, is 1.2 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 20% of the **lot frontage**; and
 - (iii) greater than 18.0 metres, is 1.2 metres plus 0.3 metres for every 3.0 metres or portion

thereof over 18.0 metres, up to a minimum **side yard setback** of 3.0 metres for each **side yard**, and the minimum aggregate **side yard setbacks** of both **side yards** is 20% of the **lot frontage**.

(E) A garage with parking spaces for 3 or more vehicles is permitted only on a lot with a lot frontage greater than 27.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(38) Exception RD 38

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum **gross floor area** on a **lot**, plus the floor area of an attached or detached garage, is 125 square metres, plus 25% of the **lot area**, up to a maximum floor space index of 0.5.
- (B) The minimum side yard setback of a full or partial second storey addition above an existing 1 storey detached house on a lot with a lot frontage of less than 15.3 metres is equal to the side yard setback of the existing detached house if the side yard setback of the addition is not less than 0.6 metres and the minimum aggregate side yard setbacks of both side yards is 2.1 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(39) Exception RD 39

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-law 1980-140.

(40) Exception RD 40

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-laws 1992-25(P) and 9347.

(41) Exception RD 41

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-laws 1992-23(P) and 9807.

(42) Exception RD 42

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a **detached house** is permitted if it complies with:
 - (i) the maximum gross floor area on a lot, plus the floor area of an attached or detached garage, is 118 square metres, plus 25% of the lot area, up to a maximum floor space index of 0.5; and
 - (ii) the minimum side yard setback of a full or partial second storey addition above an existing 1 storey detached house on a lot with a lot frontage of less than 15.3 metres is equal to the side yard setback of the existing detached house if the side yard setback of the addition is not less than 0.6 metres and the minimum aggregate side yard setbacks of both side yards is 2.1 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(43) Exception RD 43

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-law 1992-23(P), 8884 and 8847.

(44) Exception RD 44

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) no lot shall be created that would have Meadowbank Road or Warwood Road as the flanking street of the lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(45) Exception RD 45

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum lot coverage is 22%.
- (B) The minimum **lot depth** of any new **lot** created after the date of the enactment of this By-law is the average of the **lot depths** of the **lots** existing on either side of the new **lot**.
- (C) The maximum height of a **detached house**, measured to the highest point of the roof, is 8.6 metres and it must have no more than 2 **storeys**.
- (D) The maximum **gross floor area** on a **lot**, including the floor area of an attached garage or detached garage, is 465 square metres, up to a maximum floor space index of 0.28.
- (E) The minimum side yard setback of a detached house is 1.5 metres and the minimum aggregate side yard setbacks of both side yards is 6.0 metres, except for a 2 storey detached house the minimum side yard setback is 2.4 metres and the minimum aggregate side yard setbacks of both side yards is 6.0 metres.
- (F) The minimum side yard setback of a detached house with a height of more than 6.0 metres measured to the highest point of the roof is 2.4 metres, plus an additional 0.3 metres for every 0.3 metres of height above 6.0 metres, and the minimum aggregate side yard setback of both sides is 6.0 metres.
- (G) If the height a side wall of the **detached house** is 4.0 metres or less, the minimum **side yard setback** is in compliance with (E), above, for that side of the **building**, and (F), above, applies to the other **side yard setback**, including the aggregate **side yard setback** regulation.
- (H) The minimum side yard setback of any addition, including a second storey addition, to a detached house is equal to the side yard setback existing on the date of the enactment of this By-law or (E), (F), and (G) above, whichever is less.
- (I) On a corner lot, the minimum side yard setback of the side yard abutting a street is 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(46) Exception RD 46

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The maximum height of a **building** with a flat roof is 6.5 metres, measured to the highest point of the roof.
- (B) The maximum building depth is 32% of the average lot depth of the lot.
- (C) The maximum floor space index is 0.45.
- (D) The calculation of the maximum **gross floor area** of a **building** includes:
 - (i) the floor area of an attached or detached private garage, and

- (ii) void areas in the building.
- (E) For the purpose of calculating a void area as part of the calculation of the maximum **gross floor** area in (D), above:
 - (i) a void area is any part of a **building** above the **basement** level where the floor to ceiling height is 4.6 metres or greater;
 - (ii) the floor area of a void area is doubled; and
 - (iii) a maximum void area of 4% of the **gross floor area** of a **building** may be excluded from the calculation of the maximum **gross floor area** permitted in the **building**.
- (F) The minimum side yard setback of a detached house that is 2 or more storeys on a lot with a lot frontage:
 - (i) less than 15.3 metres is 0.9 metres and the minimum aggregate **side yard setbacks** of both **side yards**, is 2.1 metres;
 - (ii) of 15.3 metres to 18.0 metres, is 1.2 metres and the minimum aggregate **side yard setbacks** of both **side yards** is 20% of the **lot frontage**;
 - (iii) greater than 18.0 metres, is 1.5 metres and the minimum side yard setback of each side yard is increased by an additional 0.3 metres for every 3.0 metres greater than 18.0 metres to a maximum side yard setback of 3.0 metres for each side yard, and the minimum aggregate side yard setbacks of both side yards is 20% of the lot frontage.
- (G) For the properties known as 1, 5, 19, 21, 30, 31, 32, 33, 34, 36, 38 and 58 Ridgevalley Crescent, and 1 and 3 Ridgecross Road:
 - (i) the minimum **side yard setback** of a **detached house** that is 2 or more **storeys**, being Regulation (A)(vi) above, does not apply; and
 - (ii) the minimum rear yard setback is that which existed on the date of the enactment of this By-law.
- (H) A private garage with parking spaces for 3 or more vehicles is permitted only on a lot with a lot frontage of greater than 27.0 metres; except that this does not apply to properties known as 30, 32, 34, 36 and 38 Ridgevalley Crescent.
- The minimum lot depth of any new lot created after the date of the enactment of this By-law is 46 metres.

(47) Exception RD 47

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot depth is 45 metres.
- (B) The minimum front yard setback is 9.0 metres.
- (C) The minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(48) Exception RD 48

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-law 4101.

(49) Exception RD 49

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 4259.

(51) Exception RD 51

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 474 Brown's Line, former City of Etobicoke by-law 1984-45; and
- (B) City of Toronto by-law 608-2005.

(52) Exception RD 52

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1665 Kipling Avenue, former City of Etobicoke by-law 1979-322.

(53) Exception RD 53

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-law 1982-279.

(54) Exception RD 54

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of North York by-law 28932.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(55) Exception RD 55

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 736-2005 (OMB).
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(56) Exception RD 56

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, a professional law office shall also be permitted within the dwelling existing on the date of the enactment of this By-law and used by a lawyer as his residence:
- (B) the maximum interior floor area devoted to a law office must be the lesser of 75 square metres or 12% of the gross floor area of the building;
 - (i) The law office may be only located on the first floor; and
 - (ii) The building length must not be more than 27.0 metres.
 - (iii) minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(57) Exception RD 57

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of North York by-law 30540.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(58) Exception RD 58

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 12.0 metres;
- (B) the minimum building setback from a side lot line is:
 - (i) 1.0 metres from the west side lot line; and
 - (ii) 2.2 metres from the east side lot line; and
- (C) the minimum **building setback** from a **rear lot line** is 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(61) Exception RD 61

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, a travel agency is also permitted if:
 - (i) it does not occupy more than 225 square metres of interior floor are; and
 - (ii) there is a minimum of 2 parking space maintained for the use in the rear yard; and
- (B) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(62) Exception RD 62

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, a travel agency is also permitted if:
 - (i) it is located in a **building** that existed on the **lot** on July 29, 1998;
 - (ii) it does not occupy more than 214 square metres of interior floor are; and
 - (iii) there is a minimum of 8 parking space maintained for the use in the rear yard.
- (B) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(64) Exception RD 64

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 714-2003.

(66) Exception RD 66

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, place of assembly is also permitted if:
 - (i) the **building** is set back from the **front lot line** a minimum of 54 metres;
 - (ii) the **building** is set back from the **side lot line** a minimum of 1.2 metres;
 - (iii) the **building** is set back from the **rear lot line** a minimum of 5.4 metres
 - (iv) the lot coverage is not more 26%; and
 - (v) a minimum of 200 parking space are provided on the lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(67) Exception RD 67

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) minimum lot frontage of 11.0 metres;
- (B) minimum lot area of 450 square metres;
- (C) minimum building setback from the front lot line of 7.5 metres;
- (D) minimum **building setback** from the west **lot line** of 1.5 metres;
- (E) minimum building setback from the east lot line of 1.2 metres; and
- (F) minimum building setback from a rear lot line of 9.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(69) Exception RD 69

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 12 metres;
- (B) the minimum **side yard setback** is 3 metres on each side:
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (E) the maximum lot coverage for ancillary buildings is 5%; and
- (F) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: None Apply

(70) Exception RD 70

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum front yard setback is 9 metres;
- (B) The minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5

metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;

- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: None Apply

(71) Exception RD 71

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Despite the permitted use of the site for a **detached house**, a parking station is permitted on the site, provided:
 - (i) no parking of vehicles is permitted within 2.0 metres of the north, south and west lot lines of the site;
 - (ii) the north, south and west lot line is fenced with an opaque fence 1.8 metres in height; and
 - (iii) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(72) Exception RD 72

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) minimum building setback from the front lot line of 9.0 metres;
- (B) minimum building setback from the side lot line of 1.8 metres; and
- (C) minimum building setback from a rear lot line of 7.5 metres.
- (D) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (E) any balcony, porch or sundeck located at or above the second storey or gaining access from the second storey of the building must be set back from any lot line the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (F) the maximum lot coverage for ancillary buildings is 5%; and
- (G) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(73) Exception RD 73

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) minimum building setback from the front lot line of 9.0 metres;
- (B) minimum **building setback** from the **side lot line** of 1.8 metres on one side and 4.2 metres on the other side; and
- (C) minimum building setback from a rear lot line of 7.5 metres.
- (D) if a detached house has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum building height is 9.5 metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;
- (E) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (F) the maximum lot coverage for ancillary buildings is 5%; and

(G) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(74) Exception RD 74

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) maximum lot coverage 25%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(75) Exception RD 75

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) minimum building setback from the front lot line of 24.0 metres;
- (B) minimum building setback from the side lot line of 1.8 metres; and
- (C) minimum building setback from a rear lot line of 7.5 metres.
- (D) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (E) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (F) the maximum lot coverage for ancillary buildings is 5%; and
- (G) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(76) Exception RD 76

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) minimum building setback from the front lot line of 13.0 metres;
- (B) if a detached house has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum building height is 9.5 metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;
- (C) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (D) the maximum lot coverage for ancillary buildings is 5%; and
- (E) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(77) Exception RD 77

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) minimum building setback from the front lot line of 18.0 metres;
- (B) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;

- (C) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres:
- (D) the maximum lot coverage for ancillary buildings is 5%; and
- (E) the maximum total floor area for **ancillary buildings** is 100 square metres.

(78) Exception RD 78

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) minimum building setback from the front lot line of 19.0 metres;
- (B) minimum building setback from the side lot line of 1.8 metres;
- (C) minimum building setback from a rear lot line of 7.5 metres;
- (D) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (E) any balcony, porch or sundeck located at or above the second storey or gaining access from the second storey of the building must be set back from any lot line the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (F) the maximum lot coverage for ancillary buildings is 5%; and
- (G) the maximum total floor area for ancillary buildings is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(79) Exception RD 79

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) minimum building setback from the front lot line of 15.0 metres;
- (B) minimum building setback from the side lot line of 1.8 metres;
- (C) minimum building setback from a rear lot line of 7.5 metres;
- (D) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (E) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres:
- (F) the maximum lot coverage for ancillary buildings is 5%; and
- (G) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(80) Exception RD 80

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum front yard setback is 20 metres;
- (B) The minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;

- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres.

(81) Exception RD 81

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum front yard setback is 18 metres;
- (B) The minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;
- (C) if a detached house has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum building height is 9.5 metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for ancillary buildings is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(82) Exception RD 82

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum front yard setback is 10 metres;
- (B) The minimum **side yard setback** is 1.8 metres on each side for a one-**storey building**, plus 0.6 metres for each additional **storey** or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(83) Exception RD 83

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum front yard setback is 14 metres;
- (B) The minimum **side yard setback** is 1.8 metres on each side for a one-**storey building**, plus 0.6 metres for each additional **storey** or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(84) Exception RD 84

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of one detached house may be erected on each lot, on Registered Plan 3736
- (B) maximum lot coverage 30%; and
- (C) minimum building setback from the front lot line of 14.0 metres.

(86) Exception RD 86

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abut Bellamy Road is 22.0 metres measured from the original centreline of Bellamy Road;
- (D) the minimum setback from a **lot line** that abut Lawrence Avenue is 30.0 metres measured from the original centreline of Lawrence Avenue;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (G) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(87) Exception RD 87

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line; and

Prevailing By-laws and Prevailing Sections:

(A) on the land known as 920 Jarwick Drive, Schedule "C" Exception 11, of Scarborough By-law 9510.

(88) Exception RD 88

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage for a lot containing a detached house is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area containing a detached house is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abut Bellamy Road is 22.0 metres measured from the original centreline of Bellamy Road;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.
- (G) on the lands known as 108, 110, 142, 144, 146 and 148 Pandora Circle, and the lands known as 91 and 93 Sedgmount Drive, a **semi-detached house** is permitted if:
 - (i) the minimum **lot frontage** is 18.0 metres for a **semi-detached house** and 9.0 metres for each **dwelling unit**; and
 - (ii) if it complies with all the requirements of the RD zone.

(89) Exception RD 89

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) of lands known as 1721, 1723, 1725 and 1727 Ellesmere Road, the required **parking space** must be located in the **residential building**.

Prevailing By-laws and Prevailing Sections: (None apply)

(90) Exception RD 90

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(91) Exception RD 91

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Lawrence Avenue is 30.0 metres measured from the original centreline of Lawrence Avenue;
- (B) the minimum setback from a **side lot line** is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(92) Exception RD 92

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (E) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(93) Exception RD 93

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;

- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres.
- (E) the required parking space must be located in the residential building.
- (F) the maximum height of a **building** or **structure** is the lesser of 4 **storeys** or 12.5 metres.

(94) Exception RD 94

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 9.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(95) Exception RD 95

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 9.0 metres; and
- (C) the minimum setback from a lot line that abut Bellamy Road is 22.0 metres measured from the original centreline of Bellamy Road.

Prevailing By-laws and Prevailing Sections: (None Apply)

(96) Exception RD 96

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (C) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(97) Exception RD 97

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a from a front lot line abutting Greenbrea Circuit is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (D) the maximum lot coverage is 50%; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(98) Exception RD 98

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Scarborough Golf Club Road is 22.0 metres

measured from the original centreline of Scarborough Golf Club Road.

- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(99) Exception RD 99

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Markham Road is 30.0 metres measured from the original centreline of Markham Road;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(100) Exception RD 100

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Scarborough Golf Club Road is 22.0 metres measured from the original centreline of the Road;
- (D) the minimum setback from a **front lot line** is 7.5 where (c) does not apply;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (G) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line; and

Prevailing By-laws and Prevailing Sections:

(A) on the lands known as 1, 16, 25 and 108 Chandler Drive, and lands known as 16 Fortune Gate and lands known as 137 and 139 Painted Post Drive, Schedule "C" Exception 2, of Scarborough By-law 9510.

(101) Exception RD 101

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Scarborough Golf Club Road or Orton Park Road is 22.0 metres, measured from the original centreline of the road;
- (D) setback from a **lot line** that abuts Markham Road is 30.0 metres, measured from the original centreline of Markham Road:
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (G) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line; and

Prevailing By-laws and Prevailing Sections:

- (A) on land known as 4 Par Avenue the minimum building setback from a side lot line that abuts a street is 4.5 metres;
- (B) on land known as 42, 70, 72, 120, 126 Botony Road, and on land known as 34, 36 and 76 Madras Crescent, Schedule "C" Exception 3, of Scarborough By-law 9510.

(102) Exception RD 102

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Scarborough Golf Club Road or Orton Park Road is 22.0 metres, measured from the original centreline of the road;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line;and

Prevailing By-laws and Prevailing Sections: (None Apply)

(103) Exception RD 103

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Scarborough Golf Club Road or Orton Park Road is 22.0 metres, measured from the original centreline of the road;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(104) Exception RD 104

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Orton Park Road is 22.0 metres, measured from the original centreline of the Orton Park Road;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only; and
- (E) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(105) Exception RD 105

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) the required parking space must be located in the residential building.
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(106) Exception RD 106

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Orton Park Road is 22.0 metres, measured from the original centreline of the Orton Park Road;
- (B) the minimum setback from a side lot line is 1.2 metres: and
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(107) Exception RD 107

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the minimum setback from a front lot line that abuts Orton Park Road is 9.0 metres
- (F) the required parking space must be located in the residential building.
- (G) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(108) Exception RD 108

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line; and
- (F) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(109) Exception RD 109

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Scarborough Golf Club Road is 22.0 metres measured from the original centreline of the Road;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(110) Exception RD 110

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (C) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(112) Exception RD 112

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (C) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(113) Exception RD 113

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Bellamy Road is 22.0 metres measured from the original centreline of Bellamy Road;
- (B) the minimum setback from a **front lot line** that abuts Ellesmere Road is 30.0 metres measured from the original centreline of Ellesmere Road;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(114) Exception RD 114

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (C) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(115) Exception RD 115

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) an attached or detached garage may be located not less than a minimum 0.3 metres from a **side lot line**; and
- (E) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(116) Exception RD 116

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) an attached or detached garage may be located not less than a minimum 0.3 metres from a side lot line; and
- (F) These lands must also comply with exception 900.3.10(1462).

(117) Exception RD 117

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) an attached or detached garage may be located not less than a minimum 0.3 metres from a **side lot line**; and
- (E) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(118) Exception RD 118

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) the required parking space must be located in the residential building; and
- (F) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(119) Exception RD 119

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (D) the minimum setback from a **rear lot line** that abuts a **lot** on Guildcrest Drive is 22.5 metres;
- (E) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 15 and 21, of Scarborough By-law 9676.

(120) Exception RD 120

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum frontage for a **corner lot** is 15.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;

- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) the minimum setback from a rear lot line that abuts a lot on Guildcrest Drive is 22.5 metres; and
- (E) These lands must also comply with exception 900.3.10(1462).

(121) Exception RD 121

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Exceptions 4 of Exceptions List - Schedule "C" of Scarborough Zoning By-law 9676

(122) Exception RD 122

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Livingstone Road is 10.5 metres measured from the centreline of the road;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) These lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(123) Exception RD 123

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Livingstone Road, Guildwood Parkway and Galloway Road is 22 metres measured from the original centreline of the road;
- (D) the minimum setback from a front lot line is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres; and
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(124) Exception RD 124

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions

(A) the minimum frontage for a corner lot is 15.0 metres;

- (B) the minimum setback from a **lot line** that abuts Livingstone Road is 22 metres measured from the original centreline of the road;
- (C) the minimum setback from a front lot line is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

(125) Exception RD 125

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(126) Exception RD 126

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Galloway Road is 22 metres measured from the original centreline of the road;
- (B) the minimum frontage for a **corner lot** is 15.0 metres;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(127) Exception RD 127

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Galloway Road is 22 metres measured from the original centreline of the road;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(128) Exception RD 128

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum frontage for a **corner lot** is 15.0 metres;
- (B) the minimum setback from a **lot line** that abuts Morningside Avenue is 22 metres measured from the original centreline of the road;
- (C) the minimum setback from a side lot line is:
 - (i) 0.9 metres for lands municipally known as the even numbered lots 44 to 56 Poplar Road inclusive; and

- (ii) 1.2 metres in all cases; and
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

(129) Exception RD 129

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Guildwood Parkway is 22 metres measured from the original centreline of the road;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(130) Exception RD 130

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Guildwood Parkway is 22 metres measured from the original centreline of the road;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(131) Exception RD 131

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(132) Exception RD 132

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Galloway Road is 22 metres measured from the original centreline of the road:
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres.
- (D) the minimum building setback from a railway corridor is 30 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(133) Exception RD 133

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.
- (C) the minimum building setback from a railway corridor is 30 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(134) Exception RD 134

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum frontage for a corner lot is 18.5 metres;
- (B) the minimum setback from a **lot line** that abuts Morningside Avenue is 22 metres measured from the original centreline of the road;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(135) Exception RD 135

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law; and
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(136) Exception RD 136

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **lot line** that abuts Galloway Road is 22 metres measured from the original centreline of the road;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(137) Exception RD 137

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;

- (C) the minimum setback from a front lot line that abuts a street is 10.5 metres; and
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

(138) Exception RD 138

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 3.0 metres on one side and 0.3 metres on the other side;
- (C) the minimum rear yard setback is 6.0 metres;
- (D) a detached garage must be constructed and maintained with each residential building and is not subject to setback regulations from any lot line or building; and
- (E) the maximum lot coverage is 40%; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(139) Exception RD 139

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 17.5 metres measured from the centreline of the road allowance;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(140) Exception RD 140

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached or detached garage may be located not less than a minimum 0.3 metres from a **side lot line**: and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(142) Exception RD 142

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Birchmount Road is 22.0 metres from the original centreline of Birchmount Road;
- (D) the minimum setback from a lot line that abut Kennedy Road is 24.0 metres from the original

centreline of Kennedy Road;

- (E) the minimum setback from a side lot line is 0.9 metres; and
- (F) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(143) Exception RD 143

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut a street is:
 - (i) 22.0 metres, measured from the original centreline of the street, if the lot line abuts Birchmount Road;
 - (ii) 16.0 metres, measured from the original centreline of the **street** in all other cases;
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 15.5 metres measured from the centreline of Birchmount Road, if the side lot line abuts Birchmount Road; and
 - (ii) 2.4 metres in all other cases.

Prevailing By-laws and Prevailing Sections: (None Apply)

(144) Exception RD 144

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Kennedy Road is 27.0 metres from the original centreline of Kennedy Road;
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(145) Exception RD 145

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(146) Exception RD 146

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;

- (C) the minimum setback from the front lot line is 7.5 metres;
- (D) the minimum setback from a **lot line** that abut Birchmount Road is 22.0 metres from the original centreline of Birchmount Road; and
- (E) the minimum setback from a side lot line is 1.2 metres.

(147) Exception RD 147

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum **building setback** from a **lot line** that abuts Birchmount Road is 22.0 metres measured from the original centreline of Birchmount Road;
- (B) the minimum setback from a side lot line is one-half the height of the building; and
- (C) the maximum lot coverage is 33%; and
- (D) the maximum density is 50 **dwelling units** per hectare.

Prevailing By-laws and Prevailing Sections: (None Apply)

(148) Exception RD 148

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(149) Exception RD 149

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) the minimum setback from a **lot line** that abut Ellesmere Road is 27.0 metres from the original centreline of Ellesmere Road.

Prevailing By-laws and Prevailing Sections: (None Apply)

(150) Exception RD 150

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the **front lot line** is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(151) Exception RD 151

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

(152) Exception RD 152

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** abutting a **street** is 3.0 metres;
- (B) the required **parking space** must be located in the **residential building** and must be located a minimum of 6.0 metres from the **front lot line**; and
- (C) the maximum building height is 11.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(153) Exception RD 153

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line abutting a street is 3.0 metres;
- (B) the lot line abutting the narrowest street shall be the rear lot line, except on a corner lot;
- (C) the minimum rear yard setback for a building on a lot containing a breezeway connecting the dwelling unit to the garage is 12.5 metres;
- (D) the maximum **building** height is 11.0 metres;
- (E) a garage must be constructed in the rear yard of the lot and must be set back a minimum of 0.3 metres from a rear lot line;
- (F) a common semi-detached breezeway may be centred on a common side lot line; and
- (G) a detached garage connected to the **residential building** by a breezeway must be a minimum of 6.4 metres from any part or the rear wall of the **residential building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(154) Exception RD 154

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut St. Clair Avenue is 22.0 metres from the original centreline of St. Clair Avenue;
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(155) Exception RD 155

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Kingston Road is 24.0 metres from the original centreline of Kingston Road;
- (D) the minimum setback from a side lot line is 0.9 metres; and

- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

- (A) on lands municipally known as 171 Midland Avenue, Schedule "C" Exception 26, of Scarborough By-law 9364; and
- (B) on lands municipally known as 119 Chine Drive, Schedule "C" Exception 11, of Scarborough Bylaw 9364; and
- (C) on lands municipally known as 129 and 131 Chine Drive, and on lands municipally known as 2627 Kingston road; and on lands municipally known as 75 and 88 Kelsonia Avenue, and on lands municipally known as 208 Scarboro Crescent, and on lands municipally known 2, 9, 30 and 32 Cliffcrest Drive, Schedule "C" Exception 3, of Scarborough By-law 9364; and
- (D) on lands municipally known as 42 and 44 Scarboro Crescent, and on lands municipally known as 37 and 39 Midland Avenue, Schedule "C" Exception 7, of Scarborough By-law 9364; and
- (E) on lands municipally known as 39 and 41 Cliffcrest Drive, Schedule "C" Exception 17, of Scarborough By-law 9364.

(156) Exception RD 156

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abut Kennedy Road is 22.0 metres from the original centreline of Kennedy Road;
- (B) the minimum setback from a side lot line is 0.45 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) on the lands municipally known as 203 and 205 McIntosh Street, Schedule "C" Exception 18, of Scarborough By-law 9364.

(157) Exception RD 157

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions

- (A) the minimum setback from a lot line that abut Birchmount Road is 22.0 metres from the original centreline of Birchmount Road;
- (B) the minimum setback from a side lot line is 0.3 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 1.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(158) Exception RD 158

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from the front lot line is 4.5 metres;
- (D) the minimum setback from a side lot line is 0.3 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 1.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(159) Exception RD 159

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(160) Exception RD 160

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).
- (F) On the lands municipally known in the year 2010 as 28 and 30 Glen Everest Road, the minimum front yard setback is 8.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(161) Exception RD 161

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abut Kennedy Road is 22.0 metres from the original centreline of Kennedy Road;
- (B) the minimum setback from a **side lot line** is 0.45 metres:
- (C) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (D) the required parking space must be located in an enclosed building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(162) Exception RD 162

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.45 metres;
- (B) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (C) the required parking space must be located in an enclosed building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(163) Exception RD 163

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a **lot line** that abut Kennedy Road is 22.0 metres from the original centreline of Kennedy Road;

- (B) the minimum setback from a side lot line is 0.45 metres;
- (C) the minimum setback from a side lot line that abuts a street is 1.5 metres; and
- (D) the maximum lot coverage is 36%; and
- (E) these lands must also comply with exception 900.3.10(1462).

(164) Exception RD 164

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.3 metres;
- (D) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (E) the required parking space must be located in an enclosed building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(165) Exception RD 165

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.3 metres;
- (B) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (C) the minimum setback from a rear lot line is 3.0 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(166) Exception RD 166

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.45 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(167) Exception RD 167

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Victoria Park Avenue, Pharmacy Avenue is 22 metres from the centreline of that **street**;
- (D) minimum setback from a side lot line is 0.9 metres;
- (E) minimum setback from a side lot line that abuts a street is 4.5 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 'D', of Scarborough By-law 8978

(168) Exception RD 168

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum front yard setback is 4.5 metres;
- (D) the minimum setback from a **front lot line** that abuts Victoria Park Avenue, Pharmacy Avenue is 22 metres from the centreline of that **street**;
- (E) minimum setback from a side lot line is 0.9 metres;
- (F) minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(169) Exception RD 169

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 4.5 metres;
- (B) the minimum setback from a **front lot line** that abuts Victoria Park Avenue, Pharmacy Avenue is 22.0 metres from the centreline of that **street**;
- (C) minimum setback from a side lot line is 0.9 metres;
- (D) minimum setback from a side lot line that abuts a street is 4.5 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(170) Exception RD 170

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the date of enactment of this By-law;
- (B) the minimum lot area is that which existed on the date of enactment of this By-law;
- (C) minimum setback from a side lot line is 1.2 metres; and
- (D) minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(171) Exception RD 171

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres on one side and 0.3 metres on the other side:
- (B) minimum setback from a side lot line that abuts a street is 3.0 metres; and
- (C) the maximum lot coverage is 45%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(172) Exception RD 172

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres on one side and 0.3 metres on the other side;
- (B) minimum setback from a side lot line that abuts a street is 3.0 metres;
- (C) the maximum lot coverage is 45%; and
- (D) the minimum rear yard setback is 10 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(173) Exception RD 173

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum front yard setback is 4.5 metres;
- (B) the main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (C) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side:
- (D) the required **parking space** must be located in an enclosed **building**;
- (E) the maximum **building** height is 10.5 metres;
- (F) a minimum of 35% of the front yard must be used only for soft landscaping;
- (G) the minimum rear yard setback is 6.0 metres;
- (H) on the lot municipally known as 1 Broderick Place:
 - (i) despite the (A) above the minimum setback from a front lot line is 6.0 metres;
 - (ii) despite the (C) above the minimum setback from a side lot line is 4.5 metres if it abuts a street and 1.2 metres in all other cases;
 - (iii) despite (F) above, 100% of the **front yard** must be used only for **landscaping** and 75% of the **landscaping** must be **soft landscaping**;
 - (iv) a minimum of 50% of the side yard must be used only for soft landscaping; and
 - (v) a minimum of 100% of the **rear yard** located within 4.5 metres of a **lot line** abutting a **street** must be used only for **soft landscaping**; and
- (I) on the **lots** municipally known as 17 & 19 Broderick Place, despite (H) above the minimum **building setback** from a **rear lot line** is 4.75 metres, measured from the midpoint of the rear **main wall**, and no part of the rear **main wall** may be less than 3.25 metres from the **rear lot line**;
- (J) on the lot municipally known as 5 Broderick Place:
 - (i) despite the (C) above, the minimum setback from a side lot line is 3.0 metres if it abuts a street and 0.6 metres in all other cases;
 - (ii) a minimum of 50% of the side yard must be used only for soft landscaping; and
 - (iii) a minimum of 100% of the **rear yard** located within 3.0 metres of a **lot line** abutting a **street** must be used only for **soft landscaping**; and
 - (iv) the lot shall be treated as a corner lot, and the longest of the lines that abuts a street is the front line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(175) Exception RD 175

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 9 metres;
- (B) the minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) the maximum lot coverage for ancillary buildings is 5%;
- (E) the maximum total floor area for ancillary buildings is 100 square metres; and
- (F) a **front yard** containing a **lawfully existing driveway** with two points of access to the same **street** is not required to meet the **front yard landscaping** requirements of 10.5.50.10 (1).

Prevailing By-laws and Prevailing Sections: (None Apply)

(177) Exception RD 177

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum front yard setback is 4.5 metres;
- (B) the minimum setback from any side lot line is 0.9 metres; and
- (C) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(178) Exception RD 178

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 4.5 metres;
- (B) the minimum setback from a front lot line that abuts Victoria Park Avenue is 22 metres from the centreline of that street;
- (C) the minimum side yard setback is:
 - (i) 0.9 metres for the north side yard setback; and
 - (ii) 0.4 metres and 0.6 metres from the south **side yard setbacks** for 901 Victoria Park Avenue and 901A Victoria Park Avenue; and
- (D) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(179) Exception RD 179

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts Victoria Park Avenue is 22 metres from the centreline of that **street**;
- (B) the **main wall** containing the entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**;
- (C) the minimum setback from a **side lot line** is 0.6 metres on the north side and 0.9 metres on the south side; and
- (D) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(180) Exception RD 180

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres on one side and 0.3 metres on the other side; and
- (B) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(181) Exception RD 181

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 0.9 metres on one side and 0.3 metres on the other side:
- (B) the maximum lot coverage is 40%; and
- (C) the lot known as 60 Maybourne Avenue as it existed on May 13, 1998 may have a parking space

and driveway with a width of 2.45 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(182) Exception RD 182

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) maximum lot coverage 30%;
- (B) minimum building setback from the front lot line of 7.5 metres;
- (C) minimum building setback from the side lot line of 1.2 metres; and
- (D) minimum **building setback** from a **rear lot line** of 7.5 metres. For the purpose of this exception the **rear lot line** is the **lot line** running parallel to Don Mills Road.

Prevailing By-laws and Prevailing Sections: (None Apply)

(186) Exception RD 186

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) each of two of the parcels of land may be used for a **detached house** with:
 - (i) a minimum building setback from a front lot line of 7.6 metres;
 - (ii) minimum building setback from the side lot line of
 - (a) 1.2 metres for a one storey building; and
 - (b) 1.2 metres on one side and 1.8 metres on the other side if there is more than one storey;
 - (iii) minimum building setback from a rear lot line of 3.3 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(187) Exception RD 187

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a **front lot line** is 9.0 metres;
- (B) the minimum side yard setback is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(188) Exception RD 188

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a front lot line is 9.0 metres;
- (B) the minimum side yard setback is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(189) Exception RD 189

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.0 metres and is required for one side yard only;
- (B) the maximum lot coverage is 50%; and
- (C) the parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(190) Exception RD 190

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres;
- (B) the minimum setback from a front lot line is 7.5 metres;
- (C) the maximum lot coverage is 50%; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(191) Exception RD 191

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (C) the minimum setback from a front lot line that abuts McCowan Road is 22.0 metres from the centreline on the original road allowance; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(192) Exception RD 192

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(193) Exception RD 193

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **front lot line** that abuts McCowan Road is 22.0 metres from the centreline on the original road allowance;
- (B) the minimum side yard setback is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line

that does not abut a street: and

(E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(194) Exception RD 194

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 7.5 metres;
- (B) the minimum side vard setback is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(195) Exception RD 195

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (B) the minimum side yard setback is 1.2 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(196) Exception RD 196

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Brimley Road or St. Clair Avenue is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(197) Exception RD 197

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum side yard setback is 0.9 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 12, of Scarborough By-law 9396.

(198) Exception RD 198

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum side yard setback is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 14, 16, 18 of Scarborough By-law 9396.

(199) Exception RD 199

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from the front line is 9.0 metres;
- (B) the minimum side yard setback is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 5 and 13 of Scarborough By-law 9396.

(200) Exception RD 200

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) minimum side yard setback is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) the elevation of the finished **basement** floor must be a minimum of 3.6 metres higher than the level of the invert of the creek; and
- (F) these lands must also comply with exception 900.3.10(1462).
- (G) on the lands municipally known in the year 2010 as 1 and 95 Meadowcliffe Drive, 5 and 23 Pine Ridge Drive and 3 and 10 Ledge Road, only one **detached house** is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(201) Exception RD 201

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 14, 16, 18 of Scarborough By-law 9396.

(202) Exception RD 202

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from the front line is 9.0 metres;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

(203) Exception RD 203

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum side yard setback is 0.9 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(204) Exception RD 204

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from the front line is 9.0 metres;
- (D) the minimum side yard setback is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(205) Exception RD 205

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.9 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (C) the elevation of the finished **basement** floor must be a minimum of 3.6 metres higher than the level of the invert of the creek; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(206) Exception RD 206

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the front line is 9.0 metres:
- (B) the minimum side yard setback is 0.9 metres; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(207) Exception RD 207

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.9 metres;
- (B) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(208) Exception RD 208

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.9 metres;
- (B) the required parking space must be located in the residential building;
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) a below grade parking structure is permitted in any yard if it is setback from a lot line abutting a street the greater of:
 - (i) 3.0 metres; or
 - (ii) a distance equal to the distance from the below grade floor of the parking structure to grade; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(209) Exception RD 209

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the front line is 9.0 metres;
- (B) the minimum side yard setback is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(210) Exception RD 210

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum **side yard setback** is 1.2 metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 47 of Scarborough By-law 9396.

(211) Exception RD 211

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres on one side only;
- (B) the maximum lot coverage is 40%; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(212) Exception RD 212

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Minimum building setback from a lot line abutting:
 - (i) Pine Ridge Drive is 12 metres; and
 - (ii) Meadowcliffe Drive is 6 metres;
- (B) the minimum side yard setback is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) the maximum number of storeys permitted excluding the basement is 2; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(213) Exception RD 213

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) in addition to the uses permitted in the zone the lands may be used for the parking of **vehicles** in conjunction with the abutting commercial site west of this **lot**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(214) Exception RD 214

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 30553.

(215) Exception RD 215

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, a medical office is also permitted if:
 - (i) the maximum gross floor area of the building is not more than 400 square metres, excluding mechanical and storage areas in the basement and cellar used only for storage, and electrical and mechanical equipment;
 - (ii) the minimum building setback from the front lot line is not less than 5.8 metres; and
 - (iii) the minimum **side yard setback** is not less than 1.2 metres for a one **storey building** and 1.8 metres for a two **storey building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(216) Exception RD 216

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, a tailor shop is also permitted if:
 - (i) it is operated by a resident of the building;
 - (ii) the maximum gross floor area of the tailor shop is not more than 40 square metres;
 - (iii) the activities of the tailor shop are limited to repairs and alterations of clothing and the tailoring of clothing and does not involve the sales of any goods other than the clothing repaired, altered, or tailored on the **premises** and no dry cleaning or automatic pressing of clothing;
 - (iv) there must be no employees unless they are residents of the building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(217) Exception RD 217

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) in addition to the uses permitted by the zone, a **nursing home** is also permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(218) Exception RD 218

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) In addition to the uses permitted by the zone, the lot may be used for parking spaces for vehicles associated with 6191 Yonge Street, if:
 - (i) no vehicular access to or from Otonabee Avenue;
 - (ii) the minimum width of a two-way parking aisle is 6.0 metres;
 - (iii) the minimum width of angled parking spaces is 5.5 metres; and
 - (iv) the minimum width of a two-way driveway is 5.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(219) Exception RD 219

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) in addition to the uses permitted by the zone, the lot may be used for a parking lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(220) Exception RD 220

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) in addition to the uses permitted by the zone, the lot may be used for a parking lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(221) Exception RD 221

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in addition to the uses permitted by the zone, the **lot** may be used for a business office if:
 - (i) the office is for the use of the residents of the **building** only;
 - (ii) the maximum interior floor area used for office is 13 square metres; and

(iii) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(222) Exception RD 222

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, the **lot** may be used for a **retirement home** if:
 - (i) it is a maximum of two storeys;
 - (ii) there is a maximum of 18 bedrooms; and
 - (iii) the minimum side yard setback is 1.8 metres;
 - (iv) there is no on-site incineration of garbage and refuse.

Prevailing By-laws and Prevailing Sections: (None Apply)

(223) Exception RD 223

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Regulations 10.20.40.20 and 10.20.40.30 do not apply to the lands subject to this exception.

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 29541.

(224) Exception RD 224

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions

- (A) An office use within the existing dwelling is permitted, if:
 - (i) additions to the existing dwelling or garage are not permitted; and
 - (ii) 4 parking spaces of which 2 must be in the garage and 2 in the driveway, must be maintained.

Prevailing By-laws and Prevailing Sections: (None Apply)

(225) Exception RD 225

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from Brimley Road is 7.5 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (C) the minimum setback from a rear lot line is 4.5 metres;
- (D) the maximum lot coverage is 40%; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(226) Exception RD 226

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (B) the maximum lot coverage is 40%; and

- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

(227) Exception RD 227

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.2 metres on one side only;
- (B) the maximum lot coverage is 40%; and
- (C) the required parking space must be located in the residential building.
- (D) the minimum setback from a lot line that abuts Comrie Terrace is 6.0 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(229) Exception RD 229

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum side yard setback is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.6 from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(230) Exception RD 230

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Birchmount Road or Danforth Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(231) Exception RD 231

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts St. Clair Avenue is 22.0 metres from the centreline on the original road allowance;

- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

(232) Exception RD 232

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(234) Exception RD 234

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts Midland Avenue, is 22.0 metres from the centreline on the original road allowance.
- (B) the minimum side yard setback is 1.2 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(235) Exception RD 235

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts McCowan Road, is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(236) Exception RD 236

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and

- (F) an attached or detached garage must be set back a minimum of:
 - (i) 6.0 metres from a lot line that abuts a street and where the vehicle entrance to the garage also faces the street; and
 - (ii) 3.0 metres in all other cases

(237) Exception RD 237

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be set back a minimum of:
 - (i) 6.0 metres from a lot line that abuts a street and where the vehicle entrance to the garage also faces the street; and
 - (ii) 3.0 metres in all other cases

Prevailing By-laws and Prevailing Sections: (None Apply)

(238) Exception RD 238

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres.
- (F) an attached or detached garage must be set back a minimum of:
 - (i) 6.0 metres from a lot line that abuts a street and where the vehicle entrance to the garage also faces the street; and
 - (ii) 3.0 metres in all other cases.

Prevailing By-laws and Prevailing Sections: (None Apply)

(239) Exception RD 239

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) the minimum side yard setback is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(240) Exception RD 240

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(241) Exception RD 241

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum side yard setback is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(242) Exception RD 242

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts McCowan Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(243) Exception RD 243

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw, except that the minimum lot frontage for a corner lot is 18.0 metres;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum side yard setback is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) the elevation of any floor below **established grade** must be a minimum of 3.6 metres above elevation of Highland Creek.
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

(244) Exception RD 244

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Brimley Road or McCowan Road, is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum setback from a **front lot line** that abuts Ellesmere Road, is 30.0 metres from the centreline on the original road allowance;
- (E) the minimum side yard setback is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(245) Exception RD 245

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law.
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the maximum lot coverage for all buildings is 40%;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;

Prevailing By-laws and Prevailing Sections: (None Apply)

(246) Exception RD 246

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(247) Exception RD 247

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) the minimum required lot frontage is that which existed on the date of the enactment of this By-

law;

- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the elevation of any floor below established grade must be a minimum of 3.6 metres above elevation of Highland Creek; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions "D" and "E", of Scarborough By-law 9350.

(248) Exception RD 248

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Ellesmere Road, is 30.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(249) Exception RD 249

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres from the centreline on the original road allowance;
- (B) the minimum side yard setback is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(250) Exception RD 250

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum side yard setback is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(251) Exception RD 251

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts McCowan Road, is 22.0 metres from the centreline on the original road allowance;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(252) Exception RD 252

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.45 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(253) Exception RD 253

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) the minimum side yard setback is 0.45 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(254) Exception RD 254

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.9 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(255) Exception RD 255

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) the minimum front yard setback is 20.5 metres from the original centreline of the street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(256) Exception RD 256

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(257) Exception RD 257

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) the minimum setback from the original centreline of Kingston Road is 30.0 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(258) Exception RD 258

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) maximum 2 storeys excluding basement;
- (D) if on the date of the enactment of this by-law an existing lawfully created lot has a lot area less than that required by this By-law, then the minimum lot area for that lot is the lot area that existed on the date of the enactment of this By-law; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(259) Exception RD 259

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) the minimum setback from the original centreline of Kingston Road is 22.0 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(260) Exception RD 260

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) maximum lot coverage is 40%;
- (B) minimum rear yard setback is 6.0 metres;
- (C) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum side yard setback for a garage is 0.3 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 18 of Scarborough By-law 8786 applies to the lands collectively shown as Exception 18 in Scarborough By-law 8786.

(261) Exception RD 261

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) maximum lot coverage is 40%;
- (B) minimum side yard setback is:
 - (i) 1.0 metres from the southern side lot line; and
 - (ii) 0.5 metres from the northern side lot line;
- (C) the minimum setback from a side lot line that abuts a street is 3.0 metres; and
- (D) the maximum lot coverage is 50%; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(262) Exception RD 262

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) the minimum setback from the original centreline of Danforth Avenue is 22.0 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(263) Exception RD 263

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.0 metres on one side only;
- (B) the maximum lot coverage is 50%; and
- (C) an attached or detached garage must be set back a minimum of:
 - (i) 6.0 metres from a lot line that abuts a street and where the vehicle entrance to the garage also faces the street; and
 - (ii) 3.0 metres in all other cases; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(264) Exception RD 264

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum side yard setback is 1.0 metres on one side only;
- (D) the maximum lot coverage is 50%; and
- (E) an attached or detached garage must be set back a minimum of:
 - (i) 6.0 metres from a lot line that abuts a street and where the vehicle entrance to the garage

also faces the street; and

- (ii) 3.0 metres in all other cases; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(265) Exception RD 265

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(266) Exception RD 266

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Brimley Road is 22.0 metres measured from the original centreline of Brimley Road;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(267) Exception RD 267

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(268) Exception RD 268

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side only;
- (D) the maximum lot coverage is 50%;
- (E) the minimum setback from a front lot line is 3.0 metres; and

- (F) the **main wall** containing an entrance to the **parking space**, and which also faces a **street**, must be set back a minimum of 6.0 metres from the **lot line** that abuts the **street**; and
- (G) these lands must also comply with exception 900.3.10(1462).

(269) Exception RD 269

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage for a corner lot is 15.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (D) the minimum setback from a **front lot line** that abuts Midland Avenue is 22.0 metres measured from the original centreline of Midland Avenue;
- (E) all lands located with 3.0 metres of a **lot line** abutting Highway 401 must be used for **soft landscaping** purposes only; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(270) Exception RD 270

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(271) Exception RD 271

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(272) Exception RD 272

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 2.4 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the minimum setback from a **front lot line** that abuts Midland Avenue is 22.0 metres measured from the original centreline of Midland Avenue; and
- (F) these lands must also comply with exception 900.3.10(1462).

(273) Exception RD 273

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(274) Exception RD 274

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Midland Avenue is 22.0 metres measured from the original centreline of Midland Avenue;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(275) Exception RD 275

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law.
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the required parking space must be located in the residential building;

- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**: and
- (G) the minimum setback from a **front lot line** that abuts Midland Avenue is 22.0 metres measured from the original centreline of Midland Avenue; and
- (H) these lands must also comply with exception 900.3.10(1462).

(276) Exception RD 276

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(277) Exception RD 277

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) the minimum setback from a **front lot line** that abuts Midland Avenue is 22.0 metres measured from the original centreline of Midland Avenue; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(278) Exception RD 278

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres:
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(279) Exception RD 279

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

(280) Exception RD 280

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.
- (E) the minimum setback from a **front lot line** that abuts Midland Avenue is 22.0 metres measured from the original centreline of Midland Avenue; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(281) Exception RD 281

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a front lot line is 7.5 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(282) Exception RD 282

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(283) Exception RD 283

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the required parking space must be located in the residential building; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and

(D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(284) Exception RD 284

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side only;
- (D) the maximum lot coverage is 50%;
- (E) the minimum setback from a lot line the abuts a street is:
 - (i) 6.0 metres to the **vehicle** entrance to the **building**; and
 - (ii) 3.0 to all other parts of the building; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(285) Exception RD 285

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres;
- (F) the portion of **building** containing a **parking space** may be located in a **side yard** if it is at least 0.3 metres from the **side lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(286) Exception RD 286

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and

Prevailing By-laws and Prevailing Sections:

(A) the portion of **building** containing a **parking space** may be located in a **side yard**, if it is at least 0.3 metres from the **side lot line**.

(287) Exception RD 287

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) the portion of **building** containing a **parking space** may be located in a **side yard** if it is at least 0.3 metres from the **side lot line**.

(288) Exception RD 288

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres.
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and

Prevailing By-laws and Prevailing Sections:

(A) on 20Courton Drive, Schedule "C" Exception 60, of ormer City of Scarborough Zoning By-law 9511

(289) Exception RD 289

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres.
- (E) the minimum setback from a **lot line** that abuts Pharmacy Avenue is 7.5 metres;
- (F) the portion of a building containing a parking space may be located at least 0.3 metres from a side lot line;
- (G) on lands known as 2 Arncliffe Crescent the minimum building setback from a lot line that abuts Dyson Boulevard is 3.35 metres; and

Prevailing By-laws and Prevailing Sections: (None Apply)

(290) Exception RD 290

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres.
- (E) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 24.0 metres, measured from the original centreline of the **street**; and
- (F) the portion of **building** containing a **parking space** may be located in a **side yard** if it is at least 0.3 metres from the **side lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(291) Exception RD 291

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) on lands known as 1160 and 1162 Pharmacy Avenue, the minimum building setback from the front lot line is 5.4 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(292) Exception RD 292

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(293) Exception RD 293

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and

Prevailing By-laws and Prevailing Sections:

- (A) on the lands known as the even number lot from 2 to 10 Brian Avenue and 1207, 1209, 1209A and 1211 Pharmacy Avenue, Schedule "C" Exception 13, of Scarborough By-law 9511;
- (B) on the lands known as Elinor Avenue, a duplex is permitted if:
 - (i) the **building** is setback a minimum of 16.0 metres from the centreline of the **street**; and
 - (ii) the minimum building setback from each side lot line is 0.9 metres; and
- (C) on the lands known as 145 Elinor Avenue, Schedule "C" Exception 15, of Scarborough By-law 9511.

(294) Exception RD 294

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 1.2 metres: and
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(295) Exception RD 295

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 0.9 metres: and
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and

Prevailing By-laws and Prevailing Sections:

(A) on the lands known as 1785 Victoria Park Avenue, Schedule "C" Exceptions 17 and 54, of Scarborough By-law 9511.

(296) Exception RD 296

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(297) Exception RD 297

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(298) Exception RD 298

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(299) Exception RD 299

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

(300) Exception RD 300

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the required parking space must be located in the residential building; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.: and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 37, of Scarborough By-law 9511

(301) Exception RD 301

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts:
 - (i) Pharmacy Avenue is 22.0 metres measured from the original centreline of the **street**;
 - (ii) Victoria Park Avenue or Warden Avenue is 25.0 metres measured from the original centreline of the **street**; and
 - (iii) Ellesmere Road is 30 metres measured from the original centreline of the street; and
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(302) Exception RD 302

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Ellesmere Road is 30 metres measured from the original centreline of the **street**;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(303) Exception RD 303

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Ellesmere Road is 30 metres measured from the original centreline of the street;
- (D) the minimum setback from a front lot line that abuts Pharmacy avenue Road is 9.0 metres
- (E) the minimum setback from a **side lot line** is 0.9 metres;
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(304) Exception RD 304

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(305) Exception RD 305

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres: and
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) an attached or detached garage must be a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(306) Exception RD 306

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres; and
- (B) the minimum setback from a **side lot line** that abuts Ellesmere Road is 7.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(307) Exception RD 307

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum **building setback** is 3.0 metres from the **street** line, including all projections except a roof overhang projecting a maximum of 0.5 m; except that portion of the front **main wall** containing access to the garage, excluding bay window projections above the garage to a maximum of 1.55

- m, must be set back to achieve a minimum **driveway** length of 6.0 metres, measured perpendicular from the **street** line to the **main wall** of the **building** containing a garage door;
- (B) the minimum setback from a **side lot line** is 1.2 metres from one **side lot line** and 0.6 metres of the other **side lot line**;
- (C) the minimum rear yard setback is 10.0 metres; and
- (D) the maximum lot coverage is 45%.

(308) Exception RD 308

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Lands south of #1-11 Patrick Boulevard and north of 2000-2088 Sheppard Avenue East, City of North York by-law 30102.

(309) Exception RD 309

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Birchmount Road is:
 - (i) 9.0 metres for a front lot line;
 - (ii) 5.7 metres for a side lot line; and
- (D) the minimum setback from a **lot line** that abut Kennedy Road is 24.0 metres, measured from the original centreline of Kennedy Road;
- (E) the minimum setback from a side lot line is 0.9 metres;
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (G) the elevation of the basement floor must be a minimum of 3.5 metres higher than the invert of Massey Creek; and
- (H) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (I) on the lands municipally known as 6 Richome Court the part of the rear **main wall** containing both a **parking space** and rooms over the **parking space** must not be located closer than 1.35 metres from the **rear lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(310) Exception RD 310

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(311) Exception RD 311

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(312) Exception RD 312

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Birchmount Road is:
 - (i) 9.0 metres for a front lot line;
 - (ii) 5.7 metres for a side lot line; and
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the required parking space must be located in the residential building;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(313) Exception RD 313

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is:
 - (i) 9.0 metres for a **front lot line**;
 - (ii) 5.7 metres for a side lot line; and
- (B) the minimum setback from a **side lot line** is 1.2 metres;
- (C) the required parking space must be located in the residential building;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the elevation of the basement floor must be a minimum of 3.5 metres higher than the invert of Massey Creek.

Prevailing By-laws and Prevailing Sections: (None Apply)

(314) Exception RD 314

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(315) Exception RD 315

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**: and
- (F) on lot municipally known as 1 and 2 Cloverleaf Gate and the odd numbered lots from 65 to 117 Lowcreast Boulevard, a detached garage is not permitted in a rear yard; and
- (G) on the **lot** municipally known as 38 Lowcreast Boulevard the minimum **building setback** from a **side lot line** that abuts a **street** is 4.5 metres.

(316) Exception RD 316

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Victoria Park Avenue, Warden Avenue or Sheppard Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (D) the minimum setback from a **front lot line** that abuts Pharmacy Avenue is 9.0 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) on the lands municipally known as 3165, 3175, 3177, 3179, 3181, 3183 and 3185 Sheppard Avenue East and 5 and 6 Abbottsfield Gate a **building** or **structure** must be a minimum of 3.6 metres from a **lot line** that abuts Abbottsfield Lane.

Prevailing By-laws and Prevailing Sections: (None Apply)

(317) Exception RD 317

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Victoria Park Avenue, Warden Avenue or Sheppard Avenue is 30.0 metres, measured from the original centreline of the street;
- (D) the minimum setback from a front lot line that abuts Pharmacy Avenue is 9.0 metres;
- (E) the minimum setback from a side lot line is 0.9 metres; and
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (G) on the lands municipally known as 2969 Sheppard Avenue East an office is permitted if:
 - (i) it is in a detached house existing on the date of the enactment of this by-law; and
 - (ii) a minimum of three **parking spaces** are provided for the office use.

Prevailing By-laws and Prevailing Sections: (None Apply)

(318) Exception RD 318

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

(319) Exception RD 319

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the part of main wall of the building containing the access to the required parking space must be set back a minimum of 5.7 metres from a front lot line or side lot line;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (G) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(320) Exception RD 320

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 5.7 metres for the part of main wall of the building containing the access to the required parking space; and
 - (ii) 3.0 metres from all other parts of the front main wall;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.
- (F) the minimum rear yard setback is 6.0 metres;
- (G) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(321) Exception RD 321

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 9.0 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(322) Exception RD 322

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a front lot line that abuts Warden Avenue is 36.0 metres, measured

from the original centreline of the street;

- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the maximum lot coverage is 51%; and
- (D) all lands not covered by **buildings** must be used for no other purpose than **landscaping**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(323) Exception RD 323

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Huntingwood Drive is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and

Prevailing By-laws and Prevailing Sections:

A) On the **lots** municipally known as 22 Rosscowan Crescent, Schedule "C" Exception 17, of Scarborough By-law 10717; and

(B) On the **lots** municipally known as 64 and 68 Wicklow Drive, Schedule "C" Exception 18, of Scarborough By-law 10717

(324) Exception RD 324

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the part of **main wall** of the **building** containing the access to the required **parking space** must be set back a minimum of 5.7 metres from a **front lot line** or **side lot line** that abuts a **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**;
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (G) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(325) Exception RD 325

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Huntingwood Drive is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) the minimum setback from a front lot line that abuts Victoria Park Avenue, Warden Avenue or Sheppard Avenue is 27.0 metres, measured from the original centreline of the street;
- (G) the required parking space must be located in the residential building; and
- (H) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line

that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(326) Exception RD 326

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) the minimum setback from a **front lot line** that abuts Victoria Park Avenue, Warden Avenue or Sheppard Avenue is 27.0 metres, measured from the original centreline of the **street**; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(327) Exception RD 327

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Huntingwood Drive is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the minimum setback from a side lot line that abuts a Pharmacy Avenue is 22.0 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(328) Exception RD 328

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Bellamy Road or Invergordon Avenue is 19.0 metres, measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(329) Exception RD 329

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front line is 3.0 metres;
- (D) the part of main wall of the building containing the access to the required parking space must be

set back a minimum of 5.7 metres from a front lot line:

- (E) the minimum setback from a side lot line is 0.6 metres;
- (F) the minimum setback from a side lot line that abuts a street is 1.2 metres.
- (G) the maximum lot coverage is 60%;
- (H) the required parking space must be located in the residential building; and
- (I) the maximum height of a building is the lesser of 2 storeys or 9.0 metres; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(330) Exception RD 330

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front line is 3.0 metres;
- (D) the part of **main wall** of the **building** containing the access to the required **parking space** must be set back a minimum of 5.7 metres from a **front lot line**;
- (E) the minimum setback from a side lot line is 0.6 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 1.2 metres;
- (G) the maximum lot coverage is 60%;
- (H) the required parking space must be located in the residential building; and
- (I) the maximum height of a **building** is the lesser of 3 **storeys** or 10.7 metres; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(331) Exception RD 331

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front line is 3.0 metres;
- (D) the required parking space must be located in the residential building; and
- (E) the part of **main wall** of the **building** containing the access to the required **parking space** must be set back a minimum of 6.0 metres from a **front lot line**;
- (F) the maximum lot coverage is 50%;
- (G) the minimum setback from a rear lot line is 6.0 metres; and
- (H) the minimum setback from a rear lot line that abuts Sheppard Avenue is 3.0 metres; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(332) Exception RD 332

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law; and
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

(333) Exception RD 333

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the north side lot line is 0.45 metres; and
- (B) the minimum setback from the south side lot line is 1.2 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(334) Exception RD 334

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres:
- (D) the maximum lot coverage is 40%;
- (E) the required parking space must be located in the residential building; and
- (F) the maximum height of a **building** is the lesser of 3 **storeys** or 10.7 metres; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(335) Exception RD 335

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(336) Exception RD 336

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a front line is 4.5 metres;
- (E) the required parking space must be located in the residential building;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the minimum setback from a side lot line that abuts a street is:
 - (i) 9.0 metres where the side lot line abuts Bellamy Road or Invergordon Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(337) Exception RD 337

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a front line is 4.5 metres;
- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in the residential building;
- (G) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (H) the minimum setback from a side lot line that abuts a street is:
 - (i) 9.0 metres where the side lot line abuts Bellamy Road or Invergordon Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(338) Exception RD 338

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum **lot coverage** is 35%;
- (B) for 3359 Bayview Avenue; 2 to 70 Bowan Court (even numbers only); and 1 to 51 Bowan Court (odd numbers only), the minimum rear yard setback is 13.0 metres for the first storey and 15.0 metres for the second storey; and
- (C) for 53 to 69 Bowan Court (odd numbers only), the minimum rear yard setback 13.5 metres for the first storey and 15.5 metres for the second storey.

Prevailing By-laws and Prevailing Sections: (None Apply)

(339) Exception RD 339

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Midland Avenue is 22 metres measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and

Prevailing By-laws and Prevailing Sections:

(A) on the lands municipally known as 766 and 768 Midland Avenue, Schedule "C" Exception 12, of Scarborough By-law 9276 applies.

(340) Exception RD 340

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a **front lot line** that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (D) on the lands municipally known as 76, 78 and 80 Cleta Drive, the minimum lot frontage is 11.5

metres and the minimum lot area is 464 square metres;

(E) on the lands municipally known as 730, 732 and 734 Danforth Road the minimum **lot frontage** is 15.2 metres:

Prevailing By-laws and Prevailing Sections: (None Apply)

(341) Exception RD 341

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22 metres, measured from the original centreline of the street; the minimum setback from a side lot line is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) a garage or carport must not exceed a length of 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(342) Exception RD 342

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) the elevation of the **basement** floor must be a minimum of 3.6 metre higher then the elevation of the invert of Massey Creek; and
- (E) the portion of the **building** containing an attached garage must be set back a minimum of 0.3 metres from a **side lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(343) Exception RD 343

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the elevation of the basement floor must be a minimum of 3.6 metre higher then the elevation of the invert of Massey Creek.

Prevailing By-laws and Prevailing Sections: (None Apply)

(344) Exception RD 344

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(345) Exception RD 345

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law; and
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(346) Exception RD 346

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) despite regulations to the contrary, there must be no encroachments into the required side yard;
- (C) the required parking space must be located in the residential building; and
- (D) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(348) Exception RD 348

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 0.5 metres;
- (C) despite regulations to the contrary, there must be no encroachments into the required **side yard**;
- (D) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (E) the minimum setback from a rear lot line is 5.0 metres;
- (F) the required parking space must be located in the residential building;
- (G) the portion of main wall containing the entrance to a parking space, must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (H) on the lands municipally known as 45 Burn Hill Road;
 - (i) the minimum **building setback** from westerly **lot line** is 3.0 metres;
 - (ii) the minimum building setback from easterly lot line is 4.5 metres;.
 - (iii) the minimum building setback from southerly lot line is 0.3 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(349) Exception RD 349

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a **front lot line** is 4.5 metres;
- (B) the minimum setback from a front lot line that abuts Warden Avenue, Pharmacy Avenue, Victoria Park Avenue or Danforth Road is 19.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a side lot line is 0.3 metres;
- (D) the minimum setback from a side lot line that abuts a street is 1.5 metres; and
- (E) the maximum lot coverage is 50%; and

Prevailing By-laws and Prevailing Sections:

(A) on the lands municipally known as the odd numbered lot from 587 to 597 Warden Avenue,

- Schedule "C" Exception 13, of Scarborough By-law 9812; and
- (B) on the lands municipally known as 26 and 28 McDonald Avenue, Schedule "C" Exception 12, of Scarborough By-law 9812; and
- (C) on the lands municipally known as 21, 29 and 31 Patterson Avenue, Schedule "C" Exception 1, of Scarborough By-law 9812.

(350) Exception RD 350

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a **front lot line** is 4.5 metres;
- (B) the minimum setback from a front lot line that abuts Warden Avenue, Pharmacy Avenue, Victoria Park Avenue or Danforth Road is 19.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a side lot line is 0.3 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 1.5 metres.
- (E) on the lands municipally known as 195 Danforth Road, a multiple family dwelling is permitted if:
 - (i) there is only one dwelling unit for each 99 square metres of lot area;
 - (ii) the building is set back a minimum of 4.5 metres from the front lot line; and
 - (iii) the **building** is set back a minimum of 1.2 metres from the **side lot line**; and

Prevailing By-laws and Prevailing Sections: (None Apply)

(351) Exception RD 351

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Warden Avenue, Pharmacy Avenue, Victoria Park Avenue or Danforth Road is 19.0 metres, measured from the original centreline of the street; and
- (D) the minimum setback from a side lot line is 0.3 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(352) Exception RD 352

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts Warden Avenue, Pharmacy Avenue, Victoria Park Avenue or Danforth Road is 19.0 metres,
- (B) the minimum setback from a side lot line is 0.3 metres;
- (C) the minimum setback from a side lot line that abuts a street is 1.5 metres; and
- (D) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(353) Exception RD 353

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a **front lot line** is 4.5 metres;
- (B) the minimum setback from a **front lot line** that abuts Warden Avenue, Pharmacy Avenue, Victoria Park Avenue or Danforth Road is 19.0 metres,
- (C) the minimum setback from a side lot line is 0.9 metres; and

(D) the minimum setback from a side lot line that abuts a street is 2.4 metres; and

Prevailing By-laws and Prevailing Sections:

(A) on the lands municipally known as 104 Danforth Road, Schedule "C" Exception 3, of Scarborough By-law 9812

(354) Exception RD 354

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (C) on the lands municipally known as 65, 67, 77 and 79 Highcastle Road, 197, 199 and 201 Oakmeadow Boulevard, 22, 24, 26, 32, 34 and 36 Stonefield Crescent, the minimum **lot frontage** is 13.5 metres and the minimum **lot area** is 557 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(355) Exception RD 355

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(356) Exception RD 356

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the minimum setback from a **lot line** that abuts
 - (i) Military Trail is 7.5 metres;
 - (ii) Highcastle Road is 6.0 metres; and
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(357) Exception RD 357

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum front yard setback is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the portion of **main wall** containing the entrance to a **parking space**, must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**; and
- (F) the required parking space must be located in the residential building.
- (G) the maximum lot coverage is 50%.

(358) Exception RD 358

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum front yard setback is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the portion of **main wall** containing the entrance to a **parking space**, must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**;
- (F) the minimum setback from a **lot line** that abuts Highway 401 is 8.0 metres;
- (G) the required parking space must be located in the residential building; and
- (H) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(359) Exception RD 359

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum front yard setback is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the portion of **main wall** containing the entrance to a **parking space**, must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**; and
- (F) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(360) Exception RD 360

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres on the other side:
- (C) despite regulations to the contrary, there must be no encroachments into the required side yard;
- (D) the minimum setback from a rear lot line is 1.0 metres; and
- (E) the portion of main wall containing the entrance to a parking space, must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (F) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(361) Exception RD 361

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum front yard setback is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side;
- (C) despite regulations to the contrary, there must be no encroachments into the required side yard;

- (D) the portion of main wall containing the entrance to a parking space, must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (E) the maximum lot coverage is 50%.

(362) Exception RD 362

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.8 metres on one side and 0.5 metres on the other side:
- (C) despite regulations to the contrary, there must be no encroachments into the required side yard;
- (D) the portion of main wall containing the entrance to a parking space, must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (E) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(363) Exception RD 363

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts Morningside Avenue or Ellesmere Road is 30.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(364) Exception RD 364

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 5.0 metres;
- (D) the minimum setback from a **side lot line** is 1.2 metres on one side and 0.3 metres on the other side:
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (F) the required parking space must be located in the residential building.
- (G) the maximum lot coverage is 46%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(365) Exception RD 365

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a **side lot line** is 0.3 metres;
- (B) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street:
- (D) On the **lots** municipally known as 49, 49A, 71, 73, 75 and 77 Winter Avenue the following regulations also apply:

- (i) a semi-detached house may be erected on the lot, if the lot frontage is a minimum of 18.0 metres and the minimum lot area is 613 square metres or each dwelling unit in the semi-detached house is on its own lot and that lot has a minimum lot frontage of 9.0 metres and the minimum lot area is 306 square metres; and
- (ii) a **detached house** may be erected on the **lot**, if the **lot** has a minimum **lot frontage** of 9.0 metres and minimum **lot area** of 306 square metres; and
- (E) On the **lots** municipally known as 13 and 15 Winter Avenue and 108 Huntington Avenue the following regulations also apply:

A **building** containing a maximum of 1 **dwelling unit** for each 161 square metres of **lot area** is permitted if:

- (i) it is set back from the front lot line a minimum of 7.5 metres; and
- (ii) the building is set back from the side lot lines and rear line lot a distance equal to one-half the height of the building; and
- (F) On the **lots** municipally known as 65 Commonwealth Avenue the following regulations also apply:
 - (i) a semi-detached house may be erected on the lot, if the lot frontage is a minimum of 15.0 metres and the minimum lot area is 510 square metres or each dwelling unit in the semi-detached house is on its own lot and that lot has a minimum lot frontage of 7.5 metres and the minimum lot area is 255 square metres;
 - (ii) a **duplex** may be erected on the **lot**, if the **lot frontage** is a minimum of 15.0 metres and the minimum **lot area** is 510 square metres; and
 - (iii) a **detached house** may be erected on the **lot**, if the **lot** has a minimum **lot frontage** of 7.5 metres and minimum **lot area** of 255 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(366) Exception RD 366

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres:
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street; and
- (D) an attached or detach garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(367) Exception RD 367

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (E) the minimum setback from a **front lot line** that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the **street**: and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(368) Exception RD 368

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (E) the minimum setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(369) Exception RD 369

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (C) the minimum setback from a **front lot line** that abuts Brimley Road is 22.0 metres, measured from the original centreline of the **street**; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(370) Exception RD 370

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres; and
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(371) Exception RD 371

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street:
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(372) Exception RD 372

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

(373) Exception RD 373

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum building setback from a side lot line is 0.9 metres;
- (D) the elevation of the basement floor must be a minimum of 3.6 metres higher than the invert of the Creek:
- (E) on lands known municipally as 96 Cedarbrea Boulevard the minimum **building setback** from a **side yard** is 0.58 metres; and
- (F) on lands known municipally as 110 Cedarbrea Boulevard and 260, 262, 264 and 266 Bellamy Road North, the minimum **building setback** from a **lot line** that abuts Bellamy Road North is 22.0 metres measured from the centreline of the original road allowance.

Prevailing By-laws and Prevailing Sections: (None Apply)

(374) Exception RD 374

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres; (Dither minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a **front lot line** that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the **street**: and
- (F) the elevation of the **basement** floor must be a minimum of 3.6 metres higher than the invert of the Creek

Prevailing By-laws and Prevailing Sections: (None Apply)

(375) Exception RD 375

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum **lot frontage** for a **corner lot** is 15.0 metres;
- (B) the minimum building setback from a side lot line is 1.2 metres;
- (C) the minimum building setback from a side lot line that abuts a street is 5.7 metres;
- (D) the minimum building setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street; and
- (E) on the lands municipally know as 204 Bellamy Road North:
 - (i) a maximum of 40 m² of the **basement** of the residence may be used for **personal service** shops limited to a beauty parlour and hairdressing salon; and
 - (ii) 2 **parking spaces** many be located side by side or in tandem on the **driveway** leading to the required residential parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(376) Exception RD 376

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law; (Cathie minimum setback from a side lot line is 0.9 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) the required parking space must be located in the residential building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(377) Exception RD 377

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law; (Cathie minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(378) Exception RD 378

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage for a corner lot is 15.0 metres;
- (B) the minimum building setback from a side lot line is
 - (i) 0.9 metres for **lots** municipally known as 38 to 56 Torrance Road inclusive of even and odd addresses and residentially zoned lands at 395 McCowan Road; and
 - (ii) 1.2 metres in all other cases;
- (C) the minimum building setback from a side lot line that abuts a street is 3.6 metres;
- (D) the minimum building setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street; and
- (E) an attached or detach garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(379) Exception RD 379

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 7.5 metres;
- (D) the minimum setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street;
- (E) the minimum setback from a side lot line is 1.2 metres;

- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

(380) Exception RD 380

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (C) the maximum height of a building or structure is 10.0 metres; and
- (D) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(381) Exception RD 381

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(382) Exception RD 382

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **front lot line** that abuts Bellamy Road is 7.5 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the required parking space must be located in the residential building; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(383) Exception RD 383

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) 0.9 metres for lots municipally known as 34 and 36 Torrance Road and 73 to 80 Fred Bland Crescent inclusive of even and odd addresses;
 - (ii) in all other cases 1.0 metre on one side only;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) the required **parking space** must be located in the **residential building**;

- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street:
- (G) the portion of **main wall** containing the entrance to a **parking space**, must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**; and
- (H) the maximum lot coverage is 50%.

(384) Exception RD 384

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a rear lot line is 5.4 metres;
- (C) the maximum height of a building or structure is 8.2 metres; and
- (D) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(385) Exception RD 385

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.3 metres;
- (B) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (C) the minimum setback from a **front lot line** is 5.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(386) Exception RD 386

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) an attached or detach garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(387) Exception RD 387

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (C) the required parking space must be located in the residential building; and
- (D) the minimum setback from a **front lot line** that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(388) Exception RD 388

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (C) an attached or detach garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (D) the minimum setback from a front lot line that abuts Bellamy Road, Brimley Road, McCowan Road, Midland Avenue or Danforth Road is 22.0 metres, measured from the original centreline of the street.

(389) Exception RD 389

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The only **building** types permitted are **detached houses** and **ancillary** uses are permitted.
- (B) The provisions for 20 Ballyconnor Court are:
 - (i) the minimum lot width is 17.2 metres;
 - (ii) the maximum building length is 18.3 metres; and
 - (iii) the minimum east **side yard setback** is 1.22 metres and the west **side yard setback** is 1.83 metres.
- (C) The provisions for 38 Ballyconnor Court are:
 - (i) the minimum lot width is 16.55 metres;
 - (ii) the minimum lot frontage is 15.67 metres;
 - (iii) the maximum building length is 19.0 metres;
 - (iv) the minimum front yard setback is 5.5 metres; and
 - (v) the minimum east side yard setback is 6.0 metres and the west side yard setback is 1.22 metres.
- (D) The provision for 20 and 38 Ballyconnor Court is:
 - (i) the minimum rear yard setback for all structures above and below grade, including swimming pools is 10.0 metres.

Prevailing By-laws and Prevailing Sections:

(390) Exception RD 390

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum **building length** is 19.8 metres;
- (B) the minimum building setback from the side lot line is 1.22 metres; and
- (C) the minimum building setback from a rear lot line is 10.0 metres for all buildings and structures including swimming pools.

Prevailing By-laws and Prevailing Sections: (None Apply)

(391) Exception RD 391

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres; and
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

(392) Exception RD 392

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (C) the minimum setback from a front lot line that abuts Kingston Road, Eglinton Avenue or Markham Road is 36.0 metres, measured from the original centreline of the street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

- (A) on the lots municipally known as 1 and 3 Ravine Drive, Schedule "C" Exception 27-I, of Scarborough By-law 10010;
- (B) on the lot municipally known as 6 Ravine Drive, Schedule "C" Exception 27-III, of Scarborough Bylaw 10010;
- (C) on the lot municipally known as 3 Windy Ridge Drive, Schedule "C" Exception 27-II, of Scarborough By-law 10010;
- (D) on the lot municipally known as 22 Windy Ridge Drive, Schedule "C" Exception 27-IV, of Scarborough By-law 10010;
- (E) on the **lot** municipally known as 24 Windy Ridge Drive, Schedule "C" Exception 27-V, of Scarborough By-law 10010;
- (F) on the lot municipally known as 24 Windy Ridge Drive, Schedule "C" Exception 27-VII, of Scarborough By-law 10010;
- (G) on the **lot** created on Windy Ridge Drive from the closed right-of-way formerly known as Royal Avenue, Schedule "C" Exception 27-VI, of Scarborough By-law 10010;
- (H) on the lots municipally known as 19 and 21 Bellehaven Crescent, Schedule "C" Exception 27-VIII, of Scarborough By-law 10010;
- (I) on the **lot** municipally known as 27 Bellehaven Crescent, Schedule "C" Exception 27-IX, of Scarborough By-law 10010;
- (J) on the **lot** municipally known as 29 Bellehaven Crescent, Schedule "C" Exception 27-X, of Scarborough By-law 10010;
- (K) on the lot municipally known as 31 Bellehaven Crescent, Schedule "C" Exception 27-XI, of Scarborough By-law 10010;
- (L) on the lot municipally known as 33 Bellehaven Crescent, Schedule "C" Exception 27-XII, of Scarborough By-law 10010;
- (M) on the lot municipally known as 26 Parkcrest Drive, Schedule "C" Exception 27-XIII, of Scarborough By-law 10010;
- (N) on the **lot** municipally known as 8 ParkCrest Drive, Schedule "C" Exception 28-III, of Scarborough By-law 10010;
- (O) on the **lot** municipally known as 5 Annis Road, Schedule "C" Exception 27-XVIII, of Scarborough By-law 10010;
- (P) on the lot municipally known as 7 Annis Road, Schedule "C" Exception 28-I, of Scarborough Bylaw 10010;
- (Q) on the **lot** municipally known as 9 Annis Road, Schedule "C" Exception 27-XV, of Scarborough Bylaw 10010;
- (R) on the lot municipally known as 31 Annis Road, Schedule "C" Exception 27-XIV, of Scarborough By-law 10010;
- (S) on the lot municipally known as 1 Hill Crescent, Schedule "C" Exception 27-XXIV, of Scarborough By-law 10010;
- (T) on the **lot** municipally known as 12 Hill Crescent, Schedule "C" Exception 27-XX, of Scarborough By-law 10010;
- (U) on the lot municipally known as 16 Hill Crescent, Schedule "C" Exception 27-XXI, of Scarborough

By-law 10010;

- (V) on the **lot** municipally known as 18 Hill Crescent, Schedule "C" Exception 27-XIX, of Scarborough By-law 10010;
- (W) on the **lot** municipally known as 19 Hill Crescent, Schedule "C" Exception 27-XXIII, of Scarborough By-law 10010; and
- (X) on the lot municipally known as 20 Hill Crescent, Schedule "C" Exception 28-II, of Scarborough By-law 10010.

(393) Exception RD 393

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** is 9.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462);
- (F) on the **lots** municipally known as 58 and 60 Bethune Boulevard the minimum **front yard setback** is 5.7 metres.

Prevailing By-laws and Prevailing Sections:

(A) on the lots municipally known as 69 and 69A Bethune Boulevard Schedule "C" Exception 7, of Scarborough By-law 10010.

(394) Exception RD 394

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(395) Exception RD 395

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) the minimum setback from a **front lot line** that abuts Kingston Road, Eglinton Avenue or Markham Road is 36.0 metres, measured from the original centreline of the **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) on the lots municipally known as 2 Hill Crescent, Schedule "C" Exception 27-XVI, of Scarborough By-law 10010;

- (B) on the lots municipally known as 4 Hill Crescent, Schedule "C" Exception 27-XVIi, of Scarborough By-law 10010; and
- (C) on the lots municipally known as 26 Markham Road, Schedule "C" Exception 27-XXII, of Scarborough By-law 10010.

(396) Exception RD 396

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum frontage for a **corner lot** is 15.0 metres;
- (B) the minimum setback from a **front lot line** that abuts Bellamy Road, Scarborough Golf Club Road or Mason Road is 22.0 metres, measured from the original centreline of the **street**;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(397) Exception RD 397

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum frontage for a **corner lot** is 15.0 metres;
- (B) the minimum setback from a front lot line that abuts Mason Road is 9.0 metres;
- (C) the minimum setback from a front lot line that abuts Bellamy Road is 22.0 metres, measured from the original centreline of the street;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(398) Exception RD 398

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law:
- (C) the minimum setback from a front lot line that abuts Mason Road is 9.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(399) Exception RD 399

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Bellamy Road, Scarborough Golf Club Road or Mason Road is 22.0 metres, measured from the original centreline of the **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

(400) Exception RD 400

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line abutting a street is 9.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(401) Exception RD 401

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts Bellamy Road, Scarborough Golf Club Road or Mason Road is 22.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(402) Exception RD 402

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line abutting a street is 9.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(403) Exception RD 403

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Kingston Road is 15.0 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (E) the minimum setback from a rear lot line is 1.8 metres; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(404) Exception RD 404

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Bellamy Road is 22.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(405) Exception RD 405

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law; and
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(406) Exception RD 406

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum frontage for a **corner lot** is 15.0 metres;
- (C) the minimum setback from a **side lot line** is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(407) Exception RD 407

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum frontage for a corner lot is 15.0 metres;
- (B) the minimum setback from a **front lot line** that abuts Kingston Road, Eglinton Avenue or Markham Road is 36.0 metres, measured from the original centreline of the **street**.
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line

that does not abut a street: and

(F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(408) Exception RD 408

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road or Mason Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(409) Exception RD 409

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side;
- (E) there must be no encroachment into the side yard;
- (F) the maximum lot coverage is 50%; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(410) Exception RD 410

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 2.1 metres where front lot line abuts the Kingston Road Service Road; and
 - (ii) 3.0 metres for all other front lot lines: and
- (B) the portion of **main wall** containing the entrance to a **parking space**, must be set back a minimum of 5.7 metres from a **lot line** abutting a **street**;
- (C) the minimum setback from a side lot line is 0.9 metres on one side and 0.3 metres on the other side;
- (D) the minimum setback from a side lot line that abuts a street is 1.2 metres;
- (E) the minimum setback from a rear lot line is 6.9 metres;
- (F) the required parking space must be located in the residential building; and
- (G) the maximum lot coverage is 47%; and
- (H) these lands must also comply with exception 900.3.10(1462).
- No portion of the **building** or projection from it is permitted to encroach into a yard that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(411) Exception RD 411

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, an office is also permitted if:
 - (i) it is not a medical office;
 - (ii) the maximum interior for area use for a office is not more than 276 square metres;
 - (ii) the minimum building setback from the front lot line is not less than 13.6 metres;
 - (iii) the minimum side yard setback is:
 - (a) 1.4 metres from the south side lot line; and
 - (b) 2.0 metres from the north side lot line; and
 - (iv) the minimum side yard setback is 7.5 metres; and
 - (v) a minimum of 5 parking spaces are located in the front yard.

Prevailing By-laws and Prevailing Sections: (None Apply)

(412) Exception RD 412

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 50%;
- (B) the minimum building setback from the front lot line of 3.0 metres;
- (C) the minimum building setback from the side lot line of 0.6 metres; and
- (D) the maximum building height is 3 storeys.

Prevailing By-laws and Prevailing Sections: (None Apply)

(415) Exception RD 415

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Ellesmere Road, Lawrence Avenue and Markham Road is 30.0 metres measured from the original centreline of the **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(416) Exception RD 416

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street:
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(417) Exception RD 417

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) the required parking space must be located in the residential building.
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(418) Exception RD 418

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(419) Exception RD 419

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres:

Prevailing By-laws and Prevailing Sections: (None Apply)

(420) Exception RD 420

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the required parking space must be located in the residential building.
- (E) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(421) Exception RD 421

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street;

- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres;

(422) Exception RD 422

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (D) the maximum lot coverage is 40%.
- (E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(423) Exception RD 423

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts Ellesmere Road, Lawrence Avenue and Markham Road is 30.0 metres measured from the original centreline of the **street**;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) the elevation of the basement floor must be a minimum of 3.6 metres higher than the invert of the watercourse.

Prevailing By-laws and Prevailing Sections: (None Apply)

(424) Exception RD 424

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a front lot line that abuts Ellesmere Road, Lawrence Avenue and Markham Road is 30.0 metres measured from the original centreline of the street;
- (E) the minimum setback from a side lot line is 1.2 metres; and
- (F) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(425) Exception RD 425

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Ellesmere Road, Lawrence Avenue and Markham Road is 30.0 metres measured from the original centreline of the street;

- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

(426) Exception RD 426

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) the portion of **building** containing a **parking space** may be located in a **side yard** if it is at least 0.3 metres from the **side lot line**

Prevailing By-laws and Prevailing Sections: (None Apply)

(427) Exception RD 427

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a **front lot line** that abuts Ellesmere Road, Lawrence Avenue and Markham Road is 30.0 metres measured from the original centreline of the **street**;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (G) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(428) Exception RD 428

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street:
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the required parking space must be located in the residential building; and
- (G) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(429) Exception RD 429

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(430) Exception RD 430

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street:
- (B) the minimum setback from a side lot line is 1.2 metres:
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (D) the elevation of the **basement** floor must be a minimum of 3.6 metres higher than the invert of the watercourse; and
- (E) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(431) Exception RD 431

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street:
- (B) the minimum setback from a side lot line is 1.2 metres:
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(432) Exception RD 432

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) the required parking space must be located in the residential building.
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(433) Exception RD 433

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line that abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road or McCowan Road is 22.0 metres measured from the original centreline of the street:
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

(434) Exception RD 434

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) the required parking space must be located in the residential building; and
- (D) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(435) Exception RD 435

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, the **lot** may be used for a **nursing home** if:
 - (i) the **building** is a maximum of one **storey**;
 - (ii) there is a minimum of 52 parking spaces on the lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(436) Exception RD 436

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 50%; and
- (B) regulations 10.20.40.20 and 10.20.40.30 do not apply.

Prevailing By-laws and Prevailing Sections: (None Apply)

(437) Exception RD 437

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(438) Exception RD 438

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the street;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).
- (G) on1 and 36 Wildlark Drive the minimum building setback from a side lot line that abuts a street is 4.5 metres.

(439) Exception RD 439

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abut Bennett Road is 22.0 metres, measured from the original centreline of the **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462); and
- (H) on 2 and 4 Dunstall Crescent, the minimum lot area is 464 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(440) Exception RD 440

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).
 - (iii) 0.4 if the lot area is more than 697 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(441) Exception RD 441

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the **street**;
- (D) the minimum setback from a **lot line** that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of

the street:

- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(442) Exception RD 442

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the street;
- (D) the minimum setback from a **side lot line** is 1.2 metres:
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(443) Exception RD 443

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) on a corner lot the minimum lot frontage is 15.0 metres;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) on Block "B" registered Plan M-1094, Schedule "C" Exception 26, of Scarborough By-law 10327

(444) Exception RD 444

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(445) Exception RD 445

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law; The minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side metres and nothing shall encroach into that setback area;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**.
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(446) Exception RD 446

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts a street is 12.0 metres; and
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(447) Exception RD 447

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 17.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(448) Exception RD 448

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street:
- (B) the minimum setback from a **lot line** that abut Kingston Road is 30.0 metres, measured from the original centreline of the **street**;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(449) Exception RD 449

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) The minimum **building setback** from a **front lot line** is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (E) the required parking space must be located in the residential building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

(450) Exception RD 450

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) The minimum building setback from a front lot line is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in the residential building; and
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(451) Exception RD 451

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) The minimum building setback from a front lot line is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).
- (H) on the **lots** municipally known as 53,55,57 and 59 Farwood Crescent the minimum **lot frontage** is 11.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(452) Exception RD 452

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the only uses permitted are:
 - (i) one detached house having a maximum gross floor area of 175 square metres; and
 - (ii) one Educational Use having a maximum gross floor area of 1,400 square metres; and
 - (iii) one day nursery; and

- (B) the minimum setback from a side lot line is 3.0 metres;
- (C) the minimum setback from a rear lot line is 10.0 metres; and
- (D) the maximum height of a building or structure is 10.0 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

(454) Exception RD 454

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) The minimum building setback from a front lot line is 3.0 metres;
- (D) the minimum setback from a **side lot line** that does not abut a **street** is 1.0 metres and nothing shall encroach into that setback area:
- (E) the maximum lot coverage is 50%:
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(455) Exception RD 455

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into that setback area;
- (B) the maximum lot coverage is 50%; and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(456) Exception RD 456

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** or **rear lot line** is a distance equal to one-half the height of the **building**;
- (B) the maximum lot coverage is 50%; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(457) Exception RD 457

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **side lot line** is 0.9 metres and nothing shall encroach into that setback area;
- (B) the minimum setback from a rear lot line is 6.0 metres;

- (C) the maximum lot coverage is 50%;
- (D) the required parking space must be located in a building; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

(458) Exception RD 458

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into that setback area;
- (B) the required parking space must be located in a building; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(459) Exception RD 459

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street:
- (B) the minimum setback from a lot line that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the street;
- (C) on a corner lot the minimum lot frontage is 15.0 metres;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(460) Exception RD 460

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(461) Exception RD 461

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the **street**;
- (B) on a corner lot the minimum lot frontage is 15.0 metres;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(462) Exception RD 462

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Bennett Road is 22.0 metres, measured from the original centreline of the street;
- (B) on a corner lot the minimum lot frontage is 15.0 metres;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(463) Exception RD 463

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(464) Exception RD 464

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a lot line that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the street;
- (C) on a corner lot the minimum lot frontage is 15.0 metres;
- (D) the minimum setback from a **side lot line** 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line

that does not abut a street: and

(G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) on 102 and 102A Poplar Road, Schedule "C" Exception 25, of Scarborough By-law 10327

(465) Exception RD 465

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(466) Exception RD 466

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line 1.2 metres:
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(468) Exception RD 468

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line 1.2 metres; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) on the odd numbered lot from 157 to 165 Celeste Drive, Schedule "C" Exceptions 20 and 301, of Scarborough By-law 10327.

(469) Exception RD 469

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a lot line that abut Lawrence Avenue is 30.0 metres, measured from

the original centreline of the street;

- (B) on a corner lot the minimum lot frontage is 15.0 metres;
- (C) the minimum setback from a side lot line 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(470) Exception RD 470

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line 0.9 metres; and
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres.
- (C) on a corner lot the minimum lot frontage is 15.0 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(471) Exception RD 471

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street:
- (B) the minimum setback from a **lot line** that abut Lawrence Avenue is 30.0 metres, measured from the original centreline of the **street**;
- (C) on a corner lot the minimum lot frontage is 15.0 metres;
- (D) the minimum setback from a side lot line 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(472) Exception RD 472

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) on a corner lot the minimum lot frontage is 15.0 metres;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(473) Exception RD 473

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts:
 - (i) Lawrence Avenue is 12.0 metres; and
 - (ii) Manse Road, Homestead Road or Coronation drive is 6.0 metres; and
- (B) the minimum setback from a **side lot line** is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(474) Exception RD 474

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line 1.0 metres on one side and 0.5 metres on the other side; and
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(475) Exception RD 475

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line 0.45 metres; and
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(476) Exception RD 476

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts:
 - (i) Lawrence Avenue is 12.0 metres; and
 - (ii) Manse Road, Homestead Road or Coronation drive is 6.0 metres; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the required parking space must be located in the residential building; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(477) Exception RD 477

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(478) Exception RD 478

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(479) Exception RD 479

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(480) Exception RD 480

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) on a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a lot line that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 2.4 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(481) Exception RD 481

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(482) Exception RD 482

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street:
- (B) on a corner lot the minimum lot frontage is 15.0 metres;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(483) Exception RD 483

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the required parking space must be located in the residential building.
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(484) Exception RD 484

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the required parking space must be located in the residential building.
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(485) Exception RD 485

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** is 3.0 metres;
- (D) the minimum setback from a **side lot line** 1.0 metres on one side and 0.5 metres on the other side;
- (E) the required parking space must be located in the residential building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(486) Exception RD 486

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) the minimum setback from a rear lot line is 6.0 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building; and
- (H) where the **vehicle** entrance to a garage also faces the **front lot line**, the entrance must be set back a minimum of 6.0 metres from the **front lot line**; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(487) Exception RD 487

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(488) Exception RD 488

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;

- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

(489) Exception RD 489

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (C) on a corner lot the minimum lot frontage is 15.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(490) Exception RD 490

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) on a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the required parking space must be located in the residential building; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(491) Exception RD 491

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a lot line that abut Lawrence Avenue is 30.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(492) Exception RD 492

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) on a **corner lot** the minimum **lot frontage** is 17.0 metres;
- (B) the minimum setback from a side lot line that abuts a street is 2.2 metres; and
- (C) the minimum setback from a side lot line is 0.9 metres; and
- (D) the required parking space must be located in the residential building for and lot fronting on Rodda Boulevard; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(493) Exception RD 493

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres; and
- (B) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**: and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(494) Exception RD 494

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 4.5 metres;
- (B) the minimum setback from a **side lot line** is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) on the lands municipally known as 13 Pickford Road, Schedule "C" Exception 89, of Scarborough By-law 10327

(495) Exception RD 495

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(496) Exception RD 496

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abut Galloway Road, Morningside Avenue, Manse Road,

Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the **street**:

- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(497) Exception RD 497

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abut Kingston Road is 36.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the required parking space must be located in the residential building; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(498) Exception RD 498

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) where a front lot line abuts Kingston road the minimum setback from the front line is the greater of:
 - (i) 6.0 metres; or
 - (ii) 33 metres from the centreline of Kingston Road;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the required parking space must be located in the residential building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(499) Exception RD 499

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the required parking space must be located in the residential building; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 49, of Scarborough By-law 10327.

(500) Exception RD 500

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the length of **building** regulations do not apply to these lands.

Prevailing By-laws and Prevailing Sections: (None Apply)

(501) Exception RD 501

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from the **front lot line** is 7.5 metres;
- (B) the minimum building setback from the side lot line is 1.2 metres;
- (C) if a detached house has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum building height is 9.5 metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;
- (D) any balcony, porch or sundeck located at or above the second storey or gaining access from the second storey of the building must be set back from any lot line the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (E) the maximum lot coverage for ancillary buildings is 5%; and
- (F) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(502) Exception RD 502

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum front yard setback is 9 metres;
- (B) The minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;
- (C) if a detached house has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum building height is 9.5 metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres;
- (F) despite (B) above, the minimum building setback from the side lot line is:
 - (i) 9.0 metres from the east side lot line for Lot 8; and
 - (ii) 9.0 metres from the west side lot line for Lot 7; and
- (G) all buildings must be located a minimum of 10.0 metres from the top-of-bank line identified by the T.R.C.A.

Prevailing By-laws and Prevailing Sections: (None Apply)

(503) Exception RD 503

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the following **lots** municipally known in 2010 as 168, 184, 186, 170, 172, 182, 174, 176 178 and 180 Lord Seaton Road are not eligible for the **front yard** averaging in regulation 10.5.40.70 (1) and must instead have the following minimum **front yard setbacks**:

- (i) 10.0 metres for 168,184,186 Lord Seaton Road;
- (ii) 13.0 metres for 170,172,182 Lord Seaton Road; and
- (iii) 14.0 metres for 174,176,178,180 Lord Seaton Road.; and
- (B) the minimum side yard setback is 1.8 metres.

(504) Exception RD 504

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from the front lot line is 15.0 metres; and
- (B) the minimum building setback from the side lot line is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(505) Exception RD 505

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum front yard setback is 9 metres;
- (B) The minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres:
- (F) a detached garage is not permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(506) Exception RD 506

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) In addition to the uses permitted in the RD zone, a professional medical office and a dispensing pharmacy ancillary to the professional medical office shall also be permitted if it is located within the building existing on the lot on June 1, 2006;
- (B) For the purpose of this By-law exception only, professional medical office means the use of a building or part of a building for the consultation, diagnosis, surgical or therapeutic treatment of persons by not more than 6 members, at any one time, of the medical or dental professions, or individuals licensed under the Drugless Practitioners Act or the Regulated Health Professionals Act, 1991:
- (C) For the purpose of this By-law exception only, dispensing pharmacy means a drug store where only medicines, drugs, and medical appliances or aids are compounded, dispensed or sold, but must not contain any other articles or goods which are sold or displayed for sale to the public;
- (D) The maximum **gross floor area** for a professional medical office and dispensing pharmacy is 342.0 square metres:
- (E) The maximum **gross floor area** for a dispensing pharmacy is 23.0 square metres;
- (F) For a professional medical office, the exterior design of the existing **building** must not be altered;
- (G) For a professional medical office, a parking area with a minimum of 18 **parking spaces** must be provided;
- (H) The parking area for a professional medical office must be buffered with a 3 metre wide landscaping strip along the south lot line and west lot line;
- (I) There must be no external signage with respect to the dispensing pharmacy;

(J) The lands must comply with exception 900.3.10 (69).

Prevailing By-laws and Prevailing Sections: (None Apply)

(507) Exception RD 507

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 40%;
- (B) the minimum building setback from the side lot line is 1.8 metres;
- (C) the maximum building length is 19.8 metres; and
- (D) the maximum gross floor area of all buildings is 399.47 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(508) Exception RD 508

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into that setback area;
- (D) the minimum setback from a rear lot line is 6.5 metres;
- (E) the minimum setback from a **lot line** that abuts the rail right-of-way is 30.0 metres;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(509) Exception RD 509

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into that setback area:
- (D) the minimum setback from a rear lot line is 6.5 metres;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(510) Exception RD 510

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into that setback area;
- (E) the maximum lot coverage is 50%; and

(F) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(511) Exception RD 511

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 1.2 metres where the side lot line abuts Morningside Avenue, Sewells Road or McLevin Road; and
 - (ii) 4.5 metres in all other cases; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(512) Exception RD 512

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 1.2 metres where the **side lot line** abuts Morningside Avenue, Sewells Road or McLevin Road; and
 - (ii) 4.5 metres in all other cases; and
- (E) the maximum lot coverage is 40%;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(513) Exception RD 513

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(514) Exception RD 514

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road:
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Sheppard Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the maximum lot coverage is 40%.

(515) Exception RD 515

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (F) the maximum lot coverage is 40%; and
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(516) Exception RD 516

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road:
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(517) Exception RD 517

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a front lot line is:

- (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road:
- (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
- (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

(518) Exception RD 518

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 2.4 metres on one side and 1.2 metres on the other side; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(519) Exception RD 519

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 6.0 metres where the main wall facing the street also contains an entrance to an area for the parking or storage of a vehicle; and
 - (ii) 4.5 metres on all other cases; and
- (D) the minimum setback from a **side lot line** is 1.2 metres on one side and 0.6 metres on the other side;
- (E) on a corner lot the minimum setback from a side lot line is:
 - (i) 3.0 metres where the side lot line abuts a street; and
 - (ii) 0.6 metres from any other side lot line; and
- (F) the minimum setback from a rear lot line is 6.5 metres;
- (G) the maximum lot coverage is 50%;
- (H) the required parking space must be located in a building;
- (I) a cantilevered bay windows may project a maximum distance of 0.6 metres into any yards; and
- (J) the maximum height of a building or structure is 10.0 metres

Prevailing By-laws and Prevailing Sections: (None Apply)

(520) Exception RD 520

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** for a **corner lot** is 10.0 metres;
- (B) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;

- (C) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into that setback area;
- (D) the minimum setback from a **lot line** that abuts the rail right-of-way is 30.0 metres;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in a building.

(521) Exception RD 521

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into that setback area;
- (E) the minimum setback from a rear lot line is 15.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building; and
- (H) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(522) Exception RD 522

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into that setback area;
- (E) the minimum setback from a rear lot line is 10.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building; and
- (H) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(523) Exception RD 523

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into that setback area;
- (E) the minimum setback from a rear lot line is 7.5 metres;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building; and

(H) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(524) Exception RD 524

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Neilson Road, Finch Avenue, Tapscott Road or the railway right-of-way is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(525) Exception RD 525

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Neilson Road, Sheppard Avenue, Tapscott Road or Washburn Way is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(526) Exception RD 526

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Neilson Road, Sheppard Avenue, Tapscott Road, or Milner Avenue is 7.5 metres:
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(527) Exception RD 527

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this by-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this by-law;

- (C) the minimum setback from a lot line that abuts Sheppard Avenue, Neilson Road, Tapscott Road and Washburn Way is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters;
- (F) an attached or detach garage shall be setback a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

(528) Exception RD 528

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side only; and
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(529) Exception RD 529

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side only and nothing shall encroach into that setback area; and
- (C) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(530) Exception RD 530

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Berner Trail, Greenspire Road, or Malvern Street is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (G) the required parking space must be located in the residential building;
- (F) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(531) Exception RD 531

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a side lot line is 1.2 metres; and

- (B) the minimum setback from a side lot line that abuts a street is 4.5 meters;
- (C) the required parking space must be located in the residential building;
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

(532) Exception RD 532

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Berner Trail, Mammoths Hall Trail, or Malvern Street is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (G) the required parking space must be located in the residential building;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(533) Exception RD 533

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Berner Trail, Mammoths Hall Trail, or Malvern Street is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (D) the required parking space must be located in the residential building;
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(534) Exception RD 534

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (E) nothing shall encroach into a required side yard;
- (F) the required parking space must be located in a building; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(535) Exception RD 535

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 2.0 meters;
- (E) the maximum lot coverage is 50%;
- (F) nothing shall encroach into a required side yard;
- (G) the required parking space must be located in a building;
- (H) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (I) lot Number 8 must comply with the requirements for a corner lot.

(536) Exception RD 536

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Berner Trail, Greenspire Road, or Malvern Street is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (D) the required parking space must be located in the residential building;
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(537) Exception RD 537

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) In addition to the uses permitted in the RD zone, a private school and one dwelling unit is permitted if:
 - (i) the maximum **gross floor area** is not greater than 3,112 square metres;
 - (ii) the maximum height of the **building** is the lesser of 9.5 metres and two **storeys**;
 - (iii) the minimum front yard setback is 7.5 metres;
 - (iv) the minimum building setback from a lot line is:
 - (a) 5.0 metres if it is the east side lot line;
 - (b) 8.0 metres if it is the west side lot line; and
 - (c) 3.0 metres if it is the southwest side lot line; and
 - (v) the minimum rear yard setback is 27.5 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(538) Exception RD 538

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum lot coverage 43%;
- (B) the minimum building setback from the side lot line is 1.8 metres;
- (C) the minimum rear yard setback is 6.1 metres; and
- (D) the minimum front yard setback is 3.81 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(539) Exception RD 539

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from the side lot line is 1.8 metres;
- (B) the minimum rear yard setback is 1.85 metres; and
- (C) the minimum front yard setback is 3.96 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(540) Exception RD 540

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (G) the minimum setback from a **lot line** that abuts Steeles Avenue, Warden Avenue or Kennedy Road is 7.5 metres:
- (H) the required parking space must be located in the residential building; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 13, of Scarborough By-law 16762

(541) Exception RD 541

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (H) the required parking space must be located in a building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(542) Exception RD 542

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;

- (E) the minimum setback from a front lot line that abuts a street is 4.5 metres;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the minimum setback from a side lot line is 1.0 metres on one side and 0.6 metres on the other side; and
- (H) the maximum **building** height is the lesser of 11.0 metres or 3 **storeys**.

(543) Exception RD 543

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a side lot line that abuts a street is 3.5 metres;
- (E) the minimum setback from a side lot line is 1.0 metres;
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(544) Exception RD 544

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the minimum setback from a side lot line is 1.0 metres on one side only; and
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(545) Exception RD 545

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (B) the maximum lot coverage is 50%;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (E) the minimum setback from a side lot line is 1.0 metres on one side only; and
- (F) the required **parking space** must be located in a **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(546) Exception RD 546

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the maximum lot coverage is 50%;

- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the minimum setback from a side lot line is 1.0 metres on one side only; and
- (E) the required parking space must be located in a building.

(547) Exception RD 547

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres:
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**: and
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(548) Exception RD 548

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (F) the minimum setback from a side lot line is 0.9 metres; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(549) Exception RD 549

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(550) Exception RD 550

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (C) the minimum setback from a lot line that abuts Steeles Avenue, Warden Avenue or Kennedy Road is 7.5 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) the required parking space must be located in the residential building.

(551) Exception RD 551

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres;
- (C) the minimum setback from a lot line that abuts Steeles Avenue, Warden Avenue or Kennedy Road is 7.5 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(552) Exception RD 552

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(553) Exception RD 553

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(554) Exception RD 554

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum side yard setback is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) the required parking space must be located in the residential building.

(555) Exception RD 555

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres:
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(556) Exception RD 556

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) on a corner lot the minimum lot frontage is 13.5 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) the required parking space must be located in the residential building; and
- (F) on the **lots** municipally known as 107 to 109 and 111 to 113 Seagrave Crescent a one half of a **semi-detached house** is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(557) Exception RD 557

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the minimum setback from a **lot line** that abuts McNicoll Avenue is 7.5 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(558) Exception RD 558

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **side lot line** is 0.9 metres;
- (E) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(560) Exception RD 560

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum building setback from a front lot line that abuts a street is:
 - (i) 7.5 metres if the **lot line** abuts Warden Avenue;
 - (ii) 6.0 metres where the rear lot line also abuts a street; and
 - (iii) 5.1 metres in all other cases; and
- (D) the minimum building setback from a side lot line is 1.2 metres;
- (E) the minimum building setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(561) Exception RD 561

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a front lot line that abuts a street is 5.0 metres;
- (E) the minimum setback from a **side lot line** is 0.9 metres;
- (F) the minimum setback from a side lot line that abuts a street is 3.0 metres; and
- (G) the required **parking space** must be located in the **residential building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(562) Exception RD 562

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;

- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street:
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the required parking space must be located in the residential building.

(563) Exception RD 563

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a front lot line is 3.5 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.6 metres from a lot line that abuts a street;
- (F) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side:
- (G) the minimum setback from a **lot line** that abuts a **street** is 2.0 metres:
- (H) the minimum setback from a **rear lot line** is 7.0 metres;
- (I) the maximum height of a building or structure is the lesser of 11.0 metres or 3 storeys; and
- (J) a minimum of 40% of the front yard must be used for soft landscaping; and
- (K) the minimum setback from a rear lot line is 7.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(564) Exception RD 564

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a **front lot line** is 3.5 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.6 metres from a lot line that abuts a street;
- (F) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side;
- (G) the minimum setback from a lot line that abuts a street is 2.0 metres;
- (H) the minimum setback from a rear lot line is 5.5 metres;
- (I) the maximum height of a building or structure is the lesser of 11.0 metres or 3 storeys; and
- (J) a minimum of 25% of the front yard must be used for soft landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(565) Exception RD 565

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a front lot line is 3.5 metres;

- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.6 metres from a lot line that abuts a street;
- (F) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side:
- (G) the minimum setback from a lot line that abuts a street is 2.0 metres;
- (H) the minimum setback from a **rear lot line** is 7.0 metres;
- (I) a minimum of 40% of the front yard must be used for soft landscaping; and
- (J) the minimum setback from a **rear lot line** is 7.0 metres.

(566) Exception RD 566

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) the minimum setback from a front lot line is 3.5 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.6 metres from a lot line that abuts a street;
- (F) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side:
- (G) the minimum setback from a lot line that abuts a street is 2.0 metres;
- (H) the minimum setback from a rear lot line is 7.0 metres;
- (I) the maximum height of a building or structure is the lesser of 11.0 metres or 3 storeys; and
- (J) a minimum of 25% of the front yard must be used for soft landscaping; and
- (J) the minimum setback from a **rear lot line** is 7.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(567) Exception RD 567

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres on the other side and nothing shall encroach into that setback area;
- (E) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the maximum lot coverage is 50%;
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(568) Exception RD 568

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side and nothing shall encroach into that setback area;

- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in the residential building.

(569) Exception RD 569

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (C) the maximum lot coverage is 50%; and
- (D) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(570) Exception RD 570

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(571) Exception RD 571

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (C) the required **parking space** must be located in a **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(572) Exception RD 572

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (D) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (E) the minimum setback from a side lot line is 1.2 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) a swimming pool is permitted in the street yard if it is a minimum of 0.9 metres from a lot line that

abuts the street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(573) Exception RD 573

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) In addition to the uses permitted in the RD zone, a children's mental health centre is permitted; and
- (B) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(574) Exception RD 574

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.5 metres;
- (B) the maximum lot coverage is 40%; and
- (C) an attached or detached garage shall contain not more than 3 parking spaces

Prevailing By-laws and Prevailing Sections: (None Apply)

(575) Exception RD 575

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.5 metres:
- (B) the minimum setback from a lot line that abuts a street is 4.2 metres;
- (C) the maximum lot coverage is 45%; and
- (D) an attached or detached garage shall contain not more than 3 parking spaces.

Prevailing By-laws and Prevailing Sections: (None Apply)

(576) Exception RD 576

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the maximum lot coverage is 40%; and
- (F) an attached or detached garage shall contain not more than 3 parking spaces; and
- (G) the maximum building height and the maximum number of storeys for each lot is the actual building height and number of storeys lawfully existing on each lot on the date of the enactment of this by-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(577) Exception RD 577

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) for a **lot** that fronts on Sheppard Avenue the minimum **lot frontage** shall be measured 9.0 metres from the **front lot line**;

- (B) the minimum setback from a **front lot line** is the greater of:
 - (i) 6.0 metre; or
 - (ii) 24.0 metres, measured from the original centreline of Sheppard Avenue; and
- (C) the minimum setback from a **side lot line** is 0.9 metres:
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) an attached or detached garage shall contain not more than 3 parking spaces.

(578) Exception RD 578

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the maximum lot coverage is 50%; and
- (D) the maximum **building** height is 9.5 metres;
- (E) the required parking space must be located in a building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(579) Exception RD 579

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the minimum setback from a front lot line is 9.0 metres.

Prevailing By-laws and Prevailing Sections:

- (A) for the lot municipally known as 10126 Sheppard avenue East, Schedule "C" Exception 35, of Scarborough By-law 15907
- (B) For the lands located adjacent and to the rear of 33 and 35 Boywood Lane, Schedule "C" Exception 46, of Scarborough By-law 15907

(580) Exception RD 580

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.5 metres;
- (B) the minimum setback from the northerly **lot line** is 10.0 metres for any **building** or **structure** above or below grade;
- (C) the maximum lot coverage is 40%; and
- (D) an attached or detached garage shall contain not more than 3 parking spaces.

Prevailing By-laws and Prevailing Sections: (None Apply)

(581) Exception RD 581

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.5 metres:
- (B) the maximum lot coverage is 40%; and
- (C) an attached or detached garage shall contain not more than 3 parking spaces.

Prevailing By-laws and Prevailing Sections: (None Apply)

(582) Exception RD 582

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side only;
- (D) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the maximum lot coverage is 40%; and
- (G) an attached or detached garage shall contain not more than 3 parking spaces.

Prevailing By-laws and Prevailing Sections: (None Apply)

(583) Exception RD 583

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (B) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 40%; and
- (E) an attached or detached garage shall contain not more than 3 parking spaces.

Prevailing By-laws and Prevailing Sections: (None Apply)

(584) Exception RD 584

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Sheppard Avenue is 9.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (E) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in a building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(585) Exception RD 585

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Sheppard Avenue is 9.0 metres;
- (D) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (E) the minimum setback from the ${\it rear lot line}$ is 10.0 metres for any ${\it building}$ or ${\it structure}$ above or

below grade;

- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the maximum lot coverage is 40%; and
- (H) an attached or detached garage shall contain not more than 3 parking spaces.

Prevailing By-laws and Prevailing Sections: (None Apply)

(586) Exception RD 586

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 50%; and
- (E) an attached or detached garage shall contain not more than 3 parking spaces.

Prevailing By-laws and Prevailing Sections: (None Apply)

(587) Exception RD 587

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side:
- (E) the maximum height of a building is 12.5 metres; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(588) Exception RD 588

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the maximum lot coverage is 50%; and
- (F) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (G) the required **parking space** must be located in a **building**;

Prevailing By-laws and Prevailing Sections: (None Apply)

(589) Exception RD 589

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the maximum lot coverage is 50%; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) an attached or detached garage shall contain not more than 3 parking spaces.

(590) Exception RD 590

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) the maximum lot coverage is 50%; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the required parking space must be located in a building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(591) Exception RD 591

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side, 0.5 metres on the other side and nothing shall encroach into that setback area;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the maximum lot coverage is 50%; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street:
- (F) the required parking space must be located in a building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(594) Exception RD 594

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (B) the minimum setback from a **lot line** that abuts Generation Boulevard is 7.5 metres;
- (C) the maximum lot coverage is 50%; and
- (D) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(596) Exception RD 596

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a rear lot line is 1.2 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the maximum lot coverage is 40%; and
- (H) the required parking space must be located in the residential building.

(597) Exception RD 597

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **corner lot** the minimum **lot frontage** is 6.4 metres;
- (B) the minimum setback from a lot line that abuts a street is 4.5 metres; and
- (C) the maximum lot coverage is 55%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(598) Exception RD 598

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) the maximum lot coverage is 50%; and
- (E) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(599) Exception RD 599

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts a street is:
 - (i) 7.5 metres where the **front lot line** abuts Braymore Boulevard or Dean Road;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the minimum setback from a **side lot line** is 1.2 metres;
- (F) the minimum setback from a rear lot line is 1.2 metres;
- (G) the maximum lot coverage is 40%; and
- (H) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (I) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(600) Exception RD 600

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side, 0.5 metres on the other side and nothing shall encroach into that setback area;
- (D) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(601) Exception RD 601

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.0 metres on one side, 0.5 metres on the other side and nothing shall encroach into that setback area;
- (B) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(602) Exception RD 602

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres on one side, 0.6 metres on the other side;
- (B) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 45%;
- (E) the required parking space must be located in the residential building; and
- (F) the maximum height is the lesser of 10.0 metres and 2 storeys.

Prevailing By-laws and Prevailing Sections: (None Apply)

(603) Exception RD 603

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 1.0 metres on one side, 0.6 metres on the other side;
- (B) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 45%;
- (E) the required parking space must be located in the residential building; and

(F) the maximum height is the lesser of 10.0 metres or 2 storeys.

Prevailing By-laws and Prevailing Sections: (None Apply)

(604) Exception RD 604

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres on one side, 0.5 metres on the other side and nothing shall encroach into that setback area;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(605) Exception RD 605

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(606) Exception RD 606

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side, 0.5 metres on the other side and nothing shall encroach into that setback area;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (E) the maximum lot coverage is 50%;

Prevailing By-laws and Prevailing Sections: (None Apply)

(607) Exception RD 607

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.2 metres;
- (B) the minimum setback from a front lot line that abuts a street is 4.5 metres;
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (D) the maximum lot coverage is 40%;
- (E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(608) Exception RD 608

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** that abuts a **street** is 4.5 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(609) Exception RD 609

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.2 metres;
- (B) the minimum setback from a front lot line that abuts a street is:
 - (i) 7.5 metres where the **front lot line** abuts Braymore Boulevard or Dean Road;
 - (ii) 6.0 metres in all other cases; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (E) the maximum lot coverage is 40%; and
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(610) Exception RD 610

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres on one side, 0.5 metres on the other side;
- (B) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 55%; and
- (E) the maximum height of a building or structure is 12.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(611) Exception RD 611

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.2 metres;
- (B) the minimum setback from a **front lot line** that abuts a **street** is 3.0 metres;
- (C) the maximum gross floor area of all buildings on the lot, excluding the gross floor area of any basements, must not exceed 40% of the area of the lot;
- (D) the required parking space must be located in the residential building; and
- (E) In addition to the uses permitted in the zone, a Kennel and a Veterinary Hospital are permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(612) Exception RD 612

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (C) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(613) Exception RD 613

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres; and
- (B) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(614) Exception RD 614

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres:
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(615) Exception RD 615

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 7.5 metres
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(616) Exception RD 616

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a side lot line is 1.2 metres;

- (B) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres;
- (C) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

(617) Exception RD 617

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the required parking space must be located in a building; and
- (E) the maximum lot coverage for two-storey dwellings is 43% of the area of the lot and the maximum lot coverage for one-storey dwellings and one and one-half storey dwellings is 50% of the area of the lot; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(618) Exception RD 618

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the required parking space must be located in a building; and
- (E) the maximum **lot coverage** for two-**storey** dwellings is 43% of the area of the **lot** and the maximum **lot coverage** for one-**storey** dwellings and one and one-half **storey** dwellings is 50% of the area of the **lot**; and
- (F) these lands must also comply with exception 900.3.10(1462).
- (G) the minimum setback from an open space zone is 0.9 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(619) Exception RD 619

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a **side lot line** is 1.2 metres on one side and:
 - (i) where a **parking space** is located within the **residential building**, 1.2 metres on the other side; and
 - (ii) in all other cases 3.0 metres on the other side; and
- (C) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (D) the maximum lot coverage is 33%; and
- (E) the minimum lot frontage shall be measured 7.5 metres from the front lot line; and
- (F) these lands must also comply with exception 900.3.10(1462).

(620) Exception RD 620

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(621) Exception RD 621

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (E) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 0.6 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the maximum lot coverage is 50%; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(622) Exception RD 622

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the required **parking space** must be located in a **building**; and
- (C) an attached garage must be set back a minimum of 1.0 metres from a **side lot line** that does not abut a **street** and nothing shall encroach into that setback area; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(623) Exception RD 623

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.5 metres;

- (E) an attached garage must be set back a minimum of 1.0 metres from a **side lot line** that does not abut a **street** and nothing shall encroach into that setback area; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(625) Exception RD 625

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.6 metres and nothing shall encroach into that setback area;
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(626) Exception RD 626

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (B) the minimum setback from a **side lot line** is 1.2 metres on one side and:
 - (i) where a parking space is located within the residential building, 1.2 metres on the other side; and
 - (ii) in all other cases 3.0 metres on the other side; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(627) Exception RD 627

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line is:
 - (i) 0.6 metres if the **lot frontage** is less than 12.0 metres;
 - (ii) 0.9 metres if the lot frontage is 12.0 metres or more and less than 13.0 metres; and
 - (iii) 1.2 metres if the lot frontage is 13.0 metres or more; and
- (E) the maximum lot coverage is 40%; and
- (F) the required parking space must be located in the residential building.
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(628) Exception RD 628

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) 0.6 metres if the **lot frontage** is less than 12.0 metres;
 - (ii) 0.9 metres if the lot frontage is 12.0 metres or more and less than 13.0 metres; and
 - (iii) 1.2 metres if the lot frontage is 13.0 metres or more; and
- (D) the minimum setback from a lot line that abuts a street is
 - (i) 3.0 metres if the **lot frontage** is less than 12.0 metres;
 - (ii) 3.5 metres if the lot frontage is 12.0 metres or larger; and
- (E) the maximum lot coverage is 50% provided the lot area is less than 438 square metres; and
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(629) Exception RD 629

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is:
 - (i) 0.6 metres if the **lot frontage** is less than 12.0 metres;
 - (ii) 0.9 metres if the lot frontage is 12.0 metres or more and less than 13.0 metres; and
 - (iii) 1.2 metres if the lot frontage is 13.0 metres or more; and
- (B) the minimum setback from a lot line that abuts a street is
 - (i) 3.0 metres if the lot frontage is less than 12.0 metres;
 - (ii) 3.5 metres if the lot frontage is 12.0 metres or larger; and
- (C) the maximum lot coverage is 50% provided the lot area is less than 438 square metres; and
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(630) Exception RD 630

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres on one side and 0.3 metres on the other side and nothing shall encroach into that setback area;
- (D) the minimum setback from a **front lot line** is 4.5 metres;
- (E) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (F) the maximum height of the **residential building** is the lesser of 2 **storeys** or 9.0 metres;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.3.10(1462).

(631) Exception RD 631

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a lot line that abuts a street is
 - (i) 3.0 metres if the lot frontage is less than 12.0 metres;
 - (ii) 3.5 metres if the lot frontage is 12.0 metres or larger; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(632) Exception RD 632

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 4.5 metres;
- (D) the minimum setback from a **side lot line** is 0.6 metres on the side containing the garage and 1.2 metres on the other side;
- (E) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the maximum height of a the building is:
 - (i) 10.0 metres for any portion of the **building** within 14.0 metres of a **rear lot line**; and
 - (ii) in all other cases the lesser of 11.0 metres or 3 storeys; and
- (H) the required parking space must be located in a building; and
- (I) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(633) Exception RD 633

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.2 metres on one side and 0.6 metres on the other side:
- (E) the maximum height of a building is the lesser of 14.5 metres or 3 storeys; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(634) Exception RD 634

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) an attached garage must be set back a minimum of 1.0 metres from a side lot line that does not abut a street; and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(635) Exception RD 635

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 4.5 metres;
- (D) the minimum setback from a **side lot line** is 0.6 metres on the side containing the garage and 1.2 metres on the other side:
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the maximum height of a the **building** is the lesser of 11.0 metres or 3 **storeys**;
- (H) the required parking space must be located in a building; and
- (I) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(636) Exception RD 636

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 1.5 metres;
- (D) the minimum setback from a **side lot line** is 0.6 metres on the side containing the garage and 1.2 metres on the other side;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the maximum height of a the **building** is the lesser of 11.0 metres or 3 **storeys**;
- (H) the required parking space must be located in a building; and
- (I) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 3.5 metres from a **lot line** that abuts a **street**; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(637) Exception RD 637

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 1.5 metres;

- (D) the minimum setback from a **side lot line** is 0.6 metres on the side containing the garage and 1.2 metres on the other side:
- (E) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the maximum height of a the building is:
 - (i) 10.0 metres for any portion of the **building** within 14.0 metres of a **rear lot line**; and
 - (ii) in all other cases the lesser of 11.0 metres or 3 storeys; and
- (H) the required parking space must be located in a building; and
- (I) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 3.5 metres from a **lot line** that abuts a **street**; and
- (J) these lands must also comply with exception 900.3.10(1462).

(639) Exception RD 639

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.6 metres,
- (B) the maximum lot coverage is 50%;
- (C) the required parking space must be located in the residential building; and
- (D) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(640) Exception RD 640

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.6 metres,
- (B) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (C) the maximum lot coverage is 50%;
- (D) the required parking space must be located in the residential building; and
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(641) Exception RD 641

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.6 metres and nothing shall encroach into that setback area.
- (B) the minimum setback from a rear lot line is 4.5 metres;
- (C) the maximum lot coverage is 50%;
- (D) the required parking space must be located in a building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(642) Exception RD 642

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is:
 - (i) 0.6 metres if the **lot frontage** is less than 12.0 metres;
 - (ii) 0.9 metres if the lot frontage is 12.0 metres or more and less than 13.0 metres; and
 - (iii) 1.2 metres if the lot frontage is 13.0 metres or more; and
- (B) the minimum setback from a lot line that abuts a street is
 - (i) 3.0 metres if the **lot frontage** is less than 12.0 metres;
 - (ii) 3.5 metres if the lot frontage is 12.0 metres or larger; and
- (C) the maximum lot coverage is 50% provided the lot area is less than 438 square metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(644) Exception RD 644

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is:
 - (i) 0.6 metres if the **lot frontage** is less than 12.0 metres;
 - (ii) 0.9 metres if the lot frontage is 12.0 metres or more and less than 13.0 metres; and
 - (iii) 1.2 metres if the lot frontage is 13.0 metres or more; and
- (B) the minimum setback from a lot line that abuts a street is
 - (i) 3.0 metres if the lot frontage is less than 12.0 metres;
 - (ii) 3.5 metres if the lot frontage is 12.0 metres or larger; and
- (C) the maximum **lot coverage** is 50% provided the **lot area** is less than 438 square metres;
- (D) the required parking space must be located in the residential building; and
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(646) Exception RD 646

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.2 metres on one side and 0.6 metres on the other side;
- (E) the minimum setback from a rear lot line is 10.0 metres;
- (F) the maximum height of a building is 12.5 metres;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (H) within the required rear yard setback a building or structure on or below grade is not permitted;

(I) an **ancillary structure** located in the **rear yard** shall have a maximum **gross floor area** of 10 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(647) Exception RD 647

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side;
- (C) the maximum height of a **building** is 12.5 metres; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(648) Exception RD 648

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.2 metres on one side and 0.6 metres on the other side:
- (C) the maximum height of a **building** is the lesser of 14.5 metres or 3 **storeys**; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(649) Exception RD 649

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side;
- (E) the maximum height of a **building** is 12.5 metres; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(650) Exception RD 650

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres; and
- (B) In addition to the uses permitted in the RD zone, a veterinary office is permitted, if:
 - (i) there is no boarding of animals; and
 - (ii) a minimum of 8 parking spaces are provided.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(651) Exception RD 651

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line are:
 - (i) for I Liberato Court 2.7 metres from the west lot line and 0.25 metres from the east lot line;
 - (ii) for 3 Liberato Court 2.5 metres from the rear lot line;
 - (iii) for 102 Codsell Avenue 1.2 metres from the east lot line; and
 - (iv) for 98 Codsell Avenue the minimum lot frontage is 14.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(653) Exception RD 653

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres; and
- (B) in addition to the uses permitted by the zone, the lot may be used for a medical office if:
 - (i) the **building** existed on the site on the date of the enactment of this By-law;
 - (ii) there is a maximum of two physicians and the **building** is the principal residence of one of the physicians.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(654) Exception RD 654

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) minimum lot frontage is 8.8 metres;
- (B) minimum lot area is 316 square metres;
- (C) the minimum front yard setback is 7.5 metres,
- (D) minimum side yard setback if 1.2 metres; and
- (E) minimum rear yard setback is 7.5 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(655) Exception RD 655

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 11.0 metres;
- (B) the minimum lot area is 369 square metres;
- (C) despite regulations to the contrary no **secondary suite** is permitted.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(657) Exception RD 657

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in addition to the uses permitted by the zone, the lot may be used for vehicle fuel station; and
- (B) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(659) Exception RD 659

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres;
- (B) the maximum length of building regulation does not apply; and
- (C) the minimum rear yard setback is 6.0 metres for Lot 6.

Prevailing By-laws and Prevailing Sections: (None Apply)

(660) Exception RD 660

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres; and
- (B) the maximum length of building regulation does not apply.

Prevailing By-laws and Prevailing Sections: (None Apply)

(661) Exception RD 661

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

Prevailing By-laws and Prevailing Sections:

- (A) On 2820 Weston Road former City of North York By-law 30482.
- (B) On 2822 Weston Road former City of North York By-law 31288.

(662) Exception RD 662

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.13(24) of the former City of North York Zoning By-law 7625

(663) Exception RD 663

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 27587.

(664) Exception RD 664

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 27588 and 32323.

(665) Exception RD 665

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 8.0 metres;
- (B) the minimum lot area is 200 square metres;
- (C) the minimum side yard setback for both side yards is an aggregate of 1.83 metres and no side yard setback may be less than 0.61 metres;
- (D) the minimum rear yard setback is 6.0 metres;
- (E) the maximum lot coverage is 40%; and
- (F) The maximum **building** height is the lesser of 9.3 metres and 3 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(667) Exception RD 667

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres;
- (B) the second floor may only be used as a dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(673) Exception RD 673

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-laws 416-2003, and 1207-2009 as amended.

(674) Exception RD 674

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 712-2001.

(678) Exception RD 678

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-laws 32863 and 33049.

(679) Exception RD 679

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **side yard setback** is 1.8 metres;
- (B) in addition to the RD uses a **place of worship** is permitted if it complies with all other **lot** and **building** requirements for the RD zone.

Prevailing By-laws and Prevailing Sections: (None Apply)

(680) Exception RD 680

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) minimum building setback from the front lot line is:
 - (i) 6.0 metres to the **main wall** of a garage;
 - (ii) 4.5 metres to any other main wall;
- (B) minimum building setback from the rear lot line of 7.5 metres;
- (C) minimum building setback from a side lot line is 0.6 metres on one side and 1.2 metres on the other;
- (D) the maximum lot coverage is 40%;
- (E) the minimum separation between all **main walls** of a **building** and a **lot line** abutting a railway right-of-way is 30.0 metres; and
- (F) the maximum building length is 16.5 metres.

(682) Exception RD 682

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(684) Exception RD 684

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side one and nothing shall encroach into that required side yard;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the maximum lot coverage is 50%;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(685) Exception RD 685

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the lands may be used for two **lots** each containing a **detached house**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(686) Exception RD 686

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side:
- (C) the maximum height of a **building** is 12.5 metres; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(687) Exception RD 687

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Livingstone Road, Guildwood Parkway, Morningside Avenue and Galloway Road is 22 metres measured from the original centreline of the road:
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(688) Exception RD 688

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Regulations 10.20.40.20 and 10.20.40.30 do not apply to the lands subject to this exception.

Prevailing By-laws and Prevailing Sections: (None Apply)

(689) Exception RD 689

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 40%; and
- (B) the minimum rear yard setback is 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(690) Exception RD 690

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted by the zone, the lot may be used for an nursing home if:
 - (i) there are not more than 185 beds;
 - (ii) the minimum front yard setback is 12.0 metres;
 - (iii) the minimum rear yard setback is 7.6 metres;
 - (iv) The minimum building setback from a side lot line is:
 - (a) 3.9 metres from the east side lot line; and
 - (b) 6.0 metres from the west side lot line; and
 - (v) there is a minimum of 38 parking space provided and maintained on the lot;

- (vi) a 1.5 metre high decorative masonry wall is maintained along the southerly 150 feet of the westerly limit of the lot; and
- (vii) the gross floor area of all buildings is not greater than 3,281 square metres.

(691) Exception RD 691

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **front lot line** is 7.6 metres;
- (B) the minimum building setback from a side lot line is 1.2 metres; and
- (C) the minimum **building setback** from a **rear lot line** is 7.6 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(692) Exception RD 692

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this by-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this by-law;
- (C) the minimum setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (D) the minimum setback from a front lot line is:
 - (i) is 22.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Conlins Road, Morrish Road, Meadowvale Road and Military trail;
 - (ii) is 25.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Ellesmere Road; and
 - (iii) is 30.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Morningside Avenue or Highway 2; and
- (E) the minimum setback from Highway 401 is 68.0 metres measured from the centreline of the highway;
- (F) these lands must also comply with exception 900.3.10(1462).
- (G) for **lots** 45 and 46 of Reguistered Plan 2129 the minimum **lot frontage** is 15.0 metres and the minimum **lot area** is 929 square metres; and

Prevailing By-laws and Prevailing Sections:

- (A) On the lands municipally known as 97, 99, 101, 103, 121, 123 and 127 Zaph Avenue, by-law 895-2007(OMB).
- (B) On the lands west of Conlins Road, south of Highway 401 and north of Chartway Boulevard Schedule "C" Exception 18, of Scarborough By-law 10827.

(693) Exception RD 693

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres and nothing shall encroach into that setback area;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the minimum setback from a front lot line that abuts Conlins Road, Morrish Road, Meadowvale

Road and Military trail is 22 metres, measured from the original centre line of the road; and

- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(694) Exception RD 694

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres:
- (E) the maximum lot coverage is 40%; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(695) Exception RD 695

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres and nothing shall encroach into that setback area;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres:
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(696) Exception RD 696

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) not required on the south side of Ponymeadow Terrace provided the **side lot line** does not abut a **street**;
 - (ii) 1.0 metres in all other cases; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the maximum lot coverage is 40%; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(697) Exception RD 697

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 6.0 metres where the lot line abuts Morrish Road or Ellesmere Avenue; and
 - (ii) 3.0 metres in all other cases;
- (D) the minimum setback from a side lot line is:
 - (i) 0.9 metres on both sides where the lot fronts on Morrish Road; and
 - (ii) 0.9 metres on one side only in all other cases; and
- (E) the required parking space must be located in the residential building;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) these lands must also comply with exception 900.3.10(1462).
- (H) on a **lot** municipally known as:
 - (i) 56 Magnum Way, the minimum lot frontage is 9.0 metres;
 - (ii) 207 or 224 Ponymeadow Terrace, the minimum lot frontage is 10.0 metres; and
 - (iii) 736 Morrish Road, the minimum lot frontage is 13 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(698) Exception RD 698

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the **front lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 4.5 metres where the **side lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (E) the minimum setback from a side lot line is:
 - (i) 0.9 metres on both sides where the lot fronts on Morrish Road; and
 - (ii) 0.9 metres on one side only in all other cases; and
- (F) the maximum **lot coverage** is 50%;
- (G) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(699) Exception RD 699

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the **front lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (D) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive: and
 - (ii) 1.0 metres on one side only in all other cases; and
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 4.5 metres where the **side lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (F) the maximum lot coverage is 50%; and
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.3.10(1462).

(700) Exception RD 700

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the **front lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (D) the minimum setback from a side lot line is
 - (i) 1.0 metres on each side where the lot fronts on Ellesmere Road or Morrish Road; and
 - (ii) 1.0 metres on one side only in all other cases; and
- (E) nothing shall encroach into a required side yard setback;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(701) Exception RD 701

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) is 22.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Conlins Road, Morrish Road, Meadowvale Road and Military trail;
 - (ii) is 25.0 metres, measured from the original centre line of the road, where the front lot line abuts Ellesmere Road; and

- (iii) is 30.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Morningside Avenue or Highway 2; and
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

(702) Exception RD 702

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the maximum lot coverage is 40%; and
- (E) the required parking space must be located in a building.
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(703) Exception RD 703

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres; and
- (B) the required parking space must be located in a building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(704) Exception RD 704

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts Military trail is 22 metres, measured from the original centre line of the road;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 2, of Scarborough By-law 10827.

(705) Exception RD 705

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres, and nothing shall encroach into the required side yard;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in a building.

(706) Exception RD 706

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 6.0 metres; and
- (D) the minimum setback from a side lot line is 1.0 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(707) Exception RD 707

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Military trail is 22 metres, measured from the original centre line of the road; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) these lands must also comply with exception 900.3.10(1462); and
- (D) on the **lots** municipally known as 20 and 24 Lash Court the minimum **lot frontage** is 27.0 metres and the minimum **lot area** is 721.5 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(708) Exception RD 708

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.9 metres on the other side and nothing shall encroach into the required **side yard**;
- (D) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (E) the required parking space must be located in a building;
- (F) these lands must also comply with exception 900.3.10(1462).
- (G) On the **lots** municipally known as 32 Cosens Street and 24 Bazalgette Div, the minimum **building setback** from the north **lot line** is 2.4 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(709) Exception RD 709

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres, and nothing shall encroach into the required side yard;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in a building.

(710) Exception RD 710

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) No encroachments are permitted in a required yard that is 1.0 metres or less.
- (E) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (F) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(711) Exception RD 711

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 1.0 metres on one side only in all other cases; and
- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 4.5 metres where the **side lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (E) the maximum lot coverage is 50%;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(712) Exception RD 712

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 9.0 metres;

- (D) the minimum setback from a side lot line is 0.9 metres, and nothing shall encroach into the required side yard;
- (E) the maximum height of a **building** is 10.0 metres;
- (F) the required parking space must be located in a building.

(713) Exception RD 713

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 1.0 metres on one side only in all other cases; and
 - (iii) nothing shall encroach into the required side yard; and
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 6.0 metres if the main wall contains an vehicular entrance to a parking space; and
 - (ii) 3.0 metres in all other cases; and
- (E) the maximum lot coverage is 50%;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(714) Exception RD 714

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the **front lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (D) the minimum setback from a **side lot line** that abuts a **street** is:
 - (i) 4.5 metres where the **side lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases;
- (E) the maximum lot coverage is 50%;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(715) Exception RD 715

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the minimum setback from a front lot line is:
 - (i) is 22.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Conlins Road, Morrish Road, Meadowvale Road and Military trail;
 - (ii) is 25.0 metres, measured from the original centre line of the road, where the front lot line abuts Ellesmere Road; and
 - (iii) is 30.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Morningside Avenue or Highway 2; and
- (F) the minimum setback from Highway 401 is 68.0 metres measured from the centreline of the highway; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

- (A) Schedule "C" Exception 3, of Scarborough By-law 10827; and
- (B) on the **lots** municipally known as 6419 and 6421 Kingston Road, Schedule "C" Exception 24, of Scarborough By-law 10827

(716) Exception RD 716

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Meadowvale Road is 22 metres, measured from the original centre line of the road:
- (B) the minimum setback from a **front lot line** that abuts a **street** is 7.5 metres;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 3, 4, 5, 8 and 25, of Scarborough By-law 10827.

(717) Exception RD 717

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line:
 - (i) is 22.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Conlins Road, Morrish Road, Meadowvale Road and Military trail;
 - (ii) is 25.0 metres, measured from the original centre line of the road, where the front lot line abuts Ellesmere Road; and
 - (iii) is 30.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Morningside Avenue or Highway 2; and
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(718) Exception RD 718

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) is 30.0 metres, measured from the original centre line of the road, where the front lot line abuts Morningside Avenue or Highway 2; and
 - (ii) 4.5 metres in all other cases; and
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(719) Exception RD 719

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the required parking space must be located in a building;
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 4 and 22 of Scarborough By-law 10827.

(720) Exception RD 720

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 0.9 metres;
- (E) the maximum lot coverage is 40%;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building;
- (H) the minimum **building setback** is the greater of 7.5 metres from:
 - (i) a rear lot line; or
 - (ii) an open space zone; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(722) Exception RD 722

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:

- (i) is 30.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Morningside Avenue or Highway 2; and
- (ii) is 25.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Ellesmere Road; and
- (iii) 7.5 metres in all other cases; and
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

(723) Exception RD 723

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 6.0 metres if the side lot line abuts Ellesmere Road; and
 - (ii) 4.5 metres in all other cases; and
- (E) an attached garage must be located a minimum of 0.3 metres from a side lot line.
- (F) on a corner lot a garage must be located a minimum of 0.3 metres from a rear lot line; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(724) Exception RD 724

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the minimum setback from a rear lot line is 6.0 metres;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) an attached garage must be located a minimum of 0.3 metres from a side lot line;
- (H) on a corner lot a garage must be located a minimum of 0.3 metres from a rear lot line; and
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(725) Exception RD 725

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;

- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(726) Exception RD 726

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into the required side yard;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(727) Exception RD 727

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into the required side yard;
- (D) the required **parking space** must be located in a **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(728) Exception RD 728

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) is 22.0 metres, measured from the original centre line of the road, where the front lot line abuts Conlins Road, Morrish Road, Meadowvale Road and Military trail;
 - (ii) is 25.0 metres, measured from the original centre line of the road, where the front lot line abuts Ellesmere Road;
 - (iii) is 30.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Morningside Avenue or Highway 2; and
 - (iv) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(729) Exception RD 729

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres;
- (D) the required parking space must be located in the residential building; and
- (E) the minimum setback from a top of bank line is 10.0 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

(730) Exception RD 730

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 30.0 metres, where the front lot line abuts Morningside Avenue or Highway 2; and
 - (ii) is 25.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Ellesmere Road; and
 - (iii) 7.5 metres in all other cases:
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(732) Exception RD 732

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is:
 - (i) 1.0 metres where the lot fronts on Morrish Road or Ellesmere road; and
 - (ii) 1.0 metres on one side only, in all other cases; and
- (B) the maximum lot coverage is 50%; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(733) Exception RD 733

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (D) the required parking space must be located in a building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(734) Exception RD 734

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 1.6 metres;
- (D) the minimum setback from a **side lot line** is 1.2 metres on one side and 0.6 metres on the other side:
- (E) the minimum setback from a **side lot line** that abuts a **street** is 2.0 metres;
- (F) the minimum setback from a private lane (shared driveway) is 2.0 metres;
- (G) the minimum number of required parking spaces per dwelling unit is 2;
- (H) required **parking spaces** must be located in a **building** and must be accessed from a private **lane** (shared driveway) having a minimum width of 6.0 metres
- (I) the maximum lot coverage is 75%; and
- (J) the maximum height of a **building** or **structure** is the lesser of 3 **storeys** or 12.5 metres.; and
- (K) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(735) Exception RD 735

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is
 - (i) 25.0 metres, measured from the original centre line of the road, where the front lot line abuts Ellesmere Road; and
 - (ii) 7.5 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the maximum height of a building is 6.5 metres and one storey; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(736) Exception RD 736

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into that setback area;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required **parking space** must be located in a **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(737) Exception RD 737

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres and nothing shall encroach into that setback area;

- (D) the minimum setback from a side lot line that abuts a street is 3.0 metres; and
- (E) the required parking space must be located in a building.

(738) Exception RD 738

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 5.25 metres;
- (B) the minimum setback from a **side lot line** is 0.9 metres and nothing shall encroach into that setback area:
- (C) the minimum setback from a rear lot line is 8.25 metres;
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(739) Exception RD 739

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the required parking space must be located in the residential building; and
- (C) the minimum setback from a side lot line for a garage is 0.3 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(741) Exception RD 741

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 1.9 metres; and
- (D) the minimum setback from a rear lot line is 5.0 metres;
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(745) Exception RD 745

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the front lot line abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the lot fronts on Ellesmere Road, Conlins Road, Morrish

Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive:

- (ii) 1.0 metres on one side only in all other cases; and
- (iii) nothing shall encroach into a required side yard; and
- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 4.5 metres where the side lot line abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases; and
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(746) Exception RD 746

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres and nothing shall encroach into a required side yard;
- (C) the required parking space must be located in a building; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(747) Exception RD 747

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a rear lot line is 11.0 metres: and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(748) Exception RD 748

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the **front lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Euclid Avenue or Willowlea Drive;
 - (ii) 1.0 metres on one side only in all other cases; and
 - (iii) nothing shall encroach into a required side yard; and

- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 4.5 metres where the **side lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases; and
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

(749) Exception RD 749

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into a required side yard;
- (B) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply).

(750) Exception RD 750

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 5.25 metres;
- (B) the minimum setback from a side lot line is 1.0 metres and nothing shall encroach into a required side yard;
- (C) the minimum setback from a rear lot line is 8.25 metres;
- (D) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (E) the maximum lot coverage is 50%; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(751) Exception RD 751

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 3.0 metres;
- (D) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into a required side yard;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 2.4 metres;
- (F) the required parking space must be located in a building.
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(752) Exception RD 752

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive:
 - (ii) 1.0 metres on one side only in all other cases; and
- (D) the maximum lot coverage is 50%.
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

(753) Exception RD 753

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive;
 - (ii) 1.0 metres on one side only in all other cases; and
 - (iii) nothing shall encroach into a required side yard; and
- (B) the maximum lot coverage is 50%; and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(754) Exception RD 754

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres; and
- (B) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(755) Exception RD 755

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 5.25 metres;
- (D) the minimum setback from a \boldsymbol{side} lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive;
 - (ii) 1.0 metres on one side only in all other cases; and
 - (iii) nothing shall encroach into a required side yard; and
- (E) the minimum setback from a rear lot line is 8.25 metres;
- (F) the maximum lot coverage is 50%; and

(G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(756) Exception RD 756

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres and nothing shall encroach into a required side yard;
- (B) the minimum setback from a rear lot line is 8.25 metres; and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(757) Exception RD 757

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres and nothing shall encroach into a required side yard;
- (B) the minimum setback from a rear lot line is 3.9 metres; and
- (C) the required **parking space** must be located in a **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(758) Exception RD 758

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 3.0 metres;
- (D) the minimum setback from a side lot line is:
 - (i) 6.5 metres from the north lot line;
 - (ii) 0.9 metres from the south **lot line** and nothing shall encroach into this required **side yard**;
- (E) the minimum setback from a rear lot line is 3.0 metres;
- (F) the maximum lot coverage is 42%;
- (G) the required parking space must be located in the residential building; and
- (H) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (I) the maximum floor space index for a **lot** containing a **dwelling unit** is 0.65.

Prevailing By-laws and Prevailing Sections: (None Apply)

(759) Exception RD 759

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) 1.2 metres on one side; and
 - (ii) 0.9 metres on the other side and nothing shall encroach into this required side yard; and

- (D) the maximum lot coverage is 35%; and
- (E) the required parking space must be located in the residential building; and
- (F) the maximum floor space index for a **lot** containing a **dwelling unit** is 0.65.

(760) Exception RD 760

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres for a 1 storey house, plus an additional 0.6 metres for each additional storey; and
- (B) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (C) the minimum setback from a **lot line** that abuts a **street** is 6.0 metres;
- (D) the minimum setback from a rear lot line is 8.0 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(762) Exception RD 762

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 5.25 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the minimum setback from a rear lot line is 8.25 metres;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(763) Exception RD 763

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 5.25 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres:
- (D) the minimum setback from a **rear lot line** is 8.25 metres;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(764) Exception RD 764

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 5.25 metres;

- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a rear lot line is 8.25 metres;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(765) Exception RD 765

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) is 22.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Conlins Road, Morrish Road, Meadowvale Road and Military trail;
 - (ii) is 25.0 metres, measured from the original centre line of the road, where the front lot line abuts Ellesmere Road;
 - (iii) is 30.0 metres, measured from the original centre line of the road, where the **front lot line** abuts Morningside Avenue or Highway 2; and
 - (iv) 6.0 metres in all other cases; and
- (B) the minimum setback from Highway 401 is 68.0 metres measured from the centreline of the highway.
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) these lands must also comply with exception 900.3.10(1462).
- (F) On the lots municipally known on October 29, 2004 as:
 - (i) 713 Morrish Road, Part of Lot 90, Plan 2098, the minimum rear yard building setback is 9.2 metres:
 - (ii) 104 Scarboro Avenue, Part of Lot 59, Plan 2098, the minimum building setback from the south lot line is 1.8 metres; and
 - (iii) 100 Scarboro Avenue, Part of Lot 60, Plan 2098, the minimum building setback from the north lot line is 2.1 metres, and the minimum building setback from a lot line that abuts the street is 14.3 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(766) Exception RD 766

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum setback from a front lot line is 3.0 metres;
- (C) the minimum setback from a side lot line is
 - (i) 1.0 metres for lots fronting on Ellesmere road or Morrish Road;
 - (ii) in all other cases, 1.0 metres on one side only; and
 - (iii) nothing shall encroach into a required side yard; and
- (D) the maximum lot coverage is 40%; and
- (E) the required parking space must be located in a building.
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(767) Exception RD 767

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is:
 - (i) 1.2 metres on one side; and
 - (ii) 0.9 metres on the other side and nothing shall encroach into this required side yard; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 2.4 metres.
- (E) the maximum lot coverage is 35%; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(768) Exception RD 768

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive:
 - (ii) 1.0 metres on one side only in all other cases; and
- (B) the maximum lot coverage is 50%; and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(769) Exception RD 769

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.5 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(770) Exception RD 770

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres; and
- (B) the required parking space must be located in a building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(771) Exception RD 771

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres:
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (C) the maximum lot coverage is 40%; and
- (D) the required parking space must be located in a building.
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(772) Exception RD 772

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is 1.0 metres;
- (D) the maximum lot coverage is 40%; and
- (E) the required parking space must be located in a building.
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(773) Exception RD 773

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (C) the maximum lot coverage is 40%; and
- (D) the required parking space must be located in a building.
- (E) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(774) Exception RD 774

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (E) the maximum lot coverage is 40%; and
- (F) the required **parking space** must be located in a **building**.
- (G) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (H) these lands must also comply with exception 900.3.10(1462).

(775) Exception RD 775

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) the maximum lot coverage is 40%; and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(776) Exception RD 776

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(777) Exception RD 777

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres and nothing shall encroach into that setback area;
- (B) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (C) the maximum **building** height is 9.25 metres;
- (D) the required parking space must be located in a building; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(778) Exception RD 778

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres and nothing shall encroach into that setback area:
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

(780) Exception RD 780

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (C) the minimum setback for the side **main wall** of a garage from a **side lot line** is 0.3 metres;
- (D) the maximum lot coverage is 40%; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(781) Exception RD 781

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the **front lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive:
 - (ii) 1.0 metres on one side only in all other cases; and
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 4.5 metres where the **side lot line** abuts Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive; and
 - (ii) 3.0 metres in all other cases; and
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(782) Exception RD 782

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) not required on the south side of Ponymeadow Terrace provided the **side lot line** does not abut a **street**;
 - (ii) 1.0 metres in all other cases; and
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and

(D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(783) Exception RD 783

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) not required on the south side of Ponymeadow Terrace provided the side lot line does not abut a street;
 - (ii) 1.0 metres in all other cases; and
- (C) the maximum lot coverage is 50%; and
- (D) the required parking space must be located in a building; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(784) Exception RD 784

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the lot fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive;
 - (ii) 1.0 metres on one side only in all other cases; and
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (D) the required parking space must be located in a building; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(785) Exception RD 785

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres for lots front on Morrish Road;
 - (ii) 1.0 metres on one side only in all other cases; and
- (C) the maximum lot coverage is 50%;
- (D) the required parking space must be located in a building; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(786) Exception RD 786

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is
 - (i) 6.0 metres from a lot line that abuts Ellesmere Road or Morrish Road; and
 - (ii) 3.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive;
 - (ii) 1.0 metres on one side only in all other cases; and
- (E) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (F) the required parking space must be located in a building; and
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(787) Exception RD 787

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres on both sides where the **lot** fronts on Ellesmere Road, Conlins Road, Morrish Road Meadowvale Road, Scarboro Avenue, Zaph Avenue, Euclid Avenue or Willowlea Drive:
 - (ii) 1.0 metres on one side only in all other cases; and
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the required parking space must be located in a building; and
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(788) Exception RD 788

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (C) the minimum setback from a rear lot line is 6.0 metres;
- (D) the maximum lot coverage is 50%; and
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and

(G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(789) Exception RD 789

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 6.0 metres where the lot line abuts Ellesmere Road or Morrish road; and
 - (ii) 3.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into that setback area;
- (D) the maximum lot coverage is 50%; and
- (E) the required parking space must be located in a building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(790) Exception RD 790

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Regulations 10.20.40.20 and 10.20.40.30 do not apply to the lands subject to this exception.

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-laws 29907.

(791) Exception RD 791

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a detached house the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted by the zone, the **lot** may be used for an business and professional offices if:
 - (i) it is located in a building that existed on the lot on the date of the enactment of this By-law;
 - (ii) the lot area has a minimum of 517.0 square metres;
 - (iii) the minimum front yard setback is 5.8 metres;
 - (iv) the minimum rear yard setback is 7.5 metres;
 - (v) the minimum building setback from a side lot line is:
 - (a) 0.3 metres from the north side lot line; and
 - (b) 2.4 metres from the south side lot line.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(793) Exception RD 793

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) for a detached house the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted by the zone, the lot may be used for an fraternal and charitable

organization if:

(i) the maximum gross floor area of all buildings is not more than 3,394 square metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(794) Exception RD 794

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a detached house the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted by the zone, the lot may be used for an day nursery.

Prevailing By-laws and Prevailing Sections: (None Apply)

(797) Exception RD 797

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a detached house that did not exist on the lot on October 6, 1997, the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted by the zone, the **lot** may be used for a **club**, **place of assembly** and office **ancillary** to a **club** and **place of assembly**, if:
 - (i) it is located in a **building** that existed on the **lot** on October 6, 1997;
 - (ii) the **lot** has a minimum **lot frontage** of 15.0 metres;
 - (iii) the lot area has a minimum of 557.0 square metres;
 - (iv) the maximum gross floor area is not greater than 196 square metres;
 - (v) driveway access to the site must be only by the driveway that existed on October 6, 1997 and it has not been enlarged, reduced or relocated; and
 - (vi) the minimum side yard setback is 0.94 metres to the building that existed on October 6, 1997.

Prevailing By-laws and Prevailing Sections: (None Apply)

(798) Exception RD 798

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 26018.

(799) Exception RD 799

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 15.2 metres;
- (B) the minimum lot area is 464 square metres;
- (C) the minimum front yard setback is 7.6 metres;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum rear yard setback is 6.0 metres;
- (F) the maximum lot coverage is 45%; and
- (G) the maximum **building** height is the lesser of 9.1 metres or 3 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(800) Exception RD 800

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, public parking is also permitted if:
 - (i) it is ancillary parking for the commercial use located at 2055 to 2059 Avenue Road (Lot 84, Part of Lot 83, R.P. 2647; and
 - (ii) the minimum width of a parking aisle is 5.2 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(801) Exception RD 801

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 7.5 metres;
- (B) if a lot has a lot front of less than 15.0 metres the minimum side yard setback is 1.2 metres;
- (C) if a **building** existing on October 12, 1993 has a **side yard setback** that is less than that required, a second **storey** addition may be added if the **side yard setback** is equal to the greater of:
 - (i) the side yard setback that existed on October 12, 1993; and
 - (ii) 0.6 metres; and
- (D) despite (C) above, the aggregate total of both **side yards** must not be less than 2.4 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(802) Exception RD 802

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) in addition to the uses permitted by the zone, a **place of worship** is also permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(803) Exception RD 803

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, public school is also permitted;
- (B) three duplex buildings are permitted on lots 245 to 248 inclusive, on R.P 1721;
- (C) the minimum **building setback** from a **side lot line** is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(804) Exception RD 804

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in addition to the uses permitted by the zone, a business office and professional office is also permitted if;
 - (i) The maximum **gross floor area** is not more than 275 square metres including **basements** and cellars
 - (ii) a basement and cellar may only be used for storage and electrical and mechanical equipment;
 - (iii) parking space must be provided at a minimum rate of:
 - (a) 1 for each 28 square metres of gross floor area on the first floor; and

- (b) 1 for each 70 square metres of gross floor area in the rest of the building; and
- (iv) the lot has a minimum area of 493 square metres;
- (v) The minimum building setbacks are:
 - (a) 4.53 metres from the front lot line;
 - (b) 13.72 metres from the rear lot line; and
 - (c) 1.47 metres from the west side lot line and
 - (d) 3.24 metres from the east side lot line.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(805) Exception RD 805

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, day nursery is also permitted;
- (B) the minimum building setback from a side lot line is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(806) Exception RD 806

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (D) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (E) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**.
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(807) Exception RD 807

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side only;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**.
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building; and
- (H) a maximum of two vehicles may be parked side-by-side on a driveway located in the front yard provided:
 - (i) the maximum driveway width when there is a single vehicle garage is 4.0 metres; and
 - (ii) the maximum driveway width when there is a two vehicle garage is 6.0 metres; and

(I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(808) Exception RD 808

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage for a corner lot is 15.0 metres;
- (B) the minimum setback from a front lot line is:
 - (i) 26 metres where the front lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue, measured from the original centreline of the street; and
 - (ii) 6.0 metres in all other cases
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is
 - (i) 7.5 metres where the side lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(809) Exception RD 809

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(810) Exception RD 810

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.5 metres;
- (D) the minimum setback from a **lot line** that abuts Middlefield Road or McNicoll Avenue is 7.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(811) Exception RD 811

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.2 metres:
- (D) the minimum setback from a **lot line** that abuts Middlefield Road or McNicoll Avenue is 7.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(812) Exception RD 812

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum building setback from a side lot line is 0.9 metres;
- (D) (D) the minimum setback from a front lot line is:
 - (i) 7.5 metre if front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) for the odd numbered lots municipally known as 25 Pebblewood Avenue, 139 to 141 Valley stream Drive, and 35 to 39 and 51 to 55 Green Spring Drive, and the even numbered lot from 74 to 80 Green Spring Drive, the minimum building setback from the front lot line is 4.5 metres, but the portion of the main wall containing an entrance to a parking space must be set back a minimum of 6.0 metres; and
 - (iii) 6.0 metres in all other cases;
- (E) the minimum building setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(813) Exception RD 813

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(814) Exception RD 814

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage for a corner lot is 12.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) the maximum lot coverage is 45%; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(815) Exception RD 815

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres on one side only and nothing shall encroach into this required yard;
- (D) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (E) the minimum setback from a rear lot line is 7.0 metres;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(816) Exception RD 816

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into this required yard;
- (B) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (C) the minimum setback from a rear lot line is 7.0 metres;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(817) Exception RD 817

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;

- (C) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side:
- (D) the maximum lot coverage is 50%; and
- (E) these lands must also comply with exception 900.3.10(1462).

(818) Exception RD 818

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(819) Exception RD 819

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres on the other side and nothing shall encroach into this required yard;
- (E) the maximum lot coverage is 50%;
- (F) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(820) Exception RD 820

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions

- (A) the minimum setback from a front lot line is:
 - (i) 26 metres where a front lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue, measured from the original centreline of the street; and
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is
 - (i) 7.5 metres where a side lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (D) the maximum lot coverage is 45%; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(821) Exception RD 821

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres on the other side and nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(822) Exception RD 822

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(823) Exception RD 823

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) the required parking space must be located in a building.
- (F) a maximum of two **vehicles** may be parked side-by-side on a **driveway** located in the **front yard** provided:
 - (i) the maximum driveway width when there is a single vehicle garage is 4.0 metres; and
 - (ii) the maximum driveway width when there is a two vehicle garage is 6.0 metres; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(824) Exception RD 824

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into this required yard;

- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) the minimum setback from a rear lot line is 11.0 metres;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(825) Exception RD 825

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (E) for a garage the minimum setback from a side lot line is 0.3 metres;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(826) Exception RD 826

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) for a garage the minimum setback from a side lot line is 0.3 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(827) Exception RD 827

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side;
- (B) the required parking space must be located in the residential building;
- (C) the maximum height of a building or structure is 10.0 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(828) Exception RD 828

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres on one side and 0.5 metres on the other side:
- (D) the maximum height of a **building** or **structure** is the lesser of 10.0 metres and 2 **storeys**;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(829) Exception RD 829

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (F) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(830) Exception RD 830

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.0 metres on one side only and nothing shall encroach into this required yard;
- (B) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the required parking space must be located in the residential building; and
- (E) the maximum height of a building or structure is 10.0 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(831) Exception RD 831

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres;
- (E) for a garage the minimum setback from a **side lot line** is 0.3 metres; and

- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(832) Exception RD 832

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (C) the minimum setback from a **side lot line** is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (E) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(833) Exception RD 833

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (C) for a garage the minimum setback from a side lot line is 0.3 metres;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(834) Exception RD 834

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the **front lot line** abuts Brimley Road or Midland Avenue; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 3.0 metres in all other cases;
- (F) for a garage the minimum setback from a side lot line is 0.3 metres; and
- (G) the required parking space must be located in the residential building; and

(H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(835) Exception RD 835

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the minimum setback from a side lot line is:
 - (i) 1.0 metres where the side lot line abuts a lot in an RT zone or IS zone;
 - (ii) 1.0 metres on one side only in all other cases; and
 - (iii) nothing shall encroach into this required yard; and
- (E) the maximum lot coverage is 50%;
- (F) the maximum height of a **building** or **structure** is 10.0 metres.
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(836) Exception RD 836

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres where the **side lot line** abuts a **lot** in an RT zone or IS zone;
 - (ii) 1.0 metres on one side only in all other cases; and
 - (iii) nothing shall encroach into this required yard; and
- (C) the maximum lot coverage is 50%; and
- (D) the maximum height of a building or structure is 10.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(837) Exception RD 837

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side only and nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%; and
- (D) the maximum height of a **building** or **structure** is 10.0 metres;
- (E) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) the required parking space must be located in a building; and

(F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(838) Exception RD 838

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) for a garage the minimum setback from a side lot line is 0.3 metres; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(839) Exception RD 839

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres on one side only and nothing shall encroach into this required yard;
- (C) the minimum setback from a rear lot line is 6.0 metres;
- (D) the maximum lot coverage is 50%;
- (E) the maximum height of a **building** or **structure** is the lesser of 10.0 metres and 2 **storeys**;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(840) Exception RD 840

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 0.9 metres on one side only and nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%;
- (D) the maximum height of a **building** or **structure** is the lesser of 10.0 metres and 2 **storeys**;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(841) Exception RD 841

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall

encroach into this required yard;

- (E) the maximum lot coverage is 50%;
- (F) the maximum height of a **building** or **structure** is 10.0 metres;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(842) Exception RD 842

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side only and nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(843) Exception RD 843

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres on one side and 0.9 metres on the other side; and
 - (ii) nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(844) Exception RD 844

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) 1.0 metres on one side and 0.5 metres on the other side;
 - (ii) nothing shall encroach into this required yard;
- (C) the maximum lot coverage is 50%;
- (D) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(845) Exception RD 845

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 0.9 metres on one side only;
- (E) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (F) the maximum height of a **building** or **structure** is 10.0 metres;
- (G) the maximum lot coverage is 50%;
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(846) Exception RD 846

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, the lot may be used for a group home, if:
 - (i) it is located in an existing detached house;
 - (ii) the lot has a minimum lot area of 490 square metres;
 - (iii) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(849) Exception RD 849

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 12.0 metres;
- (B) the minimum setback from a front lot line is:
 - (i) 26.0 metres, measured from the original centreline of the street, where the front lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the front lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (F) the maximum lot coverage is 45%; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(850) Exception RD 850

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the maximum lot coverage is 50%;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(851) Exception RD 851

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(852) Exception RD 852

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line is 1.5 metres;
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 4.5 metres in all other cases;
- (G) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(853) Exception RD 853

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) for a garage the minimum setback from a side lot line is 0.3 metres; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(854) Exception RD 854

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a **side lot line** is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 3.0 metres in all other cases;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) for a garage the minimum setback from a side lot line is 0.3 metres;
- (H) the maximum lot coverage is 45%; and
- (I) the required parking space must be located in a building; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(855) Exception RD 855

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.2 metres;
- (D) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) for a garage the minimum setback from a side lot line is 0.3 metres;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(856) Exception RD 856

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage on a corner lot is 15.0 metres;

- (B) the minimum setback from a front lot line is:
 - (i) 26.0 metres, measured from the original centreline of the **street**, where the **front lot line** abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the front lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (E) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(857) Exception RD 857

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(858) Exception RD 858

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side only and nothing shall encroach into this required yard;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(859) Exception RD 859

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;

- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Middlefield Road, Brimley Road, Midland Avenue or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts Middlefield Road, Brimley Road, Midland Avenue or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (F) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(860) Exception RD 860

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, a medical office is permitted if:
 - (i) there is a maximum of one practitioner;
 - (ii) the **basement** or cellar is used only for the storage and the housing of mechanical and electrical equipment
 - (i) the **lot** has a minimum **lot area** of 492 square metres;
 - (ii) the there is a maximum gross floor area of 125.4 square metres;
 - (iii) the minimum side yard setback is:
 - (a) 1.33 metres from the west side lot line; and
 - (b) 4.57 metres from the east side lot line; and
 - (iv) the minimum front yard setback is 4.57 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(861) Exception RD 861

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 25.0 metres

Prevailing By-laws and Prevailing Sections: (None Apply)

(862) Exception RD 862

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 16.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(863) Exception RD 863

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 14.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(864) Exception RD 864

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 10.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(865) Exception RD 865

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 33.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(866) Exception RD 866

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 22.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(867) Exception RD 867

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 34.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(868) Exception RD 868

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 40.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(869) Exception RD 869

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 30.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(870) Exception RD 870

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) On these lands the minimum front yard setback is 24.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(871) Exception RD 871

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 12.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(872) Exception RD 872

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 11.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(873) Exception RD 873

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 18.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(874) Exception RD 874

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 36.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(875) Exception RD 875

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 13.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(876) Exception RD 876

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum **front yard setback** is 20.0 metres and the minimum **side yard setback** is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(877) Exception RD 877

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 17.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(879) Exception RD 879

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 9.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(880) Exception RD 880

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 15.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(881) Exception RD 881

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 21.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(882) Exception RD 882

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 31.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(883) Exception RD 883

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) despite regulations to the contrary the lands known as 10 Doncliffe Drive, may be used for a detached house if the yard setbacks that existed on the date of the enactment of this By-law at not further reduced.

Prevailing By-laws and Prevailing Sections: (None Apply)

(884) Exception RD 884

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) despite regulations to the contrary the lands described as Parts of Lots 57, 58 and 59, Plan M-275 and designated as Part 1 on Reference Plan 66R-6772, and that Part of Block A, Plan 2335, and designated as Part 7 on Reference Plan 64R-2776, may be used for a detached house if:

- (A) access to the said lands from Riverview Drive is provided over those parts of Lots 59 and 60, Plan M-275, designated as Parts 3, 4 and 5 on Reference Plan 66R-6772 and that part of Lot 55, Plan 2335, designated as Part 6 on Reference Plan 64R-2776; and
- (B) that all other provisions of this By-law, as amended, are complied with.

(885) Exception RD 885

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the rear yard setback is a minimum of 1.18 metres, if the lot complies with all other regulations of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(886) Exception RD 886

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 32166.

(888) Exception RD 888

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.13(33) of the City of North York Zoning By-law 7625

(889) Exception RD 889

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.13(34) of the City of North York Zoning By-law 7625

(892) Exception RD 892

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 24 Malcolm Road, Section 6.2.4.1, as amended, of the former Town of Leaside Zoning By-law 1916

(893) Exception RD 893

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum front yard setback is 30 metres;
- (B) the minimum **building setback** from a **side lot line** is 1.8 metres from one **side lot line** and 4.2 metres from the other **side lot line**:
- (C) the minimum setback from a rear lot line is 9.5 metres;
- (D) the maximum total floor area permitted for **ancillary buildings** under 10.5.60.50 (2) does not apply; and
- (E) the maximum lot coverage permitted for ancillary buildings under 10.5.60.70(1) does apply.

(894) Exception RD 894

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) former City of North York by-law 27597; and
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(895) Exception RD 895

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 26788.

(897) Exception RD 897

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) private garages may be erected on Lots 274 to 283 inclusive, Plan M-346, if:
 - (i) the minimum front yard setback is not less than 0.6 metres;
 - (ii) the minimum side yard setback is not less than 1.2 metres; and
 - (iii) the rear yard setback is not less than 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(898) Exception RD 898

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a side lot line is 1.8 metres;
- (B) in addition to the uses permitted by the zone, the lot may be used for a veterinary office, if:
 - (i) it is located in an existing detached house;
 - (ii) the **building** is the principal residence of the veterinarian;
 - (iii) is not operated as a veterinary hospital or animal clinic; and
 - (iv) it does not include the boarding or lodging of animals.

Prevailing By-laws and Prevailing Sections: (None Apply)

(899) Exception RD 899

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 418-2000.

(900) Exception RD 900

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 22010.

(901) Exception RD 901

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, a respite centre with **ancillary** administrative offices is also permitted if:
 - (i) it has a minimum of 2 parking spaces;
 - (ii) it does not accommodate more than 10 persons; and
 - (iii) it complies with all the other requirements for the zone.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(902) Exception RD 902

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 1098-2006 (OMB).

(903) Exception RD 903

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is 8.4 metres;
- (B) the minimum front yard setback is 9.0 metres;
- (C) the minimum setback from a side lot line is 1.2 metres from one side lot line and 0.6 metres from the other side lot line;
- (D) the minimum building length is 19.4 metres; and
- (E) the maximum driveway slope is 3%;
- (F) the maximum first floor elevation above established grade is 2.2 metres; and
- (G) despite regulations to the contrary, a porch may encroach a maximum of 3.7 metres into a required front yard setback.

Prevailing By-laws and Prevailing Sections: (None Apply)

(904) Exception RD 904

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is 8.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(905) Exception RD 905

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is 7.3 metres, except that for a **corner lot** the minimum **lot frontage** is 7.1 metres.
- (B) the minimum **lot area** is 278 square metres, except that for a **corner lot** the minimum **lot area** is 269 square metres.
- (C) the minimum front yard setback is 9 metres.
- (D) the minimum rear yard setback is 10 metres.

- (E) the minimum south side yard setback is 1.22 metres.
- (F) the minimum north side yard setback is 0.31 metres.
- (G) the maximum **building depth** is 18.5 metres;
- (H) the maximum lot coverage is 37%.
- (I) the maximum **building** height is the lesser of 2 **storeys** and 7.5 metres.
- (J) the maximum height of the first floor must not be more than 1.1 metres above established grade.
- (K) belt courses, chimney breasts, cornices, eaves or gutters, pilasters and sills may project into any required yard setback not more than 0.5 metres, except that the maximum permitted projection into the required north side yard setback is 0.25 metres.
- (L) a minimum of 50% of the front yard must be maintained as landscaping where landscaping means trees, shrubs, flowers, vegetables and other vegetation, decorative stonework, walkways, patios, screening or other horticultural or landscape-architectural elements or any combination of these. Landscaping does not include driveways or parking areas and directly associated elements such as curbs or retaining walls.
- (M) a minimum of 75% of the front yard not covered by a permitted driveway must be maintained as soft landscaping where soft landscaping means trees, shrubs, grass, flowers, vegetables and other vegetation but does not include hard surfaced areas such as, but not limited to, driveways, parking areas, decorative stonework, walkways, patios, screening or other landscape-architectural elements."

(906) Exception RD 906

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a side lot line is 1.8 metres; and
- (B) in addition to the uses permitted by the zone, business offices and professional offices are also permitted if:
 - (i) the use is located in a building that existed on the lot in 1983; and
 - (ii) the is a minimum of 10 parking spaces provided in the rear yard.

Prevailing By-laws and Prevailing Sections: (None Apply)

(907) Exception RD 907

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a side lot line is 1.8 metres; and
- (B) in addition to the uses permitted by the zone, professional office, pharmacy and medical **laboratory** are also permitted if:
 - (i) the use is located in a **building** that existed on the **lot** on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(908) Exception RD 908

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 122 Dawes Road, Section 7.4.4.1, as amended, of the former Borough of East York Zoning Bylaw 6752

(909) Exception RD 909

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1076 Pape Avenue, Section 7.4.4.2, as amended, of the former Borough of East York Zoning By-law 6752

(910) Exception RD 910

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 7.4.4.4, as amended, of the former Borough of East York Zoning By-law 6752

(911) Exception RD 911

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 662 Victoria Park Avenue, Section 7.4.4.5, as amended, of the former Borough of East York Zoning By-law 6752

(912) Exception RD 912

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 10 metres;
- (B) the minimum side yard setback is 3 metres on each side;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) any balcony, porch or sundeck located at or above the second storey or gaining access from the second storey of the building must be set back from any lot line the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (E) the maximum lot coverage for ancillary buildings is 5%; and
- (F) the maximum total floor area for ancillary buildings is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(913) Exception RD 913

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum front yard setback is 22 metres;
- (B) the minimum **side yard setback** is 3 metres on each side;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres:

- (E) the maximum lot coverage for ancillary buildings is 5%; and
- (F) the maximum total floor area for ancillary buildings is 100 square metres.

(914) Exception RD 914

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 81 Peard Road, Section 7.5.4.8, as amended, of the former Borough of East York Zoning Bylaw 6752

(915) Exception RD 915

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If the lot contains a detached house:
 - (i) on **Lot** 176, Plan M-1242 an **ancillary building** may be erected in the southerly **side yard** if all other applicable regulations are complied with; and
 - (ii) on **Lot** 175, Plan M-1242 an **ancillary building** may be erected in the northerly **side yard** if all other applicable regulations are complied with.

Prevailing By-laws and Prevailing Sections: (None Apply)

(916) Exception RD 916

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 301 Cedarvale Avenue, Section 7.4.4.6, as amended, of the former Borough of East York Zoning By-law 6752

(917) Exception RD 917

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 5 Everett Crescent, Section 7.4.4.6, as amended, of the former Borough of East York Zoning By-law 6752

(918) Exception RD 918

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 80 Eldon Avenue, Section 12.1.20, as amended, of the former Borough of East York Zoning By-law 6752

(920) Exception RD 920

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 337 Cedarvale Avenue, Section 12.1.30, as amended, of the former Borough of East York Zoning By-law 6752

(921) Exception RD 921

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres for a building containing a dwelling unit;
- (B) in addition to the uses permitted by the zone, the lot may be used for a Place of Worship.

Prevailing By-laws and Prevailing Sections: (None Apply)

(922) Exception RD 922

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (C) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(923) Exception RD 923

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (C) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).
- (E) on the lands municipally known as 109 Cass Avenue, the minimum **lot frontage** is 13.0 metres and the minimum **lot area** is 548.0 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(924) Exception RD 924

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(925) Exception RD 925

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;

- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street: and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).
- (H) on the lands municipally known as 16 Belgreen Avenue the minimum **building setback** from the **front lot line** is 5.0 metres.

(926) Exception RD 926

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 27.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(927) Exception RD 927

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(928) Exception RD 928

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 7.5 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(929) Exception RD 929

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) these lands must also comply with exception 900.3.10(1462).
- (F) on the lots municipally known as 145 and 147 Earlton Drive, the minimum front yard building setback is 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(930) Exception RD 930

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a **side lot line** is 1.2 metres:
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(931) Exception RD 931

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 27.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 9.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(932) Exception RD 932

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres of the other

side and nothing shall encroach into this required yard setback;

- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the maximum lot coverage is 50%;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(933) Exception RD 933

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) on a **corner lot** the minimum **lot frontage** is 15.0 metres;
- (B) the minimum setback from a front lot line is:
 - (i) 9.0 metres where the lot line abuts Kennedy Road; and
 - (ii) 6.0 metres in all other cases;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(934) Exception RD 934

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 27.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(935) Exception RD 935

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:

- (i) 27.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
- (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(936) Exception RD 936

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the lot line abuts Huntingwood Drive; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).
- (I) on the lands municipally known as 35 Tamora Court, if a **detached house** existed on the date of the date of the enactment of this by-law, the minimum **building setback** from the **front lot line** is 4.68 metres and the minimum **building setback** from the westerly **lot line** is 1.35 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(937) Exception RD 937

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.3.10(1462).
- (H) on the lands municipally known as 2651 Kennedy Road the maximum **gross floor area** permitted is 198.0 square metres; and
- (I) on the lands municipally known as 2697 Kennedy Road on office is permitted in a detached house that existed on the lot in 1988 if:
 - (i) the office use is only for the production of computer software; and
 - (ii) all parking spaces and landscaping areas in existence on January 1, 1989 are retained.

Prevailing By-laws and Prevailing Sections: (None Apply)

(938) Exception RD 938

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 27.0 metres, measured from the centreline of the original road allowance, where the lot line abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(939) Exception RD 939

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(940) Exception RD 940

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (C) the maximum lot coverage is 50%;
- (D) the required parking space must be located in a building; and
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(941) Exception RD 941

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from the front lot line is;
 - (i) 33.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Kennedy Road; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.0 metres on one side only; and
- (E) these lands must also comply with exception 900.3.10(1462).
- (F) a detached garage may be located in the front yard if it is not located in the required front yard

building setback.

Prevailing By-laws and Prevailing Sections: (None Apply)

(942) Exception RD 942

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(943) Exception RD 943

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 27.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 7.5 metres in all other cases; and
- (D) the minimum setback from a side lot line is 0.9 metres:
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).
- (G) on the lands municipally known as 2493 Kennedy Road a medical office is permitted if:
 - (i) it does not occupy more than 25% of the gross floor area of the building;
 - (ii) it doe not have more than 1 employee; and
 - (iii) only one sign having a maximum area of 28.0 square centimetres is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(944) Exception RD 944

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **corner lot** the minimum **lot frontage** is 15.0 metres;
- (B) the minimum setback from a **front lot line** is 3.0 metres:
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(945) Exception RD 945

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (B) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (C) the required parking space must be located in a building; and

(D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(946) Exception RD 946

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 9.0 metres where the lot line abuts Kennedy Road; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a **side lot line** is 1.2 metres on one side only;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 6.0 metres;
- (F) the maximum lot coverage is 40%; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(947) Exception RD 947

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) a garage must be set back a minimum of 0.6 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).
- (F) on the lands municipally known as 2577 Kennedy Road:
 - (i) the minimum lot frontage is 9.0 metres; and
 - (ii) a detached garage or carport may be located in the front yard if it is a minimum of 41.0 metres from the centreline of Kennedy Road, 10.0 metres from the north lot line and 0.6 metres from the south lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(948) Exception RD 948

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(949) Exception RD 949

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) for a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

(950) Exception RD 950

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a rear lot line is 13.0 metres;
- (D) a garage must be set back a minimum of 0.9 metres from a side lot line that does not abut a street: and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(951) Exception RD 951

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) a garage must be set back a minimum of 0.9 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(952) Exception RD 952

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Kennedy Road or Finch Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (B) despite (A) the side **main wall** of a garage must be a minimum of 3.0 metres from a **side lot line** that abuts a **street** other than Kennedy Road or Finch Avenue;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(953) Exception RD 953

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) these lands must also comply with exception 900.3.10(1462).

(954) Exception RD 954

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the lot line abuts Huntingwood Drive; and
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(955) Exception RD 955

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 9.0 metres where the lot line abuts Kennedy Road;
 - (ii) 7.5 metres where the lot line abuts Huntingwood Drive; and
 - (iii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).
- (E) on the lands municipally known as 857 Huntingwood Drive; a **building** existing on the date of enactment of this by-law may remain as sited.

Prevailing By-laws and Prevailing Sections: (None Apply)

(956) Exception RD 956

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 27.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a

street: and

- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(957) Exception RD 957

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law:
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 27.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue, Finch Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in a building.
- (G) the office of veterinary doctor existing on the date of the enactment of this By-law is permitted provided:
 - (i) a dwelling unit that is the principal residence of an employee of the veterinary office is retained;
 - (ii) no activities occur outside;
 - (iii) no boarding of animals occurs;
 - (iv) the maximum interior floor are used for the veterinary office including storage and washroom space must not exceed 162 square metres;
 - (v) the number of **parking spaces** on the **lot** do not exceed 6; and
 - (vi) parking spaces are only located in a yard that abuts a street; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(958) Exception RD 958

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) a garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**: and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(959) Exception RD 959

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 7.5 metres;

- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(960) Exception RD 960

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from the southerly **lot line** abutting **Lot** 9 is 7.5 metres;
- (C) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres of the other side and nothing shall encroach into this required yard setback;
- (D) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(961) Exception RD 961

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]
- (B) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(962) Exception RD 962

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.5 metres; and
- (B) the building length regulations do not apply.

Prevailing By-laws and Prevailing Sections: (None Apply)

(963) Exception RD 963

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 8.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(964) Exception RD 964

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 9.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(965) Exception RD 965

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On these lands the minimum front yard setback is 12.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(966) Exception RD 966

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for **lots** municipally known as 8 to 24, and 33 Blyth Hill Road, the minimum **front yard setback** is 10.7 metres; and
- (B) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(968) Exception RD 968

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 80 and 82 Chapman Avenue, Section 7.5.4.39, of the former Borough of East York Zoning Bylaw 6752

(971) Exception RD 971

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) lands on Registered Plan M-809 may be used for a detached house if the minimum front yard setback is 9.14 metres;
- (B) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (C) any balcony, porch or sundeck located at or above the second storey or gaining access from the second storey of the building must be set back from any lot line the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (D) the maximum lot coverage for ancillary buildings is 5%; and
- (E) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(972) Exception RD 972

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) lands on Registered Plan M-809 may be used for a detached house if the minimum front yard setback is 9.14 metres;
- (B) if a detached house has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum building height is 9.5 metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;
- (C) any balcony, porch or sundeck located at or above the second storey or gaining access from the second storey of the building must be set back from any lot line the greater of:
 - (i) the setback from such lot line required by this By-law; or

- (ii) 6 metres;
- (D) the maximum lot coverage for ancillary buildings is 5%; and
- (E) the maximum total floor area for **ancillary buildings** is 100 square metres.

(973) Exception RD 973

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) lands on Registered Plan M-809 may be used for a **detached house** if the **lot** has a minimum **front yard setback** of 9.14 metres;
- (B) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (C) any balcony, porch or sundeck located at or above the second storey or gaining access from the second storey of the building must be set back from any lot line the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (D) the maximum lot coverage for ancillary buildings is 5%; and
- (E) the maximum total floor area for ancillary buildings is 100 square metres;
- (F) a swimming pool may be constructed in the front yard of the existing detached house located on lot 95, Plan M-809, if the swimming pool is set back a minimum distance of 16.8 metres from the northerly limit of Shady Oaks Crescent, and 2.74 metres from the westerly lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(974) Exception RD 974

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (B) the minimum setback from a side lot line is 1.0 metre;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 36 metres, where the **lot line** abuts Sheppard Avenue or Finch Avenue measured from the original centreline of the road;
 - (ii) and 6.0 metres in all other cases
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(975) Exception RD 975

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum front yard setback is:
 - (i) 15.0 metres from Fifeshire Road; and
 - (ii) 18.0 metres from Bayview Avenue;
- (B) The minimum **side yard setback** is 1.8 metres on each side for a one-**storey building**, plus 0.6 metres for each additional **storey** or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5

metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;

- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(976) Exception RD 976

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **detached house** the following standards shall apply:
 - (i) the minimum setback from a side lot line is 1.2 metres;
 - (ii) the minimum setback from a side lot line that abuts a street is 4.5 metres;
 - (iii) the required parking spaces must be located in the residential building;
 - (iv) the minimum setback from a lot line that abuts Ellesmere Road, Lawrence Avenue or Markham Road is 27.0 metres, measured from the original centreline of the street; and
- (B) a place of worship is permitted provided it complies with all the following:
 - (i) the minimum setback from a lot line that abuts a street is:
 - (a) 27.0 metres where the **lot line** abuts Ellesmere Road, Lawrence Avenue or Markham Road, measured from the original centreline of the **street**; and
 - (b) 12.0 metres in all other cases;
 - (ii) the minimum setback from a side lot line is a distance equal to one half the height of the building;
 - (iii) the **gross floor area** used for a **place of worship** must not be more than 80% of that portion of the **lot area** containing the **place of worship**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(977) Exception RD 977

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if the lands are municipally known as 40 to 46 (even only) Risa Boulevard and 3 to 15 (odd only) Topview Court:
 - (i) the minimum **lot frontage** is 7.0 metres;
 - (ii) the minimum lot area is 250 square metres;
 - (iii) the minimum rear yard setback is 4.3 metres;
 - (iv) the minimum side yard setback is 1.2 metres on one side and 0.6 metres on the other side;
 - (v) the maximum **building** height is the lesser of 3 **storeys** and 8.8 metres;
 - (vi) the maximum **building length** is 16.8 metres;
 - (vii) for a key lot, the maximum building length is measured from the front wall of the building; and
 - (viii) for those lands shown as Lot 2 (40 Risa Boulevard) the maximum lot coverage is 39%; and
- (B) for the lands municipally known as 33 to 39 (odd only) Risa Boulevard:
 - (i) the minimum lot frontage is 8.5 metres;
 - (ii) the minimum front yard setback is 7.5 metres;
 - (iii) the minimum side yard setback is 1.2 metres on one side and 0.6 metres on the other side;
 - (iv) the maximum **building** height is the lesser of 3 **storeys** and 8.8 metres;
 - (v) the maximum building length is 16.8 metres; and
 - (vi) the maximum driveway slope is 10%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(978) Exception RD 978

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 4.6 metres;
- (B) the minimum rear yard setback is 7.9 metres;
- (C) the minimum east side yard setback is 0.48 metres;
- (D) the minimum west side yard setback is 1.2 metres;
- (E) the minimum side yard setback for a garage without a room above is 0.6 metres; and
- (F) the maximum lot coverage is 45%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(979) Exception RD 979

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 12.1 metres;
- (B) the minimum lot area is 527 square metres;
- (C) the minimum front yard setback is 6.1 metres;
- (D) the minimum rear yard setback is 7.5 metres; and
- (E) the minimum side yard setback is 1.2 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(980) Exception RD 980

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 8.5 metres;
- (B) the minimum lot area is 350 square metres;
- (C) the minimum side yard setback is 0.3 metres and the total of both side yard setbacks must be a minimum of 1.5 metres;
- (D) the maximum **building** height is the lesser of 8.8 metres and 3 **storeys**;
- (E) the minimum width of a mutual **driveway** is 3.0 metres of which a minimum of 1.5 metres must be on each abutting **lot**;
- (F) the minimum rear yard setback for garages and ancillary buildings is 7.5 metres; and
- (G) no open storage is permitted to be located behind a garage in the rear yard.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(981) Exception RD 981

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted in the zone, a business office and professional office is also permitted if:
 - (i) the office is located in an **detached house** that existed on the date of the enactment of this By-law; and
 - (ii) a parking space may only be located in the rear yard.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(982) Exception RD 982

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, the **lot** may be used for a business office and professional office, if:
 - (i) the maximum gross floor area of the building is not more than 50% of the lot area;
 - (ii) the minimum front yard setback is 4.8 metres;
 - (iii) the minimum building setback from the west side lot line is 1.8 metres; and
 - (iv) the minimum building setback from the east side lot line is 7.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(983) Exception RD 983

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) despite regulations to the contrary, the only uses permitted area place of worship and a religious and cultural centre:
- (B) a maximum of two places of worship are permitted and no separation distance is required between the two;
- (C) a landscape strip along the side lot line and rear lot line is not required;
- (D) the maximum **building** height is the lesser of 3 **storeys** and 14.0 metres;
- (E) the minimum building setbacks are:
 - (i) 15.2 metres from the front lot line;
 - (ii) 32.8 metres from the rear lot line;
 - (iii) 5.5 metres from the north side lot line; and
 - (iv) 4.3 metres from the south side lot line; and
- (F) a minimum of 120 parking space are located on the lot; and
- (G) a **parking space** must be set back at least 3.0 metres from a **side lot line** and **rear lot line** that abuts a **lot** in a Residential Zone category.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(984) Exception RD 984

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone a parking area to service the retail stores, personal service shop and service shops at 2883-2885 Dufferin Street is also permitted;
- (B) the minimum length of a parking space is 5.5 metres; and
- (C) the minimum parking aisle width including the adjacent right-of-way is 4.2m.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(985) Exception RD 985

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted in the zone, a medical office if:
 - (i) the office is only used by one dentist; and
 - (ii) the office is located in a building that existed on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(986) Exception RD 986

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres; and
- (B) in addition to the uses permitted in the zone a parking area to service the retail stores, personal service shop and service shops on the abutting lands at 127-129 Willowdale Avenue is also permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(987) Exception RD 987

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted in the zone, a hair dressing salon if:
 - (i) the maximum interior floor area of the beauty salon is 55 square metres; and
 - (ii) the required parking may be provided in tandem and such **parking space** may have interrupted access to a public **street** by means of a **lane**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(988) Exception RD 988

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted in the zone, lands described as Block K1, Plan M0834, may be used for a community center and **day nursery** if:
 - (i) a minimum of six parking spaces are located on the lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(989) Exception RD 989

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in addition to the uses permitted in the zone, lands described as Lots 20, 21 Plan M-1825, may be used for a religious institution if:
 - (i) the minimum **lot frontage** is 24.0 metres;
 - (ii) the minimum lot area is 800 square metres;
 - (iii) the minimum building setback from a lot line is:
 - (a) 1.5 metres from the front lot line;
 - (b) 1.8 metres from the north lot line
 - (c) 1.2 metres from the south lot line; and

- (d) 7.5 metres from the rear lot line; and
- (iii) The maximum lot coverage is 50%; and
- (iv) all other applicable regulations are complied with.

(990) Exception RD 990

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, the lands may be used for a school providing instruction in the operation of motor vehicles if:
 - (i) the **dwelling unit** is the principal residence of the driving school teacher;
 - (ii) the maximum gross floor area to be devoted to the driving school and ancillary offices uses shall

be 13.4 square metres;

- (iii) the minimum building setback from a lot line is:
 - (a) 7.6 metres from the front lot line;
 - (b) 1.22 metres from the northerly side lot line; and
 - (c) 3.3 metres from the southerly side lot line; and
- (iv) a garage must be set back a minimum of 0.27 metres from the **rear lot line** and 0.91 metres from the southerly **side lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(991) Exception RD 991

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is:
 - (i) 1.2 metres on each side for a one storey building; and
 - (ii) 1.2 metres on one side and 1.8 metres on the other side for a two storey building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(992) Exception RD 992

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 8.2 metres;
- (B) the minimum lot area is 263 square metres;
- (C) the minimum front yard is 4.6 metres;
- (D) the minimum south side yard is 0.6 metres;
- (E) the minimum north side yard is 1.2 metres;
- (F) the minimum rear yard is 10.5 metres;
- (G) the maximum lot coverage is 36.1%; and
- (H) the maximum building length is 16.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(994) Exception RD 994

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Prevailing By-laws and Prevailing Sections:

(995) Exception RD 995

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 9 metres;
- (B) The minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres;
- (F) in addition to the uses permitted by the zone, a day nursery is permitted if: it is located in a place of worship building or a building that is ancillary to a place of worship.

Prevailing By-laws and Prevailing Sections: (None Apply)

(996) Exception RD 996

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) 81 Clouston:
 - (i) the maximum lot coverage is 35%; and
 - (ii) the minimum rear yard setback is 7.6 metres.
- (B) 79A Clouston:
 - (i) the maximum lot coverage is 35%;
 - (ii) the maximum floor space index is 0.4;
 - (iii) the minimum rear yard setback is 7.6 metres; and
 - (iv) the minimum side yard setback is 1.2 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(997) Exception RD 997

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) in addition to the uses permitted by the zone, a day nursery is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(998) Exception RD 998

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 15 metres; and
- (B) the minimum side yard setback is 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(999) Exception RD 999

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 108-2001(OMB).

(1000) Exception RD 1000

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, a day nursery is permitted if it is located in a place of worship building or a building that is ancillary to a place of worship;
- (B) the minimum front yard setback is 12.0 metres;
- (C) if a detached house has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum building height is 9.5 metres if 3 storeys is permitted on the lot, otherwise regulation 10.20.40.10 (4) applies;
- (D) any balcony, porch or sundeck located at or above the second **storey** or gaining access from the second **storey** of the **building** must be set back from any **lot line** the greater of:
 - (i) the setback from such lot line required by this By-law; or
 - (ii) 6 metres;
- (E) the maximum lot coverage for ancillary buildings is 5%; and
- (F) the maximum total floor area for **ancillary buildings** is 100 square metres.

Prevailing By-laws and Prevailing Sections: (None apply)

(1001) Exception RD 1001

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, a day nursery is permitted if it is located in a place of worship building or a building that is ancillary to a place of worship;
- (B) the minimum front yard setback is 5.5 metres;
- (C) the minimum side yard is 1.2 metres;
- (D) the minimum side yard setback for a lot that abuts a street is 1.5 metres;
- (E) the minimum rear yard setback is 7.5 metres; and
- (F) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1003) Exception RD 1003

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (b) in addition to the uses permitted in the zone, the lands described as the whole of **Lot** 33, Plan 3264, may be used for the purposes of a telephone Switching Centre, if:
- (i) all other regulations of this By-law are complied with.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1004) Exception RD 1004

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1005) Exception RD 1005

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **side lot line** is 1.8 metres;
- (B) in addition to the uses permitted by the zone, the lot may be used for a personal service shop, if:
 - (i) it is located in a **building** that existed on September 19, 2000;
 - (ii) the maximum interior floor area used for a personal service shop is 69 square metres;
 - (iii) the minimum front yard setback is 2.7 metres;
 - (iv) the maximum number of parking spaces is 5; and
 - (v) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1006) Exception RD 1006

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, a business office and professional office is also permitted, if:
 - (i) it is located ion a **building** that existed on the date of the enactment of this By-law;
 - (ii) the total **interior floor area** of the offices is not more than 148 square metres;
 - (iii) the lot has a minimum lot area of 547 square metres;
 - (iv) the lot has a minimum frontage of 12.0 metres;
 - (v) the building setback is:
 - (a) a minimum of 1,25 metres from the south side lot line; and
 - (b) a minimum of 1.29 metres from the north lot line; and
 - (vi) a minimum of 4 parking spaces exist on the lot for the uses of the office and the dwelling unit;
 - (vii) the minimum length of a parking space is 5.5 metres; and
 - (viii) the regulations for front yard landscaping do not apply.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1007) Exception RD 1007

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 10.0 metres
- (B) the maximum height of a **building** is 12.5 metres and a maximum of 3 **storeys**, except for the lands in the block contained within the boundary of Cross Street, Church Street, King George Road and Coulter Avenue, in which case the maximum height of a **building** is 10.5 metres and a maximum of 3 **storeys**;
- (C) the maximum floor space index is equal to the sum of the following:
 - (i) floor space index of 0.6 for the first 370.0 square metres of lot area;
 - (ii) plus floor space index of 0.4 for that portion of the **lot area** in excess of 370 square metres but less than or equal to 600 square metres, if any; and
 - (iii) plus floor space index of 0.2 for that portion of the **lot area** in excess of 600.0 square metres, if any; and
- (D) the minimum front yard setback is equal to 1.0 metre less than the average existing front yard setback of the abutting residential buildings on each side of the lot. If there is an abutting residential building on one side only, the minimum required front yard setback is equal to 1.0 metre less than the setback of such residential building. If there are no abutting residential buildings on either side of the lot, the minimum required front yard setback is 6.0 metres;

- (E) the minimum rear yard setback is 9.0 metres;
- (F) the minimum side yard setback is 1.2 metres;
- (G) the minimum percentage of the **landscaping** area of the **front yard**, excluding the area covered by any porch, verandah, deck or balcony is:
 - (i) on a lot having a frontage of 10 metres or greater: 40%
 - (ii) on a lot having a frontage of less than 10 metres: 35%
- (H) no portion of the required front yard landscaping area may be used for the parking of vehicles;
- (I) the maximum width of walkways located in the front yard is 1.06 metres;
- (J) vehicle access to an on-site parking area on a corner lot is from the flanking street;
- (K) no garage shall have a finished floor elevation lower than the elevation of the crown of the road from which access to the private garage is provided;
 - (ii) an integral garage is if the **lot frontage** is less than 10 metres, except for a **corner lot** to which access to the private garage is provided across the **side lot line**. For the purpose of this exception, an integral garage means a portion of a **building** that is designed and capable of being used for sheltering not more than 3 **vehicles**, each within a **parking space** that is used only by the occupants of the **premises** on which it is located;
- (L) the following properties municipally known as: 75, 75A, 77, 79, 81, and 83 Coulter Avenue; 8, 10, 34 and 34A Cross Street; 6, and 7 Conron Place; 6, 8, 14, 14B, 16, 18, 19, 19A, 35, 35A, 45 and 47 Church Street; 1, 3, 5, 7, 9, 11, 15, 17, 19, 21, 23, 25, 27, and 29 King George Road; 49, and 57/57A George Street; 23, and 25 Fern Avenue; and 25, 27, 29, and 31 Little Avenue, may:
 - (i) continue to be used for a semi-detached house if any additions or alterations to the semi-detached house existing on the lot on the date of enactment of this By-law comply with the provisions of this By-law; or
 - (ii) be used to build a **semi-detached house** following the demolition of the existing **semi-detached house** if all other applicable regulations of this By-law are complied with.

(1008) Exception RD 1008

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(250) of the former City of York Zoning By-law 1-83

(1009) Exception RD 1009

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, **crisis care shelter**, accommodating a maximum of 25 people exclusive of staff, is permitted if:
 - (i) the minimum **lot frontage** is 21.7 metres;
 - (ii) the maximum height of the building is 2 storeys;
 - (iii) the maximum gross floor area of the building is 800 square metres;
 - (iv) the minimum front yard setback is 2.7 metres;
 - (v) the minimum rear yard setback is 20.0 metres;
 - (vi) the minimum east side yard setback is 3.5 metres;
 - (vii) the minimum west side yard setback is 0.7 metres;
 - (viii) ancillary buildings are not permitted; and
 - (ix) the minimum number of on-site parking spaces is 5.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1010) Exception RD 1010

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the site may be used for a maximum of four lots
- (B) one lot must have a minimum lot area of 515 square metres and another lot must have a minimum lot area of 540 square metres.
- (C) the length of dwelling regulations in this By-law do not apply to these lots.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1011) Exception RD 1011

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum front yard setback is 22.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1013) Exception RD 1013

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum building setback from the west side lot line is 0.3 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1014) Exception RD 1014

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.8 metres;
- (B) in addition to the uses permitted by the zone, a public school and a student residence is also permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1015) Exception RD 1015

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(427) of the former City of York Zoning By-law 1-83

(1016) Exception RD 1016

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(186) of the former City of York Zoning By-law 1-83

(1017) Exception RD 1017

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 22 Rivercrest Road, Section 16(59) of the former City of York Zoning By-law 1-83

(1018) Exception RD 1018

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted by the zone, a medical office and dental office is also permitted if:
 - (i) the **dwelling unit** is the principal residence of the practitioner;
- (B) one semi-detached house is permitted on the lands known as 17 and 17A Elhurst Court.
- (C) the maximum height of a detached house is 1 storey; and
- (D) the maximum height of a private garage is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1019) Exception RD 1019

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) a building used for recreation uses may be expanded or rebuilt if the maximum gross floor area of the building is less than twice the gross floor area of the building existing on April 1, 1962 and the building continues to be used for recreation uses serving the local residents.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1020) Exception RD 1020

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(21) of the former City of York Zoning By-law 1-83

(1021) Exception RD 1021

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (C) the maximum lot coverage is 50%;
- (D) the required parking space must be located in the residential building;
- (E) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1022) Exception RD 1022

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a lot line that abuts a street is:

- (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road;
- (ii) 36.0 metres, where the lot line abuts Finch Avenue, measured from the original centreline of the street;
- (iii) 25.0 metres, where the lot line abuts Brimley Road, measured from the original centreline of the street; and
- (iv) 6.0 metres where the lot line abuts any other street;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (E) the maximum lot coverage is 50%;
- (F) the required **parking space** must be located in the **residential building**;
- (G) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street a distance equal to the distance between the elevation of the surface of the lowest floor of the parking structure and the elevation of grade at the front lot line: and
- (H) these lands must also comply with exception 900.3.10(1462).

(1023) Exception RD 1023

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road;
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (E) the required parking space must be located in the residential building;
- (F) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street a distance equal to the distance between the elevation of the surface of the lowest floor of the parking structure and the elevation of grade at the front lot line; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1024) Exception RD 1024

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road;
 - (ii) 6.0 metres where the lot line abuts any other street;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (E) the required parking space must be located in the residential building;
- (F) underground parking structures may be located in a required yard provided that they are setback

from a **lot line** that abuts a **street** a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and

(G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1025) Exception RD 1025

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road;
 - (ii) 6.0 metres where the lot line abuts any other street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building;
- (H) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1026) Exception RD 1026

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the lot line abuts Finch Avenue, McCowan Road or Middlefield Road; and
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building;
- (H) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street a distance equal to the distance between the elevation of the surface of the lowest floor of the parking structure and the elevation of grade at the front lot line: and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1027) Exception RD 1027

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts Finch Avenue, Brimley Road or Midland Avenue;
 - (ii) 6.0 metres where the **lot line** abuts Alexmuir Boulevard, Cleadon Road or South Shields Avenue; and
 - (iii) 3.6 metres where the lot line abuts any other street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1028) Exception RD 1028

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres on one side and 0.3 metres on the other side:
- (B) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (C) the required parking space must be located in the residential building;
- (D) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1029) Exception RD 1029

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Finch Avenue, Brimley Road or Midland Avenue;
 - (ii) 6.0 metres where the **lot line** abuts Alexmuir Boulevard, Cleadon Road or South Shields Avenue; and
 - (iii) 3.6 metres where the lot line abuts any other street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1030) Exception RD 1030

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

(1031) Exception RD 1031

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a line that abuts a **street** is 3.0 metres:
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the maximum **lot coverage** is 50%;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1032) Exception RD 1032

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts McCowan Road, Brimley Road or Brimwood Boulevard; and
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1033) Exception RD 1033

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) the maximum lot coverage is 40%;

- (D) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

(1034) Exception RD 1034

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (C) the maximum lot coverage is 40%;
- (D) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1035) Exception RD 1035

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (B) the maximum lot coverage is 50%; and
- (C) the required parking space must be located in a building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1036) Exception RD 1036

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (E) the maximum lot coverage is 50%;
- (F) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1037) Exception RD 1037

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;

- (C) the maximum lot coverage is 50%;
- (D) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1038) Exception RD 1038

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (D) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (E) the maximum lot coverage is 50%;
- (F) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1039) Exception RD 1039

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.6 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**:
- (F) the maximum lot coverage is 40%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1040) Exception RD 1040

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 0.9 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.6 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1041) Exception RD 1041

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a lot line that abuts a street is 3.6 metres;
- (C) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street:
- (D) the maximum lot coverage is 50%;
- (E) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1042) Exception RD 1042

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.6 metres:
- (B) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (C) the maximum lot coverage is 50%;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1043) Exception RD 1043

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.6 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (F) the maximum **lot coverage** is 40%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1044) Exception RD 1044

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (E) the maximum lot coverage is 50%;
- (F) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1045) Exception RD 1045

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.6 metres:
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street:
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1046) Exception RD 1046

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts White Heather Boulevard or Richmond Park Boulevard; and
 - (ii) 6.0 metres where the lot line abuts any other street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1047) Exception RD 1047

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the maximum setback from a lot line that abuts Middlefield Road is 6.0 metres;
- (C) the minimum setback from a side lot line is 1.0 metres on one side only;

- (D) the maximum lot coverage is 40%;
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(1048) Exception RD 1048

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only:
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1049) Exception RD 1049

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the maximum setback from a lot line that abuts Middlefield Road is 6.0 metres;
- (E) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (F) the maximum **lot coverage** is 50%;
- (G) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1050) Exception RD 1050

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line that does not abuts a street is 1.0 metres on one side only;
- (E) the maximum lot coverage is 50%;
- (F) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (G) the required parking space must be located in a building; and

(H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1051) Exception RD 1051

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** that does not abuts a **street** is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1052) Exception RD 1052

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Huntingwood Drive or Chartland Boulevard South; and
 - (ii) 6.0 metres where the lot line abuts any other street;
- (D) the minimum setback from a side lot line that does not abuts a street is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1053) Exception RD 1053

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 9.0 metres for **lots** 1, 2 3 and 4.
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line that does not abuts a street is 1.2 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1054) Exception RD 1054

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 36.0 metres where the lot line abuts Finch Avenue or McCowan Road;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line that does not abuts a street is 1.2 metres;
- (C) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1055) Exception RD 1055

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** that does not abuts a **street** is 0.9 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (C) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1056) Exception RD 1056

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line that does not abuts a street is 1.2 metres;
- (D) The minimum setback from a side lot line or rear lot line that abuts Finch Avenue is 25.0 metres, measured from the original centreline of the street;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1057) Exception RD 1057

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:

- (i) 7.5 metres where the lot line abuts Huntingwood Drive or Chartland Boulevard South; and
- (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line that does not abuts a street is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1058) Exception RD 1058

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Huntingwood Drive or Chartland Boulevard South; and
 - (ii) 6.0 metres in all other cases; and
- (C) the minimum setback from a **side lot line** that does not abuts a **street** is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1059) Exception RD 1059

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line that does not abuts a street is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1060) Exception RD 1060

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts Finch Avenue, Brimley Road or Chartland Boulevard South:
 - (ii) 6.0 metres where the lot line abuts any other street;

- (D) the minimum setback from a **side lot line** that does not abuts a **street** is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1061) Exception RD 1061

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) an addition to the detached house on the site may be permitted if the rear yard setback is at least 4.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1062) Exception RD 1062

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 6.0 metres; and
- (B) the minimum setback from the west lot line (side yard) is 1.2 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1063) Exception RD 1063

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the site may be used for two **residential buildings**; one **apartment building** containing a maximum of ten **dwelling units** and the other a **duplex building**; and
- (B) the minimum front yard setback is 27.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1064) Exception RD 1064

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Victoria Park Avenue;
 - (ii) 7.5 metres if the lot line abuts Chester Le Boulevard and Pharmacy Avenue; and
 - (iii) 6.0 metres from any other street; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1065) Exception RD 1065

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Pharmacy Avenue or Warden Avenue; and
 - (ii) 6.0 metres from any other street; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1066) Exception RD 1066

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1067) Exception RD 1067

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres:
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1068) Exception RD 1068

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;

- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Pinemeadow Boulevard or Collingsbrook Boulevard; and
 - (ii) 4.5 metres from any other street;
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (F) an attached garage must be at least 0.3 metres from a side lot line;
- (G) the maximum lot coverage is 40%; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1069) Exception RD 1069

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 3.0 metres if the **lot depth** is less than 30.5 metres;
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a rear lot line is:
 - (i) 7.5 metres if the **lot depth** is more than 30.5 metres;
 - (ii) 6.0 metres in all other cases;
- (F) the maximum **building depth** is 18.0 metres if the **lot depth** is more than 30.5 metres;
- (G) the portion of main wall containing the entrance to a parking space must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (H) an attached garage must be at least 0.3 metres from a side lot line;
- (I) the maximum lot coverage is:
 - (i) 45% if the lot depth is more than 30.5 metres; and
 - (ii) 40% in all other cases; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1070) Exception RD 1070

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Birchmount Road, Brookmill Boulevard or LaPeer Boulevard;
 - (ii) 6.0 metres from any other street; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and

(H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1071) Exception RD 1071

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 0.9 metres on one side only;
- (B) the maximum lot coverage is 50%;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1072) Exception RD 1072

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 8.5 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side:
- (E) nothing shall encroach into a required side yard;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1073) Exception RD 1073

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side;
- (D) nothing shall encroach into a required side yard;
- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1074) Exception RD 1074

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side;
- (B) nothing shall encroach into a required side yard;
- (C) the maximum building depth is 18.0 metres if the lot depth is more than 30.5 metres;

- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1075) Exception RD 1075

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side:
- (B) nothing shall encroach into a required side yard;
- (C) the maximum lot coverage is 40%; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1076) Exception RD 1076

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Corinthian Boulevard; and
 - (ii) 6.0 metres in all other cases;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1077) Exception RD 1077

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Corinthian Boulevard; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the maximum lot coverage is 40%.
- (F) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1078) Exception RD 1078

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Corinthian Boulevard; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1079) Exception RD 1079

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1080) Exception RD 1080

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) a garage must be at least 0.3 metres from a side lot line;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1081) Exception RD 1081

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;

- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(1082) Exception RD 1082

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Pharmacy Avenue or Birchmount Road;
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1083) Exception RD 1083

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 30.0 metres if the **lot line** abuts Victoria Park avenue, Warden Avenue, Kennedy Road, Finch Avenue or Sheppard Avenue, measured from the original centreline of the **street**;
 - (ii) 6.0 metres in all other cases;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 9.0 metres; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1084) Exception RD 1084

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) 30.0 metres if the **lot line** abuts Victoria Park avenue, Warden Avenue, Kennedy Road, Finch Avenue or Sheppard Avenue, measured from the original centreline of the **street**;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking structure and the elevation of grade at the front lot line.
- (D) the required parking space must be located in the residential building; and

(E) these lands must also comply with exception 900.3.10(1462).s.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1085) Exception RD 1085

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) a garage must be at least 0.3 metres from a side lot line;
- (C) the maximum lot coverage is 40%; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1086) Exception RD 1086

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 30.0 metres if the lot line abuts Victoria Park avenue, Warden Avenue, Kennedy Road, Finch Avenue or Sheppard Avenue, measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a rear lot line is 10.0 metres;
- (D) a garage must be at least 0.3 metres from a side lot line;
- (E) the maximum lot coverage is 40%; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1087) Exception RD 1087

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) a garage must be at least 0.3 metres from a side lot line;
- (E) the maximum lot coverage is 40%; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1088) Exception RD 1088

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 30.0 metres if the lot line abuts Victoria Park Avenue; and
 - (ii) 6.0 metres in all other cases; and

- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1089) Exception RD 1089

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (C) a garage must be at least 0.3 metres from a side lot line;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462); and
- (F) on the **lot** municipally known as 18 Huntingwood Drive the **detached house** existing on the date of the enactment of this by-law may remain as sited.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1090) Exception RD 1090

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) a garage must be at least 0.3 metres from a side lot line;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1091) Exception RD 1091

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Corinthian Boulevard; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1092) Exception RD 1092

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line 1.2 metres;
- (B) the maximum lot coverage is 40%;
- (C) a garage must be at least 0.3 metres from a side lot line;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

(1093) Exception RD 1093

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Pharmacy Avenue or Birchmount Road;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1094) Exception RD 1094

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 30.0 metres if the **lot line** abuts Victoria Park avenue, Warden Avenue, Kennedy Road, Finch Avenue or Sheppard Avenue, measured from the original centreline of the **street**;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (D) the maximum lot coverage is 40%; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1095) Exception RD 1095

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Pharmacy Avenue or Huntingwood Drive;
 - (ii) 6.0 metres in all other cases
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres.
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1096) Exception RD 1096

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 30.0 metres if the **lot line** abuts Victoria Park avenue, Warden Avenue, Kennedy Road, Finch Avenue or Sheppard Avenue, measured from the original centreline of the **street**;
 - (ii) 7.5 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1097) Exception RD 1097

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the **lot line** abuts Pharmacy Avenue or Huntingwood Drive;
 - (ii) 6.0 metres in all other cases
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (F) a garage must be at least 0.3 metres from a side lot line; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1098) Exception RD 1098

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 6.0 metres;
- (D) the minimum setback from a side lot line 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1099) Exception RD 1099

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) a garage must be at least 0.3 metres from a side lot line;
- (D) the required parking space must be located in the residential building; and

(E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1100) Exception RD 1100

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) the minimum setback from a front lot line is:
 - (i) 30.0 metres if the **lot line** abuts Victoria Park avenue, Warden Avenue, Kennedy Road, Finch Avenue or Sheppard Avenue, measured from the original centreline of the **street**;
 - (ii) 22.0 metres if the lot line abuts Pharmacy Avenue or Birchmount Road;
 - (iii) 7.5 metres in all other cases;
- (B) the minimum setback from a side lot line 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1101) Exception RD 1101

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Pharmacy Avenue or Birchmount Road;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line 0.9 metres;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1102) Exception RD 1102

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 8.0 metres
- (B) the minimum setback from a side lot line is 1.0 metres;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1103) Exception RD 1103

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law.
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 7.5 metres if the lot line abuts Pinemeadow Boulevard;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;

- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1104) Exception RD 1104

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1105) Exception RD 1105

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a side lot line 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) a garage must be at least 0.3 metres from a side lot line;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1106) Exception RD 1106

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Huntingwood Drive; and
 - (ii) 6.0 metres in all other cases;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1107) Exception RD 1107

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a front lot line is 7.5 metres if the lot line abuts Pinemeadow Boulevard;

- (B) the minimum setback from a side lot line 1.2 metres;
- (C) a garage must be at least 0.3 metres from a side lot line;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

(1108) Exception RD 1108

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is:
 - (i) 5.7 metres for the portion of a main wall containing the entrance to a parking space; and
 - (ii) 6.0 metres for all other parts of the building;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Pinemeadow Boulevard or Collingbrook Boulevard; and
 - (ii) 4.5 metres in all other cases; and
- (F) the minimum setback from a rear lot line is 6.0 metres
- (G) a garage must be at least 0.3 metres from a side lot line;
- (H) the maximum lot coverage is 45%; and
- (I) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1109) Exception RD 1109

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Collingsbrook Boulevard; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a **side lot line**;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1110) Exception RD 1110

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;

- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 5.7 metres for the portion of a main wall containing the entrance to a parking space; and
 - (ii) 6.0 metres for all other parts of the building;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Pinemeadow Boulevard or Collingbrook Boulevard; and
 - (ii) 4.5 metres in all other cases; and
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the maximum lot coverage is 40%; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1111) Exception RD 1111

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line 1.2 metres;
- (B) a garage must be at least 0.3 metres from a side lot line;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1112) Exception RD 1112

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 5.7 metres for the portion of a main wall containing the entrance to a parking space; and
 - (ii) 6.0 metres for all other parts of the **building**;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) a garage must be at least 0.3 metres from a side lot line; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1113) Exception RD 1113

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 5.7 metres for the portion of a main wall containing the entrance to a parking space; and
 - (ii) 6.0 metres for all other parts of the **building**;
- (D) the minimum setback from a **side lot line** is 0.3 metres on one side and 1.0 metres on the other side, provided it is also a minimum of 6.0 metres from a **building** on the adjoining **lot**;

- (E) a garage must be at least 0.3 metres from a side lot line; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1114) Exception RD 1114

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 5.7 metres for the portion of a main wall containing the entrance to a parking space; and
 - (ii) 6.0 metres for all other parts of the **building**;
- (D) the minimum setback from a **side lot line** is 0.3 metres on one side and 5.0 metres on the other side, provided it is also a minimum of 6.0 metres from a **building** on the adjoining **lot**;
- (E) a garage must be at least 0.3 metres from a side lot line; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1115) Exception RD 1115

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 6.0 metres for the portion of a main wall containing the entrance to a parking space; and
 - (ii) 3.0 metres for all other parts of the building;
- (D) the setback from a **lot line** that abuts Finch Avenue is:
 - (i) a minimum of 3.0 metres; and
 - (ii) a maximum of 6.0 metres; and
- (E) the minimum setback from a **side lot line** 1.0 metres on one side only;
- (F) the maximum lot coverage is 45%;
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1116) Exception RD 1116

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the **lot line** abuts Huntingwood Drive; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;

- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1117) Exception RD 1117

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a side lot line 1.0 metres;
- (C) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 75, of Scarborough By-law 12466.

(1118) Exception RD 1118

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line 1.0 metres;
- (E) the portion of **main wall** containing the entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1119) Exception RD 1119

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line 1.2 metres;
- (B) a garage must be at least 0.3 metres from a side lot line;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1120) Exception RD 1120

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum required lot frontage is that which existed on the date of the enactment of this By-

law;

- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 9.0 metres if the lot line abuts Kennedy Road or Finch Avenue; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) an ancillary building or structure must be set back a minimum of:
 - (i) 0.9 metres from a rear lot line;
 - (ii) 0.6 metres from a side lot line; and
 - (iii) 3.0 metres from a residential building on the lot.; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1121) Exception RD 1121

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Huntingwood Drive; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1122) Exception RD 1122

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line 1.2 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (C) a garage must be at least 0.3 metres from a side lot line;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1123) Exception RD 1123

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;

- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 9.0 metres if the lot line abuts Kennedy Road or Finch Avenue; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) an ancillary building or structure must be set back a minimum of:
 - (i) 0.9 metres from a rear lot line;
 - (ii) 0.6 metres from a side lot line; and
 - (iii) 3.0 metres from a residential building on the lot; and
- (H) a parking space may be located in the front yard if it is entirely located within 5.0 metres of the westerly side lot line; and
- (I) these lands must also comply with exception 900.3.10(1462).

(1124) Exception RD 1124

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 3.0 metres if the **lot line** abuts Kennedy Road; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a **side lot line** 1.0 metres on one side only;
- (E) the maximum lot coverage is 50%;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1125) Exception RD 1125

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Kennedy Road; and
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line 1.2 metres;
- (C) a parking space may be located in a yard that abuts Kennedy Road or Huntingwood Drive;
- (D) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1127) Exception RD 1127

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 9.0 metres if it abuts Centennial Road;
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a **side lot line** is 0.9 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the maximum **lot coverage** is 50%;
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1128) Exception RD 1128

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1129) Exception RD 1129

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres if it abuts Lawrence Avenue; and
 - (ii) 4.5 metres in all other cases;
- (C) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1130) Exception RD 1130

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street:
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;

- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1131) Exception RD 1131

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a front lot line is:
 - (i) 36.0 metres if the lot line abuts Lawrence Avenue, measured from the original centreline of the street;
 - (ii) 7.5 metres if the lot line abuts Centennial Road; and
 - (iii) 6.0 metres in all other cases; and
- (C) the required parking space must be located in the residential building; and
- (D) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (E) these lands must also comply with exception 900.3.10(1462).
- (F) on lots municipally known as 5316 and 5318 Lawrence Avenue East the only use permitted in a fire hall.

Prevailing By-laws and Prevailing Sections: (None apply)

(1132) Exception RD 1132

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.5 metres if the lot line abuts Lawrence Avenue, measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the required parking space must be located in the residential building.
- (F) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1133) Exception RD 1133

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 4.5 metres;
- (B) the minimum setback from a rear lot line is 10.5 metres;
- (C) the minimum setback from a **lot line** that abuts a **lot** in an ON zone is 10.0 metres;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1134) Exception RD 1134

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the **street**;
 - (ii) 9.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1135) Exception RD 1135

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres;
- (D) the minimum setback from a side lot line is:
 - (i) 0.9 metres on one side and 0.3 metres on the other side if the **building** is fully detached above grade;
 - (ii) 0.9 metres on one side only if the building is attached above grade;
- (E) nothing shall encroach into a required **side yard setback**;
- (F) the maximum number of storeys is 2;
- (G) the maximum lot coverage is 45%;
- (H) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (I) the required **parking space** must be located in a **building**; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1136) Exception RD 1136

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a front lot line is 5.0 metres;

- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a lot line that abuts a lot in an ON zone is 10.0 metres;
- (D) the required parking space must be located in the residential building.
- (E) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1137) Exception RD 1137

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres;
- (D) the minimum setback from a side lot line is:
 - (i) 0.9 metres on one side and 0.3 metres on the other side if the **building** is fully detached above grade;
 - (ii) 0.9 metres on one side only if the **building** is attached above grade;
- (E) nothing shall encroach into a required side yard setback;
- (F) the maximum number of storeys is 2;
- (G) the maximum lot coverage is 45%;
- (H) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1138) Exception RD 1138

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum **building setback** 25 m from centre line of the original road allowance of Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road, Pickering Town Line;
- (B) the minimum setback from a side lot line is 1.2 m for one-storey dwelling, plus 600 mm for each additional or partial storey;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street provided it is at least 1.5 m from the dwelling units or structures on adjoining lot; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1139) Exception RD 1139

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street;

- (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a **lot line** that abuts a **street** is 4.5 metres;
- (D) the maximum lot coverage is 37%; and
- (E) these lands must also comply with exception 900.3.10(1462).

(1140) Exception RD 1140

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1141) Exception RD 1141

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 7.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a rear lot line is 13.7 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1142) Exception RD 1142

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) the minimum setback from a lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1143) Exception RD 1143

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1144) Exception RD 1144

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 19.0 metres if the lot line abuts Colonel Danforth Trail and measured from the original centreline of the street;
 - (ii) 17.5 metres in all other cases and measured from the original centreline of the **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1145) Exception RD 1145

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (C) the required parking space must be located in the residential building.
- (D) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking structure and the elevation of grade at the front lot line; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1146) Exception RD 1146

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1147) Exception RD 1147

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a front lot line is:

- (i) 19.0 metres if the **lot line** abuts Colonel Danforth Trail and measured from the original centreline of the **street**:
- (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

(1148) Exception RD 1148

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 19.0 metres if the lot line abuts Colonel Danforth Trail and measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the required parking space must be located in the residential building.
- (D) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1149) Exception RD 1149

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 19.0 metres if the **lot line** abuts Colonel Danforth Trail and measured from the original centreline of the **street**;
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1151) Exception RD 1151

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the **lot line** abuts Lawrence Avenue;
 - (ii) 4.5 metres in all other cases;
- (E) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in the residential building.

- (G) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1152) Exception RD 1152

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the **street**;
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (E) the maximum lot coverage is 50%;
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1153) Exception RD 1153

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1154) Exception RD 1154

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

(1155) Exception RD 1155

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 9.0 metres if the lot line abuts Centennial Road;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the minimum setback from a rear lot line is 10.0 metres;
- (G) the maximum lot coverage is 50%;
- (H) where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (I) the required parking space must be located in a building; and
- (J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1156) Exception RD 1156

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 9.0 metres if the lot line abuts Lawson Road or Centennial Road;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1157) Exception RD 1157

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the maximum **lot coverage** is 50%;
- (F) where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (G) the required parking space must be located in a building; and

(H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1158) Exception RD 1158

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 25.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the **street**:
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1159) Exception RD 1159

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
 - (B the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres if the **lot line** abuts Meadowvale Road;
 - (ii) 4.5 metres in all other cases;
- (C) the required parking space must be located in the residential building.
- (D) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1160) Exception RD 1160

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the maximum lot coverage is 50%;
- (F) the required parking space must be located in a building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1161) Exception RD 1161

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.2 metres;
- (B) the required parking space must be located in the residential building; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1162) Exception RD 1162

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1163) Exception RD 1163

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the **street**;
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1165) Exception RD 1165

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1166) Exception RD 1166

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the lot line abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

(1167) Exception RD 1167

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1168) Exception RD 1168

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the **lot line** abuts Conference Boulevard;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1169) Exception RD 1169

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:

- (i) 22.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street:
- (ii) 7.5 metres if the lot line abuts Conference Boulevard;
- (iii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

(1170) Exception RD 1170

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the **lot line** abuts Conference Boulevard;
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1171) Exception RD 1171

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street:
 - (ii) 7.5 metres if the lot line abuts Conference Boulevard;
 - (iii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1172) Exception RD 1172

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 9.0 metres if the lot line abuts Lawson Road;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1173) Exception RD 1173

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum setback from a front lot line is:
 - (i) 9.0 metres if the lot line abuts Lawson Road;
 - (ii) 6.0 metres in all other cases; and
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1174) Exception RD 1174

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 9.0 metres if the lot line abuts Lawson Road;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1175) Exception RD 1175

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the required parking space must be located in a building; and

(F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1176) Exception RD 1176

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 25.5 metres if the lot line abuts Port Union Road, measured from the centreline of the street;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1177) Exception RD 1177

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (C) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1179) Exception RD 1179

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres:
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1180) Exception RD 1180

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a front lot line is:

- (i) 25.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street:
- (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (D) these lands must also comply with exception 900.3.10(1462).

(1181) Exception RD 1181

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line is:
 - (i) 10.0 metres from the north lot line;
 - (ii) 1.0 metres from the east and west side lot lines;
 - (iii) 15.0 metres from the south front lot lines;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1182) Exception RD 1182

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (E) where the **vehicle** entrance to a garage also faces a **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**:
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1183) Exception RD 1183

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side;
- (E) nothing shall encroach into a required side yard setback;
- (F) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and

- (G) the maximum lot coverage is 50%;
- (H) the maximum gross floor area is:
 - (i) 242 square metres if the lot frontage is less than 12.0 metres; and
 - (ii) 261 square metres in all other cases;
- (I) where the **vehicle** entrance to a garage also faces a **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (J) the required parking space must be located in a building.

(1184) Exception RD 1184

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a lot line that abuts a lot in a Open Space zone category is 3.0 metres:
- (E) nothing shall encroach into a required side yard setback;
- (F) the maximum height is the lesser of 3 storeys or 10.5 metres;
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the maximum lot coverage is 50%;
- (I) the maximum gross floor area is:
 - (i) 242 square metres if the lot frontage is less than 12.0 metres; and
 - (ii) 261 square metres in all other cases;
- (J) where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (K) the required parking space must be located in a building; and
- (L) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1185) Exception RD 1185

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a lot in a Open Space zone category is 3.0 metres;
- (D) nothing shall encroach into a required side yard setback;
- (E) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the maximum **lot coverage** is 50%;
- (G) the maximum gross floor area is:
 - (i) 242 square metres if the lot frontage is less than 12.0 metres; and
 - (ii) 261 square metres in all other cases;
- (H) where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (I) the required parking space must be located in a building; and

(J) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1186) Exception RD 1186

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 22.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street:
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (D) these lands must also comply with exception 900.3.10(1462).
- (E) a Place of Worship use is permitted if:
 - (i) the gross floor area of all buildings is not more than 40% of the area of the lot;
 - (ii) parking must be provided for the **Place of Worship** at a rate of 7.7 for each for each 100 square metres of **Place of worship** use and other uses related to it;
 - (iii) a minimum of 1 parking space must be provided for a dwelling unit; and
 - (iv) a maximum of 3 parking space may be located in a front yard.
 - (v) the place of worship building complies to all other setback and height requirements for a detached house of the lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1187) Exception RD 1187

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1188) Exception RD 1188

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1189) Exception RD 1189

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a lot in a Open Space zone category is 3.0 metres;
- (D) nothing shall encroach into a required **side yard setback**;
- (E) the maximum height is the lesser of 3 storeys or 10.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the maximum lot coverage is 50%;
- (H) these lands must also comply with exception 900.3.10(1462).
- where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (J) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1191) Exception RD 1191

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (C) underground structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**;
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1192) Exception RD 1192

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side:
- (E) nothing shall encroach into a required **side yard setback**;
- (F) The maximum height is the lesser of 3 storeys or 10.5 metres;
- (G) the maximum lot coverage is 50%;
- (H) these lands must also comply with exception 900.3.10(1462).
- (I) where the **vehicle** entrance to a garage also faces a **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (J) the required **parking space** must be located in a **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1193) Exception RD 1193

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a side lot line is 1.0 metres on one side and 0.5 metres on the other side:
- (E) nothing shall encroach into a required side yard setback;
- (F) The maximum height is the lesser of 3 storeys or 10.5 metres;
- (G) the maximum lot coverage is 50%;
- (H) these lands must also comply with exception 900.3.10(1462).
- where the vehicle entrance to a garage also faces a street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (J) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1196) Exception RD 1196

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 735-2005(OMB).

(1197) Exception RD 1197

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of North York by-law 30189.
- (B) Regulations 10.20.40.20 and 10.20.40.30 do not apply to the lands subject to this exception.

(1199) Exception RD 1199

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(1) of the former City of York Zoning By-law 1-83 and former City of York by-law 12349.

(1200) Exception RD 1200

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum front yard setback is:
 - (i) 14.3 metres for 3 Strathearn Road; and
 - (ii) 12.8 metres for 3A Strathearn Road.
- (B) The maximum gross floor area is:
 - (i) 1,111 square metres for 3 Strathearn Road; and
 - (ii) 568 square metres for 3A Strathearn Road.
- (C) Regulation 10.5.80.40 (2) does not apply to prevent a depressed private garage in a **detached house** at 3 Strathearn Road or 3A Strathearn Road, if a **driveway** leading to it has a maximum

downward slope of 11%.

- (D) The following regulations do not apply to 3 Strathearn Road or 3A Strathearn Road:
 - (i) 10.20.40.10 (2), regarding the height of specified pairs of main walls;
 - (ii) 10.20.40.10 (4), regarding a **detached house** with a flat or shallow roof;
 - (iii) 10.20.40.20, regarding building length; and
 - (iv) 10.20.40.30, regarding building depth.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1201) Exception RD 1201

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(37) of the former City of York Zoning By-law 1-83

(1202) Exception RD 1202

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 8 Westover Hill Road, Section 16(35) of the former City of York Zoning By-law 1-83

(1203) Exception RD 1203

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 6 Westover Hill Road, Section 16(69) of the former City of York Zoning By-law 1-83

(1204) Exception RD 1204

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 118 Chiltern Hill Road, Section 16(270) of the former City of York Zoning By-law 1-83

(1205) Exception RD 1205

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1700 Bathurst Street, Section 16(119) of the former City of York Zoning By-law 1-83

(1206) Exception RD 1206

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 14 Connaught Circle, Section 16(171) of the former City of York Zoning By-law 1-83

(1207) Exception RD 1207

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2365-2373 Weston Road, Section 16(287) of the former City of York Zoning By-law 1-83

(1209) Exception RD 1209

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum lot coverage is 50%;
- (D) a detached house must have a minimum of 2 storeys;
- (E) the second storey must have an gross floor area that is at least 70% of the gross floor area of the first floor;
- (F) the minimum gross floor area of a detached house is that which existed on the day of the enactment of this By-law;
- (G) the minimum side yard setback is:
 - (i) 0.45 metres if the lot frontage is less than 12.0 metres; and
 - (ii) 0.75 metres if the lot frontage is 12.0 metres or more; and
- (H) in a **front yard** or a **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1210) Exception RD 1210

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in addition to the uses permitted in the zone, a medical and dental office is permitted if the dwelling unit is the place of residence of the practitioner;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the maximum lot coverage is 50%;
- (E) a detached house must have a minimum of 2 storeys;
- (F) the second storey must have an gross floor area that is at least 50% of the gross floor area of the first floor;
- (G) the minimum gross floor area of a detached house is that which existed on the day of the enactment of this By-law;
- (H) the minimum side yard setback is:
 - (i) 0.3 metres if the lot frontage is less than 12.0 metres; and
 - (ii) 0.45 metres if the lot frontage is 12.0 metres or more;
- (I) the maximum number of parking spaces that may be located in a garage is 2; and
- (J) in a front yard or a rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1212) Exception RD 1212

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former Borough of East York by-laws 27-80 and 81-86 prevail.

(1213) Exception RD 1213

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum **building** height must not exceed three **storeys**;
- (B) the minimum front yard setback is 3 metres;
- (C) the minimum side yard setback is:
 - (i) 6.0 metres if a **side lot line** abuts Humberline Drive;
 - (ii) 3.0 metres for any other **side lot line** that abuts a **street**;
 - (iii) 1.0 metres for a side lot line does not abut a street; and
 - (iv) despite (iii) the **building setback** from a **side lot line** may be reduced to zero on one side only, if a maintenance easement of 1.0 metres is provided on the adjacent **lot**;
- (D) the minimum rear yard setback is 9.0 metres if the rear lot line abuts either Finch Avenue west or Humberline Drive.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1214) Exception RD 1214

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback is 9.0 metres;
- (B) the minimum side yard setback is 1.8 metres on each side for a one-storey building, plus 0.6 metres for each additional storey or portion thereof;
- (C) if a **detached house** has a roof with a slope of less than 1.0 vertical units for every 4.0 horizontal units, for more than 50% of the total horizontal roof area, the maximum **building** height is 9.5 metres if 3 **storeys** is permitted on the **lot**, otherwise regulation 10.20.40.10 (4) applies;
- (D) The maximum lot coverage for ancillary buildings is 5%;
- (E) The maximum total floor area for **ancillary buildings** is 100 square metres;
- (F) in addition to the uses permitted in the zone, a place of worship and day nursery is also permitted if:
 - (i) the gross floor area for a day nursery is not greater than 268 square metres.
 - (ii) the maximum **gross floor area** for a **Place of Worship** and a **day nursery** is not greater than 2532 square metres; and
 - (iii) **parking space** are provided at a minimum rate of one for each 28 square metres of **gross** floor area.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1215) Exception RD 1215

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in addition to the use permitted in the zone, a place of worship is also permitted if:
 - (i) the maximum gross floor area does not exceed the gross floor area that existed on the day of the enactment of this By-law;
 - (ii) the maximum lot coverage is 57%;
 - (iii) the maximum **building** height is 14.0 metres;
 - (iv) the minimum building setback from a lot line is:
 - (a) 8.2 metres from the front lot line;
 - (b) 27.0 metres from the rear lot line;
 - (c) 3.0 metres from the north side lot line; and

- (d) 4.5 metres from the south side lot line; and
- (v) the required front yard must be landscaped; and
- (vi) a minimum of 160 parking spaces must be provided.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(1216) Exception RD 1216

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 40%;
- (B) the minimum **side yard setback** is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(1217) Exception RD 1217

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the portion of a building containing a parking space must be set back from a side lot line a minimum of 0.3 metres; and
- (F) a required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1218) Exception RD 1218

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 6.0 metres;
- (B) the minimum building setback from a side lot line is
 - (i) 3.6 metres, if the side lot line abuts a street; and
 - (ii) 0.45 metres, in all other cases;
- (C) the minimum lot area is the existing lot area that existed on the date of the enactment of this Bylaw; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1219) Exception RD 1219

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is the lawful lot frontage that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of

this By-law;

- (C) the minimum building setback from a front lot line is 6.0 metres;
- (D) the minimum building setback from a side lot is:
 - (i) 4.5 metres
 - (ii) 1.2 metres in all other cases;
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street.
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) a below grade parking structures may be permitted in a front yard if it is setback the greater of:
 - (i) a minimum of 3.0 metres; and
 - (ii) a minimum distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (H) the maximum number of storeys is 2.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1220) Exception RD 1220

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot is a corner lot, the minimum lot frontage is 16.5 metres;
- (B) The maximum lot coverage is 40%;
- (C) the minimum building setback from a front lot line is 6.0 metres;
- (D) the minimum building setback from a side lot is:
 - (i) 4.5 metres
 - (ii) 1.2 metres in all other cases;
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the maximum number of storeys is 2.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1221) Exception RD 1221

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 39, of Scarborough By-law 14402

(1222) Exception RD 1222

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (B) a minimum **building setback** of 1.0 metre is required from one **side lot line** only and nothing is to encroach into the required **side yard**;
- (C) The maximum lot coverage is 50%; and
- (D) the required parking space must be located in a building;
- (E) the maximum number of storeys is 2; and

(F) the maximum **building** height is 9.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1223) Exception RD 1223

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is the **lawful lot frontage** that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a front lot line is 6.0 metres:
- (D) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (E) the part of **building** containing a **parking space** may be setback from a **side lot line** a minimum of 0.3 metres if it is also a minimum of 1.5 metres from the **building**, excluding the part of **building** containing a **parking space**, on the adjoining **lot**;
- (F) the maximum number of storeys is 2; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1224) Exception RD 1224

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 6.0 metres:
- (B) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (C) the part of **building** containing a **parking space** may be setback from a **side lot line** a minimum of 0.3 metres if it is also a minimum of 1.5 metres from the **building**, excluding the part of **building** containing a **parking space**, on the adjoining **lot**;
- (D) the maximum number of storeys is 2; and
- (E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1225) Exception RD 1225

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is the **lawful lot frontage** that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (D) the part of a main wall that contains an entrance to a parking space must be set back a minimum of 6.0 metres from the lot line that it faces;
- (E) the minimum building setback from a side lot line that does not abut a street is 1.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the maximum number of storeys is 2; and

(H) the minimum setback for a below grade parking structures is a distance equal to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1226) Exception RD 1226

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (B) the maximum number of storeys is 2;
- (C) nothing is to encroach into a required side yard;
- (D) the required parking space must be located in the residential building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(1227) Exception RD 1227

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (B) the maximum number of storeys is 2;
- (C) the part of a main wall that contains an entrance to a parking space must be set back a minimum of 6.0 metres from the lot line that it faces;
- (D) the minimum building setback from a side lot line that does not abut a street is 1.0 metres;
- (F) the maximum lot coverage is 50%; and
- (D) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1228) Exception RD 1228

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts St. Clair Avenue, McCowan Road, Brimley Road and Bellamy Road is 22.0 metres measured from the original centreline of the street:
- (B) the minimum building setback from a side lot line is:
 - (i) 5.7 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (C) the maximum number of storeys is 2; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1229) Exception RD 1229

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line is:
 - (i) 22.0 metres, measured from the original centre line of the **street**, if the **lot line** abuts Conlins Road, Morrish Road, Meadowvale Road or Military Trail;
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line is:

- (i) 4.5 metres, if the side lot line abuts a street; and
- (ii) 0.9 metres, in all other cases;
- (C) the maximum number of storeys is 2;
- (D) these lands must also comply with exception 900.3.10(1462).

(1230) Exception RD 1230

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 6.0 metres;
- (B) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and
 - (ii) 0.9 metres in all other cases; and
- (C) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1231) Exception RD 1231

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 22 metres, measured from the original centreline of the **street**, if the **lot line** abuts Livingston Road, Guildwood Parkway, Morningside Avenue, and Galloway Road; and
 - (ii) 6.0 metres in all other cases; and
- (B) The minimum **building setback** from a **side lot line** is:
 - (i) 5.7 metres if the **lot line** abuts a **street**; and
 - (ii) 1.2 metres in all other cases; and
- (C) no building or structure may be located within 76.0 metres of the top edge of the Scarborough Bluffs or 137.0 metres, measured horizontally, from the water's edge of Lake Ontario, whichever is the lesser; and
- (D) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1232) Exception RD 1232

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is the **lawful lot frontage** that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) for a lot created after the date of the enactment of this By-law, the minimum lot frontage is
 - (i) 13.0 metres; and
 - (ii) 15.0 metres if it is a corner lot; and
- (D) for a **lot** created after the date of the enactment of this By-law, the minimum **lot area** 464 square metres:
- (E) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and

- (ii) 1.2 metres in all other cases; and
- (F) the portion of a **building** containing a **parking space** may be a minimum of 0.3 metres from a **side lot line** if it is also 1.5 metres from a **building** on the adjoining **lot**.

(1233) Exception RD 1233

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 22 metres, measured from the original centreline of the **street**, if the **lot line** abuts Brimley Road, Danforth Road, McCowan Road or Midland Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (C) the maximum lot coverage is 30%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1234) Exception RD 1234

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is:
 - (i) 22.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Brimley Road, Danforth Road, McCowan Road and Midland Avenue; and
 - (ii) 6.0 metres in all other cases;
- (B) the minimum building setback from a side lot line is:
 - (i) 3.6 metres if the lot line abuts a street; and
 - (ii) 0.9 metres in all other cases.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1237) Exception RD 1237

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 22.0 metres, measured from the original centreline of Birchmount Road, St. Clair Avenue, Danforth Road and Kennedy Road;
- (B) The minimum building setback from a lot line is:
 - (i) 2.6 metres if it is the north lot line; and
 - (ii) 0.3 metres if it is the south lot line; and
- (C) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1238) Exception RD 1238

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) on lands being part of Lot 31, Concession "B", one detached house may be erected on a parcel of land if it has a minimum frontage of 11.5 metres on a public street and a minimum area of 464 square metres;

- (B) the minimum building setback from a lot line that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22.0 metres, measured from the original centreline of the street; and
- (C) the minimum building setback from a side lot line is:
 - (i) 4.5 metres from a lot line that abuts a street;
 - (ii) 2.4 metres if a driveway is located between the side lot line and the building; and
 - (iii) 0.9 metres in all other cases.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1239) Exception RD 1239

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 22.0 metres, measured from the original centreline of the street, if the lot line abuts Bellamy Road, Danforth Road, Brimley Road, McCowan Road and Midland Avenue; and
 - (ii) 6.0 metres, in all other cases; and
- (B) The minimum building setback from a side lot line is:
 - (i) 3.6 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (C) the portion of a building containing a required parking space may be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1240) Exception RD 1240

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 16.0 metres, measured from the original centreline of the street;
- (B) the minimum building setback from a side lot line is 0.45 metres; and
- (C) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1241) Exception RD 1241

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** may be the lesser of 12.0 metres or the **lot frontage** shown on a registered plan;
- (B) the minimum lot area may be the lesser of 400 square metres or the lot area shown on a registered plan;
- (C) The minimum building setback from a front lot line is:
 - (i) 22.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Pharmacy Road; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum building setback from a side lot line is:
 - (i) 2.2 metres if the lot line abuts a street; and
 - (ii) 0.9 metres in all other cases.

(1242) Exception RD 1242

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is the lawful lot frontage that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Huntingwood Drive; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street;
 - (ii) 27.0 metres, measured from the original centreline of the **street**, if the **side lot line** abuts Victoria Park Avenue, Sheppard Avenue and Warden Avenue; and
 - (iii) 1.2 metres in all other cases; and
- (E) on reversed lots, the rear 1.5 metres must be used for landscaping purposes only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1243) Exception RD 1243

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is the **lawful lot frontage** that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (D) the required parking space must be located in the residential building;
- (E) the portion of the main **building** containing the required **parking space** may be located a minimum of 0.3 metres from a **side lot line**; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1244) Exception RD 1244

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is the lawful lot frontage that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the minimum **building setback** from a **side lot line** is:
 - (i) 4.5 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (D) the required parking space must be located in the residential building;
- (E) the portion of the main building containing the required parking space may be located a

minimum of 0.3 metres from a side lot line; and

- (F) on reversed **lots**, the rear 1.5 metres must be used for **landscaping** purposes only;
- (G) these lands must also comply with exception 900.3.10(1462).
- (H) on the lands municipally known as 1 Glendower Circuit, a maximum of 25% of the floor area of the **building** may be used for a medical office.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1245) Exception RD 1245

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot is a corner lot the minimum lot frontage is 15.0 metres;
- (B) the minimum building setback from a front lot line is:
 - (i) 30.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Lawrence Avenue;
 - (ii) 22.0 metres, measured from the original centreline of the street, if the lot line abuts Lawrence Avenue, Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road; and
 - (ii) 6.0 metres on all other cases; and
- (C) the minimum building setback from a side lot line is:
 - (i) 3.6 metres if the lot line abuts a street; and
 - (ii) 0.9 metres in all other cases; and
- (D) the portion of a **building** containing a **parking space** may be located a minimum of 0.3 metres from a **side lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1246) Exception RD 1246

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is:
 - (i) 18.0 metres if the lot depth is 45.7 metres or greater; and
 - (ii) 24.0 metres if the lot depth is less than 45.7 metres; and
- (B) the minimum lot depth is 39.6 metres; and
- (C) the minimum building setback from a side lot line is a distance equal to 10% of the lot frontage.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1247) Exception RD 1247

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 323 of former City of Toronto By-law 438-86.

(1249) Exception RD 1249

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest side lot line than the shortest distance between the existing side main wall of the building and the side lot line; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

(1252) Exception RD 1252

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) On a **lot**, the permitted uses are not subject to Clause 40.10.40.1 (2) of this By-law. [TO: 438-86; 12(1) 126]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 269 of former City of Toronto By-law 438-86.

(1253) Exception RD 1253

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot, a hospital is a permitted use.
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (C) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1254) Exception RD 1254

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On a lot, an apartment building is permitted, provided:
 - (i) the **building** does not exceed 9 **storeys** in height facing the **front lot line**;
 - (ii) the building does not exceed 8 storeys in height facing the rear lot line;
 - (iii) a maximum of 12 **dwelling units** have a minimum **interior floor area** of 45 square metres each; and
 - (iv) the remaining **dwelling units** have a minimum **interior floor area** of 70 square metres each
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (C) Required parking spaces for a dwelling unit must be located within a building or structure.

[TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1256) Exception RD 1256

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On a lot, a duplex or the conversion of a detached house to provide three or more dwelling units is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1257) Exception RD 1257

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, a **dwelling unit** in a **duplex** or in a **detached house** that is converted to allow two **dwelling units**, are permitted uses. [TO: 438-86; 12 (1) 243(a)]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a lot has a lot frontage of 7.6 metres or less, a vehicular entrance through the front wall of a residential building is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1259) Exception RD 1259

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On a lot, an apartment building is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1261) Exception RD 1261

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any building existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new building does not exceed the height of the building being replaced. [TO: 438-86; 12 (1) 320]
- (B) On a lot, a cemetery and a crematorium is a permitted use. [TO: 438-86; 12(1) 313]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1262) Exception RD 1262

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On a lot, a cemetery and a crematorium is a permitted use. [TO: 438-86; 12(1) 313]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

(1265) Exception RD 1265

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On the lands, the replacement of any building existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new building does not exceed the height of the building being replaced. [TO: 438-86; 12 (1) 320]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1269) Exception RD 1269

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On a lot, a duplex is permitted subject to the requirements of a duplex in an R zone.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1274) Exception RD 1274

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 380, 382, 384, 386 Rosewell Avenue and part of 1451 Avenue Road in 1988, Section 12(1) 8 of former City of Toronto By-law 438-86.

(1275) Exception RD 1275

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A detached house may be converted to allow for up to two dwelling units if:
 - (i) the original **building** has a **interior floor area** of at least 370 square metres;
 - (ii) the average interior floor area of the secondary suite is at least 110 square metres;
 - (iii) the original **building** is at least 20 years old and any addition to it, prior to the conversion, is at least five years old; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** is not materially altered.
- (B) A residential building that existed on the lot as of November 7, 1978, may continue to be used for that purpose if it complies with the provisions of former City of Toronto By-law 20623 as it existed immediately before November 7, 1978. [TO: 438-86; 12(1) 85];
- (C) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest side lot line than the shortest distance

between the existing side main wall of the building and the side lot line; and

- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (D) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (E) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 66 of former City of Toronto By-law 438-86.

(1276) Exception RD 1276

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A detached house may be converted to allow for up to two dwelling units if:
 - (i) the original **building** has a **interior floor area** of at least 370 square metres;
 - (ii) the average interior floor area of the secondary suite is at least 110 square metres;
 - (iii) the original **building** is at least 20 years old and any addition to it, prior to the conversion, is at least five years old; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** is not materially altered.
- (B) A **residential building** that existed on the **lot** as of November 7, 1978, may continue to be used for that purpose if it complies with the provisions of former City of Toronto By-law 20623 as it existed immediately before November 7, 1978. [TO: 438-86; 12(1) 85]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1278) Exception RD 1278

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The maximum **building length** is 14.0 metres. [TO: 438-86; 12(2) 112]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1279) Exception RD 1279

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot, a semi-detached dwelling is not a permitted use. [TO: 438-86; 12 (2) 50]
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (C) Required parking spaces for a dwelling unit must be located within a building or structure. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1281) Exception RD 1281

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:

- (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
- (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
- (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (E) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

(1282) Exception RD 1282

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the maximum interior floor area used for an amusement arcade, recreation use, eating establishment, or any combination of these uses is 400 square metres. [TO: 438-86; 12(2) 199];
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1283) Exception RD 1283

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1284) Exception RD 1284

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 257 of former City of Toronto By-law 438-86.

(1285) Exception RD 1285

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 257 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 294 of former City of Toronto By-law 438-86.

(1286) Exception RD 1286

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 269 of former City of Toronto By-law 438-86.

(1287) Exception RD 1287

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 288 of former City of Toronto By-law 438-86.

(1288) Exception RD 1288

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands on the west side of Southwood Drive, up to 132.6 metres north of Glen Ames, one detached house, one semi-detached house or one townhouse is the only permitted use. [TO: 438-86; 12 (2) 5(i)]
- (B) On the lands on the west side of Southwood Drive, within 92.5 from the intersection with Glen Stewart Crescent no more than 8 **residential buildings** may be erected. [TO: 438-86; 12 (2) 5(ii)]:
- (C) Despite regulation 10.5.40.60 (1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1291) Exception RD 1291

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1294) Exception RD 1294

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Despite 10.20.40.70 (3), the minimum ${f side}$ yard ${f setback}$ is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1295) Exception RD 1295

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must

comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

(B) On these lands the minimum front yard setback is 20.0 metres and the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1296) Exception RD 1296

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Despite regulations to the contrary the lands know as 10 Doncliffe Drive, may be used for a **detached house** if the yard setbacks that existed on the date of the enactment of this By-law at not further reduced.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1297) Exception RD 1297

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1299) Exception RD 1299

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1981-360.

(1300) Exception RD 1300

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 6.0 metres from any other front lot line; and
 - (ii) 5.7 metres from any side lot line that abuts a street;
- (B) the minimum building setback from a side lot line that does not abuts a street is 0.9 metres; and
- (C) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1301) Exception RD 1301

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **building setback** from a **lot line** that abuts a **street** is 9.0 metres in all other cases;
- (B) the minimum **building setback** from a **side lot line** that does not abuts a **street** is 1.2 metres; and
- (C) the maximum **building** height is the lesser of 4 **storeys** and 14.5 metres;

- (D) the required parking space must be located in the residential building;
- (E) The portion of a **building** containing a **parking space** (garage or carport) may be setback a minimum of 0.3 metres from a **side lot line**:
- (F) a below grade parking structure must be set back from a lot line a minimum distance that is the greater of 3.0 metres and the distance between the elevation of the lowest floor of the structure and the elevation of the ground at the front lot line.

(1302) Exception RD 1302

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot is a corner lot the minimum lot frontage is 13.0 metres;
- (B) the minimum building setback from a front lot line is:
 - (i) 22.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Lawrence Avenue, Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road;
 - (ii) 6.0 metres on all other cases; and
- (C) The minimum building setback from a side lot line is:
 - (i) 5.7 metres if the lot line abuts a street; and
 - (ii) 1.2 metres in all other cases;
- (D) the portion of a **building** containing a **parking space** may be located a minimum of 0.3 metres from a **side lot line**: and
- (E) a minimum 1.5 metres wide landscaping strip must be provided along the entire rear of a reversed lot and it must be used for landscaping only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1307) Exception RD 1307

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 66 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 323 of former City of Toronto By-law 438-86.

(1317) Exception RD 1317

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On the lands, a **dwelling unit** in a **duplex** or in a **detached house** that is converted to allow two **dwelling units**, are permitted uses. [TO: 438-86; 12 (1) 243(a)]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and

- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (E) On the lands municipally known as 2 Nursewood Road in 1985, a **dwelling unit** in an **apartment building** is a permitted use. [TO: 438-86; 12 (1) 243(b)]

(1319) Exception RD 1319

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Despite 10.20.40.70 (3), the minimum side yard setback is 1.8 metres;
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1321) Exception RD 1321

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a lot, an apartment building is permitted, provided:
 - (i) the **building** does not exceed 9 **storeys** in height facing the **front lot line**;
 - (ii) the building does not exceed 8 storeys in height facing the rear lot line;
 - (iii) a maximum of 12 **dwelling units** have a minimum **interior floor area** of 45 square metres each; and
 - (iv) the remaining **dwelling units** have a minimum **interior floor area** of 70 square metres each.
- (B) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (C) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1322) Exception RD 1322

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a lot contains a detached house erected before October 15, 1953, the detached house may be enlarged by an addition to the rear of the building if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]

(C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 242 of former City of Toronto By-law 438-86.

(1323) Exception RD 1323

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 529, 531, and 557 Spadina Road in 1972, a **duplex** is a permitted **building** type. [TO: 438-86; 12 (1) 318]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (C) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1324) Exception RD 1324

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 44 and 62 Elmsthorpe Avenue in 1972, a **duplex** is a permitted **building** type. [TO: 438-86; 12 (1) 318]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (C) If a lot contains a detached house erected before October 15, 1953, the detached house may be enlarged by an addition to the rear of the building if:
 - (i) the overall floor space index for the lot, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (D) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (E) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1325) Exception RD 1325

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On the lands, the replacement of any building existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new building does not exceed the height of the building being replaced. [TO: 438-86; 12 (1) 320];
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

(1326) Exception RD 1326

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86: 12 (1) 320]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 65 Marlee Avenue in 1978, Section 12(1) 321 of former City of Toronto By-law 438-86.

(1328) Exception RD 1328

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 350 Russell Hill Road in 1998, Section 12(1) 446 of former City of Toronto By-law 438-86.

(1329) Exception RD 1329

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;

- (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

(1332) Exception RD 1332

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1334) Exception RD 1334

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On the lands, the replacement of any building existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new building does not exceed the height of the building being replaced. [TO: 438-86; 12 (1) 320]
- (B) If a lot contains a detached house erected before October 15, 1953, the detached house may be enlarged by an addition to the rear of the building if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a lot has a lot frontage of 7.6 metres or less, a vehicular entrance through the front wall of a

residential building is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) On 645 CASTLEFIELD AVE and 668 ROSELAWN AVE, former City of Toronto by-law 282-87.

(1335) Exception RD 1335

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) On the lands, an office of a physician or dentist is a permitted use, subject to the conditions that:
 - it is located in the **basement** or on the **first floor** of a detached dwelling which such physician or dentist uses as their private residence; and
 - (ii) the principal entrance is from Bathurst Street. [TO: 438-86; 12(2) 274]
- (C) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the lot, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (D) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (E) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1336) Exception RD 1336

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands municipally known as 298 Lonsdale Road, a **private school** is a permitted use. [TO: 438-86; 12 (1) 317]
- (B) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (C) On the lands, the minimum lot area is 900 square metres. [TO: 438-86; 12 (2) 59]
- (D) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1337) Exception RD 1337

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On a **lot**, a **duplex** is a permitted use subject to the requirements of a **duplex** in an R zone.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1338) Exception RD 1338

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the lot, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a lot has a lot frontage of 7.6 metres or less, a vehicular entrance through the front wall of a residential building is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 332 of former City of Toronto By-law 438-86.

(1340) Exception RD 1340

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A detached house may be converted to allow for up to two dwelling units if:
 - (i) the original **building** has a **interior floor area** of at least 370 square metres;
 - (ii) the average interior floor area of the secondary suite is at least 110 square metres;
 - (iii) the original **building** is at least 20 years old and any addition to it, prior to the conversion, is at least five years old; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** is not materially altered.
- (B) A residential building that existed on the lot as of November 7, 1978, may continue to be used for that purpose if it complies with the provisions of former City of Toronto By-law 20623 as it existed immediately before November 7, 1978. [TO: 438-86; 12(1) 85]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1341) Exception RD 1341

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A detached house may be converted to allow for up to two dwelling units if:
 - (i) the original building has a interior floor area of at least 370 square metres;
 - (ii) the average interior floor area of the secondary suite is at least 110 square metres;
 - (iii) the original **building** is at least 20 years old and any addition to it, prior to the conversion, is at least five years old; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** is not materially altered.
- (B) A residential building that existed on the lot as of November 7, 1978, may continue to be used for that purpose if it complies with the provisions of former City of Toronto By-law 20623 as it existed immediately before November 7, 1978. [TO: 438-86; 12(1) 85]

(1345) Exception RD 1345

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1351) Exception RD 1351

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Despite regulation 10.5.40.601), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]
- (C) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]
- (D) If the lot contains a detached house, erected before October 15, 1953, the detached house may be enlarged by an addition to the rear of the building if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side wall of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) Part VI 1]
- (E) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 319 of former City of Toronto By-law 438-86.

(1353) Exception RD 1353

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8, K.]

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 687 - 689 BLOOR ST E, 711 BLOOR ST E, the odd numbered addresses of 5 - 73 CASTLE FRANK CRES, the even numbered addresses of 6 -70 CASTLE FRANK CRES, former City of Toronto by-law 21381;

(1356) Exception RD 1356

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 269 of former City of Toronto By-law 438-86.

(1362) Exception RD 1362

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections: (None Apply)

(1366) Exception RD 1366

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 530-2010.

(1380) Exception RD 1380

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 50%;
- (B) the minimum side yard setback is 1.0 metre on one side only;
- (C) the required parking space must be located in a building;
- (D) the minimum building setback from a side lot line that abuts a street is
 - (i) 6.0 metres to that portion of the main wall containing a vehicle entrance to a parking space; and
 - (ii) 3.0 metres in all other cases; and
- (E) these lands must also comply with exception 900.3.10(1462)

Prevailing By-laws and Prevailing Sections: (None Apply)

(1381) Exception RD 1381

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 9.0 metres;
- (B) the minimum building setback from a side lot line is:
 - (i) 3.0 metres from the north side lot line; and
 - (ii) 1.0 metres from the south lot line;
- (C) despite regulations to the contrary, Chimneys, pilasters, projecting columns, balconies, unenclosed porches and canopies must not encroach into a required side yard; and
- (D) the required parking space must be located in a building; and
- (E) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1382) Exception RD 1382

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (B) the minimum side yard setback is 1.0 metre on one side only;
- (C) despite regulations to the contrary, Chimneys, pilasters, projecting columns, balconies, unenclosed porches and canopies must not encroach into a required side yard; and
- (D) the minimum building setback from a side lot line that abuts a street is
 - (i) 6.0 metres to that portion of the main wall containing a vehicle entrance to a parking space; and
 - (ii) 3.0 metres in all other cases; and
- (E) the required parking space must be located in a building; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1383) Exception RD 1383

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the date of enactment of this By-law or 13.0 metres;
- (B) the minimum lot area is that which existed on the date of enactment of this By-law or 464 square metres;
- (C) the minimum building setback from a front lot line is 6.0 metres;
- (D) the minimum building setback from a side lot line is:
 - (i) 5.7 metres if the side lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (E) the portion of a building containing a parking space must be set back a minimum of 0.3 metres from a side lot line; and
- (F) on a reversed lot, a minimum 1.5 metre wide soft landscaping strip must be provided along the entire length of the lot line; and
- (G) the maximum **building** height is 9.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1384) Exception RD 1384

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the date of enactment of this By-law;
- (B) the minimum lot area is that which existed on the date of enactment of this By-law;
- (C) the minimum building setback from a front lot line is 6.0 metres
- (D) the minimum building setback from a side lot line is:1.2 metres;
- (E) the portion of a **building** containing a **parking space** must be set back a minimum of 0.3 metres from a **side lot line**; and
- (F) the maximum **building** height is 9.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1385) Exception RD 1385

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **building setback** from a **side lot line** is 0.9 metres;
- (B) the maximum height of a building is 9.0 metres;
- (C) a **building** may not contain more that two **storeys**;

- (D) the maximum lot coverage is 40%;
- (E) the portion of a **building** containing a **parking space** must be at least 0.3 metres from a **side lot line**; and
- (F) these lands must also comply with exception 900.3.10(1462).

(1386) Exception RD 1386

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is:
 - (i) 22.0 metres, measured from the original centre line of the **street**, if the **front lot line** abuts Midland Avenue and Brimley Road.; and
 - (ii) 6.0 metres in all other cases;
- (B) the minimum building setback from a side lot line is:
 - (i) 5.7 metres if the side lot line abuts a street; and
 - (ii) 1.2 metres in all other cases; and
- (C) the portion of a building containing a parking space may be located a minimum of 0.3 metres from a side lot line;
- (D) the maximum building height is 9.0 metres;
- (E) the maximum number of storeys is 2; and
- (F) these lands must also comply with exception 900.3.10(1462).

Prevailing By-laws and Prevailing Sections: (None Apply)

(1387) Exception RD 1387

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) The minimum building setback from a side lot line is 0.9 metres on one side and zero on the other;
- (D) The maximum building height is 10.0 metres; and
- (E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1388) Exception RD 1388

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) if a **lot** contains a **detached house** the following regulations apply:
 - (i) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
 - (ii) the minimum lot area is that which existed on the day of the enactment of this By-law;
 - (iii) the maximum lot coverage is 50%;
 - (iv) the required **parking space** must be located in a **building**;
 - (v) The minimum building setback from a side lot line is:
 - (a) 1.0 metre, if the lot fronts on Ellesmere Road; and
 - (b) 1.0 metres on one side only in all other cases.
 - (vi) Chimneys, pilasters, projecting columns, balconies, unenclosed porches and canopies must not project into any required side yard;

- (vii) only a dwelling unit and uses ancillary to a dwelling unit are permitted.
- (B) a library is permitted if:
 - (i) the gross floor area of all buildings is not be greater than 35% of the lot area;
 - (ii) The minimum building setback from a lot line that abuts a street is 3.0 metres; and
 - (iii) parking spaces are provided at a minimum rate of 3 for 100 square metres; and
 - (iv) there are no dwelling units.

(1389) Exception RD 1389

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 29 - 47 HILLCREST DR and the odd numbered addresses of 51 - 55 HILLCREST DR, Section 12(2) 241 former City of Toronto of By-law 438-86.

(1392) Exception RD 1392

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 3 of former City of Toronto By-law 438-86.

(1393) Exception RD 1393

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the minimum lot area is 900 square metres. [TO: 438-86; 12 (2) 59]
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 26 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 45 of former City of Toronto By-law 438-86.

(1394) Exception RD 1394

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980.[TO: 438-86; 12(1) 229]

- (B) A **detached house**, or a **dwelling unit** in a **semi-detached house** permitted in compliance with (A) above, may contain more than one **secondary suite** if:
 - (i) the original **building** had existed on the **lot** on October 15, 1960;
 - (ii) the average **interior floor area** of the **dwelling unit** and the **secondary suites** combined is at least 110 square metres;
 - (iii) the **interior floor area** of each individual **dwelling unit** and **secondary suite** is at least 55 square metres; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** or **semi-detached house** is not materially altered.
 (ITO: 400.00: 40(4) 0001

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)]
- (D) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 8 May Street in 1954, Section 12(1) 13 of former City of Toronto By-law 438-86.

(1395) Exception RD 1395

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;

- (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 48 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 119 of former City of Toronto By-law 438-86.

(1397) Exception RD 1397

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (E) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 325 of former City of Toronto By-law 438-86.
- (C) Section 12(2) 326 of former City of Toronto By-law 438-86.

(1398) Exception RD 1398

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980 [TO: 438-86; 12(1) 229];
- (B) A detached house, or a dwelling unit in a semi-detached house permitted in compliance with (A) above, may contain more than one secondary suite if:

- (i) the original **building** had existed on the **lot** on October 15, 1960;
- (ii) the average **interior floor area** of the **dwelling unit** and the **secondary suites** combined is at least 110 square metres;
- (iii) the **interior floor area** of each individual **dwelling unit** and **secondary suite** is at least 55 square metres; and
- (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** or **semi-detached house** is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)];
- (D) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**:
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 319 of former City of Toronto By-law 438-86.

(1399) Exception RD 1399

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980. [TO: 438-86; 12(1) 229]
- (B) A **detached house**, or a **dwelling unit** in a **semi-detached house** permitted in compliance with (A) above, may contain more than one **secondary suite** if:
 - (i) the original **building** had existed on the **lot** on October 15, 1960;
 - (ii) the average interior floor area of the dwelling unit and the secondary suites combined

is at least 110 square metres;

- (iii) the interior floor area of each individual dwelling unit and secondary suite is at least 55 square metres; and
- (iv) no exterior addition to or major exterior alteration of the building is made, and its external appearance as the original detached house or semi-detached house is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)]
- (D) In addition to the uses permitted by the zone, a racquet **club** is also permitted.
- (E) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]
- (F) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (G) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(1) 10 of former City of Toronto By-law 438-86.

(1401) Exception RD 1401

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**:
 - (iii) no part of the addition is closer to the nearest side lot line than the shortest distance between the existing side main wall of the building and the side lot line; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(1402) Exception RD 1402

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86.
- (C) On the odd numbered addresses of 33 35 CHAPLIN CRES, former City of Toronto by-law 75-80.

(1403) Exception RD 1403

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) On 20 BUDGELL TER, former City of Toronto by-law 213-75.
- (B) On the odd numbered addresses of 23 53 BUDGELL TER, former City of Toronto by-law 865-87.

(1404) Exception RD 1404

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) On the odd numbered addresses of 199 205 HEATH ST W, the even numbered addresses of 202 - 208 HEATH ST W, the even numbered addresses of 210 - 212 HEATH ST W, former City of Toronto by-law 551-78.
- (B) On or between the even numbered addresses of 4 46 MONTCLAIR AVE, the odd numbered addresses of 5 17 MONTCLAIR AVE, former City of Toronto by-law 223-79.

(1406) Exception RD 1406

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) If a lot contains a detached house erected before October 15, 1953, the detached house may be enlarged by an addition to the rear of the building if:

- (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
- (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
- (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(1407) Exception RD 1407

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(1409) Exception RD 1409

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On 140 ROSEWELL AVE, former City of Toronto by-law 521-78.

(1410) Exception RD 1410

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) If a lot contains a detached house erected before October 15, 1953, the detached house may

be enlarged by an addition to the rear of the building if:

- (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
- (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
- (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(1411) Exception RD 1411

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On 65 CHATSWORTH DR, former City of Toronto by-law 521-85.

(1413) Exception RD 1413

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On the odd numbered addresses of 775 - 843 DUPLEX AVE, the even numbered addresses of 770 - 844 DUPLEX AVE, former City of Toronto by-law 463-78.

(1415) Exception RD 1415

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980.[TO: 438-86; 12(1) 229]
- (B) A **detached house**, or a **dwelling unit** in a **semi-detached house** permitted in compliance with (A) above, may contain more than one **secondary suite** if:
 - (i) the original **building** had existed on the **lot** on October 15, 1960;
 - (ii) the average interior floor area of the dwelling unit and the secondary suites combined

is at least 110 square metres;

- (iii) the interior floor area of each individual dwelling unit and secondary suite is at least 55 square metres; and
- (iv) no exterior addition to or major exterior alteration of the building is made, and its external appearance as the original detached house or semi-detached house is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)]
- (D) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) On the lands municipally known as 130 Rosedale Valley Road in 1984, Section 12(1) 14 of former City of Toronto By-law 438-86.

(1416) Exception RD 1416

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) On the lands municipally known as 120 Dunvegan Road in 1978, Section 12(1) 322 of former City of Toronto By-law 438-86.
- (B) On 122 Dunvegan Road, former City of Toronto by-law 564-80.

(1417) Exception RD 1417

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) On the lands municipally known as 200 Lonsdale Road in 2002, Section 12(1) 454 of former City of Toronto By-law 438-86.
- (B) On 200 LONSDALE RD, former City of Toronto by-laws 107-70, 246-71 and 247-71.

(1418) Exception RD 1418

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any building existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new building does not exceed the height of the building being replaced. [TO: 438-86; 12 (1) 320]
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On 18 OLD FOREST HILL RD, former City of Toronto by-laws 110-78 and 554-78.

(1419) Exception RD 1419

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the lot, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) On the even numbered addresses of 320 - 322 CHAPLIN CRES, former City of Toronto by-law 553-78.

- (B) On or between the odd numbered addresses of 1061 -1065 SPADINA RD, former City of Toronto by-law 270-78.
- (C) On the odd numbered addresses of 1069 -1071 SPADINA RD, former City of Toronto by-law 601-78.

(1420) Exception RD 1420

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any **building** existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new **building** does not exceed the height of the **building** being replaced. [TO: 438-86; 12 (1) 320]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On 510 ST CLEMENTS AVE, former City of Toronto by-law 581-78.

(1421) Exception RD 1421

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any building existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new building does not exceed the height of the building being replaced. [TO: 438-86; 12 (1) 320]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**:
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) On 600 LONSDALE RD, former City of Toronto by-law 540-78.

(1422) Exception RD 1422

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On the lands, the replacement of any building existing as of February 28, 1977 having a height exceeding the height prescribed by this By-law is permitted, provided the height of the new building does not exceed the height of the building being replaced. [TO: 438-86; 12 (1) 320]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) On 1 PEREGRINE WAY, former City of Toronto by-law 561-92.

(1423) Exception RD 1423

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 328 of former City of Toronto By-law 438-86.
- (B) On 225 ELLIS AVE, City of Toronto by-law 970-00.

(1424) Exception RD 1424

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A detached house may be converted to allow for up to two dwelling units if:
 - (i) the original **building** has a **interior floor area** of at least 370 square metres;
 - (ii) the average interior floor area of the secondary suite is at least 110 square metres;
 - (iii) the original **building** is at least 20 years old and any addition to it, prior to the conversion, is at least five years old; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** is not materially altered.
- (B) A residential building that existed on the lot as of November 7, 1978, may continue to be used for that purpose if it complies with the provisions of former City of Toronto By-law 20623 as it existed immediately before November 7, 1978. [TO: 438-86; 12(1) 85];
- (C) If a lot contains a detached house erected before October 15, 1953, the detached house may be enlarged by an addition to the rear of the building if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (D) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]

(E) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2)66 of former City of Toronto bylaw 438-86.
- (B) Section 12(2) 323 of former City of Toronto By-law 438-86.
- (C) On 216 BALMORAL AVE, former City of Toronto by-law 41-80.

(1425) Exception RD 1425

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A detached house may be converted to allow for up to two dwelling units if:
 - (i) the original **building** has a **interior floor area** of at least 370 square metres;
 - (ii) the average interior floor area of the secondary suite is at least 110 square metres;
 - (iii) the original building is at least 20 years old and any addition to it, prior to the conversion, is at least five years old; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** is not materially altered.
- (B) A **residential building** that existed on the **lot** as of November 7, 1978, may continue to be used for that purpose if it complies with the provisions of former City of Toronto By-law 20623 as it existed immediately before November 7, 1978. [TO: 438-86; 12(1) 85];
- (C) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (E) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (F) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 26 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 45 of former City of Toronto By-law 438-86.
- (D) On 260 RUSSELL HILL RD, former City of Toronto by-laws 22944 and 97-0117.

(1426) Exception RD 1426

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**:

- (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
- (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 2 of former City of Toronto By-law 438-86.
- (B) Section 12(1) 26 of former City of Toronto By-law 438-86.
- (C) Section 12(1) 45 of former City of Toronto By-law 438-86.
- (D) Section 12(2) 323 of former City of Toronto By-law 438-86.
- (E) On 355 ST CLAIR AVE W, 355R ST CLAIR AVE W, former City of Toronto by-law 162-67.

(1427) Exception RD 1427

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 107 of former City of Toronto By-law 438-86.

(1428) Exception RD 1428

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a lot has a lot frontage of 7.6 metres or less, a vehicular entrance through the front wall of a residential building is not permitted.
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8, K.]
- (C) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 107 of former City of Toronto By-law 438-86.
- (B) On 8 SNOWDON AVE, Section 12(2) 108 former City of Toronto By-law 438-86.

(1429) Exception RD 1429

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193].
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(1430) Exception RD 1430

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest side lot line than the shortest distance between the existing side main wall of the building and the side lot line; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 326 of former City of Toronto By-law 438-86.

(1431) Exception RD 1431

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(1432) Exception RD 1432

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

- (C) On 93 DAWLISH AVE, former City of Toronto by-law 585-86.
- (D) On 73 GLENGOWAN RD, former City of Toronto by-law 533-80.
- (E) On 5 WEYBOURNE CRES, former City of Toronto by-law 563-80.

(1433) Exception RD 1433

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193];
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86
- (C) On the odd numbered addresses of 279 285 BLYTHWOOD RD, former City of Toronto by-laws 598-78, 728-78 and 326-80.

(1434) Exception RD 1434

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (C) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (D) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

(A) Section 12(2) 262 of former City of Toronto By-law 438-86.

(1435) Exception RD 1435

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980. [TO: 438-86; 12(1) 229]
- (B) A detached house, or a dwelling unit in a semi-detached house permitted in compliance with

- (A) above, may contain more than one secondary suite if:
 - (i) the original building had existed on the lot on October 15, 1960;
 - (ii) the average interior floor area of the dwelling unit and the secondary suites combined is at least 110 square metres;
 - (iii) the interior floor area of each individual dwelling unit and secondary suite is at least 55 square metres; and
 - (iv) no exterior addition to or major exterior alteration of the building is made, and its external appearance as the original detached house or semi-detached house is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)]
- (D) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 319 of former City of Toronto By-law 438-86.
- (C) On the odd numbered addresses of 1 3 CORRIGAN CS, the even numbered addresses of 2 6 CORRIGAN CS, former City of Toronto by-law 807-78.
- (D) On 75 CRESCENT RD, former City of Toronto by-law 325-84.
- (E) On 120 MOUNT PLEASANT RD, former City of Toronto by-laws 21707, 22700, 1-68 and 250-70.
- (F) On 6 PINE HILL RD, former City of Toronto by-laws 877-80 and 256-81.
- (G) On the odd numbered addresses of 7 51 SOUTH DR, the even numbered addresses of 30 36 SOUTH DR, the even numbered addresses of 4 14 SOUTH DR, the even numbered addresses of 48 54 SOUTH DR, 58 SOUTH DR, 60 SOUTH DR, former City of Toronto by-law 807-78.

(1436) Exception RD 1436

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980.[TO: 438-86; 12(1) 229]
- (B) A **detached house**, or a **dwelling unit** in a **semi-detached house** permitted in compliance with (A) above, may contain more than one **secondary suite** if:
 - (i) the original **building** had existed on the **lot** on October 15, 1960;
 - (ii) the average interior floor area of the dwelling unit and the secondary suites combined is at least 110 square metres;
 - (iii) the **interior floor area** of each individual **dwelling unit** and **secondary suite** is at least 55 square metres; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** or **semi-detached house** is not materially altered.
 ITO: 430.00.42(4) 2301
 - [TO: 438-86; 12(1) 230]
- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)];
- (D) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest side lot line than the shortest distance between the existing side main wall of the building and the side lot line; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) On 45A CHESTNUT PK, the odd numbered addresses of 45B 45C CHESTNUT PK, former City of Toronto by-laws 425-76, and 122-77.
- (C) On the even numbered addresses of 26 and 28 CRESCENT RD, former City of Toronto by-laws 877-80, and 23-82.
- (D) On 34 ROWANWOOD AVE, City of Toronto by-law 412-05.

(1437) Exception RD 1437

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a semi-detached house or a duplex existed on a lot on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same residential building type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980.[TO: 438-86; 12(1) 229]
- (B) A detached house, or a dwelling unit in a semi-detached house permitted in compliance with (A) above, may contain more than one secondary suite if:
 - (i) the original building had existed on the lot on October 15, 1960;
 - (ii) the average **interior floor area** of the **dwelling unit** and the **secondary suites** combined is at least 110 square metres;
 - (iii) the **interior floor area** of each individual **dwelling unit** and **secondary suite** is at least 55 square metres; and
 - (iv) no exterior addition to or major exterior alteration of the building is made, and its external appearance as the original detached house or semi-detached house is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)];
- (D) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 319 of former City of Toronto By-law 438-86.
- (C) On 33 CASTLE FRANK RD, former City of Toronto by-law 558-82.
- (D) On 75 DALE AVE, former City of Toronto by-law 409-81.
- (E) On 11 HAWTHORN AVE, former City of Toronto by-law 61-84.
- (F) On 20 MC KENZIE AVE, former City of Toronto by-law 409-81.
- (G) On 39 MC KENZIE AVE, former City of Toronto by-law 532-80.

- (H) On 1 NANTON AVE, former City of Toronto by-laws 81-79 and 124-92.
- (I) On the odd numbered addresses of 11 17 NANTON AVE, former City of Toronto by-laws 81-79 and 535-81.
- (J) On the odd numbered addresses of 21 53 NANTON AVE, the odd numbered addresses of 3 9 NANTON AVE, the even numbered addresses of 18 - 50 NANTON AVE, City of Toronto by-law 81-79.

(1438) Exception RD 1438

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980.[TO: 438-86; 12(1) 229]
- (B) A **detached house**, or a **dwelling unit** in a **semi-detached house** permitted in compliance with (A) above, may contain more than one **secondary suite** if:
 - (i) the original **building** had existed on the **lot** on October 15, 1960;
 - (ii) the average interior floor area of the dwelling unit and the secondary suites combined is at least 110 square metres;
 - (iii) the **interior floor area** of each individual **dwelling unit** and **secondary suite** is at least 55 square metres; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** or **semi-detached house** is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a **semi-detached house**,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)];
- (D) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest side lot line than the shortest distance between the existing side main wall of the building and the side lot line; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 319 of former City of Toronto By-law 438-86.
- (C) On the odd numbered addresses of 1 5A MAPLE AVE, former City of Toronto by-law 46-85.
- (D) On 44 MAPLE AVE, former City of Toronto by-laws 136-69, 236-69, and 328-70.
- (E) On the odd numbered addresses of 9 9A SHERBOURNE ST N, former City of Toronto by-law 46-85.

(1439) Exception RD 1439

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (B) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]
- (C) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 319 of former City of Toronto By-law 438-86.
- (B) On or between the odd numbered addresses of 35 67 MATHERSFIELD DR, the even numbered addresses of 38 - 86 MATHERSFIELD DR, 71 MATHERSFIELD DR, the odd numbered addresses of 73 - 81 MATHERSFIELD DR, City of Toronto by-law 398-00.

(1440) Exception RD 1440

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a front yard or rear yard, a platform with a floor higher than the first floor of the building above established grade may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 107 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 269 of former City of Toronto By-law 438-86.
- (C) On 2 ALEXANDRA BLVD, City of Toronto by-law 81-99.

(1441) Exception RD 1441

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) Part II, 8. K.]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 288 of former City of Toronto By-law 438-86.
- (B) On 11 WINONA DR, former City of Toronto by-laws 168-80 and 691-80.

(1442) Exception RD 1442

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) On a lot along both sides of Avenue Road, north of St. Clair Avenue West and south of Lonsdale Road, the minimum front yard setback is 10.5 metres.
- (B) On a lot along the east side of Avenue Road, north of St. Clair Avenue West and south of Lonsdale Road, and the west side of Avenue Road, north of Heath Street West to a point 46.5 metres south of Lonsdale Road, and north of St. Clair Avenue West to a point 59 metres south of Heath Street West, the minimum rear yard setback is 12.0 metres.
- (C) On a **lot** along the west side of Avenue Road, south of Lonsdale Road to a point 46.5 metres south of Lonsdale Road, the minimum **rear yard setback** is 3.0 metres.
- (D) On a **lot** along the west side of Avenue Road, south from Heath Street West to a point 59 metres south of Heath Street West, the minimum **rear yard setback** is 15.0 metres. [TO: 438-86; 12 (2) 7]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 262 of former City of Toronto By-law 438-86.
- (B) On 555 AVENUE RD, former City of Toronto by-laws 116-79 and 787-86.

(1443) Exception RD 1443

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**:
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (B) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (C) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(2) 118 of former City of Toronto By-law 438-86.
- (B) Section 12(2) 119 of former City of Toronto By-law 438-86

(1444) Exception RD 1444

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a semi-detached house or a duplex existed on a lot on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same residential building type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980.[TO: 438-86; 12(1) 229]
- (B) A **detached house**, or a **dwelling unit** in a **semi-detached house** permitted in compliance with (A) above, may contain more than one **secondary suite** if:
 - (i) the original **building** had existed on the **lot** on October 15, 1960;
 - (ii) the average interior floor area of the dwelling unit and the secondary suites combined is at least 110 square metres;
 - (iii) the **interior floor area** of each individual **dwelling unit** and **secondary suite** is at least 55 square metres; and
 - (iv) no exterior addition to or major exterior alteration of the **building** is made, and its external appearance as the original **detached house** or **semi-detached house** is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)];
- (D) Any addition or extension above the first **storey** of a **lawfully existing detached house** must comply with the minimum **building setbacks** required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69;
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) On 1 ELM AVE, 2 ELM AVE, 3 ELM AVE, 4 ELM AVE, and 6 ELM AVE, former City of Toronto by-laws 21707, 22700, 1-68, 250-70 and City of Toronto by-law 640-2002.

(1445) Exception RD 1445

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) If a **semi-detached house** or a **duplex** existed on a **lot** on October 15, 1980, it may be added to, enlarged, altered, or replaced with that same **residential building** type if:
 - (i) the **building** complies with the regulations for a **detached house** in the RD zone; and
 - (ii) the **building** is on the same **lot** that existed on October 15, 1980.[TO: 438-86; 12(1) 229]
- (B) A **detached house**, or a **dwelling unit** in a **semi-detached house** permitted in compliance with (A) above, may contain more than one **secondary suite** if:
 - (i) the original building had existed on the lot on October 15, 1960;
 - (ii) the average **interior floor area** of the **dwelling unit** and the **secondary suites** combined is at least 110 square metres;
 - (iii) the **interior floor area** of each individual **dwelling unit** and **secondary suite** is at least 55 square metres; and
 - (iv) no exterior addition to or major exterior alteration of the building is made, and its external appearance as the original detached house or semi-detached house is not materially altered.

[TO: 438-86; 12(1) 230]

- (C) A detached house may be vertically divided to become a semi-detached house if:
 - (i) the original **building** is at least 20 years old and any addition to it, prior to the vertical division, is at least five years old; and
 - (ii) any addition for this alteration creating a semi-detached house,
 - (a) is not located at the front or sides of the building, and
 - (b) complies with the **building** requirements for a **detached house** in an RD zone. [TO: 438-86; 12(1) 231(a)];
- (D) Any addition or extension above the first storey of a lawfully existing detached house must comply with the minimum building setbacks required by this By-law. [TO: 438-86; 12 (2) 193]
- (E) If a **lot** contains a **detached house** erected before October 15, 1953, the **detached house** may be enlarged by an addition to the rear of the **building** if:
 - (i) the overall floor space index for the **lot**, including the addition, does not exceed a total of 0.69:
 - (ii) all finished floor levels within the addition are no higher than the uppermost floor level in the existing **building**;
 - (iii) no part of the addition is closer to the nearest **side lot line** than the shortest distance between the existing side **main wall** of the **building** and the **side lot line**; and
 - (iv) any prior addition is at least 5 years old. [TO: 438-86; 6(3) PART VI 1.]
- (F) Despite regulation 10.5.40.60(1), in a **front yard** or **rear yard**, a platform with a floor higher than the **first floor** of the **building** above **established grade** may not encroach into the required yard setback. [TO: 438-86; 6(3) PART II 8. K.]
- (G) If a **lot** has a **lot frontage** of 7.6 metres or less, a vehicular entrance through the **front wall** of a **residential building** is not permitted. [TO: 438-86; 6(3) PART IV 3. (i) and (vii)]
- (H) Required **parking spaces** for a **dwelling unit** must be located within a **building** or **structure**. [TO: 438-86; 12(2) 210 (ii)]

Prevailing By-laws and Prevailing Sections:

- (A) Section 12(1) 10 of former City of Toronto By-law 438-86.
- (B) On 10 ELM AVE, former City of Toronto by-laws 22700 and 250-70 and City of Toronto by-law 640-2002.

(1450) Exception RD 1450

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 797-2005.

(1451) Exception RD 1451

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot depth is 91.0 metres; and
- (B) the minimum side yard setback is 1.2 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1452) Exception RD 1452

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On the lands municipally known as 194 Park lawn Road, City of Etobicoke By-law 236-1988.
- (B) On the lands municipally known as 195 Park Lawn Road, Borough of Etobicoke By-law 125-1967.

(1455) Exception RD 1455

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 882-2010(OMB).

(1458) Exception RD 1458

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 89, of Scarborough By-law 12466.

(1460) Exception RD 1460

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the **street**;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (F) the portion of **building** containing a **parking space** may be located in a **side yard**, if it is at least 0.45 metres from the **side lot line**; and

Prevailing By-laws and Prevailing Sections:

- (A) on the lands known as the even numbered lots from 1166 to 1206 Warden Avenue, Schedule "C" Exceptions 4, 6 of Scarborough By-law 9511; and
- (B) on lots known as 3 to 13 Colony Road, Schedule "C" Exception 7 of Scarborough By-law 9511; and
- (C) on lots known as 122 Tower Drive, Schedule "C" Exceptions 5 and 32 of Scarborough By-law 9511.

(1461) Exception RD 1461

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts Warden Avenue or Pharmacy Avenue is 22.0 metres measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (F) the portion of **building** containing a **parking space** may be located in a **side yard** if it is at least 0.45 metres from the **side lot line**.

Prevailing By-laws and Prevailing Sections:

(A) on the lands known as 32 and 34 Guild Hall Drive, Schedule "C" Exceptions 5 and 12, of Scarborough By-law 9511.

(1462) Exception RD 1462

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum floor space index for a **lot** containing a **dwelling unit** in a permitted **building** type is:
 - (i) the lesser of 0.6 and 204 square metres, if the lot area is less than 408 square metres;
 - (ii) the lesser of 0.5 and 279 square metres, if the lot area is 408 square metres to 697 square metres; and
 - (iii) 0.4 if the **lot area** is more than 697 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(1463) Exception RD 1463

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

900.4 RS - Zone

900.4.1 General

(1) RS Zone Exceptions

The regulations located in Article 900.4.10 apply only to the exceptions subject to the RS zone and identified with the corresponding exception number.

900.4.10 Exceptions for RS Zone

(1) Exception RS 1

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) The minimum **lot frontage** for a **detached house** is 10.5 metres.

- (B) The minimum lot frontage for a semi-detached house is 16.5 metres.
- (C) The minimum rear yard setback is 7.5 metres.
- (D) The minimum front yard setback is 3 metres.
- (E) The minimum side yard setback is 0.6 metres.
- (F) The minimum setback from a **side lot line** that abuts a road is 3 metres.
- (G) All garages must be set back a minimum of 6.5 metres from the edge of the nearest sidewalk or a minimum of 7.5 metres from the nearest road curb where a sidewalk is not provided.
- (H) The maximum building height is 3 storeys.

(2) Exception RS 2

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) a detached house is permitted, if:

- (i) the minimum lot frontage is 9.0 metres;
- (ii) the minimum lot area is 264 square metres;
- (iii) the maximum lot coverage is 35%;
- (iv) the minimum front yard setback is 6.0 metres;
- (v) the minimum rear yard setback is 7.5 metres;
- (vi) the minimum side yard setback is 1.2 metres; and
- (vii) driveways on adjacent lots must be separated by a minimum distance of 6.0 metres.

(B) a semi-detached house is permitted, if:

- (i) the minimum lot frontage is 14.0 metres;
- (ii) the minimum lot area is 400 square metres;
- (iii) the maximum lot coverage is 40%;
- (iv) the minimum front yard setback is 6.0 metres;
- (v) the minimum rear yard setback is 7.5 metres;
- (vi) the minimum side yard setback is 1.2 metres; and
- (vii) driveways on adjacent lots must be separated by a minimum distance of 6.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(3) Exception RS 3

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) On the lands subject to this exception only semi-detached houses are permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(4) Exception RS 4

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 2788.

(5) Exception RS 5

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1980-208.

(6) Exception RS 6

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

The lands subject to this exception must comply with all the following.

- (A) A detached house is permitted, if:
 - (i) the minimum lot frontage is 12.0 metres;
 - (ii) the minimum lot area is 465 square metres;
 - (iii) the maximum lot coverage is 33%;
 - (iv) the maximum building height is 9.5 metres; and
 - (v) the maximum floor space index is 0.45.
- (B) A semi-detached house is permitted, if:
 - (i) the minimum lot frontage is 18.0 metres;
 - (ii) the minimum lot area is 665 square metres;
 - (iii) the maximum lot coverage is 33%; and
 - (iv) the maximum building height is 11.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(7) Exception RS 7

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1979-262.

(8) Exception RS 8

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 118 Wesley Street, former City of Etobicoke by-law 1981-202.

(9) Exception RS 9

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 535-2005.

(10) Exception RS 10

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1978-178 and 1980-135 prevail.

(11) Exception RS 11

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-133.

(12) Exception RS 12

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 823-2004.

(13) Exception RS 13

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) The maximum number of **dwelling units** is 80;
- (B) The minimum **building setback** from the **front lot line** is 4.5 metres
- (C) The minimum building setback from the rear lot line is 6.0 metres;
- (D) The minimum building setback from a side lot line is 0.61 metres;
- (E) The maximum lot coverage is 45%; and
- (F) The maximum **building** height is 10.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(14) Exception RS 14

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) The only permitted building type is semi-detached houses and ancillary structures;
- (B) The minimum building setback from the front lot line and rear lot line is 6.0 metres;
- (C) The minimum building setback from a side lot line is 1.2 metres;
- (D) The maximum height of all **buildings** is the lesser of 9.1 metres or 3 **storeys** above grade;
- (E) Front yard hard surfacing must not exceed 60% of the front yard for each semi-detached house; and
- (F) The maximum **lot coverage** for all **buildings** is 51%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(15) Exception RS 15

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-law 25358.

(16) Exception RS 16

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) there shall be a maximum of two **dwelling units** per **lot** as shown on the registered plan.
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum front yard setback is 7.5 metres
- (E) the minimum setback from a side lot line is 2.4 metres; and
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres.

(17) Exception RS 17

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of two **dwelling units** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (D) the minimum front yard setback is 7.5 metres;
- (E) the minimum setback from a side lot line is 2.4 metres; and
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(18) Exception RS 18

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of two **dwelling units** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 2.4 metres;
- (E) the minimum setback from a side lot line that abuts a street is 9.0 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(19) Exception RS 19

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A semi-detached house must comply with the following:
 - (i) minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
 - (ii) minimum **lot area** is 613 square metres per **semi-detached house** and 306 square metres for each **dwelling unit**;
- (B) a detached house is permitted on a lot having:
 - (i) a minimum lot frontage of 9.0 metres; and
 - (ii) minimum lot area of 306 square metres;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is
 - (i) 2.4 metres without an attached garage; and
 - (ii) 1.2 metres with an attached;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(20) Exception RS 20

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) A **semi-detached house** must comply with the following:

- (i) the minimum lot frontage is 16.5 metres per semi-detached house and 8.25 metres for each dwelling unit;
- (ii) the minimum lot area is 557 square metres per semi-detached house and 278 square metres for each dwelling unit;
- (iii) the minimum setback from a side lot line is 2.4 metres; and
- (iv) the minimum setback from a **front lot line** that abuts Markham Road is 30.0 metres measured from the original centreline of Markham Road; and
- (B) A detached house must comply with the following:
 - (i) the minimum lot frontage is 12.0 metres;
 - (ii) the minimum lot area is 464 square metres;
 - (iii) the minimum setback from a side lot line is 1.2 metres.
 - (iv) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.
 - (v) the minimum setback from a **front lot line** that abuts Markham Road is 30.0 metres measured from the original centreline of Markham Road.

(21) Exception RS 21

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) these lands must also comply with exception 900.4.10(336).
- (B) A semi-detached house must comply with the following:
 - (i) minimum **lot frontage** is 15.0 metres per **semi-detached house** and 7.5 metres for each **dwelling unit**:
 - (ii) minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
 - (iii) the minimum setback from a **lot line** that abut Morningside Avenue is 22.0 metres from the original centreline of Morningside Avenue;
 - (iv) the minimum setback from a side lot line is 1.2 metres; and
 - (v) the minimum setback from a side lot line that abuts a street is 5.7 metres.; and
- (C) A detached house must comply with the following:
 - (i) minimum lot frontage is 7.5 metres;
 - (ii) minimum lot area is 306 square metres;
 - (iii) the minimum setback from a lot line that abut Morningside Avenue is 22.0 metres from the original centreline of Morningside Avenue;
 - (iv) the minimum setback from a side lot line is 1.2 metres; and
 - (v) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(23) Exception RS 23

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abut Kennedy Road is 22.0 metres from the original centreline of Kennedy Road;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) the required parking space must be located in an enclosed building; and
- (E) these lands must also comply with exception 900.4.10(336).

(24) Exception RS 24

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) these lands must also comply with exception 900.4.10(336).
- (B) A semi-detached house must comply with the following:
 - (i) minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
 - (ii) minimum **lot area** is 510 square metres per **semi-detached house** and 255 square metres for each **dwelling unit**;
 - (iii) the minimum setback from a **lot line** that abut Midland Avenue is 22.0 metres from the original centreline of Midland Avenue;
 - (iv) the minimum setback from a side lot line is 2.4 metres; and
 - (v) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (C) A detached house must comply with the following:
 - (i) minimum lot frontage is 9.0 metres;
 - (ii) minimum lot area is 325 square metres;
 - (iii) the minimum setback from a **lot line** that abut Midland Avenue is 22.0 metres from the original centreline of Midland Avenue;
 - (iv) the minimum setback from a side lot line is 0.9 metres; and
 - (v) the minimum setback from a side lot line that abuts a street is 3.6 metres; and

Prevailing By-laws and Prevailing Sections:

- (A) Schedule "C" Exception 16, of Scarborough By-law 9364 applies to the lots municipally known as 164 and 166 Park Street; and
- (B) Schedule "C" Exceptions 6 and 9, of Scarborough By-law 9364 applies to the lots municipally known as 454, 456 and 458 Midland Avenue.

(25) Exception RS 25

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) these lands must also comply with exception 900.4.10(336).
- (B) A semi-detached house must comply with the following:
 - (i) minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
 - (ii) minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit;
 - (iii) the minimum setback from a **lot line** that abut Birchmount Road or Kennedy Road is 22.0 metres from the original centreline of Birchmount Road or Kennedy Road;
 - (iv) the minimum setback from a side lot line is 1.2 metres; and
 - (v) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (C) A detached house must comply with the following:
 - (i) minimum lot frontage is 15.0 metres;
 - (ii) minimum lot area is 510 square metres;
 - (iii) the minimum setback from a **lot line** that abut Birchmount Road or Kennedy Road is 22.0 metres from the original centreline of Birchmount Road or Kennedy Road;
 - (iv) the minimum setback from a side lot line is 0.45 metres; and
 - (v) the minimum setback from a side lot line that abuts a street is 2.4 metres.

(26) Exception RS 26

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) these lands must also comply with exception 900.4.10(336).
- (B) A semi-detached house must comply with the following:
 - (i) minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
 - (ii) minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit; and
 - (iii) the minimum setback from a side lot line is 2.4 metres; and
- (B) A detached house must comply with the following:
 - (i) minimum lot frontage is 7.5 metres;
 - (ii) minimum lot area is 290 square metres;
 - (iii) the minimum setback from a side lot line is 0.9 metres; and
 - (iv) the minimum setback from a side lot line on the south side of the lot is 0.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(27) Exception RS 27

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) these lands must also comply with exception 900.4.10(336).
- (B) A semi-detached house must comply with the following:
 - (i) minimum **lot frontage** is 15.0 metres per **semi-detached house** and 7.5 metres for each **dwelling unit**;
 - (ii) minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit; and
 - (iii) the minimum setback from a side lot line is 2.4 metres; and
- (C) A detached house must comply with the following:
 - (i) minimum lot frontage is 7.5 metres;
 - (ii) minimum lot area is 290 square metres;
 - (iii) the minimum setback from a side lot line is 0.9 metres; and
 - (iv) the minimum setback from a side lot line on the north side of the lot is 0.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(28) Exception RS 28

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abut Midland Avenue is 22.0 metres from the original centreline of Midland Avenue;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(29) Exception RS 29

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abut Midland Avenue is 22.0 metres from the original centreline of Midland Avenue;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; AND
- (F) the maximum lot coverage is 50%; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(30) Exception RS 30

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Victoria Park Avenue is 22 metres from the centreline of that street;
- (B) the minimum setback from a side lot line where that side yard also contains a driveway, is 2.7 metres;
- (C) a garage must not be located less than 0.45 metres from a side lot line.
- (D) A semi-detached house must comply with the following:
 - (i) minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
 - (ii) minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (E) A **detached house** must comply with the following:
 - (i) minimum lot frontage is 9.0 metres;
 - (ii) minimum lot area is 305 square metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(31) Exception RS 31

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts Victoria Park Avenue is 22 metres from the centreline of that street;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line abutting a street is 5.7 metres; and
- (D) A semi-detached house must comply with the following:
 - (i) minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
 - (ii) minimum **lot area** is 613 square metres per **semi-detached house** and 305 square metres for each **dwelling unit**;
- (C) A detached house must comply with the following:
 - (i) minimum lot frontage is 9.0 metres; and
 - (ii) minimum lot area is 305 square metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(32) Exception RS 32

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a side lot line abutting a street is 4.5 metres; and
- (C) the required parking spaces must be located in the residential building.
- (D) A semi-detached house must comply with the following:
 - (i) minimum lot frontage is 17.0 metres per semi-detached house and 8.5 metres for each dwelling unit;
 - (ii) minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit; and
- (E) A detached house must comply with the following:
 - (i) minimum lot frontage is 8.5 metres;
 - (ii) minimum **lot area** is 305 square metres;
- (F) the elevation of the floor of the **parking space** in the **building** must not be more than 0.65 metres below the elevation of the sidewalk.

Prevailing By-laws and Prevailing Sections: (None Apply)

(42) Exception RS 42

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 10.5 metres; and
 - (ii) the minimum lot area is 301 square metres; and
- (B) the minimum side yard setback is 1.2 metres;
- (C) the minimum setback from a rear lot line is 3.0 metres;
- (D) the required parking space must be located in the residential building;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the maximum lot coverage is 50%; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(43) Exception RS 43

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 306 square metres; and
- (B) A **lot** containing a **detached house** must comply with the following:
 - (i) minimum lot frontage is 7.5 metres;
 - (ii) minimum lot area is 306 square metres;
- (C) the minimum side yard setback is 1.2 metres;
- (D) the minimum setback from a front lot line that abuts Brimley Road is 6.0 metres;

- (E) the required parking space must be located in the residential building;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the maximum lot coverage is 40%; and
- (H) these lands must also comply with exception 900.4.10(336).

(44) Exception RS 44

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 1.2 metres;
- (B) the maximum lot coverage is 40%.
- (C) the required parking space must be located in the residential building:
- (D) a semi-detached garage may be located on the common lot line and in all other cases it must be
 0.3 metres from all side lot lines; and
- (E) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(46) Exception RS 46

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 101 Cedarvale Avenue, Section 7.5.4.18, as amended, of the former Borough of East York Zoning By-law 6752.

(48) Exception RS 48

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a **front lot line** that abuts St. Clair Avenue is 22.0 metres from the centreline on the original road allowance;
 - (ii) the minimum side yard setback is 0.45 metres; and
 - (iii) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
 - (iv) the minimum setback from a front lot line that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance; and
 - (v) except for lots fronting on Birchmount Road or Zenith Drive, an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (B) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 15.0 metres; and
 - (ii) the minimum lot area is 510 square metres; and
- (C) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 255 square metres.
- (D) A **lot** containing a **detached house** must comply with the following:

- (i) minimum lot frontage is 7.5 metres;
- (ii) minimum lot area is 255 square metres;

(49) Exception RS 49

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a **front lot line** that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance;
 - (ii) the minimum side yard setback is 0.9 metres; and
 - (iii) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
 - (iv) except for lots fronting on Birchmount Road or Zenith Drive, an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (B) if a **lot** contains a **semi-detached house** the following shall apply to the **lot** or **lots** containing the whole of the **building**:
 - (i) the minimum lot frontage is 18.0 metres; and
 - (ii) the minimum lot area is 613 square metres; and
- (C) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 9 metres; and
 - (ii) the minimum lot area is 306 square metres.
- (D) A **lot** containing a **detached house** must comply with the following:
 - (i) minimum lot frontage is 9.0 metres;
 - (ii) minimum lot area is 306 square metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(51) Exception RS 51

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** is permitted per **lot** as shown on the registered plan;
- (B) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (C) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (D) the minimum side yard setback is 2.4 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(52) Exception RS 52

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one building being either;
 - (i) one semi-detached house; or
 - (ii) one detached house;

is permitted per lot, as shown on the registered plan;

(B) the minimum required lot frontage is that which existed on the date of the enactment of this By-

law:

- (C) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (D) the minimum side yard setback is 2.4 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) the minimum setback from a **front lot line** that abuts St. Clair Avenue is 22.0 metres from the centreline on the original road allowance.

Prevailing By-laws and Prevailing Sections: (None Apply)

(53) Exception RS 53

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a front lot line that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance;
 - (ii) the minimum side yard setback is 2.4 metres; and
 - (iii) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
 - (iv) the minimum setback from a **front lot line** that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance; and
 - (v) except for lots fronting on Birchmount Road or Zenith Drive, an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (B) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 18.0 metres; and
 - (ii) the minimum lot area is 613 square metres; and
- (C) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 9.0 metres; and
 - (ii) the minimum lot area is 306 square metres; and
- (D) if a lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 12 metres; and
 - (ii) the minimum lot area is 464 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(54) Exception RS 54

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a **front lot line** that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance;
 - (ii) the minimum side yard setback is 1.2 metres; and
 - (iii) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (B) if a lot contains a semi-detached house the following shall apply:
 - (i) the minimum lot frontage is 18.0 metres; and
 - (ii) the minimum lot area is 613 square metres; and
- (C) if a lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 9.0 metres; and

(ii) the minimum lot area is 306 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(55) Exception RS 55

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a **front lot line** that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance;
 - (ii) the minimum side yard setback is 1.2 metres; and
 - (iii) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (B) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 12.0 metres; and
 - (ii) the minimum lot area is 510 square metres; and
- (C) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 6.0 metres; and
 - (ii) the minimum lot area is 255 square metres; and
- (D) if a lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 325 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(56) Exception RS 56

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 12.0 metres; and
 - (ii) the minimum lot area is 510 square metres; and
- (B) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 6.0 metres; and
 - (ii) the minimum lot area is 255 square metres; and
- (C) if a **lot** contains a **semi-detached house** the following shall apply:
 - (i) the minimum side yard setback is 2.4 metres; and
 - (ii) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) if a **lot** contains a **detached house** the following shall apply:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 325 square metres.
 - (iii) the minimum side yard setback is 1.2 metres; and
 - (iv) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(57) Exception RS 57

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 21.0 metres; and
 - (ii) the minimum lot area is 882 square metres; and
- (B) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 10.5 metres; and
 - (ii) the minimum lot area is 440 square metres; and
- (C) A **lot** containing a **detached house** must comply with the following:
 - (i) minimum **lot frontage** is 10.5 metres;
 - (ii) minimum lot area is 440 square metres;
- (D) the minimum setback from a **front lot line** that abuts Birchmount Road is 22.0 metres from the centreline on the original road allowance;
- (E) the minimum side yard setback is 0.9 metres; and
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (G) the garage must be integrated into the residential building; and
- (H) underground structures must be set back from a lot line the greater of 3.0 metres or a distance equal to the vertical distance between established grade and the floor of the structure; and
- (I) the requirement of 1 parking space per dwelling unit does not apply to the principal dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(58) Exception RS 58

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 18.0 metres; and
 - (ii) the minimum lot area is 613 square metres; and
- (B) if a **lot** contains a **semi-detached house** the following shall apply to each part of the **building** containing a **dwelling unit**:
 - (i) the minimum lot frontage is 9.0 metres; and
 - (ii) the minimum lot area is 306 square metres; and
- (C) if a **lot** contains a **semi-detached house** the following shall apply:
 - (i) the minimum side yard setback is 2.4 metres; and
 - (ii) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (D) if a **lot** contains a **detached house** the following shall apply:
 - (i) the minimum lot frontage is 12.0 metres;
 - (ii) the minimum lot area is 464 square metres;
 - (iii) the minimum side yard setback is 1.2 metres; and
 - (iv) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(59) Exception RS 59

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one semi-detached house is permitted per lot as shown on the registered plan;
- (B) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (C) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (D) the minimum side yard setback is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(60) Exception RS 60

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** is permitted per **lot** as shown on the registered plan;
- (B) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (C) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception "N", of Scarborough By-law 9350.

(61) Exception RS 61

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum side yard setback is 0.45 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (C) a detached house is permitted on a lot that has a minimum lot frontage of 6.0 metres; and
- (D) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(62) Exception RS 62

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the required parking space must be located in the residential building; and
- (G) all lands located within 3.0 metres of a lot line abutting Highway 401 must be used for soft landscaping purposes only; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(63) Exception RS 63

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a **lot line** that abuts Pitfield Road and Brownspring Road is 7.5 metres;
- (E) the minimum side yard setback is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(64) Exception RS 64

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum side yard setback is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(65) Exception RS 65

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A lot containing a semi-detached house must comply with the following:
 - (i) the minimum **lot frontage** is 20.0 metres per **semi-detached house** and 10.0 metres for each **dwelling unit**;
 - (ii) the minimum lot area is 613 square metres per semi-detached house and 306 square metres for each dwelling unit;
 - (iii) the minimum setback from a side lot line is 0.9 metres;
 - (iv) the minimum setback from a side lot line that abuts a street is 2.4 metres;
 - (v) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (B) A **lot** containing a **detached house** must comply with the following:
 - (i) the minimum lot frontage is 10.0 metres;
 - (ii) the minimum lot area is 306 square metres;
 - (iii) the minimum setback from a side lot line is 0.9 metres;
 - (iv) the minimum setback from a side lot line that abuts a street is 2.4 metres;
 - (v) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line; and

(vi) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(66) Exception RS 66

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A lot containing a semi-detached house must comply with the following:
 - (i) the minimum lot frontage is 15.0 metres per semi-detached building and 7.5 metres for each dwelling unit;
 - (ii) the minimum lot area is 540 square metres per semi-detached building and 270 square metres for each dwelling unit;
 - (iii) the minimum building setback is 3.0 metres from the street line, including all projections except a roof overhang projecting a maximum of 0.5 m; except that portion of the front main wall containing access to the garage, excluding bay window projections above the garage to a maximum of 1.55 m, must be set back to achieve a minimum driveway length of 6.0 metres, measured perpendicular from the street line to the main wall of the building containing a garage door;
 - (iv) the minimum setback from a side lot line is 1.2 metres;
 - (v) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
 - (vi) the minimum rear yard setback is 10.0 metres; and
 - (vii) the maximum lot coverage is 40%.
- (B) A **lot** containing a **detached house** must comply with the following:
 - (i) the minimum lot frontage is 12.0 metres;
 - (ii) the minimum lot area is 265 square metres;
 - (iii) the minimum building setback is 3.0 metres from the street line, including all projections except a roof overhang projecting a maximum of 0.5 m; except that portion of the front main wall containing access to the garage, excluding bay window projections above the garage to a maximum of 1.55 m, must be set back to achieve a minimum driveway length of 6.0 metres, measured perpendicular from the street line to the main wall of the building containing a garage door;
 - (iv) the minimum setback from a side lot line is 1.2 metres from one side lot line and 0.6 metres of the other side lot line:
 - (v) an attached or detached garage must be located a minimum of 0.3 metres from a **side lot line**:
 - (vi) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
 - (vii) the minimum rear yard setback is 10.0 metres; and
 - (viii) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(67) Exception RS 67

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-law 26360.

(68) Exception RS 68

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 676-2000.

(69) Exception RS 69

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Birchmount Road is:
 - (i) 9.0 metres for a front lot line;
 - (ii) 5.7 metres for a side lot line; and
- (B) the elevation of the basement floor must be a minimum of 3.5 metres higher than the invert of Massey Creek.
- (C) A **lot** containing a **semi-detached house** must comply with the following:
 - (i) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
 - (ii) the minimum lot area is 603 square metres per semi-detached house and 300 square metres for each dwelling unit;
 - (iii) the minimum setback from a side lot line is 1.2 metres; and
 - (iv) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) A lot containing a detached house must comply with the following:
 - (i) the minimum lot frontage is 9.0 metres;
 - (ii) the minimum lot area is 280 square metres; and
 - (iii) the minimum setback from a side lot line is 0.9 metres.
 - (iv) the minimum setback from a side lot line that abuts a street is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(70) Exception RS 70

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Birchmount Road is:
 - (i) 9.0 metres for a front lot line;
 - (ii) 5.7 metres for a side lot line; and
- (B) the elevation of the basement floor must be a minimum of 3.5 metres higher than the invert of Massey Creek.
- (C) A lot containing a semi-detached house must comply with the following:
 - (i) a maximum of one semi-detached house on a lot shown on the registered plan;
 - (ii) the minimum setback from a side lot line is 1.2 metres; and
 - (iii) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (D) A lot containing a detached house must comply with the following:
 - (i) the minimum lot frontage is 12.0 metres;
 - (ii) the minimum lot area is 464 square metres; and
 - (iii) the minimum setback from a side lot line is 0.9 metres.
 - (iv) the minimum setback from a ${f side}$ lot line that abuts a ${f street}$ is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(71) Exception RS 71

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) the required parking space must be located in the residential building;
- (E) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(72) Exception RS 72

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 603 square metres per semi-detached house and 300 square metres for each dwelling unit;
- (C) if a **lot** contains a **detached house**, the minimum **lot frontage** is 9.0 metres and the minimum **lot area** is 300 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (F) the minimum setback from a **lot line** that abuts Kennedy Road is 24.0 metres measured;
- (G) the required parking space must be located in the residential building; and
- (H) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(73) Exception RS 73

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 15.5 metres per semi-detached house and 7.7 metres for each dwelling unit;
- (B) the minimum **lot area** is 603 square metres per **semi-detached house** and 300 square metres for each **dwelling unit**;
- (C) if a lot contains a detached house, the minimum lot frontage is 7.7 metres and the minimum lot area is 300 square metres;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) the minimum setback from a **lot line** that abuts Kennedy Road is 7.5 metres from the original centreline of Kennedy Road.
- (F) the required parking space must be located in the residential building;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(74) Exception RS 74

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum side yard setback for each side of the building is that which existed on the day of the enactment of this By-law;
- (E) the minimum rear **lot** setback is that which existed on the day of the enactment of this By-law;
- (F) the part of main wall of the building containing the access to the required parking space must be set back a minimum of 5.7 metres from a front lot line or side lot line that abuts a street;
- (G) the minimum setback from a front lot line is 3.0 metres
- (H) there must be no encroachments into the required front yard or side yard;
- (I) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.
- (J) the maximum lot coverage is 45%.

(75) Exception RS 75

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum side yard setback for each side of the building is that which existed on the day of the enactment of this By-law;
- (E) the minimum rear lot setback is that which existed on the day of the enactment of this By-law;
- (F) the part of **main wall** of the **building** containing the access to the required **parking space** must be set back a minimum of 5.7 metres from a **front lot line** or **side lot line** that abuts a **street**;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (H) the maximum lot coverage is 45%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(76) Exception RS 76

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
- (B) the minimum **lot area** is 613 square metres per **semi-detached house** and 306 square metres for each **dwelling unit**;
- (C) if a lot contains a detached house, the minimum lot frontage is 7.5 metres and the minimum lot area is 306 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the maximum lot coverage is 40%:
- (F) the required parking space must be located in the residential building; and
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(77) Exception RS 77

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (C) the minimum setback from a **side lot line** is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(78) Exception RS 78

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 16.5 metres per semi-detached house and 8.2 metres for each dwelling unit;
- (B) the minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 8.2 metres and the minimum lot area is 255 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(79) Exception RS 79

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 16.5 metres per semi-detached house and 8.2 metres for each dwelling unit;
- (B) the minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 8.2 metres and the minimum lot area is 255 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the required parking space must be located in the residential building; and
- (G) a semi-detached garage may be located on the common lot line and in all other cases it must be 0.3 metres from a side lot line; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(80) Exception RS 80

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is 19.0 metres per **semi-detached house** and 9.5 metres for each **dwelling unit**;
- (B) the minimum **lot area** is 715 square metres per **semi-detached house** and 355 square metres for each **dwelling unit**;
- (C) if a **lot** contains a **detached house**, the minimum **lot frontage** is 9.5 metres and the minimum **lot area** is 355 square metres;

- (D) **corner lots** must comply with the following:
 - (i) minimum frontage for two dwelling units is 21 metres and for one dwelling unit 10.5 metres:
 - (ii) minimum lot area for two dwelling units is 880square metres and for one dwelling unit 405 square metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum lot coverage is 40%;
- (G) the required parking space must be located in the residential building:
- (H) a semi-detached garage may be located on the common lot line and in all other cases it must be 0.3 metres from a side lot line; and
- (I) the minimum setback from a side lot line that abuts a street is:
 - (i) 9.0 metres where the side lot line abuts Bellamy Road or Invergordon Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (J) these lands must also comply with exception 900.4.10(336).

(81) Exception RS 81

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in the residential building;
- (G) a semi-detached garage may be located on the common lot line and in all other cases it must be 0.3 metres from a side lot line; and
- (H) the minimum setback from a side lot line that abuts a street is:
 - (i) 9.0 metres where the side lot line abuts Bellamy Road or Invergordon Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(82) Exception RS 82

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a **lot line** that abuts Bellamy Road or Invergordon Avenue is 19.0 metres, measured from the original centreline of the **street**;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres:
- (G) the required parking space must be located in the residential building; and
- (H) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(83) Exception RS 83

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a **front lot line** that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22 metres, measured from the original centreline of the **street**; and
- (E) the minimum setback from a side lot line is 0.9 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(84) Exception RS 84

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 2.4 metres.
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(85) Exception RS 85

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 770 square metres per semi-detached house and 385 square metres for each dwelling unit;
- (C) if a **lot** contains a **detached house**, the minimum **lot frontage** is 9.0 metres and the minimum **lot area** is 385 square metres;
- (D) the minimum setback from a front lot line that abuts Midland Avenue is 22 metres, measured from the original centreline of the street;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the maximum building height is the lesser of 2 storeys or 9.5 metres; and
- (H) the minimum setback from a rear lot line is 20.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(86) Exception RS 86

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line that abuts Midland Avenue is 22 metres, measured from the original centreline of the street; and
- (B) the minimum setback from a side lot line is 1.2 metres.

(87) Exception RS 87

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres.
- (E) the minimum setback from a side lot line that abuts a street is 2.4 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(89) Exception RS 89

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) in all cases the following shall apply:
 - (i) the minimum front yard setback is 3.0 metres;
 - (ii) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
 - (iii) the minimum setback from a side lot line that abuts a street is 5.7 metres;
 - (iv) the required parking space must be located in the residential building; and
- (B) where the lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 6.0 metres; and
 - (ii) the minimum lot area is 180 square metres.
 - (iii) the minimum setback from a side lot line is 1.0 on one side only metres; and
- (C) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 12.0 metres; and
 - (ii) the minimum lot area is 360 square metres; and
 - (iii) the minimum setback from a side lot line is 1.0 metres; and
- (D) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 6.0 metres; and
 - (ii) the minimum lot area is 180 square metres; and
- (E) on the lands municipally know as 13 and 15 Magnolia Avenue, the minimum **building setback** from the **front lot line** is 3.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(90) Exception RS 90

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a front lot line that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22 metres, measured from the original centreline of the street:
 - (ii) the minimum setback from a side lot line that abuts a street is 1.5 metres; and

- (B) where the lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 9.0 metres;
 - (ii) the minimum lot area is 278 square metres;
 - (iii) the minimum setback from a side lot line is 0.45 on one side only metres; and
- (C) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 15.0 metres;
 - (ii) the minimum lot area is 483 square metres;
 - (iii) the minimum setback from a side lot line is 0.9 metres; and
- (D) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 240 square metres.

(91) Exception RS 91

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a front lot line that abuts Midland Avenue is 22 metres, measured from the original centreline of the street;
 - (ii) the minimum setback from a side lot line that abuts a street is 2.4 metres; and
- (B) where the lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 10.5 metres;
 - (ii) the minimum **lot area** is 325 square metres;
 - (iii) the minimum setback from a side lot line is 0.3 metres on one side only; and
- (C) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 18.0 metres;
 - (ii) the minimum lot area is 613 square metres;
 - (iii) the minimum setback from a side lot line is 2.4 metres; and
- (D) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 9.0 metres; and
 - (ii) the minimum lot area is 305 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(92) Exception RS 92

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is 12.0 metres per **semi-detached house** and 6.0 metres for each **dwelling unit**;
- (B) the minimum **lot area** is 360 square metres per **semi-detached house** and 180 square metres for each **dwelling unit**;
- (C) if a lot contains a detached house, the minimum lot frontage is 6.0 metres and the minimum lot area is 180 square metres;
- (D) the minimum front yard setback is 3.0 metres;

- (E) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (F) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (G) the required parking space must be located in the residential building.

(93) Exception RS 93

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is:
 - (i) 8.0 metres for a **detached house**; and
 - (ii) 12.0 metres for a semi-detached house;
- (B) the minimum lot area is:
 - (i) 250 square metres for a detached house; and
 - (ii) 370 square metres for a semi-detached house;
- (C) the maximum **building** height is 11.0 metres and 3 **storeys**;
- (D) the maximum number of semi-detached houses is 5 and the maximum number of detached houses is 1;
- (E) the maximum floor space index on a **lot** containing a **dwelling unit** is 0.8 for the **detached house** and 0.65 for a **semi-detached house**;
- (F) the maximum floor space index on a lot if a semi-detached house is 3 storeys and the first floor of the house contains a private garage is 0.95;
- (G) the maximum floor area of an ancillary building is 10.0 square metres.
- (H) the minimum front yard setback is 7.0 metres;
- (I) the minimum rear yard setback for the detached house is 7.5 metres and for a semi-detached house is 9.0 metres; and
- (J) the minimum side yard setback is 1.0 metre, and on a lot the abuts a non-residential use or a street is 2.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(94) Exception RS 94

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands, Section 16(379) of the former City of York Zoning By-law 1-83.

(96) Exception RS 96

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 12.0 metres per semi-detached house and 6.0 metres for each dwelling unit;
- (B) the minimum lot area is 371 square metres per semi-detached house and 185 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 6.0 metres and the minimum lot area is 185 square metres;
- (D) The minimum setback from a front lot line is 4.5 metres;
- (E) the minimum setback from a **front lot line** that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22 metres, measured from the original centreline of the **street**; and
- (F) the minimum setback from a side lot line is 0.9 metres.

- (G) the minimum setback from a side lot line that abuts a street is 5.7 metres.
- (H) the maximum lot coverage is 50%.

(97) Exception RS 97

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 12.0 metres per semi-detached house and 6.0 metres for each dwelling unit;
- (B) the minimum lot area is 371 square metres per semi-detached house and 185 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 6.0 metres and the minimum lot area is 185 square metres;
- (D) The minimum setback from a front lot line is 4.5 metres;
- (E) the minimum setback from a side lot line is 0.9 metres.
- (F) the minimum setback from a side lot line that abuts a street is 5.7 metres.
- (G) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(98) Exception RS 98

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in all cases the following applies:
 - (i) the minimum setback from a front lot line is:
 - (a) 22 metres, measured from the original centreline of the **street**, if the **lot line** abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road; and
 - (b) 4.5 metres in all other cases;
 - (ii) the minimum setback from a **side lot line** that abuts a **street** is 1.5 metres.
 - (iii) the maximum lot coverage is 50%; and
- (B) if the lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 7.5 metres;
 - (ii) the minimum lot area is 232 square metres;
 - (iii) the minimum setback from a side lot line is 0.3 metres; and
- (C) if a **lot** contains a **semi-detached house** the following shall apply to the **lot** or **lots** containing the whole of the **building**:
 - (i) the minimum lot frontage is 15.0 metres;
 - (ii) the minimum lot area is 464 square metres;
 - (iii) the minimum setback from a side lot line is 0.6 metres; and
- (D) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 232 square metres.
- (E) on the lands municipally known as 118 Patterson Avenue, a multiple family dwelling is permitted if:
 - (i) there is only one dwelling unit for each 99 square metres of lot area;
 - (ii) the **building** is set back a minimum of 4.5 metres from the **front lot line**; and
 - (iii) the building is set back a minimum of 1.2 metres from the side lot line; and
- (F) on the lands municipally known as 52 Patterson Avenue, and on the lands municipally known

as111 and 113 Leyton Avenue a green house use may continue and expand subject to the regulation of the zone in which it is located; and

Prevailing By-laws and Prevailing Sections:

- (A) on the lands municipally known as 54, 65 and 58 Leyton Avenue, Schedule "C" Exception 8, of Scarborough By-law 9812; and
- (B) on the lands municipally known as 5, 6, 7 and 8 Medford Avenue, and on the lands municipally known as 10 Kimridge Avenue, Schedule "C" Exception 15, of Scarborough By-law 9812.

(99) Exception RS 99

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a front lot line is 4.5 metres;
 - (ii) the minimum setback from a side lot line that abuts a street is 1.5 metres; and
 - (iii) the maximum lot coverage is 50%; and
- (B) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 12.0 metres;
 - (ii) the minimum lot area is 371 square metres;
 - (iii) the minimum setback from a side lot line is 0.3 metres; and
- (C) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 6.0 metres; and
 - (ii) the minimum lot area is 185 square metres; and
- (D) if a lot contains a detached house, the minimum lot frontage is 6.0 metres and the minimum lot area is 185 square metres;

Prevailing By-laws and Prevailing Sections:

- (A) on the lands municipally known as the even number addresses from 28 to 38 Robinson Avenue, and on the lands municipally known as 64, 66 and 89 August Avenue, Schedule "C" Exception 8, of Scarborough By-law 9812; and
- (B) on the lands municipally known as 44, 54 and 56 Pharmacy Avenue, and on the lands municipally known as 70 Albion Avenue, Schedule "C" Exception 6, of Scarborough By-law 9812; and
- (C) on the lands municipally known as 44 and 70 Madelaine Avenue, Schedule "C" Exception 7, of Scarborough By-law 9812.

(100) Exception RS 100

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a front lot line is 4.5 metres;
 - (ii) the minimum setback from a side lot line is 0.3 metres;
 - (iii) the maximum lot coverage is 50%; and
- (B) where the **lot** contains a **detached house** the following shall apply:
 - (i) the minimum lot frontage is 6.0 metres;
 - (ii) the minimum lot area is 167 square metres;
 - (iii) the minimum setback from a side lot line is 0.3 metres; and
- (C) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the

whole of the building:

- (i) the minimum lot frontage is 1.0 metres;
- (ii) the minimum lot area is 374 square metres;
- (iii) the minimum setback from a side lot line is 0.6 metres; and
- (iv) the minimum setback from a side lot line that abuts a street is 1.5 metres.
- (D) if a lot contains a semi-detached house the following shall apply to each part of the building containing a dwelling unit:
 - (i) the minimum lot frontage is 6.0 metres; and
 - (ii) the minimum lot area is 185 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(101) Exception RS 101

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) the maximum lot coverage is 80%; and
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(102) Exception RS 102

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) if a **lot** contains a **detached house**, the minimum **lot frontage** is 9.0 metres;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the minimum setback from a **front lot line** that abuts Military Trail is 7.5 metres;
- (G) the required parking space must be located in the residential building; and
- (H) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;

Prevailing By-laws and Prevailing Sections: (None Apply)

(103) Exception RS 103

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a front lot line is 5.0 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 2.5 metres; and
- (G) the maximum height of all buildings and structures is the lesser of 2 storeys or 10.0 metres.
- (H) the maximum lot coverage is 46%.

(104) Exception RS 104

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 2.4 metres;
- (F) the minimum setback from a **front lot line** that abuts Bellamy Road, is 7.5 metres;
- (G) the required parking space must be located in the residential building;
- (H) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (I) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(105) Exception RS 105

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 16.5 metres per semi-detached house and 8.2 metres for each dwelling unit;
- (B) the minimum lot area is 557 square metres per semi-detached house and 275 square metres for each dwelling unit;
- (C) if a **lot** contains a **detached house**, the minimum **lot frontage** is 8.2 metres and the minimum **lot area** is 275 square metres:
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 2.4 metres;
- (F) the minimum setback from a front lot line that abuts Bellamy Road, is 7.5 metres;
- (G) the required parking space must be located in the residential building;
- (H) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (I) the portion of **main wall** containing the entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**; and
- (J) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(106) Exception RS 106

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 600 square metres per semi-detached house and 300 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 300 square metres;
- (D) the minimum setback from a front lot line that abuts McCowan Road is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the required parking space must be located in the residential building;

- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the maximum lot coverage is 40%.

(107) Exception RS 107

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 5.4 metres;
- (F) the required **parking space** must be located in a garage;
- (G) the maximum lot coverage is 43%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(108) Exception RS 108

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum **lot area** is 610 square metres per **semi-detached house** and 305 square metres for each **dwelling unit**;
- (C) if a **lot** contains a **detached house**, the minimum **lot frontage** is 9.0 metres and the minimum **lot area** is 305 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the required parking space must be located in the residential building; and

Prevailing By-laws and Prevailing Sections

(A) On these lands, exception 28 of Exceptions List - Schedule "C" of Scarborough Zoning By-law 10048.

(109) Exception RS 109

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 12.0 metres per semi-detached house and 6.0 metres for each dwelling unit;
- (B) the minimum lot area is 280 square metres per semi-detached house and 140 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 6.0 metres and the minimum lot area is 140 square metres;
- (D) the minimum setback from a **front lot line** that abuts:
 - (i) Falmouth Avenue is 4.3 metres; and
 - (ii) Danforth Road is 4.0 metres; and
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (F) the minimum setback from a side lot line is 0.9 metres;
- (G) the minimum setback from a rear lot line is 3.0 metres; and

(H) the maximum **building** height is the lesser of 3 **storeys** or 10.1 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(110) Exception RS 110

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 12.0 metres per semi-detached house and 6.0 metres for each dwelling unit;
- (B) the minimum lot area is 280 square metres per semi-detached house and 140 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 6.0 metres and the minimum lot area is 140 square metres;
- (D) the minimum setback from a front lot line that abuts:
 - (i) Falmouth Avenue is 4.3 metres; and
 - (ii) Danforth Road is 4.0 metres; and
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (F) the minimum setback from a side lot line is 0.9 metres;
- (G) the minimum setback from a rear lot line is 7.0 metres; and
- (H) the maximum **building** height is the lesser of 3 **storeys** or 10.1 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(111) Exception RS 111

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 2.4 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(112) Exception RS 112

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a **side lot line** is 2.4 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(113) Exception RS 113

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 720 square metres per semi-detached house and 360 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 360 square metres;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) the required parking space for each dwelling unit must be located in the residential building; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(114) Exception RS 114

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 464 square metres per semi-detached house and 230 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 230 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the maximum lot coverage is 50%;
- (F) the required **parking space** for each **dwelling unit** must be located in the **residential building**; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(115) Exception RS 115

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of two **dwelling units** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **side lot line** is 2.4 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(116) Exception RS 116

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) there shall be a maximum of two dwelling units per lot as shown on the registered plan;

- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be located a minimum of 0.3 metres from a side lot line.

(117) Exception RS 117

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 14.4 metres per semi-detached house and 7.2 metres for each dwelling unit;
- (B) the minimum lot area is 352 square metres per semi-detached house and 176 square metres for each dwelling unit;
- (C) the minimum setback from a side lot line is 0.9 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the maximum lot coverage is 50%; and
- (G) gable and bay windows may encroach a maximum of 0.7 metres into a **rear yard building setback** or **street yard building setback**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(118) Exception RS 118

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 4.5 metres;
- (B) the minimum setback from a lot line that abuts:
 - (i) Lawrence Avenue is 12.0 metres; and
 - (ii) Manse Road, Homestead Road or Coronation drive is 6.0 metres; and
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the required parking space must be located in the residential building; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) The maximum lot coverage is 40%; and
- (I) these lands must also comply with exception 900.4.10(336).
- (J) A lot containing a semi-detached house must comply with the following:
 - (i) the minimum **lot frontage** is 18.0 metres per **semi-detached house** and 9.0 metres for each **dwelling unit**; and
 - (ii) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit; and
- (K) A **lot** containing a **detached house** must comply with the following:
 - (i) the minimum lot frontage is 9.0 metres; and
 - (ii) the minimum lot area is 305 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(119) Exception RS 119

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the required parking space must be located in the residential building; and
- (F) a garage must be set back a minimum of 0.3 metres from one side lot line.
- (G) The maximum lot coverage is 40%; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(120) Exception RS 120

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (C) these lands must also comply with exception 900.4.10(336).
- (D) A lot containing a semi-detached house must comply with the following:
 - (i) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
 - (ii) the minimum lot area is 610 square metres per semi-detached house and 305 square metres for each dwelling unit; and
 - (iii) the minimum setback from a side lot line is 1.2 metres; and
- (E) A **lot** containing a **detached house** must comply with the following:
 - (i) the minimum lot frontage is 13.0 metres;
 - (ii) the minimum lot frontage for a corner lot is 15.0 metres;
 - (iii) the minimum lot area is 464 square metres; and
 - (iv) a garage must be set back a minimum of 0.3 metres from one side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(121) Exception RS 121

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(122) Exception RS 122

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 2.4 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(123) Exception RS 123

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 610 square metres per semi-detached house and 305 square metres for each dwelling unit; and
- (C) the minimum setback from a side lot line is
 - (i) 1.2 metres, if the required parking space is located in the building; and
 - (ii) 2.4 metres in all other cases; and
- (D) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(124) Exception RS 124

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the minimum setback from a rear lot line is 6.0 metres;
- (G) the required parking space must be located in the residential building;
- (H) where the **vehicle** entrance to a garage also faces the **front lot line**, the entrance must be set back a minimum of 6.0 metres from the **front lot line**; and
- (I) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(125) Exception RS 125

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Galloway Road, Morningside Avenue, Manse Road, Beechgrove Drive or Old Kingston Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line that abuts a street is 5.7 metres; and

- (C) these lands must also comply with exception 900.4.10(336).
- (D) A lot containing a semi-detached house must comply with the following:
 - (i) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
 - (ii) the minimum lot area is 610 square metres per semi-detached house and 305 square metres for each dwelling unit; and
 - (iii) the minimum setback from a side lot line is 2.4 metres; and
- (E) A **lot** containing a **detached house** must comply with the following:
 - (i) the minimum lot frontage is 12.0 metres;
 - (ii) the minimum lot frontage for a corner lot is 15.0 metres;
 - (iii) the minimum lot area is 464 square metres;
- (F) the minimum setback from a lot line that abut Lawrence Avenue is 22.0 metres, measured from the original centreline of the street;
- (G) the minimum setback from a side lot line is 1.2 metres; and
- (H) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

(126) Exception RS 126

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a side lot line is 2.4 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 3.6 metres; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections:

- (A) on 19 and 21 Glory Crescent;
 - (i) the minimum side yard building setback is 1.2 metres for a one storey building and 1.8 metres for a two storey building; and
 - (ii) the portion of the **building** containing a **parking space** must be located at least 0.3 metres from a **side lot line**.

(127) Exception RS 127

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(128) Exception RS 128

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 610 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) the minimum setback from a side lot line is 2.4 metres:
- (D) the minimum setback from a **side lot line** that abuts a **street** is 5.7 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**:
- (F) the required parking space must be located in the residential building; and
- (G) the maximum lot coverage is 40%; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(129) Exception RS 129

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 555 square metres per semi-detached house and 275 square metres for each dwelling unit;
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(130) Exception RS 130

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 555 square metres per semi-detached house and 275 square metres for each dwelling unit; and
- (C) the minimum setback from a side lot line is 2.4 metres; and
- (D) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(131) Exception RS 131

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 2.4 metres; and
- (B) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (C) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(132) Exception RS 132

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is 1.2 metres:
- (B) the maximum lot coverage is 40%;
- (C) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**; and
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(133) Exception RS 133

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (D) the maximum lot coverage is 50%.
- (C) if the lot contains a semi-detached house the following shall also apply:
 - (i) the minimum lot frontage is 12.8 metres per semi-detached house and 6.4 metres for each dwelling unit;
 - (ii) the minimum lot area is 390 square metres per semi-detached house and 195 square metres for each dwelling unit:
 - (iii) the minimum setback from a side lot line is 1.0 metres; and
- (D) if the **lot** contains a **detached house** the following shall also apply:
 - (i) the minimum lot frontage is 6.4 metres;
 - (ii) the minimum lot area is 195 square metres; and
 - (iii) the minimum setback from a side lot line is 1.0 metres on one side only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(134) Exception RS 134

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house or one detached house per lot as shown on the registered plan;
- (B) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is 3.0 metres;
- (E) the minimum setback from a side lot line is 1.0 metres; and
- (F) the maximum lot coverage is 50%; and
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;

Prevailing By-laws and Prevailing Sections: (None Apply)

(135) Exception RS 135

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) there shall be a maximum of one semi-detached house or one detached house per lot as shown

on the registered plan;

- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is 3.0 metres;
- (E) the minimum setback from a side lot line is 1.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in a building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(136) Exception RS 136

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house or one detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) a semi-detached garage may be located on the common **lot line** and in all other cases it must be 0.3 metres from all **side lot lines**.
- (F) the maximum **lot coverage** is 50%;

Prevailing By-laws and Prevailing Sections: (None Apply)

(137) Exception RS 137

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** or one **detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (E) the minimum setback from a side lot line is 1.5 metres;
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Sheppard Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (G) a semi-detached garage may be located on the common lot line and in all other cases it must be 0.3 metres from all side lot lines.
- (H) the maximum lot coverage is 40%;

Prevailing By-laws and Prevailing Sections: (None Apply)

(138) Exception RS 138

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) there shall be a maximum of one semi-detached house or one detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **lot line** that abuts Berner Trail, Greenspire Road, or Malvern Street is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) a semi-detached garage may be located on the common lot line and in all other cases it must be 0.3 metres from all side lot lines.

(139) Exception RS 139

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house or one detached house per lot as shown on the registered plan;
- (B) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (C) the minimum setback from a side lot line is 1.2 metres:
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (E) the maximum lot coverage is 40%; and
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(140) Exception RS 140

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house or one detached house per lot as shown on the registered plan;
- (B) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(141) Exception RS 141

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) there shall be a maximum of one semi-detached house or one detached house per lot as shown on the registered plan;

- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) the maximum lot coverage is 40%; and
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

(142) Exception RS 142

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house or one detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (E) the minimum setback from a side lot line is 2.4 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 meters;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(143) Exception RS 143

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) the minimum setback from a rear lot line is 1.5 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 3.0 meters;
- (G) the maximum lot coverage is 50%;
- (H) the required parking space must be located in a building;
- (I) detached garages may be erected in a **street yard** with a minimum setback of 3.0 metres from the **lot line** and the internal road parallel to Neilson Road and Finch Avenue East;
- (J) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards;
- (K) no driveway access shall be permitted to Finch Avenue East or Neilson Road;
- (L) the maximum height of a **building** or **structure** is the lesser of 12.0 metres or 3 **storeys**;
- (M) a detached garage must be set back from the **main walls** of the **residential building** a minimum of 3.0 metres; and
- (N) an parking space not located in a building may be located in the front yard.

Prevailing By-laws and Prevailing Sections: (None Apply)

(144) Exception RS 144

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **front lot line** is 4.5 metres;
- (D) the minimum setback from a **side lot line** is 1.0 metres on one side only;
- (E) on a corner lot the minimum setback from a side lot line is:
 - (i) 3.0 metres where the side lot line abuts the street; and
 - (ii) 1.0 metres from the other side lot line; and
- (F) the minimum setback from a rear lot line is 6.5 metres;
- (G) the maximum lot coverage is 50%;
- (H) the required parking space must be located in a building;
- where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (J) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards;
- (K) the maximum height of a **building** or **structure** is 10.0 metres;

Prevailing By-laws and Prevailing Sections: (None Apply)

(145) Exception RS 145

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters;
- (F) the minimum setback from a lot line that abuts Neilson Road, Finch Avenue, Tapscott Road or the railway right-of-way is 7.5 metres;
- (G) the maximum lot coverage is 40%;
- (H) a semi-detached garage may be located on the common lot line and in all other cases it must be 0.3 metres from all side lot lines.

Prevailing By-laws and Prevailing Sections: (None Apply)

(146) Exception RS 146

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the maximum lot coverage is 40%.
- (D) a semi-detached garage may be located on the common lot line and in all other cases it must be 0.3 metres from all side lot lines.
- (E) if the lot contains a semi-detached house the following shall also apply:
 - (i) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
 - (ii) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (F) if the **lot** contains a **detached house** the following shall also apply:

- (i) the minimum lot frontage is 9.0 metres;
- (ii) the minimum lot area is 305 square metres.

(147) Exception RS 147

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum setback from a side lot line is 1.0 metres;
- (C) the minimum setback from a lot line that abuts a street is 3.0 meters;
- (D) the minimum setback from a **rear lot line** is 6.0 metres;
- (E) the maximum lot coverage is 50%.
- (F) the maximum height of a building is 10.0 metres
- (G) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards; and
- (I) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(148) Exception RS 148

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum setback from a side lot line is 1.0 metres;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 meters;
- (D) the minimum setback from a rear lot line is 6.0 metres;
- (E) the maximum height of a building is 10.0 metres
- (F) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in a building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(149) Exception RS 149

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) the minimum setback from a **lot line** that abuts Neilson Road, Sheppard Avenue, Tapscott Road or Washburn Way is 7.5 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(150) Exception RS 150

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters;
- (F) the minimum setback from a lot line that abuts Neilson Road, Sheppard Avenue, Tapscott Road, or Milner Avenue is 7.5 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (H) the maximum lot coverage is 50%;

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 33, of Scarborough By-law 14402.

(151) Exception RS 151

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) the minimum setback from a **lot line** that abuts Neilson Road, Sheppard Avenue, Tapscott Road, or Milner Avenue is 7.5 metres;
- (G) the required parking space must be located in the residential building;
- (H) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (I) the maximum lot coverage is 40%;

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 33, of Scarborough By-law 14402.

(152) Exception RS 152

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) the minimum setback from a lot line that abuts Neilson Road, Sheppard Avenue, Tapscott Road, or Milner Avenue is 7.5 metres;
- (G) the required parking space must be located in the residential building;
- (H) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(153) Exception RS 153

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the maximum height is the lesser of 3 storeys or 10.0 metres; and
- (H) the required parking space must be located in a building.

(154) Exception RS 154

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is the lawful lot frontage that existed on the date of the enactment of this By-law; and
- (B) the minimum **lot area** is the **lawful** area of the **lot** as it existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a lot line that abuts a street is:
 - (i) 27.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Lawrence Avenue, Ellesmere Road, and Kennedy Road; and
 - (ii) 16.0 metres, , measured from the original centreline of the **street**, in all other cases;
- (D) the minimum building setback from a side lot line is 2.4 metres; and
- (E) in addition to the uses permitted in this zone, a duplex building is also permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(155) Exception RS 155

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) the maximum lot coverage is 40%;
- (G) the required parking space must be located in the residential building;
- (H) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(156) Exception RS 156

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a front lot line is 3.0 metres;
- (F) nothing shall encroach into a required yard setback;
- (G) the required parking space must be located in the residential building;
- (H) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not

abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(157) Exception RS 157

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) the minimum setback from a **lot line** that abuts Berner Trail, Mammoths Hall Trail, or Malvern Street is 7.5 metres:
- (G) the required parking space must be located in the residential building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(158) Exception RS 158

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters;
- (F) the minimum setback from a **lot line** that abuts Berner Trail, Greenspire Road, or Malvern Street is 7.5 metres:
- (G) the required parking space must be located in the residential building;
- (H) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(159) Exception RS 159

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is 3.0 metres;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (F) the maximum lot coverage is 50%;

Prevailing By-laws and Prevailing Sections: (None Apply)

(160) Exception RS 160

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 700-2005.

(161) Exception RS 161

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one semi-detached house on a lot shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.5 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back a minimum of 0.3 metres from a one side lot line;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(162) Exception RS 162

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 0.9 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(163) Exception RS 163

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(164) Exception RS 164

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (B) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (C) the required parking space must be located in the residential building.
- (D) if the **lot** contains a **semi-detached house** the following shall also apply:
 - (i) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for

each dwelling unit;

- (ii) the minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit;
- (iii) for a corner lot the minimum lot frontage is 19.5 metres
- (iv) the minimum setback from a side lot line is 0.9 metres; and
- (E) if the **lot** contains a **detached house** the following shall also apply:
 - (i) the minimum lot frontage is 7.5 metres;
 - (ii) the minimum lot area is 255 square metres; and
 - (iii) for a corner lot the minimum lot frontage is 12.0 metres
 - (iv) the minimum setback from a side lot line is 0.9 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(165) Exception RS 165

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the rear lot line also abuts a street; and
 - (ii) 5.1 metres in all other cases; and
- (C) the minimum setback from a side lot line is 1.2 metres; and
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the minimum setback from a **lot line** that abuts Steeles Avenue, Warden Avenue or Kennedy Road is 7.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(166) Exception RS 166

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** that abuts a **street** is 6.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street:
- (D) the required parking space must be located in the residential building; and
- (E) if the lot contains a semi-detached house the following shall also apply:
 - (i) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit; and
 - (ii) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit; and
- (F) if the **lot** contains a **detached house** the following shall also apply:
 - (i) the minimum lot frontage is 9.0 metres; and
 - (ii) the minimum lot area is 305 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(167) Exception RS 167

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the minimum setback from a side lot line is:
 - (i) 18.0 metres where the lot line abuts Steeles Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 12.0 metres where the lot line abuts Pharmacy Avenue or Birchmount Road; and
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(168) Exception RS 168

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one semi-detached house on a lot shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from one side lot line;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(169) Exception RS 169

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (D) the maximum lot coverage is 50%;
- (E) the minimum setback from a **side lot line** is 1.0 metres and nothing shall encroach into that setback area; and
- (F) the required **parking space** must be located in a **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(170) Exception RS 170

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the maximum lot coverage is 50%;

- (E) the minimum setback from a side lot line is 1.0 metres;
- (F) the required parking space must be located in a building.

(171) Exception RS 171

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.0 metres;
- (B) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (C) the maximum lot coverage is 50%;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) the required parking space must be located in a building;
- (F) if the lot contains a semi-detached house the following shall also apply:
 - (i) the minimum **lot frontage** is 15.0 metres per **semi-detached house** and 7.5 metres for each **dwelling unit**; and
 - (ii) the minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit; and
- (G) if the **lot** contains a **detached house** the following shall also apply:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 255 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(172) Exception RS 172

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (H) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(173) Exception RS 173

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (C) the minimum setback from a lot line that abuts Steeles Avenue, Warden Avenue or Kennedy Road is 7.5 metres;
- (D) the required parking space must be located in the residential building.
- (E) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**;
- (F) if the **lot** contains a **semi-detached house** the following shall also apply:

- (i) the minimum lot frontage is 15.5 metres per semi-detached house and 7.7 metres for each dwelling unit; and
- (ii) the minimum **lot area** is 529 square metres per **semi-detached house** and 264 square metres for each **dwelling unit**; and
- (G) if the lot contains a detached house the following shall also apply:
 - (i) the minimum lot frontage is 7.7 metres; and
 - (ii) the minimum lot area is 264 square metres.

(174) Exception RS 174

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one semi-detached house on a lot shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(175) Exception RS 175

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the maximum lot coverage is 40%;
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (H) the required parking space must be located in the residential building; and
- (I) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(176) Exception RS 176

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **front lot line** that abuts Braymore Boulevard is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres; and
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 40%;

- (H) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street:
- (I) the required parking space must be located in the residential building; and
- (J) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

(177) Exception RS 177

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line that abuts a street is:
 - (i) 7.5 metres where the **front lot line** abuts Braymore Boulevard or Dean Road;
 - (ii) 6.0 metres in all other cases; and
- (E) the minimum setback from a side lot line is 1.2 metres; and
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (H) the maximum lot coverage is 40%; and
- (I) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(178) Exception RS 178

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (E) the minimum setback from a side lot line is 1.2 metres; and
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (H) the maximum lot coverage is 40%; and
- (I) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(179) Exception RS 179

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 17.4 metres for a semi-detached house and 8.7 metres for each dwelling unit;
- (B) the minimum lot area is 400 square metres for a semi-detached house and 200 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 8.7 metres and the minimum lot area is 200 square metres;
- (D) the minimum setback from a front lot line that abuts a street is 3.0 metres;

- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a rear lot line is 7.25 metres;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street.
- (H) the maximum lot coverage is 55%; and
- (I) the maximum height of a **building** is 12.5 metres.

(180) Exception RS 180

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a rear lot line is 7.25 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 55%;
- (E) the maximum height of a **building** 12.5 metres;
- (F) if the **lot** contains a **semi-detached house** the following shall also apply:
 - (i) the minimum lot frontage is 17.4 metres for a semi-detached house and 8.7 metres for each dwelling unit; and
 - (ii) the minimum lot area is 400 square metres for a semi-detached house and 200 square metres for each dwelling unit; and
 - (iii) the minimum setback from a side lot line is 1.2 metres; and
- (G) if the lot contains a detached house the following shall also apply:
 - (i) the minimum **lot frontage** is 10.7 metres;
 - (ii) the minimum lot area is 250 square metres; and
 - (iii) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side.

Prevailing By-laws and Prevailing Sections: (None Apply)

(181) Exception RS 181

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is 4.5 metres;
- (E) the minimum setback from a **side lot line** is 0.9 metres on one side and 0.3 metres on the other side and nothing shall encroach into that setback area;
- (F) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (G) the maximum lot coverage is 50%;
- (H) the maximum height of the a **building** is the lesser of 3 **storeys** or 9.5 metres;
- (I) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (J) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(182) Exception RS 182

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections:

Site Specific Provisions

- (A) a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the required parking space must be located in a building;
- (E) the maximum height of the a building is the lesser of 3 storeys or 9.5 metres; and
- (F) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 24, of Scarborough By-law 12077

(185) Exception RS 185

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one dwelling unit in a semi-detached house per lot shown on the registered plan;
- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) Where the common wall of the semi-detach house does not exist above grade the minimum separation between the mains walls is 1.2 metres;
- (E) the maximum height of a building is 12.5 metres; and
- (F) if the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(186) Exception RS 186

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one dwelling unit per lot shown on the registered plan and located in either a detached house or a semi-detached house;
- (B) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (C) if the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (D) the maximum height of a building is 12.5 metres; and
- (E) A lot containing a semi-detached house must comply with the following:
 - (i) the minimum setback from a side lot line is 1.2 metres; and
 - (ii) Where the common wall of the semi-detach house does not exist above grade the minimum separation between the **main walls** is 1.2 metres; and
- (F) A lot containing a detached house must comply with the following:
 - (i) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side.

Prevailing By-laws and Prevailing Sections: (None Apply)

(187) Exception RS 187

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) a maximum of one dwelling unit per lot shown on the registered plan and located in either a detached house or a semi-detached house;

- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (D) the maximum height of a building is 12.5 metres; and
- (C) A lot containing a semi-detached house must comply with the following:
 - (i) a maximum of one dwelling unit per lot shown on the registered plan and located in a semi-detached house:
 - (ii) the minimum setback from a side lot line is 1.2 metres; and
 - (iii) Where the common wall of the semi-detach house does not exist above grade the minimum separation between the walls is 1.2 metres; and
- (D) A lot containing a detached house must comply with the following:
 - (i) the minimum lot frontage is 9.0 metres;
 - (ii) the minimum lot area is 220 square metres; and
 - (iii) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side.

(188) Exception RS 188

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 30967; and
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(189) Exception RS 189

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.17(21) of the former City of North York Zoning By-law 7625

(190) Exception RS 190

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) in all cases the following shall apply:
 - (i) the minimum setback from a front lot line that abuts Birchmount Road, St. Clair Avenue, Danforth Road or Kennedy Road is 22 metres, measured from the original centreline of the street.
 - (ii) the minimum setback from a side lot line that abuts a street is 1.5 metres; and
- (B) where the lot contains a detached house the following shall apply:
 - (i) the minimum lot frontage is 7.5 metres;
 - (ii) the minimum lot area is 260 square metres;
 - (iii) the minimum setback from a side lot line is 0.45 on one side only metres; and
- (C) if a lot contains a semi-detached house the following shall apply to the lot or lots containing the whole of the building:
 - (i) the minimum lot frontage is 15.0 metres;
 - (ii) the minimum lot area is 483 square metres;
 - (iii) the minimum setback from a side lot line is 0.9 metres; and

- (D) if a **lot** contains a **semi-detached house** the following shall apply to each part of the **building** containing a **dwelling unit**:
 - (i) the minimum lot frontage is 7.5 metres; and
 - (ii) the minimum lot area is 240 square metres.
- (C) if a lot contains a detached house, the minimum lot frontage is 7.5 metres and the minimum lot area is 240 square metres;

(191) Exception RS 191

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) the City of Toronto by-law 1207-2009 as amended; and
- (B) ON 115 Torbarrie Road, Section 64.17-B(36) of the former City of North York Zoning By-law 7625

(192) Exception RS 192

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 276-2002.

(196) Exception RS 196

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line abutting a street is 3.0 metres; and
- (B) the maximum lot coverage is 45%;
- (C) A lot containing a semi-detached house must comply with the following:
 - (i) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
 - (ii) the minimum lot area is 495 square metres per semi-detached house and 245 square metres for each dwelling unit; and
 - (iii) the minimum setback from a side lot line is 0.9 metres; and
- (D) A **lot** containing a **detached house** must comply with the following:
 - (i) the minimum lot frontage is 9.0 metres;
 - (ii) the minimum lot area is 270 square metres;
 - (iii) the minimum setback from a **side lot line** is 0.9 metres on one side and 0.3 on the other side; and
 - (iv) the minimum setback from a side lot line that abuts a street is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(197) Exception RS 197

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (B) a main wall of a garage must be set back a minimum of 8.5 metres from a lot line that abuts a street;
- (C) these lands must also comply with exception 900.4.10(336).

- (D) if the **lot** contains a **semi-detached house** the following shall also apply:
 - (i) the minimum lot frontage is 20.0 metres per semi-detached house and 10.0 metres for each dwelling unit; and
 - (ii) the minimum setback from a side lot line is 1.8 metres; and
- (E) if the lot contains a detached house the following shall also apply:
 - (i) the minimum lot frontage is 10.0 metres; and
 - (ii) the minimum setback from a **side lot line** is 1.8 metres on one side and 0.3 metres on the other side.

(199) Exception RS 199

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one semi-detached house on a lot shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 0.9 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (F) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the maximum lot coverage is 50%;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(200) Exception RS 200

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) 26 metres where the front lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue, measured from the original centreline of the street; and
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases where the **side lot line** abuts a **street**;
- (D) the maximum lot coverage is 60%;
- (E) the required parking space must be located in the residential building;
- (F) these lands must also comply with exception 900.4.10(336).
- (G) a lot containing a semi-detached house must comply with the following:
 - (i) the minimum **lot frontage** is 15.0 metres per **semi-detached house** and 7.5 metres for each **dwelling unit**:
 - (ii) on a corner lot the minimum lot frontage is 18.0 metres;
 - (iii) the minimum **lot area** is 510 square metres per **semi-detached house** and 250 square metres for each **dwelling unit**; and

- (H) a **lot** containing a **detached house** must comply with the following:
 - (i) the minimum lot frontage is 7.5 metres;
 - (ii) on a corner lot the minimum lot frontage is 10.5 metres; and
 - (iii) the minimum lot area is 250 square metres.

(201) Exception RS 201

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 26 metres where the front lot line abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue, measured from the original centreline of the street; and
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the **side lot line** abuts Midland Avenue, Brimley Road, Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases;
- (D) the maximum lot coverage is 60%;
- (E) the required parking space must be located in the residential building;
- (F) these lands must also comply with exception 900.4.10(336).
- (G) a **lot** containing a **semi-detached house** must comply with the following:
 - (i) the minimum lot frontage is 10.5 metres per semi-detached house and 5.25 metres for each dwelling unit;
 - (ii) the minimum **lot area** is 510 square metres per **semi-detached house** and 250 square metres for each **dwelling unit**; and
- (H) a lot containing a detached house must comply with the following:
 - (i) the minimum lot frontage is 5.25 metres;
 - (ii) the minimum lot area is 250 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(202) Exception RS 202

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 7.5 metre if front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) for the odd numbered lots municipally known as 55 to 95 Treetops Court, 127 to 137 Valley stream Drive, and 27 to 33 Green Spring Drive, and the even numbered lots 28 to 30 Muirlands Drive, 200 to 202 Ingleton Boulevard, 48, 50, 82 and 84 Green Springs Drive, the minimum building setback from the front lot line is 4.5 metres, but the portion of the main wall containing an entrance to a parking space must be set back a minimum of 6.0 metres; and
 - (iii) 6.0 metres in all other cases;
- (E) the minimum setback from a **side lot line** is 0.9 metres;

- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (G) for a garage the minimum setback from a side lot line is 0.3 metres;
- (H) the maximum lot coverage is 50%; and
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

(203) Exception RS 203

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 7.5 metre if it abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (E) the minimum setback from a side lot line is 0.9 metres;
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (G) the maximum lot coverage is 50%;
- (H) for a garage the minimum setback from a side lot line is 0.3 metres;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(204) Exception RS 204

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) 7.5 metre if it abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 0.9 metres;
- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 3.0 metres in all other cases; and
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (E) the maximum lot coverage is 50%;
- (F) for a garage the minimum setback from a side lot line is 0.3 metres;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).
- (I) if a lot contains a semi-detached house it must comply to the following:
- (J) a maximum of one semi-detached house on a lot shown on the registered plan; and

- (K) if a **lot** contains a **detached house** it must comply to the following;
 - (i) the minimum lot frontage is 6.0 metres; and
 - (ii) the minimum lot area is 209 square metres.

(205) Exception RS 205

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **side lot line** is 0.9 metres;
- (E) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(206) Exception RS 206

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 6.0 metres in all other cases;
- (E) the minimum setback from a side lot line is 0.9 metres;
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 4.5 metres in all other cases;
- (G) for a garage the minimum setback from a side lot line is 0.3 metres;
- (H) the required parking space must be located in the residential building.
- (I) the maximum lot coverage is 50%; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(208) Exception RS 208

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of one **semi-detached house** on a **lot** shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres on one side only;
- (E) the minimum setback from a side lot line that abuts a street is 3.0 metres;
- (F) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a

minimum of 6.0 metres from a lot line that abuts a street; and

- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(209) Exception RS 209

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.9 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (C) the maximum lot coverage is 60%; and
- (D) for a garage the minimum setback from a **side lot line** is 0.3 metres;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.4.10(336).
- (G) a lot containing a semi-detached house must comply with the following:
 - (i) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
 - (ii) for a **corner lot** the minimum **lot frontage** is 18.0 metres per **semi-detached house** and 10.5 metres for the **dwelling unit** abutting the flankage **side yard**;
 - (ii) the minimum lot area is 510 square metres per semi-detached house and 250 square metres for each dwelling unit; and
- (H) a lot containing a detached house must comply with the following:
 - (i) the minimum lot frontage is 9.0 metres for a corner lot and 7.5 metres in all other cases;
 - (ii) the minimum lot area is 250 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(210) Exception RS 210

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Sections 64.17(7), 64.17(16), and 64.17(23) of the City of North York Zoning By-law 7625

(211) Exception RS 211

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 159-2002 (OMB).

(212) Exception RS 212

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.17(11) of the City of North York Zoning By-law 7625

(213) Exception RS 213

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 50%;
- (B) the minimum front yard setback is 6 metres;
- (C) the minimum rear yard setback is 7.5 metres; and
- (D) the minimum side yard setback is 1.2 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(214) Exception RS 214

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 339 1/2 and 339A Dawes Road, Section 7.5.4.12, as amended, of the former Borough of East York Zoning By-law 6752

(215) Exception RS 215

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 57-63 Chapman Avenue, Section 7.5.4.14, as amended, of the former Borough of East York Zoning By-law 6752

(216) Exception RS 216

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 45 and 47 Torrens Avenue, Section 7.5.4.15, as amended, of the former Borough of East York Zoning By-law 6752

(217) Exception RS 217

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 214 King Edward Avenue, Section 7.5.4.20, as amended, of the former Borough of East York Zoning By-law 6752

(218) Exception RS 218

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 127 and 129 Torrens Avenue, Section 7.5.4.21, as amended, of the former Borough of East York Zoning By-law 6752

(219) Exception RS 219

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 53-55 Rayoak Drive, Section 64.17(10) of the City of North York Zoning By-law 7625

(220) Exception RS 220

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 264 Monarch Avenue, Section 7.5.4.27.1, as amended, of the former Borough of East York Zoning By-law 6752

(221) Exception RS 221

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 153 Torrens Avenue, Section 7.5.4.37, as amended, of the former Borough of East York Zoning By-law 6752

(222) Exception RS 222

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.17(11) of the City of North York Zoning By-law 7625

(223) Exception RS 223

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 189 Woodville Avenue, Section 12.1.34, as amended, of the former Borough of East York Zoning By-law 6752

(224) Exception RS 224

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 551 Sammon Avenue, Section 12.1.35, as amended, of the former Borough of East York Zoning By-law 6752

(225) Exception RS 225

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 90 Leroy Avenue, Section 7.5.4.28, as amended, of the former Borough of East York Zoning By-law 6752

(226) Exception RS 226

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 54 Holborne Avenue, Section 7.5.4.29, as amended, of the former Borough of East York Zoning By-law 6752

(227) Exception RS 227

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1141 Broadview Avenue, Section 7.5.4.32, as amended, of the former Borough of East York Zoning By-law 6752.

(228) Exception RS 228

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(201) of the former City of York Zoning By-law 1-83

(229) Exception RS 229

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **side lot line** is 1.2 metres:
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the maximum lot coverage is 40%;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street: and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(230) Exception RS 230

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 5.7 metres; and
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(231) Exception RS 231

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;

- (C) the minimum lot area is 555 square metres per semi-detached house and 275 square metres for each dwelling unit;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Kennedy Road or Finch Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (E) despite (D) the side **main wall** of a garage must be at least 3.0 metres from a **side lot line** that abuts a **street**;
- (F) the minimum setback from a side lot line is 1.2 metres;
- (G) the maximum lot coverage is 50%;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

(232) Exception RS 232

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 meters where the **lot line** abuts Warden Avenue;
 - (ii) 6.0 metres in all other cases; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum lot coverage is 40%;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(233) Exception RS 233

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres:
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(234) Exception RS 234

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum **lot frontage** is 15.0 metres per **semi-detached house** and 7.5 metres for each **dwelling unit**;

- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the maximum **lot coverage** is 40%;
- (F) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

(235) Exception RS 235

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the maximum lot coverage is 40%;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(236) Exception RS 236

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(237) Exception RS 237

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of one **semi-detached house** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 7.5 metres when the lot line abuts Davisbrook Boulevard; and
 - (ii) 6.0 metres in all other cases; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 40%;
- (H) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

(238) Exception RS 238

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 meters where the **lot line** abuts Warden Avenue;
 - (ii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the maximum lot coverage is 40%;
- (D) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(239) Exception RS 239

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (D) the maximum lot coverage is 50%; and
- (E) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(240) Exception RS 240

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (C) the maximum lot coverage is 50%; and
- (D) these lands must also comply with exception 900.4.10(336).
- (E) a lot containing a semi-detached house must comply with the following:

- (i) the minimum **lot frontage** is 15.0 metres per **semi-detached house** and 7.5 metres for each **dwelling unit**;
- (ii) the minimum lot area is 600 square metres per semi-detached house and 300 square metres for each dwelling unit; and
- (iii) the minimum setback from a side lot line is 1.0 metres;
- (F) a lot containing a detached house must comply with the following:
 - (i) the minimum lot frontage is 7.5 metres;
 - (ii) the minimum lot area is 300 square metres;
 - (iii) the minimum setback from a side lot line is 1.0 metres on one side only.

(241) Exception RS 241

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 799-2004.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(242) Exception RS 242

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 31426.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(243) Exception RS 243

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1150 Woodbine Avenue, Section 7.5.4.34, as amended, of the former Borough of East York Zoning By-law 6752

(244) Exception RS 244

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 41 to 63 Halsey Avenue, Section 7.5.4.38, as amended, of the former Borough of East York Zoning By-law 6752.

(245) Exception RS 245

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) For a semi-detached houses:
 - (i) the minimum lot frontage is 11.0 metres;
 - (ii) the maximum height of a **building** is 11.0 metres and not more than 3 **storeys**;

- (iii) the maximum floor space index is 0.94;
- (iv) the minimum front yard setback is 3.0 metres;
- (v) the minimum rear yard setback is 6.0 metres;
- (vi) the minimum **side yard setback** is 0.6 metres, except the northerly most **semi-detached house** on a **lot** which the minimum north **side yard setback** is 3.0 metres;
- (vii) the semi-detached house must front onto Wright Avenue or Gibson Avenue; and
- (viii) the **vehicle** access to the **parking spaces** on the **lots** containing **semi-detached house** must be from the public **lane** at the rear of the **lots**; and

(B) religious residence must:

- (i) be of a lot with:
 - (a) a minimum lot frontage of 45.0 metres on Pine Street;
 - (b) a minimum front yard setback of 4.0 metres;
 - (c) a minimum rear yard setback of 20.0 metres;
 - (d) a minimum side yard setback of 6.0 metres;
 - (e) only driveway access and it must be on Pine Street;
 - (f) a minimum of 12 parking space of which 1 must be an accessible parking space; and
- (ii) be in a building that has:
 - (a) a maximum height of a **building** is 15.0 metres and not more than 3 **storeys**;
 - (b) a maximum floor space index of 1.15;
 - (c) the maximum gross floor area for ancillary commercial and workshop uses in the religious residence of 950 square metres; and
- (C) a portion of the lands at the rear of the semi-detached lots and the religious residence shall be conveyed to the City of Toronto and dedicated by City by-law for a minimum 9.15 metre wide public lane. A 0.3 metre wide portion of land across the terminus of the public lane at Pine Street and the north limit of the lands shall be conveyed to the City for reserve purposes.

Prevailing By-laws and Prevailing Sections: (None Apply)

(246) Exception RS 246

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum front yard setback from the street line of Jane Street is 6.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(247) Exception RS 247

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a detached house is permitted on a lot if:
 - (i) the maximum lot coverage is 40%;
 - (ii) the maximum height of a building is 9.3 metres to the mid-point of the roof;
 - (iii) the maximum floor space index is 1.0;
 - (iv) the minimum front yard setback is 6.0 metres;
 - (v) the minimum rear yard setback is 6.0 metres; and
 - (vi) the minimum side yard setback is 0.6 metres on one side and 1.2 metres on the other side.
- (B) a semi-detached house is permitted on a lot if:
 - (i) the maximum lot coverage is 45%;
 - (ii) the maximum height of a **building** is 9.3 metres to the mid-point of the roof;

- (iii) the maximum floor space index is 1.0;
- (iv) the minimum front vard setback is 6.0 metres
- (v) the minimum rear yard setback is 6.0 metres; and
- (vi) the minimum side yard setback is 1.2 metres.
- (C) Additional Requirements
 - (i) each dwelling unit is to provide a private garage.

(248) Exception RS 248

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 65 and 67 Chapman Avenue, Section 7.5.4.9, as amended, of the former Borough of East York Zoning By-law 6752

(251) Exception RS 251

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 610 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (F) the maximum lot coverage is 40%;
- (G) the required parking space must be located in the residential building;
- (H) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(252) Exception RS 252

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the **lot line** abuts Finch Avenue, Placentia Boulevard or Middlefield Road;
 - (ii) 6.0 metres where the lot line abuts any other street; and

- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

(253) Exception RS 253

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 610 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road;
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (E) the minimum setback from a **side lot line** is 1.2 metres:
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the required parking space must be located in the residential building.
- (I) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(254) Exception RS 254

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law:
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road;
 - (ii) 6.0 metres where the lot line abuts any other street;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum lot coverage is 40%;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(255) Exception RS 255

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the lot line abuts Finch Avenue, McCowan Road or Middlefield Road; and
 - (ii) 6.0 metres where the lot line abuts any other street;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum **lot coverage** is 40%;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(256) Exception RS 256

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Finch Avenue, Brimley Road or Midland Avenue;
 - (ii) 6.0 metres where the lot line abuts Alexmuir Boulevard, Cleadon Road or South Shields Avenue; and
 - (iii) 3.6 metres where the lot line abuts any other street;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum lot coverage is 40%;
- (G) a garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(257) Exception RS 257

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is 18.0 metres per **semi-detached house** and 9.0 metres for each **dwelling unit**;
- (B) the minimum lot area is 557 square metres per semi-detached house and 277 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 277 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;

- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in the residential building;
- (G) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (H) these lands must also comply with exception 900.4.10(336).

(258) Exception RS 258

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 16.5 metres per semi-detached house and 8.25 metres for each dwelling unit;
- (B) the minimum lot area is 557 square metres per semi-detached house and 277 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 8.25 metres and the minimum lot area is 277 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the maximum lot coverage is 40%;
- (G) the required parking space must be located in the residential building.
- (H) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(259) Exception RS 259

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a **side lot line** is 0.9 metres;
- (E) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(260) Exception RS 260

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts McCowan Road, Brimley Road or Brimwood Boulevard; and
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres; and
- (H) these lands must also comply with exception 900.4.10(336).

(261) Exception RS 261

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the minimum setback from a **side lot line** is 1.0 metres;
- (F) the maximum lot coverage is 40%;
- (G) the portion of **main wall** containing the entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(262) Exception RS 262

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(263) Exception RS 263

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
- (B) the minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 7.5 metres and the minimum lot area is 255 square metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the minimum setback from a side lot line is 1.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.4.10(336).

(264) Exception RS 264

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the minimum setback from a side lot line is 1.0 metres;
- (F) the maximum **lot coverage** is 50%;
- (G) the portion of **main wall** containing the entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**; and
- (H) the required parking space must be located in a building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(265) Exception RS 265

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres;
- (F) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (G) the maximum lot coverage is 40%;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).s.

Prevailing By-laws and Prevailing Sections: (None Apply)

(266) Exception RS 266

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
- (B) the minimum lot area is 510 square metres per semi-detached house and 255 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 7.5 metres and the minimum lot area is 255 square metres;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres;
- (F) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (G) the maximum lot coverage is 40%;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(267) Exception RS 267

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts White Heather Boulevard, McCowan Road or Richmond Park Boulevard; and
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (H) the maximum lot coverage is 40%;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(268) Exception RS 268

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 9.0 metres where the lot line abuts Sandhurst Circle;
 - (ii) 7.5 metres where the lot line abuts White Heather Boulevard;
 - (iii) 6.0 metres where the lot line abuts any other street; and

- (E) the minimum setback from a side lot line is 1.2 metres:
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 6.0 metres where the lot line abuts Sandhurst Circle; and
 - (ii) 3.5 metres where the lot line abuts any other street; and
- (G) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (H) the maximum lot coverage is 40%;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

(269) Exception RS 269

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (G) the maximum lot coverage is 40%;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(270) Exception RS 270

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (G) the maximum lot coverage is 40%;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(271) Exception RS 271

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-

- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

(272) Exception RS 272

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres, where the **lot line** abuts Finch Avenue, McCowan Road or Sandhurst Circle; and
 - (ii) 6.0 metres where the lot line abuts any other street;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 40%;
- (H) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres:
- (I) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(273) Exception RS 273

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a **side lot line** that abuts a **street** is:
 - (i) 12.0 metres where the lot line abuts Huntingwood Drive;
 - (ii) 18.0 metres where the lot line abuts McCowan Road;
 - (iii) 4.5 metres in all other cases;
- (E) the minimum setback from a **rear lot line** that abuts:
 - (i) Huntingwood Drive is 12.0 metres;
 - (ii) McCowan Road is 18.0 metres; and
- (F) the minimum setback from a side lot line is 1.2 metres;
- (G) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

(274) Exception RS 274

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 19.5 metres per semi-detached house and 9.75 metres for each dwelling unit;
- (B) the minimum lot area is 929 square metres per semi-detached house and 464 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.75 metres and the minimum lot area is 464 square metres;
- (D) the minimum setback from a front lot line is:
 - (i) 36.0 metres where the lot line abuts Finch Avenue or McCowan Road;
 - (ii) 6.0 metres in all other cases;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum lot coverage is 40%;
- (G) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (H) the required parking space must be located in the residential building;
- (I) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(275) Exception RS 275

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 12078.

(276) Exception RS 276

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Sections 16(13) and 16(17) of the former City of York Zoning By-law 1-83

(277) Exception RS 277

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law.
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units for each lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Victoria Park Avenue;

- (ii) 7.5 metres if the lot line abuts Chester Le Boulevard and Pharmacy Avenue; and
- (iii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum **lot coverage** is 40%;
- (G) a garage must be at least 0.3 metres from a side lot line;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

(278) Exception RS 278

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres for a semi-detached house, and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres for a semi-detached house, and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Victoria Park Avenue or Chester Le Boulevard; and
 - (ii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 40%;
- (H) a garage must be at least 0.3 metres from a side lot line;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(279) Exception RS 279

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units for each lot on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(280) Exception RS 280

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;

- (C) a maximum of two **dwelling units** for each **lot** on a registered plan;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

(281) Exception RS 281

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** for each **lot** on a registered plan;
- (D) the minimum setback from a **lot line** that abuts a Pharmacy Avenue or Warden Avenue is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) a garage must be at least 0.3 metres from a side lot line;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(282) Exception RS 282

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** for each **lot** on a registered plan;
- (D) the portion of **main wall** containing the entrance to a **parking space** must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (G) the maximum lot coverage is 45%;
- (H) a garage must be at least 0.3 metres from a side lot line;
- (I) a garage must not have an interior width greater than 3.5 metres for each dwelling unit; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(283) Exception RS 283

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of two dwelling units for each lot on a registered plan;
- (B) the minimum setback from a front lot line is:
 - (i) 7.5 metres if it abuts LaPeer Boulevard; and
 - (ii) 6.0 metres in all other cases;

- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the maximum lot coverage is 45%;
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.4.10(336).

(284) Exception RS 284

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units for each lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Birchmount Road, Brookmill Boulevard or LaPeer Boulevard;
 - (ii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 40%;
- (H) a garage must be at least 0.3 metres from a side lot line;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(285) Exception RS 285

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres for a semi-detached house, and 9.0 metres for each dwelling unit;
- (B) for a corner lot the minimum lot frontage is 21.0 metres for a semi-detached house;
- (C) the minimum lot area is 557 square metres for a semi-detached house, and 278 square metres for each dwelling unit;
- (D) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 278 square metres;
- (E) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Birchmount Road, L'Amoreaux Drive; and
 - (ii) 6.0 metres from any other street; and
- (F) the minimum setback from a side lot line is 1.2 metres;
- (G) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (H) the minimum setback from a rear lot line is 6.0 metres;
- (I) the maximum lot coverage is 40%;
- (J) the required parking space must be located in the residential building; and
- (K) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(286) Exception RS 286

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres for a semi-detached house, and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres for a semi-detached house, and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a rear lot line is 6.0 metres;
- (G) the maximum lot coverage is 40%;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(287) Exception RS 287

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units for each lot on a registered plan;
- (D) the minimum setback from a **side lot line** is 1.2 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (G) the maximum lot coverage is 40%;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(288) Exception RS 288

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** for each **lot** on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Finch Avenue or Birchmount Road;
 - (ii) 7.5 metres if the **lot line** abuts Silver Springs Boulevard, Dancy Avenue, Kennedy Road or Wayside Avenue; and
 - (iii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) a garage must be at least 0.3 metres from a side lot line;
- (H) the maximum lot coverage is 40%;
- (I) the required parking space must be located in the residential building;
- (J) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:

- (i) 3.0 metres; and
- (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (K) these lands must also comply with exception 900.4.10(336).

(289) Exception RS 289

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres for a semi-detached house, and 9.0 metres for each dwelling unit;
- (B) if a **lot** contains a **detached house**, the minimum **lot frontage** is 9.0 metres;
- (C) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Finch Avenue or Kennedy Road;
 - (ii) 12.0 metres if the lot line abuts Silver Springs Boulevard, Dancy Avenue, Birchmount Road; and
 - (iii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (G) a garage must be at least 0.3 metres from a side lot line;
- (H) the maximum lot coverage is 40%;
- (I) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(290) Exception RS 290

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is 18.0 metres for a **semi-detached house**, and 9.0 metres for each **dwelling unit**:
- (B) the minimum lot area is 613 square metres for a semi-detached house, and 305 square metres for each dwelling unit;
- (C) if a lot contains a detached house, the minimum lot frontage is 9.0 metres and the minimum lot area is 305 square metres;
- (D) the minimum setback from a **lot line** that abuts a **street** is:
 - (i) 18.0 metres if the lot line abuts Finch Avenue or Birchmount Road;
 - (ii) 7.5 metres if the lot line abuts Silver Springs Boulevard, Dancy Avenue, Kennedy Road or Wayside Avenue; and
 - (iii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 40%;
- (H) a garage must be at least 0.3 metres from a side lot line;

- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

(291) Exception RS 291

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** for each **lot** on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Finch Avenue or Birchmount Road;
 - (ii) 7.5 metres if the **lot line** abuts Silver Springs Boulevard, Dancy Avenue, Kennedy Road or Wayside Avenue; and
 - (iii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 40%;
- (H) a garage must be at least 0.3 metres from a side lot line;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(292) Exception RS 292

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 16.5 metres for a semi-detached house, and 8.25 metres for each dwelling unit;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the required parking space must be located in the residential building.
- (F) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking structure and the elevation of grade at the front lot line; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(293) Exception RS 293

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Sections 16(111) and 16(118) of the former City of York Zoning By-law 1-83

(294) Exception RS 294

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 55 Hagar Avenue, Section 16(314) of the former City of York Zoning By-law 1-83

(295) Exception RS 295

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Corinthian Boulevard; and
 - (ii) 6.0 metres in all other cases;
- (E) the minimum setback from a side lot line 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) a garage must be at least 0.3 metres from a side lot line;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(296) Exception RS 296

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building;
- (H) the maximum lot coverage is 40%; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(297) Exception RS 297

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) the minimum setback from a **side lot line** 1.0 metres on one side only, and nothing shall encroach into this required yard setback;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;

- (E) the portion of **main wall** containing the entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** abutting a **street**;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building;
- (H) the maximum lot coverage is 40%;
- (I) the maximum height of a building is the lesser of 2 storeys and 9.0 metres; and
- (J) these lands must also comply with exception 900.4.10(336).

(298) Exception RS 298

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is 22.5 metres per **semi-detached house** and 11.25 metres for each **dwelling unit**:
- (B) the minimum lot area is 929 square metres per semi-detached house and 460 square metres for each dwelling unit;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building;
- (H) the maximum lot coverage is 40%; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(299) Exception RS 299

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-law.
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 5.7 metres for the portion of a main wall containing the entrance to a parking space; and
 - (ii) 6.0 metres for all other parts of the building;
- (E) the minimum setback from a side lot line 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Pinemeadow Boulevard or Collingbrook Boulevard; and
 - (ii) 4.5 metres in all other cases; and
- (G) the minimum setback from a rear lot line is 6.0 metres;
- (H) a garage must be at least 0.3 metres from a side lot line; and
- (I) the maximum lot coverage is 45%; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(300) Exception RS 300

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 16.5 metres per semi-detached house and 8.25 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line;
- (F) the required parking space must be located in the residential building; and
- (G) the maximum lot coverage is 40%; and
- (H) these lands must also comply with exception 900.4.10(336).

(301) Exception RS 301

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 36.0 metres if the **lot line** abuts Victoria Park Avenue, Warden Avenue, Kennedy Road or Sheppard Avenue, measured from the original centreline of the **street**; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the required parking space must be located in the residential building; and
- (F) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(302) Exception RS 302

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is 15.0 metres per semi-detached house and 7.5 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) the minimum setback from a **lot line** that abuts a **street** is:
 - (i) 36.0 metres if the **lot line** abuts Victoria Park Avenue, Warden Avenue, Kennedy Road or Sheppard Avenue, measured from the original centreline of the **street**; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the required parking space must be located in the residential building; and
- (F) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:

- (i) 3.0 metres; and
- (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (G) these lands must also comply with exception 900.4.10(336).

(303) Exception RS 303

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building;
- (H) the maximum lot coverage is 40%; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(304) Exception RS 304

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a front lot line is:
 - (i) 18.0 metres if the lot line abuts Victoria Park Avenue; and
 - (ii) 7.5 metres if the lot line abuts Chester Le Boulevard or Pharmacy Avenue; and
 - (iii) 6.0 metres in all other cases;
- (E) the minimum setback from a side lot line 1.2 metres;
- (F) a garage must be at least 0.3 metres from a **side lot line**;
- (G) the required parking space must be located in the residential building;
- (H) the maximum lot coverage is 40%; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(305) Exception RS 305

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;

- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

(306) Exception RS 306

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units per lot on a registered plan;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) a garage must be at least 0.3 metres from a side lot line;
- (G) the required parking space must be located in the residential building;
- (H) the maximum lot coverage is 40%; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(307) Exception RS 307

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** per **lot** on a registered plan;
- (D) a garage must be at least 0.3 metres from a side lot line;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(308) Exception RS 308

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (C) the minimum setback from a side lot line 1.2 metres;
- (D) a garage must be at least 0.3 metres from a side lot line;
- (E) the required parking space must be located in the residential building;
- (F) the maximum lot coverage is 40%; and
- (G) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(309) Exception RS 309

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1207 Roselawn Avenue and 80-88 Miranda Avenue, Section 16(356) of the former City of York Zoning By-law 1-83

(310) Exception RS 310

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum **lot area** is 613 square metres per **semi-detached house** and 305 square metres for each **dwelling unit**;
- (C) the minimum setback from a front lot line is:
 - (i) 25.0 metres if the **lot line** abuts Lawson Road, Colonel Danforth Trail, Meadowvale Road, Centennial Road or Pickering Town Line, measured from the original centreline of the street;
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres.
- (F) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(311) Exception RS 311

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 203, 205 and 207 Raglan Avenue, Section 16(413) of the former City of York Zoning By-law 1-83

(312) Exception RS 312

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum **lot area** is 185 square metres for a **detached house**.
- (B) The minimum lot frontage is 6.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(314) Exception RS 314

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) there shall be a maximum of one semi-detached house per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this by-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this by-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;

- (F) the minimum setback from a **lot line** that abuts Washburn Way is 7.5 metres;
- (G) the required parking space must be located in the residential building;
- (H) the maximum lot coverage is 40%;

(315) Exception RS 315

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A detached house may have along one side yard, a side yard setback of 0.0 metres if a maintenance easement of 1.0 metre is provided on the adjacent lot.
- (B) Other than the permission in regulation (A) above, the minimum side yard setback is 1.0 metre.
- (C) For flanking **lots** the minimum **side yard setback** is 3.0 metres unless a **lot** flanks onto Finch Avenue West in which case the minimum **side yard setback** is 6.0 metres.
- (D) The building height must not exceed three storeys.

Prevailing By-laws and Prevailing Sections: (None Apply)

(317) Exception RS 317

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from the **lot line** that abuts a **street** is:
 - (i) 22.0 metres, measured from the original centerline of the street if the lot line abuts Birchmount Road; and
 - (ii) 16.0 metres from all other streets; and
- (B) the minimum setback from a side lot line is:
 - (i) 2.4 metres if the side lot line abuts a street; and
 - (ii) 1.2 metres in all other cases;
- (C) if the **lot** contains a **detached house** then:
 - (i) the minimum lot frontage is 13.0 metres; and
 - (ii) the minimum lot area is 464 square metres; and
- (D) if the lot contains a semi-detached house then:
 - (i) the minimum **lot frontage** for the whole of the **building** is 18.0 metres and 9.0 metres for each **dwelling unit** in the **building**; and
 - (ii) the minimum **lot area** for the whole of the **building** is 613 square metres, and 305 square metres for each **dwelling unit**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(318) Exception RS 318

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

The lands subject to this exception shall collectively comply with all the following:

- (A) A maximum of two dwelling units on each lot as shown on the Registered Plan.
- (B) the minimum building setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (C) the minimum building setback from a side lot line is:
 - (i) 4.5 metres if the lot line abuts a street; and

- (ii) 0.9 metres in all other cases; and
- (D) the part of the **building** containing the **parking space** must be set back a minimum of 0.3 metres from a **side lot line**, if it is not fully attached to the part of the **building** on the abutting **lot**, that contains the **parking space**.
- (E) the maximum lot coverage is 50%;
- (F) the minimum setback from a **lot line** for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; or
 - (ii) a distance equal to one half the vertical distance from the elevation of the surface of the lowest floor of the **structure** to the elevation of the average elevation of grade at the **front lot line**: and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.4.10(336).

(319) Exception RS 319

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the part of a main wall that contains an entrance to a parking space must be set back a minimum of 6.0 metres from the lot line that it faces;
- (C) a minimum building setback of 1.0 metre is required from one side lot line only and nothing is to encroach into the required side yard;
- (D) The maximum lot coverage is 50%;
- (E) the maximum number of storeys is 2;and
- (F) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(320) Exception RS 320

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (B) a minimum building setback of 1.0 metre is required from one side lot line only and nothing is to encroach into the required side yard;
- (C) The maximum lot coverage is 50%;
- (D) the maximum number of storeys is 2; and
- (E) the required **parking space** must be located in a **building**;
- (F) the minimum lot frontage for each dwelling unit is 7.5 metres; and
- (G) the minimum lot area for each dwelling unit is 340 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(321) Exception RS 321

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is:
 - (i) 15.0 metres for a semi-detached house and 7.5 metres for each dwelling unit; and
 - (ii) 9.0 metre for a detached house; and
- (B) the minimum lot area is:

- (i) 450.0 square metres for each semi-detached house and 225.0 square metres for each dwelling unit; and
- (ii) 270.0 square metres for each detached house; and
- (C) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (D) the maximum lot coverage is 50%;
- (E) the part of a main wall that contains an entrance to a parking space must be set back a minimum of 6.0 metres from the lot line that it faces;
- (F) the minimum setback from a side lot line that does not abut a street is:
 - (i) 1.2 metres on one side and 0.6 metres on the other side for **detached house**;
 - (ii) 1.2 metres for a semi-detached house
- (G) the maximum number of storeys is 2;
- (H) Despite regulations in this By-law to the contrary, the minimum dimensions for a parking space in an attached garage is 3.0 metres in width and 6.0 metres in length and a step having maximum dimensions of 0.31 metres wide by 0.92 metres long and 21 cm high shall be permitted to encroach within the area of a parking space; and
- (I) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections:

(J) Schedule "C" Exception 57, of Scarborough By-law 9396.

(322) Exception RS 322

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the part of a main wall that contains an entrance to a parking space must be set back a minimum of 6.0 metres from the lot line that it faces:
- (C) the minimum building setback from a rear lot line is 5.0 metres
- (D) the minimum building setback from a side lot line is 1.0 metres
- (E) the maximum number of storeys is 2;
- (F) the maximum **lot coverage** is 50%;
- (G) the required parking space must be located in the residential building;
- (H) the minimum lot frontage for each dwelling unit is 7.5 metres; and
- (I) the minimum lot area for each dwelling unit is 290 square metres; and
- (J) these lands must also comply with exception 900.4.10(336).

Prevailing By-laws and Prevailing Sections: (None Apply)

(323) Exception RS 323

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum separation between the side main walls of two residential buildings is 1.8 metres;
- (B) the minimum separation between a side **main wall** and a rear **main wall** of two **residential buildings** is 8.3 metres;
- (C) the minimum separation between a side main wall and a front main wall of two residential buildings is 10.4 metres;
- (D) the minimum **building setback** from the west **lot line** is 12.0 metres;
- (E) the maximum number of **storeys** is 3;
- (F) these lands must also comply with exception 900.4.10(336).
- (G) parking spaces are two be provided at a minimum rate of 2.0 for each dwelling unit of which:
 - (i) a minimum of 2 surface parking spaces must be provided for detached houses where any

- portion of such **detached house** is situated within 15 metres of Scarborough Golf Club Road: and
- (ii) in all other cases 1 parking space must be within a building and accessed by a driveway having a minimum width of 6.0 metres; and the second parking space may be located on a driveway in tandem with the enclosed space; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 46, of Scarborough By-law 10010.

(324) Exception RS 324

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage:
 - (i) for a semi-detached house is 18.0 metres for the building and 9.0 metres for each welling unit
 - (ii) for a duplex building is 18.0 metres; and
- (B) The minimum building setback from a lot line abutting a street is 30.0 metres, measured from the original centre line of the street, if the lot line abuts Lawrence Avenue, Ellesmere Road and Kennedy Road; and
- (C) the minimum building setback from a side lot line is 2.4 metres; and
- (D) in addition to the uses permitted in this zone, a duplex building is also permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(325) Exception RS 325

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** is the **lawful lot frontage** that existed on the date of the enactment of this By-law; and
- (B) the minimum **lot area** is the **lawful** area of the **lot** as it existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a front lot line is:
 - (i) 5.7 for that portion of the main wall containing an entrance to a parking space; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum building setback from a side lot line is 1.2 metres; and
- (E) Attached garages may be erected not less than 300 mm from the side lot line, and provided there is an unobstructed doorway leading from the garage to the rear yard;
- (F) the maximum lot coverage is 45%;
- (G) in addition to the use permissions, a duplex building is permitted; and
- (H) a garage serving a **dwelling unit** in a **duplex building** must not contain more than one **parking space**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(326) Exception RS 326

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is the lawful lot frontage that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;

- (C) the minimum **building setback** from a **lot line** that abuts a **street** is 6.0 metres;
- (D) The minimum building setback from a lot line that does not abut a street is 1.2 metres;
- (E) the maximum lot coverage is 40%;
- (F) the required parking space must be located in the residential building;
- (G) the portion of the main building containing the parking space may be located a minimum of 0.3 metres form a side lot line.

(328) Exception RS 328

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Maximum two dwelling units per lot as shown on the Registered Plan.
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law; and
- (D) the minimum building setback from a side lot line is 2.4 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(329) Exception RS 329

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) if a lot contains a semi-detached house, the lot must have:
 - (i) a minimum **lot frontage** of 15.0 metres measured at a distance of 4.5 metres along the entire length of the **front lot line**; and
 - (ii) a minimum lot area of 435.0 square metres; and
- (B) if a lot contains a detached house, the lot must have:
 - (i) a minimum **lot frontage** of 9.0 metres measured at a distance of 4.5 metres along the entire length of the **front lot line**; and
 - (ii) a minimum lot area of 270.0 square metres;
- (C) the minimum building setback from a front lot line is:
 - (i) 6.0 metres to the portion of the **main wall** that contains a vehicular entrance to a **parking space** in the **building**; and
 - (ii) 4.5 metres in all other cases;
- (D) the minimum building setback from a side lot line is:
 - (i) for a semi-detached house is 1.2 metres; and
 - (ii) for a **detached house** is 0.6 metres on the side where the garage is located and 1.2 metres on the other side;
- (E) the minimum setback from a side lot line that abuts a street is 2.4 metres; The maximum building height is 10.0 metres;
- (F) the maximum gross floor area is:
 - (i) for a 235 square metres for a detached house; and
 - (ii) the lesser of 204 square metres and 0.8 times the area of the lot for a semi-detached house;
- (G) for the purpose of this exception, Lot frontage shall mean the horizontal distance between side lot lines or the projection of the side lot lines, measured along a straight line drawn perpendicular to a line joining the midpoints of the front and rear lot lines at a point equivalent to the minimum front yard setback applying to the lot; and
- (H) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(330) Exception RS 330

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) 22.0 metres, measured from the original centre line of the street is the minimum building setback from a lot line that abuts Bellamy Road, Danforth Road, Brimley Road, McCowan Road and Midland Avenue:
- (B) the minimum side yard setback is 2.4 metres;
- (C) the maximum lot coverage is 33%;
- (D) the maximum **building** height is 9.0 metres;
- (E) if the lot contains:
 - (i) a **detached house**, the minimum **lot frontage** is 9.0 metres and the minimum **lot area** is 306 square metres; and
 - (ii) a semi-detached house, the minimum lot frontage is 18.0 metres for the building and 9.0 metres for each lot containing a dwelling unit; and
- (F) if the lot contains
 - (i) a detached house the minimum lot area is 306 square metres; and
 - (ii) a semi-detached house, the minimum lot area is 613 square metres for the building and 306 square metres for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(331) Exception RS 331

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum building setback from a side lot line is
 - (i) 4.5 metres, if the side lot line abuts a street
 - (ii) 1.2 metres in all other cases;
- (D) The maximum lot coverage is 40%;
- (E) the maximum **building** height is 9.0 metres;
- (F) the required parking space must be located in the residential building;
- (G) the portion of the **building** containing the **parking space** may be setback a minimum of 0.3 metres from a **side lot line**; and
- (H) there must not be more than 2 dwelling units on a lot shown on the registered plan.

Prevailing By-laws and Prevailing Sections: (None Apply)

(332) Exception RS 332

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) if a lot contains a semi-detached house, the minimum lot frontage is 16.5 metres and the minimum lot area is 557 square metres;
- (B) if a lot contains a detached house, the minimum lot frontage is 8.0 metres and the minimum lot area is 278 square metres;
- (C) the minimum **building setback** from a **side lot line** is 1.2 metres;
- (D) the maximum building height is 9.0 metres
- (E) a **building** may not contain more that two **storeys**
- (F) the maximum lot coverage is 40%;

- (G) the minimum building setback from a front lot line is:
 - (i) 12.0 metres from the **street** line of Lawrence Avenue;
 - (ii) 9.0 metres from the street line of Manse Road, Homestead Road and Coronation Drive;
 - (iii) 6.0 metres from any other street line.
- (H) the minimum building setback from a side lot line that abuts a street is 4.5 metres;
- (I) the required parking space must be located in the residential building;
- (J) the portion of a **building** containing a **parking space** must be at least 0.3 metres from a **side lot** line;
- (K) below grade **structure** must be set back from a **lot line** the greater of:
 - (i) 3.0 metre; and
 - (ii) a distance equal to the distance between the elevation of the lowest floor of the **structure** and the average elevation of grade along the **front lot line**; and
- (L) these lands must also comply with exception 900.4.10(336).

(333) Exception RS 333

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from the **side lot line** that abuts a **street** is 4.5 metres;
- (B) the maximum **building** height is 9.0 metres;
- (C) if the **lot** contains a **semi-detached house** the following regulations apply:
 - (i) the minimum lot frontage is 18.0 metres;
 - (ii) the minimum lot area is 613 square metres; and
 - (iii) minimum building setback from a side lot line that does not abut a street is 2.4 metres;
 - (iv) the minimum building setback from the easterly most lot line is 0.75 metres
- (D) if the lot contains a detached house the following regulations apply:
 - (i) the minimum lot frontage is 13.0 metres;
 - (ii) the minimum lot area is 464 square metres; and
 - (iii) minimum building setback from a side lot line that does not abut a street is 1.2 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(334) Exception RS 334

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **building setback** from a **front lot line** is 6.0 metres;
- (B) the minimum building setback from a side lot line is:
 - (i) 5.7 metres if the **side lot line** abuts a **street**; and
 - (ii) 2.4 metres in all other cases;
- (C) the portion of a building containing a parking space may be located a minimum of 0.3 metres from a side lot line.
- (D) If the lot contains a semi-detached house:
 - (i) the minimum **lot frontage** is 18.0 metres per **semi-detached house** and 9.0 metres for each **dwelling unit**;
 - (ii) the minimum lot area is 610 square metres per semi-detached house and 305 square metres for each dwelling unit; and
- (E) If the **lot** contains a **detached house**:

- (i) the minimum lot frontage is 9.0 metres; and
- (ii) the minimum lot area is 305 square metres;
- (F) the maximum **building** height is 9.0 metres;
- (G) the maximum number of storeys is 2; and
- (H) these lands must also comply with exception 900.4.10(336).

(336) Exception RS 336

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Site Specific Provisions:

- (A) the maximum floor space index for a lot containing a dwelling unit in a permitted building type is:
 - (i) the lesser of 0.6 and 204 square metres, if the lot area is less than 408 square metres;
 - (ii) the lesser of 0.5 and 279 square metres, if the lot area is 408 square metres to 697 square metres; and
 - (iii) 0.4 if the lot area is more than 697 square metres.

(337) Exception RS 337

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is 18.0 metres per semi-detached house and 9.0 metres for each dwelling unit;
- (B) the minimum lot area is 613 square metres per semi-detached house and 305 square metres for each dwelling unit;
- (B) The minimum setback from a front lot line is 16.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a side lot line is:
 - (i) 5.7 metres if it abuts a street; and
 - (ii) 2.4 metres in all other cases.

(338) Exception RS 338

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Maximum two **dwelling units** per **lot** as shown on the Registered Plan.
- (B) The minimum setback from a **front lot line** is 16.0 metres, measured from the original centreline of the **street**:
- (C) the minimum setback from a side lot line is:
 - (i) 4.5 metres if it abuts a street; and
 - (ii) 2.4 metres in all other cases.

Prevailing By-laws and Prevailing Sections: (None)

(339) Exception RS 339

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

900.5 RT - Zone

900.5.1 General

(1) RT Zone Exceptions

The regulations located in Article 900.5.10 apply only to the exceptions subject to the RT zone and identified with the corresponding exception number.

900.5.10 Exceptions for RT Zone

(1) Exception RT 1

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 3577 and 3641.

(2) Exception RT 2

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 3977 and 3756 prevail.

(3) Exception RT 3

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-79.

(4) Exception RT 4

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1978-154.

(5) Exception RT 5

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-76.

(6) Exception RT 6

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 319-2004.

(7) Exception RT 7

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1995-43.

(8) Exception RT 8

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-188 and 1989-78.

(9) Exception RT 9

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 532-1999.

(10) Exception RT 10

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-207.

(11) Exception RT 11

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1978-185 and 1978-305.

(13) Exception RT 13

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 707-2005.

(14) Exception RT 14

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 2001-976.

(15) Exception RT 15

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-58.

(16) Exception RT 16

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) A townhouse is the only residential building type permitted.
- (B) The maximum lot coverage is 25%.
- (C) The maximum density is 37 dwelling units per hectare.
- (D) The minimum rear yard setback is half the height of the building or 7.5 metres whichever is greater.
- (E) The minimum side yard setback is half the height of the building or 7.5 metres whichever is greater.

Prevailing By-laws and Prevailing Sections: (None Apply)

(17) Exception RT 17

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1979-41 and 1986-79 prevail.

(18) Exception RT 18

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 2857.

(19) Exception RT 19

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 83-2000.

(20) Exception RT 20

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 551-2005.

(21) Exception RT 21

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1994-12.

(22) Exception RT 22

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 966-2003.

(23) Exception RT 23

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) The lands subject to this exception must comply with City of Toronto by-law 1103-2001.

(24) Exception RT 24

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-59.

(25) Exception RT 25

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14230.

(26) Exception RT 26

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 13837.

(27) Exception RT 27

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-44.

(28) Exception RT 28

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1992-169.

(29) Exception RT 29

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-laws 910-2000, and 406-2001.

(30) Exception RT 30

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 542-2005.

(31) Exception RT 31

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-13.

(32) Exception RT 32

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-161.

(33) Exception RT 33

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 1101-2001.

(34) Exception RT 34

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 284-2003.

(35) Exception RT 35

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14869.

(36) Exception RT 36

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 92-2002.

(37) Exception RT 37

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 3837.

(38) Exception RT 38

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum front yard setback and rear yard setback is that which existed on the date of the enactment of this By-law;
- (B) a side yard setback may be less than 1.2 metres if there are maintenance easements of 1.2 metres in width in the abutting side yards between adjacent buildings;
- (C) no fence is permitted within any side yard of less than 1.2 metres and no fence is permitted to obstruct any maintenance easement;
- (D) the maximum building height is 3 storeys; and
- (E) a private garage or any other **ancillary building** must be set back a minimum of 4.5 metres from any **side yard** or **rear yard lot line** or a **street** line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(39) Exception RT 39

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) The lands subject to this exception must comply with City of Toronto by-laws 227-1999, 739-1999, 876-1999 and 228-2000.

(40) Exception RT 40

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 1096-2006.

(41) Exception RT 41

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 342 and 346 Park Lawn Road, former City of Etobicoke by-law 1995-212.

(42) Exception RT 42

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 183-2002.

(43) Exception RT 43

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 885-2001.

(44) Exception RT 44

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1994-196.

(45) Exception RT 45

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 733-2003.

(46) Exception RT 46

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) The lands subject to this exception must comply with City of Toronto by-law 1001-2004.

(47) Exception RT 47

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 569-2006.

(48) Exception RT 48

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 2565.

(51) Exception RT 51

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1981-170.

(52) Exception RT 52

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 456-2000.

(53) Exception RT 53

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 1112-2001.

(54) Exception RT 54

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-laws 643-2007 (OMB) and 1126-2007 (OMB).

(55) Exception RT 55

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 453-2004.

(56) Exception RT 56

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1995-56.

(57) Exception RT 57

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 328-1998.

(58) Exception RT 58

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1986-1.

(59) Exception RT 59

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Building Requirements

- (i) the maximum number of dwelling units permitted is 84;
- (ii) the maximum building height of a building is 3 storeys;
- (iii) the minimum front yard setback is 3.6 m;
- (v) the minimum rear yard setback is 7.6 m;
- (vi) the minimum ${f side}$ yard ${f setback}$, including a ${f corner}$ lot, is 0.9 m;
- (vii) steps at the rear of each **building** are permitted provided they are used for access from the **basement** of each **dwelling unit** to grade;
- (viii) for the purpose of calculating the maximum **gross floor area** permitted in a **dwelling unit**, the ground floor area of **dwelling units** without **basements** shall not be included in the calculation of the maximum permitted **gross floor area**;

(B) Parking Requirements

(i) 1 parking space must be provided in each dwelling unit and the parking space must be located between the front of each dwelling unit and the edge of the sidewalk or curb.

(C) Ancillary Buildings

(i) ancillary buildings, underground parking garages and swimming pools are not permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(60) Exception RT 60

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 2748.

(62) Exception RT 62

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 280-2000.

(63) Exception RT 63

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-142.

(64) Exception RT 64

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 3410, 3879 and 3907.

(65) Exception RT 65

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1982-156.

(66) Exception RT 66

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1656.

(67) Exception RT 67

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 740-2003.

(68) Exception RT 68

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1985-136.

(69) Exception RT 69

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-156.

(70) Exception RT 70

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 699-2001.

(71) Exception RT 71

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1997-57.

(72) Exception RT 72

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 714-2003.

(73) Exception RT 73

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-195.

(74) Exception RT 74

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 409-2001.

(75) Exception RT 75

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(5) of the City of North York Zoning By-law 7625.

(76) Exception RT 76

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25629.

(78) Exception RT 78

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(2) of the City of North York Zoning By-law 7625

(81) Exception RT 81

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) despite any division of these lands into two or more parcels, these regulations shall apply to the lands in their entirety:
- (B) a maximum of 2 detached houses and 11 townhouse dwelling units is permitted;
- (C) the maximum **building** height is the lesser of 3 **storeys** or 12.5 metres;
- (D) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (E) each required parking space must be located in the residential building; and
- (F) the maximum lot coverage is 50%; and
- (G) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(82) Exception RT 82

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(16) of the City of North York Zoning By-law 7625

(83) Exception RT 83

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 126-2002.

(84) Exception RT 84

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(18) of the City of North York Zoning By-law 7625

(85) Exception RT 85

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25970.

(86) Exception RT 86

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25972.

(87) Exception RT 87

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25971.

(88) Exception RT 88

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) a maximum of one dwelling unit per lot on a registered plan;
- (D) the minimum setback from a front line is 3.0 metres;
- (E) the required parking space must be located in the residential building;
- (F) the part of **main wall** of the **building** containing the access to the required **parking space** must be set back a minimum of 6.0 metres from a **front lot line**; and
- (G) the maximum lot coverage is 40%; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(91) Exception RT 91

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 22076.

(92) Exception RT 92

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum height of all **buildings** and **structures** is the lesser of 3 **storeys** or 12.5 metres.
- (D) the minimum setback from a **side lot line** is that which existed on the day of the enactment of this By-law; and

- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the maximum lot coverage is 46%.
- (G) the maximum number of dwelling units per block shown on the registered plan is:

Block 48 - 8 dwelling units

Block 49 - 6 dwelling units

Block 50 - 8 dwelling units

Block 51 - 8 dwelling units

Block 52 - 6 dwelling units

Block 53 - 6 dwelling units

Block 54 - 8 dwelling units

Block 55 - 6 dwelling units

Block 56 - 6 dwelling units

Prevailing By-laws and Prevailing Sections: (None Apply)

(95) Exception RT 95

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 19970.

(97) Exception RT 97

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is 3.0 metres;
- (E) the minimum setback from a side lot line is 1.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in a building;
- (H) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(98) Exception RT 98

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) on **corner lots** the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(99) Exception RT 99

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) there shall be a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (E) the minimum setback from a side lot line is 1.5 metres;
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the **side lot line** abuts Sheppard Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (G) the minimum setback from a lot line other than lot lines that abut a street is as follows:
 - (i) a minimum of 12 metres from the northerly lot line;
 - (ii) a minimum of 4.5 metres from the southerly lot line; and
 - (ii) a minimum of 7.5 metres from lines other than as in (i) or ii);
- (H) the maximum lot coverage is 50%; and
- (I) the required parking space must be located in the residential building.

(100) Exception RT 100

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.
- (H) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(101) Exception RT 101

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Sheppard Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (D) the maximum lot coverage is 50%; and

(E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(102) Exception RT 102

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(103) Exception RT 103

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (D) the maximum lot coverage is 50%; and
- (E) the minimum setback from a **lot line** that abuts Neilson Road, Finch Avenue, Tapscott Road or the railway right-of-way is 7.5 metres;
- (F) the required parking space must be located in the residential building
- (G) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(104) Exception RT 104

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of 16 dwelling units per block on a registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a lot line that a railway right-of-way is 30.0 metres;
- (F) an attached or detached garage must be set back a minimum of 1.0 metres from a side lot line on one side only;
- (G) the maximum lot coverage is 50%; and
- (H) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards;
- (I) the maximum height of a **building** is the lesser of 12.0 metres or 3 **storeys**;
- (J) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(105) Exception RT 105

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of 24 dwelling units per block on a registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a **lot line** that a railway right-of-way is 30.0 metres;
- (F) an attached or detached garage must be set back a minimum of 1.0 metres from a side lot line on one side only;
- (G) the maximum lot coverage is 50%; and
- (H) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards;
- (I) the maximum height of a building is the lesser of 12.0 metres or 3 storeys;
- (J) the required parking space must be located in a building; and
- (K) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(106) Exception RT 106

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a **rear lot line** is 6.0 metres;
- (F) an attached or detached garage must be set back a minimum of 1.0 metres from a **side lot line** on one side only;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 3.0 metres from a lot line that abuts a street.
- (H) the maximum lot coverage is 50%; and
- (I) the maximum height of a **building** is the lesser of 12.0 metres or 3 **storeys**;
- (J) the required parking space must be located in a building;
- (K) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards;

Prevailing By-laws and Prevailing Sections: (None Apply)

(107) Exception RT 107

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) there shall be a maximum of 26 dwelling units per block on a registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from McLevin Avenue is 2.0 metres;
- (F) an attached or detached garage must be set back a minimum of 1.0 metres from a side lot line on one side only;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 3.0 metres from a lot line that abuts a street.
- (H) the maximum lot coverage is 50%; and
- (I) the maximum height of a **building** is the lesser of 12.0 metres or 3 **storeys**;

- (J) the required **parking space** must be located in a **building**;
- (K) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards;

(108) Exception RT 108

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of 19 dwelling units per block on a registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law:
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from McLevin Avenue is 2.0 metres;
- (F) an attached or detached garage must be set back a minimum of 1.0 metres from a **side lot line** on one side only;
- (G) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 3.0 metres from a **lot line** that abuts a **street**;
- (H) the maximum lot coverage is 50%; and
- (I) the maximum height of a **building** is the lesser of 12.0 metres or 3 **storeys**;
- (J) the required parking space must be located in a building; and
- (K) cantilevered bay windows may project a maximum distance of 0.6 metres into all yards.

Prevailing By-laws and Prevailing Sections: (None Apply)

(109) Exception RT 109

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters;
- (F) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (G) for a **corner lot** the minimum **lot frontage** is 10.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(110) Exception RT 110

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters; and
- (F) the minimum setback from a lot line that abuts Berner Trail, Greenspire Road, or Malvern Street is 7.5 metres;
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(111) Exception RT 111

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters; and
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(112) Exception RT 112

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters; and
- (F) the minimum setback from a lot line that abuts Neilson Road, Sheppard Avenue, or Milner Avenue is 7.5 metres;
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in the residential building;

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 33, of Scarborough By-law 14402.

(113) Exception RT 113

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters; and
- (F) the minimum setback from a **lot line** that abuts Berner Trail, Mammoths Hall Trail, or Malvern Street is 7.5 metres;
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(114) Exception RT 114

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) there shall be a maximum of one dwelling unit per 150 square metres of lot area;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from the easterly most lot line is 1.8 metres
- (E) the minimum setback from a **lot line** that abuts Sheppard Avenue is 8.5 metres;
- (F) projecting from a main wall an unenclosed deck may encroach a maximum of 2.5 metres into a required rear yard;
- (G) a bay window may encroach a maximum of 0.4 metres into a required yard setback;
- (H) the maximum height of a **building** is the lesser of 10.0 metres or 3 **storeys**;
- (I) the maximum lot coverage is 45%; and
- (J) the required parking space must be located in a building;

(115) Exception RT 115

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 0.45 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.0 meters;
- (C) the maximum lot coverage is 50%; and
- (D) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(118) Exception RT 118

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (D) the minimum setback from a rear lot line is 10.0 metres;
- (E) the maximum lot coverage is 50%; and
- (F) the required **parking space** must be located in a **building**;

Prevailing By-laws and Prevailing Sections: (None Apply)

(119) Exception RT 119

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 meters; and
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(120) Exception RT 120

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) for a corner lot the minimum lot frontage is 10.5 metres;

- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 meters;
- (D) an attached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street;
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in the residential building.

(121) Exception RT 121

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum **lot frontage** is that which existed on the day of the enactment of this By-law;
- (C) the minimum **lot area** is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.0 metres;
- (E) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (F) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**.
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(122) Exception RT 122

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25233.

(123) Exception RT 123

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Sheppard Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(124) Exception RT 124

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25637.

(125) Exception RT 125

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) maximum of one dwelling unit per lot as shown on a Registered Plan;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the maximum **lot coverage** is 50%;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(126) Exception RT 126

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) maximum of one **dwelling unit** per **lot** as shown on a Registered Plan;
- (B) on a **corner lot** the minimum **lot frontage** is 10.5 metres;
- (C) the minimum setback from a side lot line is 1.5 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the maximum lot coverage is 50%;
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(127) Exception RT 127

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) maximum of one dwelling unit per lot as shown on a Registered Plan;
- (D) the minimum setback from a front lot line that abuts a street is:
 - (i) 6.0 metres where the rear lot line also abuts a street; and
 - (ii) 5.1 metres in all other cases; and
- (E) the maximum **lot coverage** is 50%;
- (F) the minimum setback from a side lot line is 1.5 metres;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(128) Exception RT 128

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;

- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) maximum of one dwelling unit per lot as shown on a Registered Plan;
- (D) the maximum lot coverage is 50%;
- (E) the minimum setback from a **side lot line** is 1.5 metres;
- (F) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (G) the minimum setback from a side lot line is:
 - (i) 18.0 metres where the lot line abuts Steeles Avenue, Warden Avenue or Kennedy Road; and
 - (ii) 12.0 metres where the lot line abuts Pharmacy Avenue or Birchmount Road; and
- (H) the required parking space must be located in the residential building.

(129) Exception RT 129

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) maximum of one **dwelling unit** per **lot** as shown on a Registered Plan;
- (D) the maximum lot coverage is 50%;
- (E) the minimum setback from a side lot line is 1.5 metres;
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(130) Exception RT 130

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 50%;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the minimum setback from a lot line that abuts Steeles Avenue, Warden Avenue or Kennedy Road is 7.5 metres;
- (D) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(131) Exception RT 131

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 24382.

(132) Exception RT 132

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 374-2001.

(133) Exception RT 133

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) there shall be a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a front lot line is:
 - (i) 18.0 metres where the front lot line abuts Sheppard Avenue, morning side Avenue or Neilson Road;
 - (ii) 12.0 metres where the front lot line abuts Milner Avenue or Breckon Gate; and
 - (iii) 7.5 metres where the front lot line abuts Murison Boulevard; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Sheppard Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (G) the maximum lot coverage is 50%; and
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(134) Exception RT 134

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) maximum of one **dwelling unit** per **lot** as shown on a Registered Plan;
- (B) the minimum setback from a side lot line is 1.2 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) an attached garage must be set back a minimum of 0.3 metres from a **side lot line** that does not abut a **street**;
- (E) the maximum lot coverage is 40%; and
- (F) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(135) Exception RT 135

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **corner lot** the minimum **lot frontage** is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.5 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (D) the minimum setback from a lot line that abuts Generation Boulevard is 7.5 metres;
- (E) the maximum lot coverage is 55%;
- (F) the maximum height of the **building** is the lesser of 2 **storeys** and 9.0 metres;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(136) Exception RT 136

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) for a **corner lot** the minimum **lot frontage** is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.5 metres; and
- (C) the minimum setback from a side lot line that abuts a street is 4.5 metres;

- (D) the maximum lot coverage is 40%;
- (E) the required parking space must be located in the residential building.

(137) Exception RT 137

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 1.5 metres;
- (B) the minimum setback from a side lot line is 1.5 metres; and
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of:
 - (i) 3.0 metres from a lot line that abuts a street, where a municipal sidewalk is provided for within the adjoining public boulevard;
 - (ii) 4.5 metres from a lot line that abuts a street, where a municipal sidewalk is not provided for within the adjoining public boulevard; and
- (D) in no case shall the main wall containing the vehicle access be more than 1.5 metres behind any other portion of the front main wall;
- (E) the maximum lot coverage is 90%;
- (F) the maximum height of the **building** is the lesser of 3 **storeys** and 14.5 metres;
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(138) Exception RT 138

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 1.5 metres;
- (B) the minimum setback from a side lot line is 1.5 metres; and
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of
 - (i) 3.0 metres from a lot line that abuts a street, where a municipal sidewalk is provided for within the adjoining public boulevard;
 - (ii) 4.5 metres from a lot line that abuts a street, where a municipal sidewalk is not provided for within the adjoining public boulevard; and
- (D) the minimum setback from a rear lot line is 7.25 metres;
- (E) the maximum lot coverage is 60%;
- (F) the maximum height of the **building** is the lesser of 3 **storeys** and 14.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(139) Exception RT 139

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.5 metres; and
- (C) there is no minimum setback from a rear lot line:
- (D) where the **vehicle** entrance to a garage also faces the a **front lot line** or **rear lot line**, the entrance must be set back a minimum of 6.0 metres from that **lot line** that it faces;
- (E) the maximum lot coverage is 65%;
- (F) the maximum height of the **building** is the lesser of 4 **storeys** and 14.5 metres;

(G) for the purpose of this exception, the **front lot line** is the **lot line** that separates a **lot** from Sheppard Avenue, East Metro Avenue or Rouge Drive.

Prevailing By-laws and Prevailing Sections: (None Apply)

(140) Exception RT 140

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.5 metres; and
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of
 - (i) 3.0 metres from a lot line that abuts a street, where a municipal sidewalk is provided for within the adjoining public boulevard;
 - (ii) 4.5 metres from a lot line that abuts a street, where a municipal sidewalk is not provided for within the adjoining public boulevard; and
- (D) the maximum lot coverage is 85%;
- (E) the maximum height of the **building** is the lesser of 3 **storeys** and 14.5 metres;
- (F) the required parking space must be located in the residential building; and
- (G) for the purpose of this exception the lot line abutting the 0.3 metre reserve along Rouge River Drive is the front lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(141) Exception RT 141

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (B) the minimum setback from a side lot line is 1.5 metres; and
- (C) there is no minimum setback from a rear lot line;
- (D) where the **vehicle** entrance to a garage also faces the a **front lot line** or **rear lot line**, the entrance must be set back a minimum of 6.0 metres from that **lot line** that it faces;
- (E) the maximum lot coverage is 75%;
- (F) the maximum height of the **building** is the lesser of 4 **storeys** and 14.5 metres;
- (G) for the purpose of this exception, the front lot line is the north lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(142) Exception RT 142

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) where the **vehicle** entrance to a garage also faces the a **front lot line**, the entrance must be set back a minimum of 6.0 metres from that **lot line**;
- (C) the minimum setback from a side lot line is 1.5 metres;
- (D) the minimum setback from a rear lot line is 7.25 metres;
- (E) the maximum lot coverage is 55%; and
- (F) the maximum height of the **building** is the lesser of 3 **storeys** and 14.5 metres

Prevailing By-laws and Prevailing Sections: (None Apply)

(143) Exception RT 143

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the minimum setback from a **lot line** that abuts a **street** is 1.5 metres;
- (D) the minimum setback from a rear lot line is 7.25 metres;
- (E) where the **vehicle** entrance to a garage also faces the a **front lot line**, the entrance must be set back a minimum of 5.7 metres from that **lot line**;
- (F) the maximum lot coverage is 60%;
- (G) the maximum height of the **building** is the lesser of 3 storeys and 14.5 metres; and
- (H) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(144) Exception RT 144

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions

- (A) a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the maximum height of the a **building** is the lesser of 3 **storeys** or 10.0 metres;
- (E) the maximum net floor area of the highest floor is 33 square metres;
- (F) the minimum setback from a **lot** in an industrial zone category is 7.5 metres;
- (G) the required parking space must be located in a building; and
- (H) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 26, of Scarborough By-law 12077

(145) Exception RT 145

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the required parking space must be located in a building;
- (E) the maximum height of the a **building** is the lesser of 3 **storeys** or 9.5 metres; and
- (F) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(146) Exception RT 146

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a **side lot line** is 0.9 metres on one side and 0.3 metres on the other side and nothing shall encroach into that setback area;
- (E) the minimum setback from a front lot line is 4.5 metres

- (F) the maximum height of the a **building** is the lesser of 3 **storeys** or 9.5 metres;
- (G) the maximum lot coverage is 50%;
- (H) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (I) the required parking space must be located in the residential building.

(149) Exception RT 149

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 2.5 metres;
- (B) where the vehicle entrance to a garage also faces the street, the entrance must be set back from a lot line that abuts a street a minimum of:
 - (i) 3.0 metres where the boulevard contains a sidewalk; and
 - (ii) 4.5 metres where the boulevard does not contain a sidewalk; and
- (C) the **vehicle** entrance to a garage must not be more than 1.5 metres further from the **street** than the front **main wall** not containing the **vehicle** entrance;
- (D) the maximum lot coverage is 65%;
- (E) the maximum height of a building is the lesser of 3 storeys and 13.0 metres
- (F) the maximum **lot coverage** and maximum number of **dwelling units** shall apply collectively to this land despite any further land division; and

Prevailing By-laws and Prevailing Sections:

- (A) Schedule "C" Exception 3, of City of Toronto By-law 2005-950, (Scarborough Warden Woods Community By-law); and
- (B) Schedule "C" Exception 6(a), of City of Toronto By-law 2005-950, (Scarborough Warden Woods Community By-law).

(150) Exception RT 150

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 1.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a lot line that abuts a Block on the registered plan containing a walkway is 0.5 metres;
- (D) only a chimney or roof may encroach into the required yard setback in (C) to a maximum distance of 0.4 metres:
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back from a lot line that abuts a street a minimum of:
 - (i) 3.0 metres where the boulevard contains a sidewalk; and
 - (ii) 4.5 metres where the boulevard does not contain a sidewalk; and
- (F) the **vehicle** entrance to a garage must not be more than 1.5 metres further from the **street** than the front **main wall** not containing the **vehicle** entrance;
- (G) the maximum height of a **building** is the lesser of 3 **storeys** and 13.0 metres
- (H) the maximum lot coverage is 95%;
- (I) the required parking space must be located in the residential building; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 3, of City of Toronto By-law 2005-950, (Scarbourgh Warden Woods Community By-law)

(151) Exception RT 151

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 1.5 metres;
- (B) the minimum setback from a **side lot line** is 1.2 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back from a lot line that abuts a street a minimum of:
 - (i) 3.0 metres where the boulevard contains a sidewalk; and
 - (ii) 4.5 metres where the boulevard does not contain a sidewalk; and
- (D) the vehicle entrance to a garage must not be more than 1.5 metres further from the street than the front main wall not containing the vehicle entrance;
- (E) the minimum setback from a rear lot line is 7.25 metres;
- (F) the maximum height of a **building** is the lesser of 3 **storeys** and 13.0 metres
- (G) the maximum lot coverage is 65%;
- (H) the required parking space must be located in the residential building; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 3, of City of Toronto By-law 2005-950, (Scarbourgh Warden Woods Community By-law)

(152) Exception RT 152

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 1.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back from a lot line that abuts a street a minimum of:
 - (i) 3.0 metres where the boulevard contains a sidewalk; and
 - (ii) 4.5 metres where the boulevard does not contain a sidewalk; and
- (D) the **vehicle** entrance to a garage must not be more than 1.5 metres further from the **street** than the front **main wall** not containing the **vehicle** entrance;
- (E) the maximum height of a **building** is the lesser of 3 **storeys** and 13.0 metres;
- (F) the maximum lot coverage is 65%;
- (G) the required $\boldsymbol{parking\ space}$ must be located in the $\boldsymbol{residential\ building};$ and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 3, of City of Toronto By-law 2005-950, (Scarbourgh Warden Woods Community By-law)

(154) Exception RT 154

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 2.5 metres;
- (B) where the vehicle entrance to a garage also faces the street, the entrance must be set back from a lot line that abuts a street a minimum of:
 - (i) 3.0 metres where the boulevard contains a sidewalk; and
 - (ii) 4.5 metres where the boulevard does not contain a sidewalk; and
- (C) the minimum setback from a side lot line is 1.2 metres;

- (D) the minimum setback from a rear lot line is 7.25 metres;
- (E) the maximum lot coverage is 65%;
- (F) the maximum height of a **building** is the lesser of 3 **storeys** and 13.0 metres;
- (G) the required parking space must be located in the residential building.
- (H) where the lot contains a Townhouse the following regulations shall apply:
 - (i) the minimum lot frontage for each dwelling unit is 4.7 metres; and
 - (ii) the minimum lot area for each dwelling unit is 100 square metres; and
- (I) where the **lot** contains a **Semi-detached House** the following regulations shall apply:
 - (i) the minimum lot frontage for the semi-detach house is 14.0 metres and for each dwelling unit is 7.0 metres; and
 - (ii) the minimum lot area for the semi-detach house is 310 square metres and for each dwelling unit is 155 square metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 3, of City of Toronto By-law 2005-950, (Scarbourgh Warden Woods Community By-law)

(155) Exception RT 155

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of units shall apply to each block on the registered plan;
- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (D) the minimum setback from a side lot line is 1.2 metres; and
- (E) the maximum height of a **building** is the lesser of 14.5 metres and 3 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(156) Exception RT 156

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of units shall apply to each block on the registered plan;
- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the maximum height of a building is the lesser of 14.5 metres and 3 storeys; and
- (F) the minimum setback from a lot line that abuts a rail right-of-way is:
 - (i) 15.0 metres from the CPR Havelock rail line; and
 - (ii) 30.0 metres from all others.

Prevailing By-laws and Prevailing Sections: (None Apply)

(158) Exception RT 158

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**;

- (C) the minimum setback from a **lot line** that abuts a rail right-of-way is:
 - (i) 15.0 metres from the CPR Havelock rail line; and
 - (ii) 30.0 metres from all others.
- (D) A lot containing a townhouse must comply with the following:
 - (i) the maximum number of units shall apply to each block on the registered plan;
 - (ii) the minimum setback from a side lot line is 1.2 metres; and
 - (iii) the maximum height of a **building** is the lesser of 14.5 metres and 3 **storeys**.
- (E) A **lot** containing a **semi-detached house** must comply with the following:
 - (i) a maximum of one dwelling unit in a semi-detached house per lot shown on the registered plan;
 - (ii) the minimum setback from a side lot line is 1.2 metres;
 - (iii) where the common wall of the semi-detach house does not exist above grade the minimum separation between the walls is 1.2 metres; and
 - (iv) the maximum height of a building is 12.5 metres.
- (F) A lot containing a detached house must comply with the following:
 - (i) a maximum of one **detached house** per **lot** shown on the registered plan;
 - (ii) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side; and
 - (iii) the maximum height of a building is 12.5 metres.

(159) Exception RT 159

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A parking space must be located only in the rear yard;
- (B) a garage must be a minimum of 6.0 metres from the main walls of the residential building; and
- (C) the maximum height of a **building** is 12.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(160) Exception RT 160

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is 0.6 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 2.0 metres;
- (D) the minimum setback from a side lot line that abuts a lane is 1.2 metres;
- (E) a garage must be set back a minimum of 0.5 metres from a lot line that abuts a lane;
- (F) a garage must be a minimum of 6.0 metres from the main walls of the residential building; and
- (G) the maximum height of a building is 12.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(161) Exception RT 161

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 847-2006.

(B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(162) Exception RT 162

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 25857 and 26319.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(163) Exception RT 163

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 64.16(7) of the former City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(164) Exception RT 164

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 185-2003.

(165) Exception RT 165

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 1146-2004 (OMB).

(166) Exception RT 166

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 1207-2009; and
- (B) On 115 Torbarrie Road, Section 64.14-A(13) of the former City of North York Zoning By-law 7625

(168) Exception RT 168

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 678-1999.

(172) Exception RT 172

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 625-2000.

(173) Exception RT 173

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is 6.5 metres per dwelling unit;
- (B) the minimum lot area is 335 square metres per dwelling unit;
- (C) the minimum setback from a front lot line is:
 - (i) 3.0 metres if it abut St. Clair Avenue; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a **side lot line** is 0.9 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 3.0 metres;
- (F) the maximum lot coverage is 55%;
- (G) the maximum building height is the lesser of 9.0 metres and 2 storeys; and
- (H) the only permitted **building** type is a **Townhouse**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(175) Exception RT 175

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 27427.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(176) Exception RT 176

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(13) of the City of North York Zoning By-law 7625.

(177) Exception RT 177

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(14) of the City of North York Zoning By-law 7625.

(178) Exception RT 178

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 4.3 metres;
- (D) a minimum of 2 parking spaces must be provided for each dwelling unit;
- (E) the required **parking spaces** for each **dwelling unit** must be located:
 - (i) in the residential building; and
 - (ii) on the driveway in tandem with the parking space in the residential building; and
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts a street;

- (G) the maximum **building** height is the lesser of 12.5 metres and 3 **storeys**;
- (H) the maximum lot coverage is 55%; and
- (I) if the **lot** contains a **townhouse building** the following shall also apply:
 - (i) the minimum setback from a side lot line is 1.5 metres; and
- (J) if the lot contains a detached house the following shall also apply:
 - (i) the minimum setback from a side lot line is 1.2 metres on one side and 0.6 metres on the other side:
- (K) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 40 of Scarborough By-law 10827.

(179) Exception RT 179

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (B) the minimum setback from a lot line that abuts a street is 2.0 metres;
- (C) the minimum setback from a side lot line is 1.5 metres;
- (D) the minimum setback from a shared (common element) **driveway** is 2.0 metres;
- (E) a minimum of 2 parking spaces must be provided for each dwelling unit;
- (F) the required parking spaces for each dwelling unit must be located:
 - (i) in the residential building; and
 - (ii) on the driveway in tandem with the parking space in the residential building; and
- (G) access to a required parking space shall only be from a shared (common element) driveway;
- (H) the maximum **building** height is the lesser of 12.5 metres and 3 **storeys**;
- (I) the maximum lot coverage is 75%;
- (J) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 40 of Scarborough By-law 10827.

(180) Exception RT 180

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the maximum **building** height is 10.0 metres;
- (D) the required parking space must be located in a building;
- (E) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 28 of Scarborough By-law 10827.

(181) Exception RT 181

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;

- (C) the maximum **building** height is the lesser of 12.5 metres and 3 **storeys**;
- (D) the required parking space must be located in a building;
- (E) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 28 of Scarborough By-law 10827.

(184) Exception RT 184

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31826.

(187) Exception RT 187

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands, Section 64.16(8) of the City of North York Zoning By-law 7625

(192) Exception RT 192

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 27876.

(193) Exception RT 193

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 26483, 27416, and 27456.

(194) Exception RT 194

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31563.

(195) Exception RT 195

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25741.

(196) Exception RT 196

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 27217.

(197) Exception RT 197

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 317-2007.

(198) Exception RT 198

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum setback from a rear lot line is 7.0 metres;
- (E) the maximum lot coverage is 50%;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(199) Exception RT 199

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **lot frontage** for a **corner lot** is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.4 metres;
- (C) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (D) the maximum lot coverage is 50%; and
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(200) Exception RT 200

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) 7.5 metre if front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) for the odd numbered **lots** municipally known as 55 to 95 Treetops Court the minimum **building setback** from the **front lot line** is 4.5 metres, but the portion of the **main wall** containing an entrance to a **parking space** must be set back a minimum of 6.0 metres; and
 - (iii) 6.0 metres in all other cases;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (D) the maximum lot coverage is 50%; and

- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.5.10(352).

(201) Exception RT 201

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a **side lot line** is 1.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(202) Exception RT 202

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the side lot line abuts Middlefield Road or McNicoll Avenue; and
 - (ii) 3.0 metres in all other cases; and
- (E) the maximum lot coverage is 50%; and
- (F) the required parking space must be located in the residential building; and
- (G) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(203) Exception RT 203

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **side lot line** is 1.5 metres;
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.5.10(352).

(204) Exception RT 204

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres where the front lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 6.0 metres in all other cases; and
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts Brimley Road or Midland Avenue; and
 - (ii) 4.5 metres in all other cases; and
- (F) the maximum lot coverage is 50%; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(205) Exception RT 205

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 904-2003.

(206) Exception RT 206

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(15) of the City of North York Zoning By-law 7625

(211) Exception RT 211

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 468-2005 (OMB).

(212) Exception RT 212

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 831-837A Millwood Road, Section 6.5.2, as amended, of the former Town of Leaside Zoning By-law 1916

(213) Exception RT 213

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections

(A) On 825-829A Millwood Road, Section 6.5.3, as amended, of the former Town of Leaside Zoning By-law 1916

(214) Exception RT 214

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 6.5.4, as amended, of the former Town of Leaside Zoning By-law 1916

(215) Exception RT 215

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 15 Overlea Boulevard, Section 6.6.4.2, as amended, of the former Town of Leaside Zoning Bylaw 1916

(216) Exception RT 216

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 619-2009 (OMB).

(217) Exception RT 217

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 237, 239 and 241 McRae Drive and 207 and 209 Randolph Road, Section 6.6.4.3, as amended, of the former Town of Leaside Zoning By-law 1916.

(218) Exception RT 218

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 930-952 Millwood Road, Section 6.11.2, as amended, of the former Town of Leaside Zoning By-law 1916

(219) Exception RT 219

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 172-1998.

(220) Exception RT 220

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 7.5.4.7, as amended, of the former Borough of East York By-law 6752.

(221) Exception RT 221

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2716 St Clair Avenue East, Section 7.5.4.16, as amended, of the former Borough of East York Zoning By-law 6752.

(222) Exception RT 222

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2813 St Clair Avenue East, Section 7.5.4.17, as amended, of the former Borough of East York Zoning By-law 6752

(223) Exception RT 223

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 80 Secord Avenue, Section 7.5.4.19, as amended, of the former Borough of East York Zoning By-law 6752

(224) Exception RT 224

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 67-93 Douglas Crescent, Section 7.5.4.22, as amended, of the former Borough of East York Zoning By-law 6752

(225) Exception RT 225

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 393 Main Street, Section 7.5.4.26, as amended, of the former Borough of East York Zoning Bylaw 6752

(226) Exception RT 226

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 141 Cedarvale Avenue, Section 7.5.4.27, as amended, of the former Borough of East York Zoning By-law 6752

(227) Exception RT 227

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 158-160 Dawes Road, Section 7.5.4.30, as amended, of the former Borough of East York Zoning By-law 6752

(228) Exception RT 228

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1590 O'Connor Drive, Section 7.5.4.35, as amended, of the former Borough of East York Zoning By-law 6752

(229) Exception RT 229

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 401 Dawes Road, Section 7.5.4.36, as amended, of the former Borough of East York Zoning By-law 6752

(230) Exception RT 230

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25630.

(231) Exception RT 231

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 157 Dawes Road, Section 7.7.5.23, as amended, of the former Borough of East York Zoning By-law 6752

(232) Exception RT 232

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 758-1998.

(233) Exception RT 233

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 74-84 Southill Drive, Section 64.16(3) of the City of North York Zoning By-law 7625

(234) Exception RT 234

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 39 and 45 Green Belt Drive, Sections 64.16(10), 64.16(17), 64.20-A(84), 64.20-A(85), and

64.37(19) of the former City of North York Zoning By-law 7625

(235) Exception RT 235

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 39 and 45 Green Belt Drive, Sections 64.16(10), 64.16(17), 64.20-A(84), 64.20-A(85), and 64.37(19) of the former City of North York Zoning By-law 7625

(236) Exception RT 236

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 187, 189, 190, 191, 193, 194 and 195 Rexleigh Drive, Sections 12.1.9 and 12.2, as amended, of the former Borough of East York Zoning By-law 6752

(237) Exception RT 237

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Finch Avenue; and
 - (ii) 36.0 metres, measured from the centreline of the original road allowance, where the **lot line** abuts Sheppard Avenue; and
 - (iii) where it abuts Kennedy Road the greater of:
 - (a) 7.5 metres from the lot line; or
 - (b) 36.0 metres, measured from the centreline of the original road allowance of Kennedy Road; and
 - (iii) 6.0 metres in all other cases; and
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the maximum lot coverage is 50%.
- (D) the required parking space must be located in the residential building; and
- (E) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(238) Exception RT 238

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of one **dwelling unit** per **lot** as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the minimum setback from a side lot line is 1.2 metres;
- (E) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(239) Exception RT 239

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is 1.0 metres;
- (B) the maximum lot coverage is 50%.
- (C) the required parking space must be located in the residential building.

(240) Exception RT 240

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 6.6.4.4, as amended, of the former Town of Leaside Zoning By-law 1916

(241) Exception RT 241

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1073 Broadview Avenue, Section 7.5.4.41, as amended, of the former Borough of East York Zoning By-law 6752.

(242) Exception RT 242

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 450 and 454 Dawes Road, Section 7.5.4.42, as amended, of the former Borough of East York Zoning By-law 6752

(243) Exception RT 243

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 900 Coxwell Avenue, Section 7.5.4.40, as amended, of the former Borough of East York Zoning By-law 6752

(244) Exception RT 244

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 7.5.4.31, as amended, of the former Borough of East York Zoning By-law 6752

(245) Exception RT 245

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 925-2006.

(246) Exception RT 246

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 253-2008.

(247) Exception RT 247

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 118-2004.

(248) Exception RT 248

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 128-2001.

(249) Exception RT 249

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 28516.

(250) Exception RT 250

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30767.

(251) Exception RT 251

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23585

(253) Exception RT 253

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1575 Weston Road Section 16(365) of the former City of York Zoning By-law 1-83.

(254) Exception RT 254

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 50 Church Street, Section 16(346) of the former City of York Zoning By-law 1-83

(255) Exception RT 255

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 26822.

(256) Exception RT 256

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 24471.

(257) Exception RT 257

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23482.

(258) Exception RT 258

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23393.

(259) Exception RT 259

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 618-2009 (OMB).

(260) Exception RT 260

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23467.

(261) Exception RT 261

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 27425.

(262) Exception RT 262

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;

- (C) the minimum setback from a front lot line that abuts Midland Avenue or Brimley Road is 26 metres, measured from the original centreline of the street;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) a garage my be located no closer then 0.3 metres to a **side lot line**;
- (F) the maximum lot coverage is 50%;
- (G) the minimum number of storeys is 2;
- (H) the maximum height of a **building** or **structure** is 8.5 metres;
- (I) the required parking space must be located in the residential building;
- (J) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (K) these lands must also comply with exception 900.5.10(352).

(263) Exception RT 263

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts Finch Avenue, Brimley Road or Midland Avenue;
 - (ii) 6.0 metres where the lot line abuts Alexmuir Boulevard, Cleadon Road or South Shields Avenue; and
 - (iii) 3.6 metres where the **lot line** abuts any other **street**;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the minimum setback from a side lot line that abuts a street is 1.8 metres;
- (F) the maximum lot coverage is 50%;
- (G) the minimum number of storeys is 2; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(264) Exception RT 264

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is:
 - (i) 7.5 metres where the **lot line** abuts Finch Avenue, Brimley Road or Midland Avenue;
 - (ii) 6.0 metres where the **lot line** abuts Alexmuir Boulevard, Cleadon Road or South Shields Avenue; and
 - (iii) 3.6 metres where the lot line abuts any other street;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 1.8 metres:
- (D) the maximum lot coverage is 50%;
- (E) the minimum number of storeys is 2;
- (F) the maximum height of a building or structure is 8.5 metres; and
- (G) these lands must also comply with exception 900.5.10(352).

(265) Exception RT 265

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the required parking space must be located in the residential building;
- (D) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**.
- (E) the maximum lot coverage is 50; and
- (F) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(266) Exception RT 266

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **corner lot** the minimum **lot frontage** is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the required **parking space** must be located in the **residential building**;
- (D) the maximum height of a **building** is the lesser of two **storeys** and 8.5 metres;
- (E) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (F) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(267) Exception RT 267

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a side lot line is 1.5 metres;
- (B) the maximum lot coverage is 50%;
- (C) the required parking space must be located in the residential building; and
- (D) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(268) Exception RT 268

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line that abuts Midland Avenue or Brimley Road is 26 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the required parking space must be located in the residential building;

- (D) a minimum of 2 parking spaces for each dwelling unit must be provided, with
 - (i) one parking space located in a building; and
 - (ii) the second **parking space** shall be located on a **driveway** leading to the **parking space** in the **building**; and
- (E) these lands must also comply with exception 900.5.10(352).
- (F) in the area covered by this exception the maximum number of dwelling units must not be more than 1 for each 260 square metres;
- (G) for the purpose of this By-law the lot line abutting Montezuma Trail is the front lot line; and
- (H) the maximum height of the first floor is 1.5 metres.

(269) Exception RT 269

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the lot line abuts McCowan Road, Brimley Road or Brimwood Boulevard; and
 - (ii) 6.0 metres where the lot line abuts any other street;
- (C) the minimum setback from a side lot line is 1.5 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the maximum **lot coverage** is 50%;
- (F) the minimum number of storeys is 2;
- (G) the maximum height of a **building** or **structure** is 8.5 metres;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(270) Exception RT 270

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts White Heather Boulevard or Richmond Park Boulevard; and
 - (ii) 6.0 metres from any other street;
- (D) the minimum setback from a **side lot line** is 1.5 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the maximum **lot coverage** is 50%;
- (G) the minimum number of storeys is 2;
- (H) the maximum height of a **building** or **structure** is 8.5 metres;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(271) Exception RT 271

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (D) where a **main wall** contains a vehicular entrance to a **parking space**, that **main wall** must be set back from a **lot line** that abuts a **street** a minimum of 6.0 metres;
- (E) the minimum setback from a side lot line is 1.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the minimum number of storeys is 2;
- (H) the maximum height of a building or structure is 8.5 metres;
- (I) the required parking space must be located in the residential building;
- (J) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(272) Exception RT 272

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a side lot line is 1.5 metres;
- (D) the maximum lot coverage is 50%;
- (E) the minimum number of **storeys** is 2;
- (F) the maximum height of a **building** or **structure** is 8.5 metres;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(273) Exception RT 273

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **corner lot** the minimum **lot frontage** is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in the residential building.
- (F) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (G) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(274) Exception RT 274

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres, where the lot line abuts Finch Avenue, McCowan Road or Sandhurst Circle; and
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (F) the maximum lot coverage is 50%;
- (G) the minimum number of storeys is 2;
- (H) the maximum height of a **building** or **structure** is 8.5 metres;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.5.10(352).

(275) Exception RT 275

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 10.5 metres;
- (B) the minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres, where the **lot line** abuts Placentia Boulevard or Middlefield Road;
 - (ii) 36.0 metres, where the lot line abuts Finch Avenue, measured from the original centreline of the street;
 - (iii) 25.0 metres, where the lot line abuts Brimley Road, measured from the original centreline of the street; and
 - (iv) 6.0 metres where the **lot line** abuts any other **street**;
- (C) the minimum setback from a side lot line is 1.5 metres;
- (D) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (E) the required parking space must be located in the residential building.
- (F) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street a distance equal to the distance between the elevation of the surface of the lowest floor of the parking structure and the elevation of grade at the front lot line;
- (G) the maximum lot coverage is 50%; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(276) Exception RT 276

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road; and
 - (ii) 6.0 metres where the lot line abuts any other street;
- (D) the minimum setback from a side lot line is 1.5 metres;
- (E) the maximum lot coverage is 50%;
- (F) the minimum number of storeys is 2;

- (G) the maximum height of a **building** or **structure** is 8.5 metres;
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.5.10(352).

(277) Exception RT 277

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of one dwelling unit per lot on a registered plan;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (E) the portion of main wall containing the entrance to a parking space must be set back a minimum of 6.0 metres from a lot line abutting a street; and
- (F) the minimum setback from a side lot line is 1.0 metres;
- (G) the maximum lot coverage is 50%;
- (H) the maximum height of a **building** or **structure** is the lesser of two **storeys** and 8.5 metres;
- (I) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**.
- (J) the required parking space must be located in the residential building; and
- (K) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(278) Exception RT 278

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres, where the lot line abuts Placentia Boulevard or Middlefield Road; and
 - (ii) 6.0 metres where the lot line abuts any other street;
- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres, where the **lot line** abuts Finch Avenue, McCowan Road or Sandhurst Circle; and
 - (ii) 6.0 metres where the **lot line** abuts any other **street**;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (H) the maximum lot coverage is 50%;
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(279) Exception RT 279

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres where the **lot line** abuts Finch Avenue, Brimley Road or Midland Avenue;
 - (ii) 6.0 metres where the **lot line** abuts Alexmuir Boulevard, Cleadon Road or South Shields Avenue; and
 - (iii) 3.6 metres where the lot line abuts any other street;
- (B) the minimum setback from a **side lot line** is 1.5 metres;
- (C) a garage must be set back from a side lot line that does not abut a street a minimum of 0.3 metres;
- (D) the maximum lot coverage is 50%; and
- (E) a building shall have a minimum of two storeys; and
- (F) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(280) Exception RT 280

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 26504.

(281) Exception RT 281

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Building Types

(i) the only permitted building types are townhouses, semi-detached houses and ancillary buildings.

(B) Lot Requirements

- (i) the minimum lot frontage for a townhouse is 4.8 metres;
- (ii) the minimum **lot frontage** for a **semi-detached house** on a **lot** abutting a public **lane** is 4.8 and 5.7 metres if the **lot** does not abut a public **lane**.

(C) Building Requirements

- (i) the maximum number of townhouses is 12 and the maximum number of semi-detached houses is 2;
- (ii) the maximum height of a townhouse is 9.5 metres;
- (iii) the maximum floor space index for the lands is 1.16;
- (iv) the maximum floor space index of the interior townhouses is 1.24 and for the corner townhouses is 0.93, the calculation of which includes the public lane;
- (v) the maximum floor space index for **semi-detached houses** on **lots** abutting a public **lane** is 1.27 and on **lots** that do not abut a public **lane** is 1.07;
- (vi) the minimum front yard setback for townhouses is 1.5 metres and the maximum front yard setback is 2.2 metres;
- (vii) the minimum rear yard setback for a townhouse is 6.8 metres;
- (viii) the minimum side yard setback for a corner townhouse is 1.6 metres;
- (ix) the minimum **side yard setback** for a **semi-detached house** that abuts a public **lane** is 0.3 metres:
- (x) the townhouses shall front on St John's Road; and

(xi) the semi-detached houses shall front on Willard Avenue or Priscilla Avenue.

(D) Landscaping Requirements

- (i) the minimum area of the front yard of a townhouse to be maintained as soft landscaping is 30%; and
- (ii) the minimum area of the front yard of a semi-detached house to be maintained as soft landscaping is 20%.

(E) Ancillary Buildings

(i) ancillary buildings shall not be permitted in any yard of a townhouse.

(F) Parking Requirements

- (i) two **parking spaces** must be provided and maintained for each **townhouse** and the **parking spaces** must be located in the **rear yards** of each of the **townhouses**; and
- (ii) access to the parking spaces for the townhouses must be from the public lane at the rear of the lots.

(G) Additional Requirements

(i) the minimum separation distance between the rear yard fences of the townhouses and the public lane is 5.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(282) Exception RT 282

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(217) of the former City of York Zoning By-law 1-83

(283) Exception RT 283

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (B) the minimum setback from a **front lot line** is 7.5 metres;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the maximum lot coverage is 50%;
- (F) a garage must be at least 0.3 metres from a side lot line; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(284) Exception RT 284

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) for a corner lot the minimum lot frontage is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (D) the minimum setback from a **rear lot line** is 6.0 metres;
- (E) the maximum height is the lesser of 2 storeys and 9.0 metres
- (F) the maximum **lot coverage** is 50%;

- (G) a garage must be at least 0.3 metres from a side lot line; and
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.5.10(352).

(285) Exception RT 285

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **corner lot** the minimum **lot frontage** is 10.5 metres:
- (B) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Birchmount Road, Brookmill Boulevard or LaPeer Boulevard;
 - (ii) 6.0 metres from any other street; and
- (C) the minimum setback from a **side lot line** is 1.2 metres;
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) a garage must be at least 0.3 metres from a side lot line; and
- (F) the maximum lot coverage is 50%;
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(286) Exception RT 286

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Birchmount Road, L'Amoreaux Drive; and
 - (ii) 6.0 metres from any other street; and
- (C) the minimum setback from a side lot line is:
 - (i) 1.5 metres for a townhouse building; and
 - (ii) 1.0 metres on one side only for any other building; and
- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the minimum setback from a rear lot line is 6.0 metres;
- (F) the maximum lot coverage is 50%;
- (G) the maximum height is the lesser of 2 storeys and 9.0 metres; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(287) Exception RT 287

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the **lot line** abuts Birchmount Road, Brookmill Boulevard or LaPeer Boulevard;
 - (ii) 6.0 metres from any other street; and
- (B) for a corner lot the minimum lot frontage is 10.5 metres;
- (C) the minimum setback from a side lot line is 1.2 metres;

- (D) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) the minimum setback from a **rear lot line** is 6.0 metres;
- (F) the maximum height is the lesser of 2 storeys and 9.0 metres;
- (G) the maximum lot coverage is 50%;
- (H) a garage must be at least 0.3 metres from a side lot line; and
- (I) the required parking space must be located in the residential building; and
- (J) these lands must also comply with exception 900.5.10(352).

(288) Exception RT 288

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a corner lot the minimum lot frontage is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.5 metres;
- (C) the maximum height is the lesser of 2 storeys and 9.0 metres
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in the residential building; and
- (F) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(289) Exception RT 289

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two **dwelling units** for each **lot** on a registered plan;
- (D) the minimum setback from a **lot line** that abuts Dancy Avenue or Kennedy Road is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a **side lot line** that abuts a **street** is 4.5 metres;
- (G) the maximum lot coverage is 50%;
- (H) a garage must be at least 0.3 metres from a side lot line; and
- (I) the required parking space must be located in the residential building.
- (J) underground parking **structures** may be located in a required yard abutting Kingston Road provided that they are setback from a **lot line** that abuts the **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (K) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(290) Exception RT 290

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required **lot area** is that which existed on the date of the enactment of this By-law;
- (C) a maximum of two dwelling units for each lot on a registered plan;

- (D) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Finch Avenue or Birchmount Road;
 - (ii) 7.5 metres if the lot line abuts Silver Springs Boulevard, Dancy Avenue, Kennedy Road or Wayside Avenue; and
 - (iii) 6.0 metres from any other street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the maximum lot coverage is 50%;
- (G) a garage must be at least 0.3 metres from a side lot line; and
- (H) the required parking space must be located in the residential building;
- (I) underground parking **structures** may be located in a required yard provided that they are setback from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (J) these lands must also comply with exception 900.5.10(352).

(291) Exception RT 291

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for a **corner lot** the minimum **lot frontage** is 10.5 metres;
- (B) the minimum setback from a side lot line is 1.2 metres;
- (C) a garage must be at least 0.3 metres from a side lot line; and
- (D) the maximum lot coverage is 50%;
- (E) the required parking space must be located in the residential building;
- (F) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**; and
- (G) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(292) Exception RT 292

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 7.5 metres if the lot line abuts Corinthian Boulevard; and
 - (ii) 6.0 metres in all other cases;
- (D) the minimum setback from a side lot line 1.2 metres;
- (E) the minimum setback from a side lot line that abuts a street is 4.5 metres;
- (F) the maximum lot coverage is 40%;
- (G) underground parking structures may be located in a required yard provided that they are setback from a lot line that abuts a street the greater of:
 - (i) 3.0 metres; and

- (ii) a distance equal to the distance between the elevation of the surface of the lowest floor of the parking **structure** and the elevation of grade at the **front lot line**.
- (H) the required parking space must be located in the residential building; and
- (I) these lands must also comply with exception 900.5.10(352).

(293) Exception RT 293

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) for townhouse building or semi-detached house is 1.0 metres
 - (ii) for a detached house is 1.0 metres on one side and 0.5 metres on the other side.
- (C) the minimum setback from a **lot line** that abuts a **lot** in a Open Space zone category is 3.0 metres;
- (D) nothing shall encroach into a required side yard setback;
- (E) the maximum lot coverage is 50%;
- (F) the maximum gross floor area is:
 - (i) 204 square metres if the lot area is less than 408 square metres; and
 - (ii) 279 square metres in all other cases;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(294) Exception RT 294

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) for townhouse building or semi-detached house is 1.0 metres
 - (ii) for a **detached house** is 1.0 metres on one side and 0.5 metres on the other side.
- (C) the maximum height is the lesser of 3 storeys and 10.5 metres;
- (D) nothing shall encroach into a required side vard setback;
- (E) the maximum lot coverage is 50%;
- (F) the maximum gross floor area is:
 - (i) 204 square metres if the lot area is less than 408 square metres; and
 - (ii) 279 square metres in all other cases;
- (G) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (H) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(295) Exception RT 295

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a front lot line is 3.0 metres;

- (B) the minimum setback from a side lot line is:
 - (i) for townhouse building or semi-detached house is 1.0 metres
 - (ii) for a detached house is 1.0 metres on one side and 0.5 metres on the other side.
- (C) nothing shall encroach into a required side yard setback;
- (D) the maximum lot coverage is 50%;
- (E) the maximum gross floor area is:
 - (i) 204 square metres if the **lot area** is less than 408 square metres; and
 - (ii) 279 square metres in all other cases;
- (F) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (G) the required parking space must be located in a building.

(296) Exception RT 296

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) a maximum of one dwelling unit per lot as shown on the registered plan;
- (B) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (C) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (D) the maximum height is the lesser of 3 storeys and 10.5 metres;
- (E) the maximum lot coverage is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(297) Exception RT 297

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is:
 - (i) 0.9 metres on one side and 0.3 metres on the other side if the **building** is fully detached above grade;
 - (ii) 0.9 metres on one side only if the **building** is attached above grade;
- (C) nothing shall encroach into a required side yard setback;
- (D) the maximum height is the lesser of 3 storeys and 10.5 metres;
- (E) the maximum **lot coverage** is 50%;
- (F) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**; and
- (G) the required parking space must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(298) Exception RT 298

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a front lot line is:
 - (i) 0.5 metres to a garage; and

- (ii) 3.0 metres to all other parts of a building
- (D) the minimum setback from a side lot line is:
 - (i) 0.9 metres on one side and 0.3 metres on the other side if the **building** is fully detached above grade;
 - (ii) 0.9 metres on one side only if the building is attached above grade;
- (E) the minimum setback from a **lot line** that abuts a railway right-of-way is 30.0 metres;
- (F) the maximum height is the lesser of 3 storeys and 10.5 metres;
- (G) the required parking space must be located in a building.

(299) Exception RT 299

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum setback from a lot line that abuts a street is 3.0 metres:
- (D) the minimum setback from a side lot line is:
 - (i) 0.9 metres on one side and 0.3 metres on the other side if the **building** is fully detached above grade;
 - (ii) 0.9 metres on one side only if the building is attached above grade;
- (E) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**; and
- (F) the maximum height is the lesser of 3 storeys and 10.5 metres;
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(300) Exception RT 300

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (B) the minimum setback from a side lot line is 1.0 metres;
- (C) nothing shall encroach into a required side yard setback;
- (D) the maximum lot coverage is 50%;
- (E) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street; and
- (F) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(301) Exception RT 301

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 21769

(305) Exception RT 305

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 470-2001.

(308) Exception RT 308

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 880-2003.

(309) Exception RT 309

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2326 Dufferin Street and 2 Hunter Avenue, Section 16(1) of the former City of York Zoning Bylaw 1-83

(310) Exception RT 310

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 862-2007.

(311) Exception RT 311

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 578-2000.

(312) Exception RT 312

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 3528.

(313) Exception RT 313

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1978-183.

(314) Exception RT 314

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum **building** height is 9.0 metres
- (B) the minimum building setback from a side lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 33%; and

(D) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(315) Exception RT 315

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **lot line** that abuts Orton Road is 9.0 metres;
- (B) the minimum building setback from a side lot line is:
 - (i) 12.0 metres if the side lot line, abuts a lot in an RD, RS or RT Zone; and
 - (ii) 7.5 metres in all other cases; and
- (C) the minimum building setback from a rear lot line is:
 - (i) 12.0 metres if the rear lot line, abuts a lot in an RD, RS or RT Zone; and
 - (ii) 10.5 metres in all other cases; and
- (D) the maximum lot coverage is 30%;
- (E) the maximum height of a building is 9.5 metres:
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident use; plus
 - (ii) 0.125 for each dwelling unit and used only for visitor parking; and
- (G) a minimum of 75% of the **parking spaces** to be for resident use must be located at grade or above

Prevailing By-laws and Prevailing Sections: (None Apply)

(316) Exception RT 316

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum **building setback** from a **lot line** that abuts a **street** is 12.0 metres;
- (C) the minimum building setback from a side lot line or rear lot line that does not abut a street is a distance equal to one half the height of the building;
- (D) the minimum separation between the above ground **main wall** of two **buildings** on the same **lot** is a distance equal to one half the total height of the two **buildings**;
- (E) the maximum lot coverage is 40%;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
- (G) a minimum of 50% of the parking spaces on the lot must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(317) Exception RT 317

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum **building setback** from a **lot line** that abuts a **street** is 19.0 metres, measured from the original centre line of the **street**;
- (C) the minimum **building setback** from a **side lot line** or **rear lot line** that does not abut a **street** is a distance equal to one half the height of the **building**;
- (D) the minimum separation between the above ground **main wall** of two **buildings** on the same **lot** is a distance equal to one half the total height of the two **buildings**;

- (E) the maximum **lot coverage** is 40%;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
- (G) a minimum of 50% of the parking spaces on the lot must be located in a building.

(318) Exception RT 318

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum building setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum **building setback** from a **lot line** that abuts a **lot** in a RD zone is 7.5 metres;
- (D) the minimum building setback from a side lot line or rear lot line that does not abut a street is a distance equal to one half the height of the building;
- (E) the minimum separation between the above ground **main wall** of two **buildings** on the same **lot** is a distance equal to one half the total height of the two **buildings**;
- (F) the maximum lot coverage is 40%;
- (G) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
- (H) a minimum of 50% of the parking spaces on the lot must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(319) Exception RT 319

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum building setback from a lot line that abuts a street is:
 - (i) 12 metres if the lot line abuts Neilson Road; and
 - (ii) 7.5 metres from all other streets;
- (C) the minimum building setback is:
 - (i) 7.5 metres from a **side lot line** that does not abut a **street**;
 - (ii) 12.5 metres from a side lot line or rear lot line that abuts a lot in a RD, RS or RT zone;
 - (iii) 10.5 metres in all other cases for a side lot line or rear lot line;
- (D) the minimum **building setback** from a **lot line** for a below grade parking **structures** is equivalent to the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (E) the maximum lot coverage is 60%;
- (F) parking spaces must be provided at a minimum rate of
 - (i) 1.0 for each dwelling unit and used for resident parking; and
 - (ii) 0.25 for each dwelling unit and used for visitor parking; and
- (G) a minimum of 74% of the parking spaces on the lot must be located in a building.
- (H) an ancillary building used for the storage of waste may be located in a front yard or side yard if:
 - (i) the **building** is fully enclosed; and
 - (ii) the **building** is set back a minimum of 1.5 metres from a **lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(320) Exception RT 320

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law:
- (B) the minimum **building setback** from a **lot line** that abuts a **street** is 7.5 metres:
- (C) the minimum building setback from a lot line that does not abut a street is:
 - (i) 7.5 metres from a side lot line; and
 - (ii) 10.5 metres from a rear lot line;
- (D) the minimum **building setback** from a **lot line** for a below grade parking **structures** is equivalent to the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (E) the maximum lot coverage is 60%;
- (F) parking spaces must be provided at a minimum rate of
 - (i) 1.0 for each dwelling unit and located in the residential building; and
 - (ii) 0.25 for each **dwelling unit**, used for visitor parking and located in a parking area that is not on a **driveway**.
- (G) an ancillary building used for the storage of waste may be located in a front yard or side yard if:
 - (i) the **building** is fully enclosed; and
 - (ii) the **building** is set back a minimum of 1.5 metres from a **lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(321) Exception RT 321

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 40%;
- (B) the maximum **building** height is the lesser of 3 **storeys** and 10.5 metres;
- (C) parking spaces must be provided at a minimum rate of 1.8 for each dwelling unit;
- (D) a maximum of 1 parking space may be located in a yard that abuts a street; and
- (E) despite a 0.3 metres reserve, Kingston Road is deemed to be the public street frontage; and
- (F) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(322) Exception RT 322

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The maximum number of dwelling units on the lot is 138 and must not contain more than:
 - (i) 122 attached dwelling units;
 - (ii) 2 detached dwelling units fronting on Manse Road; and
 - (iii) 14 detached dwelling units adjacent to the ravine.
- (B) The minimum **building setback** from a **lot line** that abuts a **street** is:
 - (i) 36.0 metres, measured from the original centre line of the road, if the lot line abuts Kingston Road: and
 - (ii) 7.5 metres for all other streets;

- (C) the minimum building setback from a lot line that does not abut a street is:
 - (i) 7.5 metres from the side main wall of a building; and
 - (ii) 10.0 metres to any other main wall; and
- (D) the maximum lot coverage is 40%;
- (E) **parking spaces** for residents must be provided at a minimum rate of 1.0 for each **dwelling unit** and must be located in the **residential building**;
- (F) **parking spaces** for visitor use only must be provided at a minimum rate of 0.2 for each **dwelling unit** and must be located on grade:
- (G) an ancillary building used for the storage of waste may be located in a front yard or side yard if:
 - (i) the **building** is fully enclosed; and
 - (ii) the building is set back a minimum of 1.5 metres from a lot line; and
- (H) these lands must also comply with exception 900.5.10(352).

(324) Exception RT 324

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw;
- (B) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (C)) there is a maximum of one **dwelling unit** on each **lot**;
- (D) the minimum setback from a **lot line** is:
 - (i) 7.5 metres if the **lot line** abuts Kennedy Road;
 - (ii) 6.0 metres from any other front lot line that abuts a street; and
 - (iii) 4.5 metres from a side lot line that abuts a street; and
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the portion of a building containing a parking space must be set back from a side lot line a minimum of 0.3 metres;
- (G) a required parking space must be located in the residential building.
- (H) the maximum lot coverage is 50%;
- (I) each dwelling unit must be a minimum of two storeys
- (J) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(326) Exception RT 326

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

The lands subject to this exception shall collectively comply with all the following:

- (A) The minimum building setback from a lot line that abuts a street is 6.0 metres, except that between 18.0 metres and 45.5 metres measured from the intersection of the northwest lot line and the street line of Sheppard Avenue, the minimum building setback is 16.0 metres;
- (B) The minimum building setback from a lot line that does not abut a street is 0.9 metres;
- (C) the maximum lot coverage is 45%;
- (D) the required parking space must be located in the residential building; and

(E) the maximum height of a **building** is the lesser of 12.5 metres and four **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(327) Exception RT 327

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) if a lot is a corner lot, the minimum lot frontage is 10.5 metres;
- (B) the minimum building setback from a front lot line is
 - (i) 6.0 metres for the portion of the main wall that also contains an entrance to a parking space; and
 - (ii) 4.5 metres in all other cases;
- (C) the minimum **building setback** from a side **lot** is:
 - (i) 4.5 metres if it abuts a **street**; and
 - (ii) 1.2 in all other cases
 - (iii) detached walls of a garage must be erected not less than 0.3 m from a **side lot line** which is a also a zone boundary;
- (E) the required parking space must be located in the residential building;
- (F) The maximum lot coverage is 50%;

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 33, of Scarborough By-law 14402

(328) Exception RT 328

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) if a lot is a corner lot, the minimum lot frontage is 10.5 metres;
- (B) the minimum building setback from a front lot line is
 - (i) 6.0 metres for the portion of the main wall that also contains an entrance to a parking space; and
 - (ii) 4.5 metres in all other cases;
- (C) the minimum building setback from a side lot is:
 - (i) 4.5 metres if it abuts a street; and
 - (ii) 1.2 in all other cases
 - (iii) detached walls of a garage must be erected not less than 0.3 m from a **side lot line** which is a also a zone boundary;
- (E) the required parking space must be located in the residential building;
- (F) The maximum lot coverage is 50%;

Prevailing By-laws and Prevailing Sections: (None)

(329) Exception RT 329

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **lot frontage** is the **lawful lot frontage** that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the minimum **building setback** from a **lot line** that abuts a **street** is 6.0 metres;
- (D) a minimum building setback of 1.0 metre is required from one side lot line only and nothing is to encroach into the required side yard;
- (E) The maximum lot coverage is 50%;

- (F) the maximum number of storeys is 2; and
- (G) the required parking space must be located in a building.

(330) Exception RT 330

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is the lawful lot frontage that existed on the date of the enactment of this By-law; and
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the minimum **building setback** from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the part of a main wall that contains an entrance to a parking space must be set back a minimum of 6.0 metres from the lot line that it faces;
- (E) The maximum lot coverage is 50%;
- (F) the maximum number of storeys is 2; and
- (G) the required parking space must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(331) Exception RT 331

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is:
 - (i) 7.0 metres for each dwelling unit in a townhouse building;
 - (ii) 18.0 metres for a semi-detached house and 9.0 metres for each dwelling unit; and
 - (iii) 9.0 metre for a detached house; and
- (B) the minimum lot area is:
 - (i) 200.0 square metres for each dwelling unit in a townhouse building;
 - (ii) 540.0 square metres for each semi-detached house and 270.0 square metres for each dwelling unit; and
 - (iii) 270.0 square metres for each detached house; and
- (C) the minimum **building setback** from a **lot line** that abuts a **street** is 3.0 metres;
- (D) the part of a main wall that contains an entrance to a parking space must be set back a minimum of 6.0 metres from the lot line that it faces;
- (E) the minimum setback from a side lot line that does not abut a street is:
 - (i) 1.2 metres for a townhouse building and a semi-detach house; and
 - (ii) 1.2 metres on one side and 0.6 metres on the other side for detached house; and
- (F) the minimum building setback from a lot line that abuts a railway is 30.0 metres; and
- (G) the maximum number of storeys is:
 - (i) 3 for a townhouse; and
 - (ii) 2 in all other cases; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(332) Exception RT 332

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum lot frontage is the lawful lot frontage that existed on the date of the enactment of this By-law;
- (B) the minimum lot area is the lawful area of the lot as it existed on the date of the enactment of this By-law;
- (C) the maximum lot coverage is the lawful lot coverage that existed on the lot on the date of the enactment of this By-law;
- (D) the maximum **building** height is 11.0 metres;
- (E) a minimum of one enclosed **parking space** must be provided with each **dwelling unit**, and must be set back a minimum of 6.0 metres from the **front lot line**; and
- (F) despite the uses permitted in the zone a **detached house** is not permitted.

(334) Exception RT 334

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 7.5 metres;
- (B) the portion of a **building** containing the required **parking space** must be set back from a **side lot line** a minimum of 1.5 metres;
- (C) the maximum lot coverage is 50%;
- (D) the underground portion of a **structure** must be set back from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance between the elevation of the surface of the lowest floor and the average elevation of the **front lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(335) Exception RT 335

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage is that which existed on the day of the enactment of this By-law;
- (B) the minimum lot area is that which existed on the day of the enactment of this By-law;
- (C) the minimum building setback from a front lot line is 6.0 metres; and
- (D) the minimum **building setback** from a **side lot line** that abuts a **street** is 4.5 metres;
- (E) minimum building setback from a side lot line that does not abuts a street is 1.5 metres;
- (F) the maximum lot coverage is 50%; and
- (G) the minimum building setback for the below grade portions of a structure is the greater of 3.0 metres and a distance equal to the difference in the elevation of the lowest part of the structure and the average elevation of the ground at the front lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(336) Exception RT 336

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The lands subject to this exception shall collectively comply with all the following:
 - (i) the maximum number of dwelling units is 11;
 - (ii) the minimum building setback from a lot line abutting a street is:
 - (a) 3.0 metres if the lot line abuts Lawrence Avenue; and
 - (b) 1.5 metres if the lot line abuts Homestead Road; and

- (iii) the required parking space must be located in the residential building;
- (iv) the maximum height of a building is the lesser of 12.0 metres and 3 storeys; and
- (v) the applicable maximum lot coverage regulations of this By-law do not apply.

(337) Exception RT 337

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands subject to this exception shall collectively comply with all the following:
 - (i) the required parking space must be located in the residential building;
 - (ii) the maximum height of a **building** is the lesser of 11.0 metres and 3 **storeys**;
 - (iii) The minimum building setback from a street is:
 - (a) 6.0 metres for that portion of the main wall that contains a vehicular entrance to a parking space;
 - (b) 3.0 metres in all other cases;
 - (iv) the applicable maximum lot coverage regulations of this By-law do not apply;
 - (v) the minimum **lot frontage** for a **dwelling unit** fronting on a **street** is 5.4 metres.

(338) Exception RT 338

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 749-757 Sheppard Avenue West, Section 64.20-A(19) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(339) Exception RT 339

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The lands subject to this exception must collectively comply with all the following:
 - (i) a maximum of 7 dwelling units are permitted;
 - (ii) the minimum width of a dwelling unit is 4.5 metres;
 - (iii) the south main wall of the first floor of the building (excluding the parking structure level) must not be located more than 22.5 metres from the lot line abutting Kingston Road as situated on April 9, 2008;
 - (iv) the minimum building setback from a lot line is:
 - (a) 0.3 metres from the west lot line;
 - (b) 0.9 metres if that lot line abuts Birchmount Road;
 - (c) 2.8 metres and a maximum building setback of 3.5 metres if the lot line abuts Kingston Road;
 - (v) the south main wall of the second storey of the building (excluding the parking structure level) must be set back a minimum of 1.0 metres from the south main wall of the first floor. The south main wall of the third storey must be set back a minimum of 1.0 metres from the south main wall of the second storey. The south main wall of the fourth storey of the building must be set back a minimum of 3.0 metres from the south main wall of the third storey. This provision shall not apply to the end dwelling unit of a building adjacent to Birchmount Road:
 - (vi) the maximum **building** height is the lesser of 13.7 metres and 4 **storeys**;

- (vii) despite regulations to the contrary, for these lands height is the measured as the difference in elevation between the average elevation of the **lot line** along Kingston Road and the elevation of the highest point of the **building**;
- (viii) each **dwelling unit** must have a private outdoor **amenity space** located on the first **storey** above the parking **structure** level
- (ix) A balcony or deck can not project beyond the outer edge of a balcony or deck that is situated immediately below it on a lower floor;
- (x) a minimum of 11 parking spaces must be provided;
- (xi) despite (J) above, one parking space in excess of 11 may be provided and it may have a minimum width of 4.9 metres;
- (xii) the lot coverage regulations of this by-law do not apply;
- (xiii) dwelling units are only permitted if there is a parking structure on the lands; and
- (xiv) projections such as pilasters, columns, balconies and unenclosed porches are not permitted to project into a required yard that abut a **street**. A canopy and exteriors steps may encroach into the required **street yard** for Kingston Road to a maximum of 1.0 metres.

(340) Exception RT 340

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 3.0 metres from Brimorton Drive and Orton Park Road, except where a 6 metre radius corner rounding applies, then the setback may be reduced and all portions of the main wall must be at least 0.6 metres from the street line arc; and
 - (ii) 2.0 metres in all other cases; and
- (B) the minimum **building setback** from a **side lot line** is 1.0 metres;
- (C) the maximum **building** height is the lesser of 11.0 metres and 3 **storeys**;
- (D) The minimum rear yard setback is 6.5 metres;
- (E) all dwelling units must front on a public street connecting Brimorton Drive and Orton Park Road;
- (F) the required parking space must be in the residential building:
- (G) the minimum garage space dimensions are:
 - (i) single car garage: 3.0 metres by 6.0 metres:
 - (ii) double car garage: 5.7 metres by 6.0 metres;
 - (iii) tandem parking stalls: 3.0 metres by 11.6 metres; and
- (H) the lot coverage regulations of this by-law do not apply.

Prevailing By-laws and Prevailing Sections: (None Apply)

(341) Exception RT 341

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 3.0 metres from Brimorton Drive and Orton Park Road, except where a 6 metre radius corner rounding applies, then the setback may be reduced and all portions of the **main wall** must be at least 0.6 metres from the **street** line arc; and
 - (ii) 0.5 metres in all other cases; and
- (B) the maximum building height is the lesser of 11.0 metres and 3 storeys;
- (C) all dwelling units must front on a public street connecting Brimorton Drive and Orton Park Road;
- (D) the required parking space must be in the residential building:
- (E) the minimum garage space dimensions are:

- (i) single car garage: 3.0 metres by 6.0 metres;
- (ii) double car garage: 5.7 metres by 6.0 metres; and
- (iii) tandem parking stalls: 3.0 metres by 11.6 metres; and
- (F) the **lot coverage** regulations of this by-law do not apply.

(342) Exception RT 342

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 3.0 metres from Brimorton Drive and Orton Park Road, except where a 6 metre radius corner rounding applies, then the setback may be reduced and all portions of the main wall must be at least 0.6 metres from the street line arc; and
 - (ii) 2.0 metres in all other cases; and
- (B) the maximum **building** height is the lesser of 11.0 metres and 3 **storeys**;
- (C) all dwelling units must front on a public street connecting Brimorton Drive and Orton Park Road;
- (D) the minimum rear yard setback is 6.0 metres;
- (E) the required **parking space** must be in the **residential building**;
- (F) the minimum garage space dimensions are:
 - (i) single car garage: 3.0 metres by 6.0 metres;
 - (ii) double car garage: 5.7 metres by 6.0 metres; and
 - (iii) tandem parking stalls: 3.0 metres by 11.6 metres; and
- (G) the lot coverage regulations of this by-law do not apply.

Prevailing By-laws and Prevailing Sections: (None Apply)

(343) Exception RT 343

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is:
 - (i) 6.0 metres for the portion of the main wall containing a vehicular access to a parking space; and
 - (ii) 5.0 metres in all other cases;
- (B) the minimum building setback from a side lot line is 2.4 metres if the side lot line abuts a street;
- (C) the maximum lot coverage is 55%; and
- (D) the required parking spaces must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(344) Exception RT 344

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from the a lot line that abuts Birchmount Road is 2.0 metres;
- (B) the minimum **building setback** from the easterly **lot line** is 6.0 metres;
- (C) the maximum **building** height is 12.0 metres;
- (D) the lot coverage regulations of this by-law do not apply;
- (E) parking spaces must be provided at a minimum rate of 0.25 for each senior citizen's dwelling unit;

- (F) in addition to the uses permitted by the zone, the following uses are also permitted if in association with a dwelling unit in the building if the use is operated by one or more residents of that dwelling unit and it is conducted wholly within an enclosed building:
 - (i) offices excluding medical or dental offices; and
 - (ii) personal service shop.

(345) Exception RT 345

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Finch Avenue and Brimley Road
 - (ii) 12.0 metres if the lot line abuts Alexmuir Boulevard; and
 - (ii) 7.5 metres in all other cases;
- (B) The minimum **building setback** from a **rear lot line** and **side lot line** that does not about a **street** is a distance equal to one half the height of the **building**;
- (C) a minimum of 50% of the area of the lot must be used for landscaping;
- (D) a below grade parking **structure** must be set back from a **lot line** that abuts a **street** a distance equal to the distance between the elevation of the lowest floor and the average elevation of grade along the **lot line** that abuts the **street**;
- (E) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) the maximum **building** height is 9.0 metres;
- (G) the maximum number of storeys is 2; and
- (H) these lands must also comply with exception 900.5.10(352).

Prevailing By-laws and Prevailing Sections: (None Apply)

(346) Exception RT 346

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 27020.

(351) Exception RT 351

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of dwelling unit is 100;
- (B) the maximum **building** height is the lesser of 4 **storeys** excluding the **basement**;
- (C) the **residential building** must setback from a railway property line;
- (D) the minimum **building setback** from a **front lot line** is the **building setback** front the **front lot line** for the **lawfully existing building** as it existed on the date of the enactment of this By-law;
- (E) the minimum **building setback** from a **rear lot line** is the **building setback** rear the **front lot line** for the **lawfully existing building** as it existed on the date of the enactment of this By-law;
- (F) the minimum **building setback** from a **side lot line** is the **building setback** front the **side lot line** for the **lawfully existing building** as it existed on the date of the enactment of this By-law;
- (G) the maximum lot coverage is the percentage of the lot covered by all buildings on the lot as it existed on the date of the enactment of this By-law;

Prevailing By-laws and Prevailing Sections: (None Apply)

(352) Exception RT 352

The lands, or a portion thereof are subject to the following:

Site Specific Provisions:

- (A) the maximum floor space index for a lot containing a dwelling unit in a permitted building type is:
 - (i) the lesser of 0.6 and 204 square metres, if the lot area is less than 408 square metres;
 - (ii) the lesser of 0.5 and 279 square metres, if the lot area is 408 square metres to 697 square metres; and
 - (iii) 0.4 if the lot area is more than 697 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(353) Exception RT 353

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 30%;
- (B) an ancillary building used for the storage of waste may be located in a front yard or side yard if:
 - (i) the **building** is fully enclosed; and
 - (ii) the **building** is set back a minimum of 1.5 metres from a **lot line**.
- (C) a below grade parking structure is permitted in any yard if it is setback from a lot line abutting a street the greater of:
 - (i) 3.0 metres; or
 - (ii) a distance equal to the distance from the below grade floor of the parking structure to grade; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 9 and 25, of Scarborough By-law 9510

(354) Exception RT 354

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(360) Exception RT 360

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.16(76) of the former City of North York Zoning By-law 7625.

900.6 RM - Zone

900.6.1 General

(1) RM Zone Exceptions

The regulations located in Article 900.6.10 apply only to the exceptions subject to the RM zone and identified with the corresponding exception number.

900.6.10 Exceptions for RM Zone

(1) Exception RM 1

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 94-2002.

(2) Exception RM 2

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) 370 square metres for a detached house;
 - (ii) 325 square metres for each dwelling unit of a semi-detached house;
 - (iii) 555 square metres for a duplex or triplex; and
 - (iv) 650 square metres for a fourplex.
- (B) The minimum lot frontage is:
 - (i) 12.0 metres for a detached house;
 - (ii) 10.5 metres for each dwelling unit of a semi-detached house;
 - (iii) 15.0 metres for a duplex;
 - (iv) 18.0 metres for a triplex; and
 - (v) 21.0 metres for a **fourplex**.
- (C) The maximum **building** height is:
 - (i) 9.5 metres for a detached house; and
 - (ii) 11.0 metres for a semi-detached house, duplex, triplex, or fourplex.
- (D) The maximum floor space index is:
 - (i) 0.35 for a detached house; and
 - (ii) 0.6 for a semi-detached house, duplex, triplex, or fourplex.
- (E) The minimum rear yard setback is:
 - (i) 7.5 metres for a detached house, semi-detached house, duplex, or triplex; and
 - (ii) 10.5 metres for a fourplex.
- (F) The minimum side yard setback is:
 - (i) 0.9 metres for a detached house or semi-detached house;
 - (ii) 1.8 metres for a duplex;
 - (iii) 3.0 metres for a triplex; and
 - (iv) 3.6 metres for a fourplex.

Prevailing By-laws and Prevailing Sections: (None Apply)

(3) Exception RM 3

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) A triplex, fourplex or apartment building are not permitted.

Prevailing By-laws and Prevailing Sections:

- (A) Former City of Etobicoke by-law 1992-117.
- (4) Exception RM 4

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 9005.

(6) Exception RM 6

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 721-2002.

(7) Exception RM 7

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 173 Royal York Road, former City of Etobicoke by-law 3018.

(9) Exception RM 9

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) The lands must comply with exception 900.6.10(478)

Prevailing By-laws and Prevailing Sections:

(A) On 149 Stanley Avenue, former City of Etobicoke by-laws 4262, 1981-302 and 1988-176 prevail.

(10) Exception RM 10

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1995-237.

(11) Exception RM 11

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 3065 and 3066.

(12) Exception RM 12

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 4 Elmhurst Drive and 396 Albion Road, former City of Etobicoke by-laws 4024 and 2414 prevail.

(13) Exception RM 13

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 893-2000.

(14) Exception RM 14

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 247-2000.

(15) Exception RM 15

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 519-521 Royal York Road, former City of Etobicoke by-laws 1985-42 and 83-14 prevail.

(16) Exception RM 16

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 440-2005.

(17) Exception RM 17

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 13088.

(18) Exception RM 18

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum lot area is:
 - (i) 465 square metres for a detached house;
 - (ii) 665 square metres for a semi-detached house;
 - (iii) 555 square metres for a duplex; and
 - (iv) 610 square metres for a triplex.
- (B) The minimum lot frontage is:
 - (i) 12.0 metres for a detached house;
 - (ii) 18.0 metres for a semi-detached house;
 - (iii) 15 metres for a duplex; and
 - (iv) 16.5 metres for a triplex.
- (C) The maximum lot coverage is:
 - (i) 33% for a detached house or semi-detached house; and
 - (ii) 35% for a duplex or triplex.
- (D) The maximum height is:
 - (i) 9.5 metres for a detached house; and

- (ii) 11.0 metres for a semi-detached house, duplex, or triplex.
- (E) The maximum floor space index is 0.45 for a detached house.

(19) Exception RM 19

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 885-2005.

(20) Exception RM 20

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 8889 and 613.

(21) Exception RM 21

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 4164.

(22) Exception RM 22

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) 325 square metres for a detached house;
 - (ii) 555 square metres for a semi-detached house;
 - (iii) 370 square metres for a duplex; and
 - (iv) 465 square metres for a triplex.
- (B) The minimum lot frontage is:
 - (i) 10.5 metres for a detached house;
 - (ii) 18.0 metres for a semi-detached house;
 - (iii) 12.0 metres for a duplex; and
 - (iv) 15.0 metres for a triplex.
- (C) The maximum building height is 9.5 metres for a detached house.
- (D) The minimum side yard setback is 0.9 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(23) Exception RM 23

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum lot area is:
 - (i) 230 square metres for a detached house;
 - (ii) 460 square metres for a semi-detached house;

- (iii) 555 square metres for a duplex; and
- (iv) 610 square metres for a triplex.
- (B) The minimum lot frontage is:
 - (i) 7.5 metres for a detached house;
 - (ii) 15.0 metres for a semi-detached house or duplex; and
 - (iii) 16.5 metres for a triplex.
- (C) The maximum **building** height is 9.5 metres for a **detached house**.
- (D) The minimum side yard setback is:
 - (i) 0.6 metres for a detached house,
 - (ii) 1.2 metres for a semi-detached house, duplex, or triplex; and
 - (iii) 1.5 metres from a side lot line abutting a street for a detached house, semi-detached house, duplex, or triplex on a corner lot.

(24) Exception RM 24

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) In addition to the **building** types permitted in 10.80.20.40 (1), a **townhouse** is a permitted **building** type subject to compliance with the applicable provisions of Section 10.60.
- (B) The minimum lot area is:
 - (i) 465 square metres for a **detached house**;
 - (ii) 665 square metres for a semi-detached house;
 - (iii) 555 square metres for a duplex;
 - (iv) the greater of 665 square metres or 139 square metres per **dwelling unit** for an **apartment building** with 5 **dwelling units**; and
 - (v) 116 square metres per dwelling unit for an apartment building with more than 5 dwelling units.
- (C) The minimum lot frontage is:
 - (i) 12.0 metres for a detached house;
 - (ii) 18.0 metres for a semi-detached house;
 - (iii) 15.0 metres for a duplex;
 - (iv) 18.0 metres for an apartment building with 5 dwelling units; and
 - (v) 24.0 metres for an apartment building with more than 5 dwelling units.
- (D) The maximum lot coverage is:
 - (i) 33% for a detached house or semi-detached house;
 - (ii) 35% for a duplex; and
 - (iii) 40% for an apartment building.
- (E) The maximum height is:
 - (i) 9.5 metres for a **detached house**;
 - (ii) 11.0 metres for a semi-detached house or duplex; and
 - (iii) 14.0 metres for an apartment building.
- (F) The maximum floor space index is 0.45 for a detached house.
- (G) The minimum front yard setback is 7.5 metres for an apartment building with more than 5 dwelling units.
- (H) The minimum **rear yard setback** is the greater of 6.0 metres or 20% of the **lot depth** for an **apartment building** with more than 5 **dwelling units**.

(I) The minimum side yard setback is:

- (i) 3.0 metres for an apartment building with 5 dwelling units; and
- (ii) half the height of the building for an apartment building with more than 5 dwelling units.

Prevailing By-laws and Prevailing Sections: (None Apply)

(25) Exception RM 25

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1991-177.

(26) Exception RM 26

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 12 Pebble Valley Lane, former City of Etobicoke by-law 1984-32.

(27) Exception RM 27

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 1124-2001(OMB) and former City of Etobicoke by-law 1995-57.

(28) Exception RM 28

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) The lands subject to this exception must comply with former City of Etobicoke by-law 12950.

(29) Exception RM 29

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 21 Van Camp Place, former City of Etobicoke by-law 2631.

(30) Exception RM 30

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 13049.

(31) Exception RM 31

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) A nursing home is permitted, if:

- (i) the maximum lot coverage is 35.4%;
- (ii) the maximum lot frontage is 9.2 metres;
- (iii) the minimum rear yard setback is 7.2 metres; and
- (iv) the maximum building height is 13.6 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(32) Exception RM 32

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 716-2003.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(33) Exception RM 33

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 27686, 27696, 27695.

(37) Exception RM 37

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 22378 and 26280.

(38) Exception RM 38

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 175 Cummer Avenue, Section 64.18(5) of the City of North York Zoning By-law 7625

(40) Exception RM 40

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31523.

(41) Exception RM 41

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 205 Cummer Avenue, Section 64.20-A(66) of the City of North York Zoning By-law 7625.

(46) Exception RM 46

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-laws 78-2007 and 1018-2007.

(48) Exception RM 48

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 26840.

(49) Exception RM 49

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 20746.

(52) Exception RM 52

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-law 27268.

(53) Exception RM 53

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-law 31289.

(54) Exception RM 54

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 685-2005.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(55) Exception RM 55

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of North York by-law 28860.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(56) Exception RM 56

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 113-1999.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(57) Exception RM 57

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 301-2000.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(58) <u>Exception RM 58</u>

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Former City of North York by-law 20856.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(59) Exception RM 59

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1394 Wilson Avenue, Section 64.17(6) of the City of North York Zoning By-law 7625.

(60) Exception RM 60

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-laws 23193 and 27826.

(61) Exception RM 61

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 4701 Bathurst Street, Section 64.19(12) of the City of North York Zoning By-law 7625.

(62) Exception RM 62

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 482-2006.

(64) Exception RM 64

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-law 30816.

(65) Exception RM 65

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-law 31674.

(66) Exception RM 66

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 9 Greenbriar Road, Section 64.20-A(81) of the City of North York Zoning By-law 7625.

(67) Exception RM 67

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 20, 22, 28, and 30 Privat Road, Sections 64.17(13) and 64.17(44) of the City of North York Zoning By-law 7625.

(69) Exception RM 69

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 16462 and 19780.

(70) Exception RM 70

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A detached house is permitted, if:
 - (i) the minimum lot area is 550 square metres;
 - (ii) the minimum lot frontage is 15.0 metres; and
 - (iii) the minimum side yard setback is 1.8 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(71) Exception RM 71

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 624-2006.

(72) Exception RM 72

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 12073 and 12130.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(73) Exception RM 73

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 4711-4719 Bathurst Street, Section 64.19(13) of the City of North York Zoning By-law 7625.

(74) Exception RM 74

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 32737.

(76) Exception RM 76

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 682-1999.

(77) Exception RM 77

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.19(9) of the City of North York Zoning By-law 7625.

(81) Exception RM 81

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 221 O'Connor Drive, Section 7.5.4.33, as amended, of the former Borough of East York Zoning By-law 6752.

(82) Exception RM 82

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 681-1999.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(83) Exception RM 83

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30231.

(84) Exception RM 84

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 285-1998.

(85) Exception RM 85

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 928 Millwood Road, Section 6.7.5.3, as amended, of the former Town of Leaside Zoning Bylaw 1916.

(86) Exception RM 86

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 325, 1327, 1335, 1345, 1347, 1351, 1353 and 1365 Bayview Avenue, 2 and 4 Sutherland Drive, 2, 3, 4 and 5 Airdrie Road and Lot 79, Registered Plan 2122 (Kelvingrove Apartments), Section 6.6.4.1, as amended, of the former Town of Leaside Zoning By-law 1916.

(87) Exception RM 87

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1102 Broadview Avenue, Section 7.3.4.1, as amended, of the former Borough of East York Zoning By-law 6752.

(88) Exception RM 88

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 69-75 Chapmen Avenue, Section 7.5.4.3, as amended, of the former Borough of East York Zoning By-law 6752.

(89) Exception RM 89

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 200 Dawes Road, Section 7.5.4.4, as amended, of the former Borough of East York Zoning Bylaw 6752.

(90) Exception RM 90

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 45-51 Chapman Avenue, Section 7.5.4.5, as amended, of the former Borough of East York

Zoning By-law 6752.

(91) Exception RM 91

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 43 Chapman Avenue, Section 7.5.4.6, as amended, of the former Borough of East York Zoning By-law 6752.

(92) Exception RM 92

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) In addition to the **building** types permitted in 10.80.20.40 (1), a **townhouse** is a permitted **building** type subject to compliance with the applicable provisions of Section 10.60.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(93) Exception RM 93

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 21552.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(94) Exception RM 94

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 152 and 154 Floyd Avenue, Section 7.5.4.23, as amended, of the former Borough of East York Zoning By-law 6752.

(96) Exception RM 96

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 50 Underhill Drive, Section 64.19(6) of the City of North York Zoning By-law 7625.

(97) Exception RM 97

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 33 George Webster Road, Section 7.6.4.1, as amended, of the former Borough of East York Zoning By-law 6752.

(98) Exception RM 98

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 29 George Webster Road, Section 7.6.4.2, as amended, of the former Borough of East York Zoning By-law 6752.

(99) Exception RM 99

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) On 31 George Webster Road, Section 7.6.4.3, as amended, of the former Borough of East York Zoning By-law 6752.

(100) Exception RM 100

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum lot coverage is 40% for an apartment building.
- (B) The maximum height is 3 storeys for an apartment building.
- (C) The minimum front yard setback is 7.0 metres for an apartment building.
- (D) The minimum rear yard setback is 12.0 metres for an apartment building.
- (E) The minimum side yard setback is 3.0 metres for an apartment.
- (F) The minimum on-site parking rate is 1.25 parking spaces per dwelling unit for an apartment building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(101) Exception RM 101

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 31616.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(103) Exception RM 103

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

- (A) On 2953 Bathurst Street, Section 64.19(2) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(104) Exception RM 104

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

- (A) Section 64.19(1) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(105) Exception RM 105

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 28554.

(106) Exception RM 106

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) On 1945 Lawrence Avenue West, Section 16(419) of the former City of York Zoning By-law 1-83.

(107) Exception RM 107

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 22713.

(108) Exception RM 108

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25208.

(110) Exception RM 110

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A maximum of 4 dwelling units are permitted, if:
 - (i) the minimum lot area is 470 square metres; and
 - (ii) the minimum lot frontage is 18 metres.
 - (iii) the maximum height of the building is 7.5 metres;
 - (iv) the maximum floor space index is 1.0;
 - (v) the minimum front yard setback is 2.7 metres;
 - (vi) the minimum rear yard setback is 1.0 metres; and
 - (vii) the minimum side yard setbacks are 2.4 metres on the east side and 0.0 metres on the west side.
 - (viii) the minimum area used for **landscaping** which included ground and roof decks is 140 square metres.
 - (ix) the minimum height of privacy fencing enclosing ground and roof decks is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(111) Exception RM 111

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31540.

(112) Exception RM 112

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 29-2007(OMB).

(113) Exception RM 113

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line that abuts a street is 3.0 metres
- (B) a balcony, enclosed porch and associated roof overhang may encroach into a required yard a maximum of 2.0 metres.
- (C) The minimum setback from all other **lot lines** except that do not abut Highway 401is 6.8 metres;
- (D) the maximum height is the lesser of 3 storeys and 11.0 metres;
- (E) parking spaces must be provided at a minimum rate of 1.3 parking spaces per dwelling unit:
 - (i) a minimum of 1.0 parking space per dwelling unit shall within a building;
 - (ii) a minimum of 0.3 spaces per dwelling unit must be for visitors;
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(114) Exception RM 114

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line that abuts a street is
 - (i) 7.5 metres if the lot line abuts Meadowvale Road; and
 - (ii) 3.0 metres in all other cases;
- (B) The minimum setback from a lot line that abuts a street for underground structures is 1.0 metre
- (C) The minimum setback from the north lot line that does not abut a street is 4.1 metres
- (D) the maximum height is 13.0 metres
- (E) parking spaces must be provided at a minimum rate of 1.6 parking spaces per dwelling unit, and of those parking spaces:
 - (i) a minimum of 1.4 parking spaces per dwelling unit is for use by the resident; and
 - (ii) a minimum of 0.2 parking spaces per dwelling unit is for visitors parking;
- (F) Parking spaces are permitted to be located in a street yard;
- (G) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(115) Exception RM 115

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a lot line that abuts a street is 3.0 metres
- (B) The minimum setback from the north lot line that does not abut a street is 4.1 metres
- (C) the maximum height is 13.0 metres
- (D) parking spaces must be provided at a minimum rate of 1.6 parking spaces per dwelling unit, and of those parking spaces:
 - (i) a minimum of 1.4 parking spaces per dwelling unit is for use by the resident;
 - (ii) a minimum of 0.2 parking spaces per dwelling unit is for visitors parking; and

- (iii) one required parking space may be provided on Block 2, R.P 66M-2308
- (E) the maximum lot coverage is 33%.

(116) Exception RM 116

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 25575 and 25734.

(117) Exception RM 117

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) Section 64.20(10) of the City of North York Zoning By-law 7625.

(118) Exception RM 118

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is:
 - (i) 8.0 metres for a detached house; and
 - (ii) 12.0 metres for a semi-detached house or duplex.
- (B) The maximum floor space index is 0.8.

Prevailing By-laws and Prevailing Section:

(A) On 24 Pinehill Crescent, Section 16(51) of the former City of York Zoning By-law 1-83.

(119) Exception RM 119

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is:
 - (i) 8.0 metres for a detached house; and
 - (ii) 12.0 metres for semi-detached house or duplex.
- (B) The maximum floor space index is 0.8.

Prevailing By-laws and Prevailing Section:

(A) On 1202 Jane Street, Section 16(382) of the former City of York Zoning By-law 1-83.

(120) Exception RM 120

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts Birchmount Road is 9.0 metres;
- (B) the minimum building setback from a side lot line is
 - (i) 5.7 metres if the side lot line abuts a street; and
 - (ii) a distance equal to 1/2 the height of the **building** in all other cases;

- (C) the maximum lot coverage is 25%; and
- (D) a maximum of 50% of the interior floor area of the first floor must be used for dwelling units.
- (E) a minimum 1.5 metre wide landscaped buffer strip must be provided along any lot line abutting a lot in a resident zone category.

(121) Exception RM 121

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from lot line that abuts the street is
 - (i) 27.0 metres if the **lot line** abuts Kennedy Road; and
 - (ii) 6.0 metres in all other cases;
- (B) the minimum setback from a **side lot line** is 4.5 metres;
- (C) a required parking space shall be located in the residential building
- (D) a below grade parking **structure** a **structure** is permitted to encroach into a required yard setback that abuts a **street** the greater of :
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance from the surface of the lowest floor used for parking to finished grade.

Prevailing By-laws and Prevailing Sections: (None Apply)

(123) Exception RM 123

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is 275 square metres for a detached house.
- (B) The minimum lot frontage is 9.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(124) Exception RM 124

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands may be used for a detached house provided the minimum side yard setback on the east side of the lands is 1.2 metres.
- (B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(125) Exception RM 125

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 23 Pendeen Avenue, Section 16(93) of the former City of York Zoning By-law 1-83.

(126) Exception RM 126

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(14) of the former City of York Zoning By-law 1-83.

(127) Exception RM 127

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) On 273 Scarlett Road, Section 16(147) of the former City of York Zoning By-law 1-83.

(128) Exception RM 128

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 708 - 710 Jane Street, Section 16(213) of the former City of York Zoning By-law 1-83.

(129) Exception RM 129

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The only permitted use of the lands is **driveways** and parking in relation to the use at 702 Jane Street

Prevailing By-laws and Prevailing Sections: (None Apply)

(130) Exception RM 130

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The ground floor and basement of the building on the lands may be used as a retail store.
- (B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(131) Exception RM 131

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) One extension of the existing **building** on the lands is permitted.
- (B) The minimum lot area is 275 square metres for a detached house.
- (C) The minimum lot frontage is 9.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(132) Exception RM 132

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands subject to this exception must be used only for a yard of a residential building. Ancillary buildings or structures to a residential building are permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(133) Exception RM 133

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is 275 square metres for a detached house.
- (B) The minimum lot frontage is 9.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(81) of the former City of York Zoning By-law 1-83

(134) Exception RM 134

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands subject to this exception must be used only for a yard of a residential building. Ancillary buildings or structures to a residential building are permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(135) Exception RM 135

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) On 518 and 520 Riverside Drive, Section 16(242) of the former City of York Zoning By-law 1-83.

(136) Exception RM 136

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 1311 Weston Road, Section 16(214) of the former City of York Zoning By-law 1-83.

(137) Exception RM 137

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 1230 and 1234 Weston Road, Section 16(288) of the former City of York Zoning By-law 1-83.

(138) Exception RM 138

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 66 Trethewey Drive, Section 16(420) of the former City of York Zoning By-law 1-83.

(139) Exception RM 139

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 89 Brownville Avenue, Section 16(241) of the former City of York Zoning By-law 1-83.

(140) Exception RM 140

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) Section 16(235) of the former City of York Zoning By-law 1-83.

(141) Exception RM 141

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 52 Cliff Street, Section 16(363) of the former City of York Zoning By-law 1-83.

(142) Exception RM 142

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The **duplex** on the lands is to have a minimum **side yard setback** on the north-east **lot line** of 3.0 metres
- (B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(143) Exception RM 143

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum side yard setback of the south lot line of the land may be 0.50 metres.
- (B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(144) Exception RM 144

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 80 and 82 Gray Avenue, Section 16(228) of the former City of York Zoning By-law 1-83.

(145) Exception RM 145

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The lands may be used for 3 detached houses. For each lot:
 - (i) the minimum lot frontage is 7.6 metres;
 - (ii) the minimum lot area is 230 square metres;
 - (iii) the minimum front yard setback is 6.1 metres;
 - (iv) the minimum rear yard setback is 10.0 metres;
 - (v) the minimum side yard setback is 0.91 metres;
 - (vi) the maximum floor space index is 0.6; and
 - (vii) the maximum building height is 2 storeys.
- (B) The minimum lot frontage is 12.0 metres for a semi-detached house or duplex.
- (C) The maximum number of dwelling units permitted on a lot is 2.
- (D) The maximum floor space index is 0.8 for a semi-detached house or duplex.

(146) Exception RM 146

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands may be used for a **Vehicle Fuel Station** and a **Vehicle Service Shop**. Overnight parking or storage of trucks or tractor trailers is not permitted.
- (B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(147) Exception RM 147

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The place of worship on the lands may be enlarged provided the minimum side yard setback on the east side of the lands is 3 metres and the rear yard setback existing on May 2, 1960 is maintained.
- (B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(148) Exception RM 148

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) On 2352 St Clair Avenue West, Section 16(302) of the former City of York Zoning By-law 1-83.

(149) Exception RM 149

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) On 2490 St Clair Avenue West, Section 16(340) of the former City of York Zoning By-law 1-83.

(150) Exception RM 150

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands may be used for a maximum of two dwelling units and one retail store.

(B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(151) Exception RM 151

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands subject to this exception may be used for the parking and the storage of vehicles.

Prevailing By-laws and Prevailing Sections: (None Apply)

(153) Exception RM 153

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) Section 16(133) of the former City of York Zoning By-law 1-83.

(154) Exception RM 154

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(45) of the former City of York Zoning By-law 1-83.

(155) Exception RM 155

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 18688.

(156) Exception RM 156

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(23) of the former City of York Zoning By-law 1-83.

(157) Exception RM 157

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 40 Croham Road, Section 16(96) of the former City of York Zoning By-law 1-83.

(158) Exception RM 158

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum **lot frontage** is 8.0 metres for a **detached house**.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(97) of the former City of York Zoning By-law 1-83

(159) Exception RM 159

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 6 detached houses is permitted.
- (B) the minimum lot frontage is 7.5 metres for a detached house.
- (C) the minimum front yard setback is 7.5 metres for a detached house; and
- (D) the minimum side yard setback is 0.75 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(160) Exception RM 160

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(62) of the former City of York Zoning By-law 1-83.

(161) Exception RM 161

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) Section 16(145) of the former City of York Zoning By-law 1-83.

(162) Exception RM 162

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Section:

(A) On 220 Bowie Avenue, Section 16(381) of the former City of York Zoning By-law 1-83.

(163) Exception RM 163

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 216 Schell Road, Section 16(231) of the former City of York Zoning By-law 1-83.

(165) Exception RM 165

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 27.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line is a distance equal to one half the height of the building; and
- (D) the maximum lot coverage is 33%.

(166) Exception RM 166

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 41 detached houses is permitted;
- (B) the minimum lot area is 240 square metres for a detached house;
- (C) the minimum lot frontage is 8.0 metres for a detached house;;
- (D) the maximum lot coverage is 50% for a detached house;.
- (E) the maximum building height is 11.0 metres for a detached house;;
- (F) the maximum floor space index is 0.80 for a detached house;;
- (G) the minimum front yard setback is 4.5 metres, except for a garage door the setback is 6.0 metres, for a detached house::
- (H) the minimum rear yard setback is 6.0 metres for a detached house;;
- (I) the minimum **side yard setback** is 0.3 metres on one side and 1.2 metres on the other side for a **detached house**;; and
- (J) the minimum soft landscaping on a lot is 40% for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(167) Exception RM 167

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The maximum height of any **building** is 16 metres with no more than 5 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(168) Exception RM 168

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 22.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abuts a street is 5.7 metres;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) a maximum of 50% of the **interior floor area** of the **first floor** shall be used for **dwelling units**; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(169) Exception RM 169

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** that abuts a **street** is 3.6 metres;

- (C) the minimum setback from a **side lot line** that does not abut a **street** is 6.4 metres;
- (D) the minimum setback from a rear lot line is 1.5 metres; and
- (E) the maximum lot coverage is 50%.

(170) Exception RM 170

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Danforth Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(171) Exception RM 171

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Danforth Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line that abuts a street is 2.4 metres;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) the maximum **lot coverage** is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(172) Exception RM 172

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts the street is 6.0 metres;
- (B) the minimum setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 33%; and
- (D) a nursing home is not permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(173) Exception RM 173

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum number of **dwelling units** permitted is:
 - (i) two **dwelling units**, which may include a **duplex**, on a **lot** with a minimum 15.0 metres frontage on a **street** and a minimum **lot area** of 510 m²; or , one **dwelling unit** on a **lot** with a minimum 7.5 metre frontage on a **street** and a minimum **lot area** of 255 m²
 - (ii) four **dwelling units**, which include a **fourplex**, on a **lot** with a minimum 21.0 metre frontage on a **street** and a minimum **lot area** of 780 m²; or, one **dwelling unit** on a **lot** with a minimum 5.25 metre frontage on a **street** and a minimum area of 195 m²
 - (iii) for all other dwelling unit types, 1 dwelling unit per 199 square metres of lot area;

- (B) the minimum setback from a lot line that abuts Midland Avenue is 25.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a **lot line** that abuts the **street** is 6.0 metres:
- (D) the minimum setback from a **side lot line** or **rear lot line** is a distance equal to one half the height of the **building**; and
- (E) the maximum lot coverage is 33%.

(174) Exception RM 174

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts the street is 9.0 metres;
- (B) the minimum setback from a lot line that abuts a lot line in a RD zone is 12.0 metres;
- (C) the minimum setback from a lot line that does not abut a street is 10.5 metres;
- (D) the maximum lot coverage is 30%;
- (E) a minimum of 50% of the lot must be used for no other purpose than landscaping;
- (F) a garbage storage building may be located between a lot line abutting a street and the residential buildings
 - (i) the minimum setback from a **lot line** that abuts a **street** is 1.5 metres;
- (G) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit:
 - (i) a minimum of 1.0 enclosed parking space must be provided per dwelling unit
 - (ii) a minimum of 0.2 parking space must be surface spaces for visitors;
- (H) the minimum dimensions for an enclosed parking space shall be 2.7 metres by 5.7 metres; and
- the lands located between Thrust Court and the side lot lines of 796 and 802 Midland Avenue must only be used for soft landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(175) Exception RM 175

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 965 Jane Street, Section 16(289) of the former City of York Zoning By-law 1-83.

(176) Exception RM 176

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(75) of the former City of York Zoning By-law 1-83.

(177) Exception RM 177

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(34) of the former City of York Zoning By-law 1-83.

(178) Exception RM 178

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Section:

(A) On 160, 162, 164, 166 and 168 Marlee Avenue and 398 Ridelle Avenue, Section 16(170) of the former City of York Zoning By-law 1-83.

(179) Exception RM 179

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 12.0 metres for a semi-detached house or duplex.

Prevailing By-laws and Prevailing Section:

(A) 406 and 406A Hopewell Avenue, Section 16(318) of the former City of York Zoning By-law 1-83.

(180) Exception RM 180

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(64) of the former City of York Zoning By-law 1-83.

(182) Exception RM 182

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Warden Avenue is 8.9 metres;
- (B) the minimum setback from a side lot line is one half the height of the building;
- (C) the minimum setback from a **side lot line** for a garages is 0.45 metres;
- (D) the maximum lot coverage is 33%; and
- (E) the portion of **building** containing a **parking space** may be located in a **side yard** if it is at least 0.45 metres from the **side lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(183) Exception RM 183

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) only dwelling units in a fourplex are permitted;
- (B) the minimum setback from a **lot line** that abuts Pharmacy Avenue is 22.0 metres, measured from the original centreline of the **street**;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the maximum **building** height is 9.0 metres;
- (E) parking spaces must be provided at the minimum rate of 1.6 parking spaces per dwelling unit
 - (i) visitor parking spaces must be provided at a minimum rate of 0.3 parking spaces per dwelling unit; and

(F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(184) Exception RM 184

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) One addition of a maximum of 33 square metres is allowed to the existing **detached house**, provided the minimum west **side yard setback** is 0.26 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(185) Exception RM 185

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 1751 and 1753 Keele Street, Section 16(404) of the former City of York Zoning By-law 1-83.

(186) Exception RM 186

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum **lot frontage** is 8.0 metres for a **detached house**.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(172) of the former City of York Zoning By-law 1-83.

(187) Exception RM 187

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 537 Silverthorn Avenue, Section 16(312) of the former City of York Zoning By-law 1-83.

(188) Exception RM 188

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) The private garage located on the north side of the **residential building** on the **lot** may not project more than 1.7 metres from the **main wall** of the **residential building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(189) Exception RM 189

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum **lot frontage** is 8.0 metres for a **detached house**.
- (B) The walls of the private garages on the lands must be a minimum of 3.0 metres from the **street** line.

(190) Exception RM 190

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(163) of the former City of York Zoning By-law 1-83.

(191) Exception RM 191

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) One addition of a maximum of 28 square metres to the rear of the existing dwelling is allowed.

Prevailing By-laws and Prevailing Sections: (None Apply)

(192) Exception RM 192

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) 438 Silverthorn Avenue, Section 16(106) of the former City of York Zoning By-law 1-83.

(193) Exception RM 193

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(38) of the former City of York Zoning By-law 1-83.

(194) Exception RM 194

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 1651 Keele Street, Section 16(296) of the former City of York Zoning By-law 1-83.

(195) Exception RM 195

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum **lot frontage** is 8.0 metres for a **detached house**.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(128) of the former City of York Zoning By-law 1-83.

(196) Exception RM 196

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 19 Kenora Crescent, Section 16(380) of the former City of York Zoning By-law 1-83.

(198) Exception RM 198

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 450 Gilbert Avenue, Section 16(388) of the former City of York Zoning By-law 1-83.

(199) Exception RM 199

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 424 Gilbert Avenue, Section 16(389) of the former City of York Zoning By-law 1-83.

(200) Exception RM 200

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum **lot frontage** is 8.0 metres for a **detached house**.
- (B) The lands may be used for a **detached house** provided the north **side yard setback** is a minimum of 1.2 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(201) Exception RM 201

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 50 and 100 Bronoco Avenue and 366 Rogers Road, Section 16(347) of the former City of York Zoning By-law 1-83

(202) Exception RM 202

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 111 Kitchener Avenue, Section 16(354) of the former City of York Zoning By-law 1-83.

(203) Exception RM 203

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a lot line that abuts Birchmount Road is 22.0 metres, measured from

the original centreline of the road;

- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%;
- (E) on the lands municipally known in the year 2010 as 500 Birchmount Road, a library is also a permitted use if:
 - (i) the **gross floor area** of the **building** minus the **gross floor area** of the **basement**, is not more than 80% of the **lot area**; and
 - (ii) parking spaces be provided at a minimum rate of 2.17 for each 100 square metres of gross floor area.

Prevailing By-laws and Prevailing Sections: (None Apply)

(204) Exception RM 204

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) on lands described as Lot 289, Registered Plan 1882, a duplex is permitted on the lot;
- (B) the minimum setback from a **lot line** that abuts Danforth Road is 22.0 metres, measured from the original centreline of the **street**;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) on lands described as **Lot** 289 on Registered Plan 1882, the minimum setbacks from a **side lot line**:
 - (i) from the easterly **side lot line** is 0.9 metres
 - (ii) from the lot line that abuts North Woodrow Boulevard is 1.5 metres;
- (E) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(205) Exception RM 205

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Danforth Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (D) a maximum of 50% of the **interior floor area** of the **basement** floor shall be used for **dwelling units**; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(206) Exception RM 206

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) only **dwelling units** in an **fourplex** are permitted;
- (B) the maximum lot coverage is 30%; and
- (C) the minimum setback from a side lot line for a garage is 0.3.

Prevailing By-laws and Prevailing Sections: (None Apply)

(207) Exception RM 207

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 16.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **lot line** that abuts St. Clair Avenue is 22.0 metres, measured from the original centreline of the **street**; and
- (C) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(208) Exception RM 208

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 22.0 metres, measured from the original centre line of the road;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(209) Exception RM 209

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from lot line that abuts St. Clair Avenue is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units:
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(210) Exception RM 210

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 22.0 metres, measured from the original centre line of the road;
- (B) the minimum setback from a **side lot line** is the greater of:
 - (i) 3.6 metres, or
 - (ii) the minimum setback from a side lot line is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units; and
- (D) the maximum **lot coverage** is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(211) Exception RM 211

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is:
 - (i) 8.0 metres for a detached house; and
 - (ii) 12.0 metres for a semi-detached house or duplex.

Prevailing By-laws and Prevailing Sections:

(A) On 54 Kirknewton Road, Section 16(398) of the former City of York Zoning By-law 1-83.

(212) Exception RM 212

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(94) of the former City of York Zoning By-law 1-83.

(213) Exception RM 213

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) One addition to the existing **building** may be permitted if it does not project more than 2.2 metres from the front of the original **main wall** of the **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(215) Exception RM 215

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) The lands may be used for a **detached house**, if
 - (i) the maximum floor area of the **detached house** is 117 square metres; and
 - (ii) the minimum front yard setback is 3.6 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(216) Exception RM 216

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) An addition to the rear of the existing dwelling may be permitted, if the north, **side yard setback** is a minimum of 0.4 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(217) Exception RM 217

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) The lands may be used for an office and the storage of sanding equipment.

Prevailing By-laws and Prevailing Sections: (None Apply)

(218) Exception RM 218

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum **lot frontage** is 12.0 metres for a **semi-detached house** or **duplex**.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(309) of the former City of York Zoning By-law 1-83.

(219) Exception RM 219

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 414 Rogers Road, Section 16(234) of the former City of York Zoning By-law 1-83.

(221) Exception RM 221

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 290 Rogers Road, Section 16(11) of the former City of York Zoning By-law 1-83.

(222) Exception RM 222

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(126) of the former City of York Zoning By-law 1-83.

(223) Exception RM 223

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum **lot frontage** is 8.0 metres for a **detached house**.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(33) of the former City of York Zoning By-law 1-83.

(224) Exception RM 224

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) An addition to the **basement** of the existing **residential building** may be permitted, if the addition does not extend 3.7 metres beyond the rear wall of the **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(225) Exception RM 225

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) The site may be used for a one storey detached house if the minimum east side yard setback is 0.2 metres and the west side yard setback is 0.7 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(226) Exception RM 226

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 257, 259, and 261 Nairn Avenue and 238 and 240 Earlscourt Avenue, Section 16(275) of the former City of York Zoning By-law 1-83.

(227) Exception RM 227

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 288 Boon Avenue, Section 16(385) of the former City of York Zoning By-law 1-83.

(228) Exception RM 228

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(89) of the former City of York Zoning By-law 1-83.

(229) Exception RM 229

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(70) of the former City of York Zoning By-law 1-83.

(230) Exception RM 230

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 621 Glenholme Avenue, Section 16(192) of the former City of York Zoning By-law 1-83.

(231) Exception RM 231

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 170 Alameda Avenue, Section 16(267) of the former City of York Zoning By-law 1-83.

(233) Exception RM 233

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(232) of the former City of York Zoning By-law 1-83.

(234) Exception RM 234

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) The maximum floor space index is 0.8.

Prevailing By-laws and Prevailing Sections:

(A) On 2091 Dufferin Street, Section 16(307) of the former City of York Zoning By-law 1-83.

(235) Exception RM 235

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands may be used for a place of worship if the minimum north side yard building setback is 3.0 metres, the south side building setback is 1.5 metres and the minimum rear yard building setback is 3.0 metres.
- (B) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(236) Exception RM 236

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is
 - (i) 8.0 metres for a detached house; and
 - (ii) 12.0 metres for a semi-detached house or duplex.
- (B) The maximum floor space index is 0.8.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(87) of the former City of York Zoning By-law 1-83.

(237) Exception RM 237

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(57) of the former City of York Zoning By-law 1-83.

(238) Exception RM 238

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 11 Rogers Road, Section 16(352) of the former City of York Zoning By-law 1-83.

(239) Exception RM 239

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 434 Oakwood Avenue, Section 16(294) of the former City of York Zoning By-law 1-83.

(241) Exception RM 241

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage is 8.0 metres for a detached house.
- (B) A rear addition to the existing dwelling is permitted if the maximum floor area of the addition is 19 square metres and the minimum north side yard building setback is 0.45 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(242) Exception RM 242

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands may be used for a beauty salon if the maximum floor area of the salon is 46.5 square metres
- (B) The lands must comply with exception 900.6.10(253).

Prevailing By-laws and Prevailing Sections: (None Apply)

(243) Exception RM 243

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot frontage for a detached house is 8.0 metres.
- (B) The lands may be used for a Vehicle Fuel Station and a Vehicle Service Shop.
- (C) The minimum west side yard setback for a Vehicle Fuel Station and a Vehicle Service Shop is 1.8 metres.
- (D) Overnight parking or storage of trucks or tractor trailers is not permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(245) Exception RM 245

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum **lot frontage** is 8.0 metres for a **detached house**.

Prevailing By-laws and Prevailing Sections:

(A) Section 16(105) of the former City of York Zoning By-law 1-83.

(246) Exception RM 246

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum **lot frontage** for a **detached house** is 8.0 metres.
- (B) The lands may be used for a Vehicle Fuel Station and a Vehicle Service Shop.
- (C) Overnight parking or storage of trucks or tractor trailers is not permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(247) Exception RM 247

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1528 and 1530 Bathurst Street, Section 16(330) of the former City of York Zoning By-law 1-83.

(248) Exception RM 248

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 1 Valewood Avenue, Section 16(216) of the former City of York Zoning By-law 1-83.

(249) Exception RM 249

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 142 and 148 Kenwood Avenue, Section 16(323) of the former City of York Zoning By-law 1-83.

(250) Exception RM 250

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

Prevailing By-laws and Prevailing Sections:

(A) On 11 Pinewood Avenue, Section 16(369) of the former City of York Zoning By-law 1-83.

(251) Exception RM 251

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 11 Claxton Boulevard, Section 16(293) of the former City of York Zoning By-law 1-83.

(252) Exception RM 252

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum lot frontage is 8.0 metres for a detached house.

(253) Exception RM 253

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A detached house, semi-detached house, duplex, triplex, or a townhouse with every dwelling unit fronting directly on a street, are the only residential building types permitted.
- (B) The minimum lot frontage is:
 - (i) 8.0 metres for a detached house;
 - (ii) 12.0 metres for a semi-detached house, duplex, or triplex; and
 - (iii) 5.0 metres for a townhouse.
- (C) The maximum **building** height is 11.0 metres and no more than 3 **storeys**.
- (D) The maximum floor space index is 1.0.
- (E) The minimum rear yard setback is 6.0 metres.
- (F) The minimum side yard setback is:
 - (i) 0.5 metres on one side and 1.2 metres on the other side for a detached house, duplex, or triplex;
 - (ii) 1.2 metres for the exterior of two attached duplex or triplex buildings;
 - (iii) 1.2 metres for a semi-detached house; and
 - (iv) 0.5 metres for a townhouse.
- (G) A duplex may be attached to one other duplex on an adjacent lot in the same zone.
- (H) A triplex may be attached to one other triplex on an adjacent lot in the same zone.

Prevailing By-laws and Prevailing Sections: (None Apply)

(254) Exception RM 254

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts **street** is 3.0 metres;
- (B) the minimum setback from a side lot line that does not abut a street for an attached garage is 1.0 metres;
- (C) parking spaces must be provided at a minimum rate of 1.8 parking spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 1.6 parking spaces per dwelling unit must be for residents of which:
 - (a) 1.0 parking space per dwelling unit must be enclosed
 - (b) 0.6 parking spaces per dwelling unit may be provided in tandem
 - (ii) a minimum of 0.2 parking spaces per dwelling unit must be for visitors;
- (E) the maximum height for a building or structure is 4 storeys; and
- (F) the maximum lot coverage is 48%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(255) Exception RM 255

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Midland Avenue is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;

- (D) the minimum setback from a rear lot line is 13.5 metres;
- (E) parking spaces must be provided at a minimum rate of 1.2 parking spaces per dwelling unit;and
- (F) the maximum lot coverage is 33%.

(257) Exception RM 257

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Brimley Road is 25.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abuts Ellesmere Road is 30.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) the maximum height for a building or structure is 4 storeys; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(258) Exception RM 258

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a **lot line** that abuts a **lot** in a RD Zone is 7.0 metres;
- (C) parking spaces must be provided at a minimum rate of 1.5 parking spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 0.2 parking spaces per dwelling unit must be for visitors;
 - (ii) a minimum of 1.3 parking spaces per dwelling unit must be enclosed for residents; and
 - (iii) enclosed parking space dimensions shall be:
 - (a) 3 metres by 6 metres for one parking space, or
 - (b) 5.4 metres by 6 metres containing two parking spaces;
- (E) a minimum landscape strip of 1.0 metres must be provided along a lot line that abuts a lot in a RD zone;
 - (i) one **parking space** may encroach a maximum of 0.9 metres into the required **landscape** strip:
- (F) the maximum height for a building or structure is 4 storeys; and
- (G) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(259) Exception RM 259

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from the south side lot line is 3.0 metres;
- (C) the minimum setback from the north side lot line is 7.5 metres;
- (D) the minimum setback from a rear lot line is 6.4 metres;
 - (i) an uncovered deck may project between the **building** and the **rear lot line**;
- (E) parking spaces must be provided at a minimum rate of 1.8 parking spaces per dwelling unit;

- (F) of the required parking:
 - (i) a minimum of 0.2 parking spaces per dwelling unit must be for visitors;
 - (ii) a minimum of one parking space must be in the building containing the dwelling unit for each resident; and
 - (iii) minimum enclosed parking space dimensions shall be 2.7 metres by 5.7 metres;
- (G) the maximum height for a building or structure is 2 storeys; and
- (H) the maximum lot coverage is 50%.

(260) Exception RM 260

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Lawrence Avenue is 30.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum separation distance between **buildings** on the **lot** is the height of the **buildings**;
- (D) the maximum height for a building or structure is 2 one half storeys and 11 metres above the finished grade;
- (E) a minimum of 50% of the **interior floor area** of the **basement** floor shall be used for service and storage uses; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(261) Exception RM 261

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 5.0 metres;
- (B) the minimum building setback from a side lot line is 1.5 metres;
- (C) the maximum lot coverage is 30%;
- (D) a maximum of 3 visitor parking spaces may be located in the front yard; and
- (E) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) a minimum setback from a lot line is 1.5 metres
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(262) Exception RM 262

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **building setback** from a **front lot line** is 6.0 metres;
- (B) the minimum building setback from lot lines that do not abut a street is 7.5 metres;
- (C) the maximum height for a **building** or **structure** is 4.0 **storeys**;
- (D) the maximum lot coverage is 30%;
- (E) a minimum 50% of the area of the lot must be used for no other purpose than landscaping;
- (F) parking spaces must be provided at a minimum rate of 1.3 parking spaces per dwelling unit;
- (G) of the required parking spaces:

- (i) a minimum of 1.0 **parking space** for residents use must be located underground or within the **residential building**; and
- (ii) a minimum of 0.3 parking spaces must be surface spaces for visitors and these surface visitor spaces do not include a tandem parking space located in front of an enclosed parking space for residents; and
- (iii) parking spaces may be located between the main wall and the lot line abutting a street;and
- (H) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (I) despite regulations to the contrary, **buildings** or **structures** for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street;
 - (ii) enclosed by 4 walls and a roof; and
- (J) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) a minimum setback from a lot line is 1.5 metres;
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(263) Exception RM 263

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) 230 square metres for a detached house;
 - (ii) 465 square metres for a semi-detached house; and
 - (iii) 555 square metres for a duplex.
- (B) The minimum lot frontage is:
 - (i) 7.5 metres for a detached house;
 - (ii) 15.0 metres for a semi-detached house; and
 - (iii) 18.0 metres for a duplex.
- (C) The maximum lot coverage is:
 - (i) 35% for a detached house or semi-detached house; and
 - (ii) 30% for a duplex.
- (D) The maximum height is 8.5 metres and two **storeys** for a **detached house**, **semi-detached house**, or **duplex**.
- (E) The minimum side yard setback is:
 - (i) 0.9 metres for a detached house:
 - (ii) 1.2 metres for a semi-detached house; and
 - (iii) 2.4 metres for a duplex.
- (F) A triplex, fourplex, or apartment building are not permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(264) Exception RM 264

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a lot line that abuts a street is 3.0 metres;

- (B) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**:
- (C) the minimum setback from a **side lot line** is 1.2 metres on one side:
- (D) the minimum setback from a rear lot line is 7.25 metres;
- (E) the maximum height of a **building** is 12.5 metres;
- (F) parking spaces must be provided at a minimum rate of 1.25 parking spaces per dwelling unit;
- (G) the maximum lot coverage is 50%;
- (H) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) a minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (I) where a **rear lot line** abuts an ON zone, **structures** including garden sheds, tool sheds and swimming pools are not permitted within 5.0 metres from the **rear lot line**:
 - (i) unenclosed porches and decks shall be permitted to project to a maximum of 3.0 metres from the rear **main wall**
 - (ii) exterior steps and approved acoustical barriers shall be permitted within the 5.0 metres from the **rear lot line**.

(265) Exception RM 265

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 5.7 metres from a **lot line** that abuts a **street**;
- (C) if a **lot** abuts Staines Road, the **front lot line** is the **lot line** that abuts Staines Road;
- (D) the minimum setback from a **side lot line** that abuts a zone boundary is 1.2m;
- (E) the minimum setback from a rear lot line is 7.25 metres;
- (F) the maximum height of a **building** is 12.5 metres;
- (G) parking spaces must be provided at a minimum rate of 1.25 parking spaces per dwelling unit;
- (H) the maximum **lot coverage** is 50%;
- (I) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) a minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (J) where a rear lot line abuts an ON zone, structures including garden sheds, tool sheds and swimming pools are not permitted within 5.0 metres from the rear lot line:
 - (i) unenclosed porches and decks shall be permitted to project to a maximum of 3.0 metres from the rear **main wall**
 - (ii) exterior steps and approved acoustical barriers shall be permitted within the 5.0 metres from the **rear lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(266) Exception RM 266

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) only **townhouse buildings** are permitted;
- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) the maximum height for all **buildings** is 9.68 metres;
- (D) parking spaces must be provided at a minimum rate of 1.4 parking spaces per dwelling unit;

- (E) of the required parking spaces:
 - (i) a minimum of 1.0 parking space must be enclosed spaces for residents
 - (ii) a minimum of 0.2 parking spaces must be for visitors;
- (F) the maximum lot coverage is 40%;
- (G) a minimum landscaping strip of 3.0 metres must be provided along the lot line that abuts a RD zone; and
- (H) swimming pools are permitted in yards that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) a minimum setback from a lot line is 1.5 metres
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres.

(267) Exception RM 267

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the maximum height for all **buildings** is 9.68 metres;
- (C) parking spaces must be provided at a minimum rate of 1.4 parking spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 1.0 parking space must be enclosed spaces for residents; and
 - (ii) a minimum of 0.2 parking spaces must be for visitors;
- (E) the maximum lot coverage is 40%;
- (F) a minimum landscaping strip of 3.0 metres must be provided along the lot line that abuts a RD zone;
- (G) swimming pools are permitted in yards that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) a minimum setback from a lot line is 1.5 metres; and
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 15, of Scarborough By-law 17677.

(268) Exception RM 268

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from the north lot line is 6.5 metres;
- (C) the minimum setback from the west lot line is 3.0 metres;
- (D) the minimum setback from the south side lot line is 10.0 metres;
- (E) parking spaces must be provided at a minimum rate of 2.2 parking spaces per dwelling unit;
- (F) of the required parking spaces:
 - (i) a minimum of 1.0 parking space must be enclosed spaces for residents
 - (ii) a minimum of 1.0 **parking space** must be a tandem space on the **driveway** to the enclosed space
 - (ii) a minimum of 0.2 parking spaces must be for visitors;
- (G) the maximum lot coverage is 40%; and
- (H) swimming pools are permitted in yards that do not abut a **street**:

- (i) the total surface area of the structure must not be more than 15% of the area of the lot
- (ii) a minimum setback from a lot line is 1.5 metres.

(269) Exception RM 269

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) 185 square metres for a detached house; and
 - (ii) 325 square metres for a semi-detached house.
- (B) The minimum lot frontage is:
 - (i) 6.0 metres for a detached house; and
 - (ii) 10.5 metres for a semi-detached house.
- (C) The maximum lot coverage is:
 - (i) 35% for a detached house or semi-detached house; and
 - (ii) 50% for a duplex or triplex.
- (D) The maximum height is:
 - (i) 8.5 metres for a detached house or semi-detached house;
 - (ii) 9.0 metres for a duplex; and
 - (iii) 10.7 metres for a triplex.
- (E) The maximum floor space index is:
 - (i) 0.75 for a detached house or semi-detached house; and
 - (ii) 1.25 for a duplex or triplex.
- (F) The minimum side yard setback is:
 - (i) 0.6 metres for a **detached house**;
 - (ii) 0.9 metres for a semi-detached house; and
 - (iii) 2.4 metres for a duplex or triplex.
- (G) A duplex may be attached to one other duplex on an adjacent lot in the same zone.
- (H) A triplex may be attached to one other triplex on an adjacent lot in the same zone.

Prevailing By-laws and Prevailing Sections: (None Apply)

(270) Exception RM 270

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1132 Broadview Avenue, Section 12.1.15, as amended, of the former Borough of East York Zoning By-law 6752.

(271) Exception RM 271

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 522-538 Dawes Road, Section 7.7.5.16, as amended, of the former Borough of East York Zoning By-law 6752.

(272) Exception RM 272

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres, except for the part of the **building** containing the enclosed **parking space** which must be 6.0 metres;
- (B) the minimum setback from a lot line that abuts Kennedy Road and Finch Avenue is 5.0 metres;
- (C) the minimum setback from a lot line that does not abut a street is 7.5 metres;
- (D) parking spaces must be provided at a minimum rate of 1.2 parking spaces per dwelling unit;
- (E) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (F) the maximum height of a building or structure is 2 storeys;
- (G) the landscaping existing along a lot line that abuts a lot within an RS zone on the date of the enactment of this By-law is the minimum landscaping required;
- (H) the maximum lot coverage is 33%; and
- (I) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(273) Exception RM 273

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 4.5 metres for an end wall
 - (ii) 7.5 metres in all other cases;
- (C) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (D) of the required parking:
 - (i) a minimum of 1.0 parking space must be located below grade or be enclosed within a building
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (E) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (F) all parts of a building located below grade must be set back from a lot line that abuts a street the greater of the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line or 3.0 metres;
- (G) despite regulations to the contrary, buildings or structures used for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street
 - (ii) enclosed by four walls and a roof;
- (H) the maximum height of a building or structure is 2 storeys;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and side yards that are not adjacent to a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) a minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(274) Exception RM 274

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is 7.5 metres;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be located below grade or enclosed within a building
 - (ii) a minimum of 0.2 parking spaces must be for visitors;
- (F) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves:
- (G) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line; and
- (H) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum lot coverage is 30%;
- (J) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(275) Exception RM 275

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts Bridletowne Circle is 12.0 metres;
- (C) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (D) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is 7.5 metres;
- (E) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (G) the maximum height of a building or structure is 8.0 metres from grade to eaves;
- (H) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (I) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (J) the maximum lot coverage is 30%; and
- (K) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (L) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(276) Exception RM 276

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 10.5 metres in all other cases;
- (C) parking spaces must be provided at a rate the greater of:
 - (i) 1.6 parking spaces per dwelling unit or
 - (ii) 1.07 parking spaces per 100 square metres of gross floor area;
- (D) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (E) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (F) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (G) despite regulations to the contrary, **buildings** or **structures** used for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street
 - (ii) enclosed by four walls and a roof;
- (H) the maximum lot coverage is 30%; and
- (I) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(277) Exception RM 277

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is 7.5 metres;
- (C) the **landscaping** existing along a **lot line** that abuts a **lot** within an RS zone on the date of the enactment of this By-law is the minimum **landscaping** required;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (G) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line;
- (H) a minimum of 50% of the area of the lot must be used for no other purpose than landscaping;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(278) Exception RM 278

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 6.0 metres;
- (B) the minimum setback from a lot line that abuts a street for side walls is that which existed on the date of the enactment of this By-law;
- (C) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (D) the **landscaping** existing along a **lot line** that abuts a **lot** within an RS zone on the date of the enactment of this By-law is the minimum **landscaping** required;
- (E) the maximum lot coverage is 30%; and
- (F) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(279) Exception RM 279

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres where the lot line abuts a lot in an RD zone
 - (iii) 10.5 metres in all other cases;
- (C) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (D) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (E) a minimum of 60% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (F) the maximum lot coverage is 30%; and
- (G) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(280) Exception RM 280

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts Huntingdale Boulevard is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;

- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (G) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 60% of the area of the lot must be used for no other purpose than landscaping;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(281) Exception RM 281

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 6.0 metres;
- (B) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is 10.5 metres:
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres where the lot line abuts a lot in an RS zone;
- (D) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (E) the maximum lot coverage is 30%; and
- (F) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(282) Exception RM 282

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts Chester Le Boulevard is 9.0 metres;
- (C) the minimum setback from a lot line that abuts a street is 7.5 metres;
- (D) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres where the lot line abuts a lot in an RS zone
 - (iii) 10.5 metres in all other cases;
- (E) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or within a building
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;

- (G) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line;
- (H) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (I) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (J) the maximum lot coverage is 30%; and
- (K) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (L) these lands must also comply with exception 900.6.10(473).

(283) Exception RM 283

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 7.5 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or within a building
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (G) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(284) Exception RM 284

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Victoria Park Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 7.5 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:

- (i) a minimum of 0.7 parking spaces must be below grade or within a building
- (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (G) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(285) Exception RM 285

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 18.0 metres;
- (B) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres:
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres where the lot line abuts a lot in an RS zone
 - (iii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or within a building
 - (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
- (F) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line;
- (G) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 50% of the area of the lot must be used for no other purpose than landscaping;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(286) Exception RM 286

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Victoria Park Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 7.5 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall

- (ii) 12.0 metres where the lot line abuts a lot in an RS zone
- (iii) 10.5 metres in all other cases:
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or within a building
 - (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
- (F) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line;
- (G) the maximum height of the **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum lot coverage is 33%; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(287) Exception RM 287

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Pharmacy Avenue is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **lot line** that abuts a **street** is 6.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall; and
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 1.0 parking space must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (G) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) despite regulations to the contrary, **buildings** or **structures** used for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street; and
 - (ii) enclosed by four walls and a roof;
- (J) the maximum lot coverage is 30%; and
- (K) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (L) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(288) Exception RM 288

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line is 3.0 metres;
- (B) the minimum setback from a rear lot line is 7.5 metres;
- (C) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (D) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (E) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (F) a minimum of 60% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (G) the maximum lot coverage is 30%; and
- (H) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(291) Exception RM 291

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Sprucewood Court is 7.5 metres;
- (B) the minimum setback from the **rear lot line** that does not abut a **street** is 10.5 metres;
- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (G) a minimum of 60% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) the maximum **lot coverage** is 30%;
- (I) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (J) the following use is also permitted:
 - (i) service use to only include:
 - (a) vehicle fuel station, personal service shop, retail store, office, financial institution, and take-out eating establishment; and
 - (b) the maximum **gross floor area** for a **take-out eating establishment** is 465 square metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(292) Exception RM 292

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Finch Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from the **lot line** that abuts a **street** is 7.5 metres:
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall;
 - (ii) 12.0 metres from a lot line that abuts a lot in an RD or RS zone; and
 - (iii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (G) a minimum of 60% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) the maximum lot coverage is 30%; and
- (I) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) a minimum setback from a lot line is 1.5 metres; and
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(293) Exception RM 293

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Warden Avenue is 28.0 metres, measured from the centre of the street:
- (B) the minimum setback from a lot line that abuts Bridletowne Circle is 9.0 metres;
- (C) the minimum setback from the lot line that abuts a street is 6.0 metres;
- (D) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall; and
 - (ii) 10.5 metres in all other cases;
- (E) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (G) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line;
- (H) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (I) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (J) the maximum lot coverage is 30%; and
- (K) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) a minimum setback from a lot line is 1.5 metres; and
- (L) these lands must also comply with exception 900.6.10(473).

(294) Exception RM 294

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Bridletowne Circle is 4.50 metres;
- (B) the minimum setback from a lot line that abuts Warden Avenue is 8.0 metres;
- (C) the minimum setback from a **lot line** that abuts a **lot** in a RM zone is 12.0 metres;
- (D) the minimum setback from a lot line that abuts an ON zone is 2.5 metres;
- (E) parking spaces must be provided at a minimum rate of 1.1 spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 0.1 parking spaces must be surface spaces for visitors;
- (G) all parts of a building located below grade must be set back from a lot line that abuts a street the greater of the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line or 3.0 metres;
- (H) the maximum lot coverage is 33%; and
- (I) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) a minimum setback from a lot line is 1.5 metres; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(295) Exception RM 295

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the lot line that abuts a street is 9.0 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall;
 - (ii) 12.0 metres from a lot line that abuts a lot in an RD or RS zone; and
 - (iii) 10.5 metres in all other cases;
- (C) the minimum setback from a side lot line is a distance of one half the height of the building;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 **parking spaces** must be spaces for visitors;
- (G) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 60% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
 - (ii) the minimum setback from a RD and RS zone is 12.0 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(296) Exception RM 296

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Warden Avenue is 28.0 metres, measured from the centre of the **street**;
- (B) the minimum setback from a lot line that abuts Bridletowne Circle is 9.0 metres;
- (C) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is:
 - (i) 7.5 metres for an end wall; and
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line;
- (G) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) a minimum setback from a lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(297) Exception RM 297

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall; and
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building;
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (G) a minimum of 50% of the area of the lot must be used for no other purpose than landscaping;
- (H) despite regulations to the contrary, **buildings** or **structures** used for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street; and
 - (ii) enclosed by four walls and a roof;

- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) a minimum setback from a lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(298) Exception RM 298

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Bridletowne Circle is 12.0 metres;
- (B) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres;
- (C) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (D) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (E) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (F) the maximum height of a building or structure is 8.0 metres from grade to eaves;
- (G) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) the maximum lot coverage is 30%; and
- (I) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) a minimum setback from a lot line is 1.5 metres; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(299) Exception RM 299

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Finch Avenue is 12.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 7.5 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres from a lot line that abuts a lot in a RS zone
 - (iii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 0.7 parking spaces must be below grade or enclosed within a building; and
 - (ii) a minimum of 0.2 parking spaces must be spaces for visitors;
- (F) all parts of a building located below grade must be set back from a lot line that abuts a street the greater of the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line or 3.0 metres;
- (G) the maximum height of a **building** or **structure** is 8.0 metres from grade to eaves;
- (H) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum lot coverage is 30%; and

- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
 - (ii) the minimum setback from a RS zone is 12.0 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(300) Exception RM 300

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Finch Avenue is 30.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a lot line that a lot in a RS zone is 13.5 metres;
- (D) the minimum setback from a **side lot line** is a distance of one half the height of the **building**;
- (E) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (F) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit:
 - (i) a minimum of 50% of the parking spaces must be within a building;
- (G) a minimum **landscaping** strip of 13.5 metres must be provided for no other purpose than **landscaping** along a **lot line** that abuts a **lot** within a RS zone;
- (H) the maximum lot coverage is 33%; and
- (I) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres
 - (iii) the minimum setback from a RS zone is 12.0 metres; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(301) Exception RM 301

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Kennedy Road is 30.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a lot line that a lot in a RD zone is 13.5 metres;
- (D) the minimum setback from a side lot line is a distance of one half the height of the building;
- (E) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (F) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit:
 - (i) a minimum of 50% of the parking spaces must be within a building;
- (G) a minimum landscaping strip of 13.5 metres must be provided for no other purpose than landscaping along a lot line that abuts a lot within a RD zone;
- (H) the following use is also permitted on the lands being Block C on Registered Plan M-1323:
 - (i) an **ancillary** recreational **building** to include only sauna baths, swimming pools, hobby shop, assembly hall, games room and health **club**;
 - (ii) the maximum gross floor area minus the gross floor area of enclosed malls used for walkway purposes is 186 square metres;

- (iii) the minimum setback from a lot line that abuts Kennedy Road is 78.0 metres; and
- (iii) the minimum setback from a lot line that abuts Huntingwood Drive is 83.0 metres;
- (I) the maximum lot coverage is 33%; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres
 - (iii) the minimum setback from a RD zone is 12.0 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

(302) Exception RM 302

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Sheppard Avenue is 33.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abuts Pharmacy Avenue is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (E) parking spaces must be provided at a minimum rate of 1.1 spaces per dwelling unit;
- (F) of the required parking spaces:
 - (i) a minimum of 25% must be below grade;
- (G) the maximum lot coverage is 40%; and
- (H) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(303) Exception RM 303

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall;
 - (ii) 12.5 metres where the lot line abuts a lot in a RD zone; and
 - (iii) 10.5 metres in all other cases;
- (C) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (D) of the required parking:
 - (i) a minimum of 75% must be below grade; and
 - (ii) a minimum of 50% of the total surface parking spaces must be for visitors;
- (E) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** equivalent to the full depth of the **structure**;
- (F) the maximum height of a **building** or **structure** is 9.5 metres from grade to eaves;
- (G) the maximum lot coverage is 30%; and

- (H) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

(304) Exception RM 304

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Warden Avenue is:
 - (i) 15.0 metres for side and rear main walls; and
 - (ii) 36.0 metres, measured from the original centreline of the **street** in all other cases;
- (B) the minimum setback from a lot line that abuts a street is 7.5 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall; and
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 75% must be below grade; and
 - (ii) a minimum of 50% of the total surface parking spaces must be for visitors;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** equivalent to the full depth of the **structure**;
- (G) the maximum height of a building or structure is 9.5 metres from grade to eaves;
- (H) the maximum lot coverage is 30%; and
- (I) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(305) Exception RM 305

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is 7.5 metres;
- (C) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 1.0 parking space must be enclosed for residents; and
 - (ii) a minimum of 0.2 parking spaces must be for visitors;
- (E) all parts of a building located below grade must be set back from a lot line that abuts a street the greater of the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line or 3.0 metres;
- (F) a minimum 45% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (G) the maximum lot coverage is 32%; and
- (H) swimming pools are permitted in a yards that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) the minimum setback from a line is 1.5 metres; and
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres.

(306) Exception RM 306

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Birchmount Avenue is 12.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for a side wall;
 - (ii) 12.5 metres where the lot line abuts a lot in a RD, RS or RT zone; and
 - (iii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.6 spaces per dwelling unit;
- (E) of the required parking spaces:
 - (i) a minimum of 1.0 parking space must be enclosed or below grade for residents; and
 - (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
 - (iii) the minimum dimensions for below grade or enclosed **parking spaces** shall be 2.7 metres in width by 5.7 metres in length;
- (F) all parts of a building located below grade must be set back from a lot line that abuts a street the greater of the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line or 3.0 metres;
- (G) despite regulations to the contrary, **buildings** or **structures** for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street
 - (ii) enclosed by four walls and a roof;
- (H) a minimum 50% of the area of the lot must be used for no other purpose than landscaping;
- (I) the maximum lot coverage is 30%; and
- (J) swimming pools are permitted in a yards that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) the minimum setback from a line is 1.5 metres; and
 - (iii) a minimum setback from a **lot line** that abuts a **lot** in a RD zone is 12.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(307) Exception RM 307

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a **lot line** that abuts a **street** is 19.0 metres, measured from the centreline of the **street**;
- (B) the minimum setback from a side lot line is:
 - (i) 7.5 metres from the eastern, western and south-western lot lines; and
 - (ii) 3.0 metres from the southern lot line;
- (C) parking spaces must be provided at a minimum rate of 1.4 spaces per dwelling unit;
- (D) of the required parking:
 - (i) a minimum of 1.0 parking space must be enclosed for residents;
 - (ii) a minimum of 0.3 parking spaces must be surface spaces for visitors; and
 - (iii) a minimum of 0.1 parking spaces must be a tandem space on the driveway to the enclosed space; and
- (E) the maximum lot coverage is 35%;
- (F) the maximum height of a building or structure is 2 storeys and 9.5 metres, measured from the

mean grade at the front **main wall** to the highest point of the **building** excluding chimneys, vents and antennae:

- (G) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 34, of Scarborough By-law 10827.

(308) Exception RM 308

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Morrish Road is 2.0 metres;
- (B) the minimum setback from all other lot lines:
 - (i) 7.5 metres from the northern **lot line**;
 - (ii) 6.9 metres from the southern lot line;
 - (iii) 0.9 metres from the eastern lot line; and
 - (iv) where a dwelling unit abuts Morrish Road:
 - (a) the setback from the northern lot line is 4.71 metres; and
 - (b) the setback from the southern **lot line** is 0.9 metres;
- (C) parking spaces must be provided at a minimum rate of 2.0 spaces per dwelling unit;
- (D) of the required parking:
 - (i) a minimum of 1.0 parking space must be enclosed for residents; and
 - (ii) a minimum of 1.0 **parking space** must be a tandem space on the **driveway** to the enclosed space;
- (E) a minimum of 3.0 parking spaces must be provided as surface spaces for visitors;
- (F) minimum dimensions for an enclosed **parking space** shall be 3.0 metres in width by 6.0 metres in length;
- (G) where a dwelling unit abuts Morrish Road and either the northern or southern lot lines, the minimum required landscaping is:
 - (i) 29.0 square metres adjacent the northern lot line; and
 - (ii) 42.0 square metres adjacent the east main wall for the dwelling unit that abuts the southern lot line;
- (H) the maximum lot coverage is 43%;
- (I) the maximum height of a building or structure is 2 storeys and 8.6 metres; and
- (J) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(309) Exception RM 309

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a **lot line** that abuts Port Union Road is 36.0 metres, measured from the centreline of the **street**:

- (B) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall; and
 - (ii) 10.5 metres in all other cases;
- (D) parking spaces must be provided at a minimum rate of 1.1 spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 88% must be covered; and
 - (ii) a minimum of 11% must be surface spaces for visitors;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** equivalent to the full depth of the **structure**, measured from the floor of the **structure** to the grade at the **street** line:
- (G) a minimum 50% of the area of the lot must be used for no other purpose than landscaping;
- (H) the maximum lot coverage is 30%;
- (I) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (J) the following use is also permitted:
 - (i) ancillary recreational facilities.

(310) Exception RM 310

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (C) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (D) the minimum setback from a lot line that abuts a lot in a RD zone is 15.0 metres;
- (E) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (F) the maximum lot coverage is 40%; and
- (G) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(311) Exception RM 311

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Meadowvale Road is 18.0 metres, measured from the centreline of the **street**;
- (B) the minimum setback from the northern lot line is 7.5 metres;
- (C) the minimum setback from the southern lot line is 10.0 metres;
- (D) the minimum setback from the **rear lot line** is 10.0 metres;
- (E) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 1.0 parking space must be enclosed for residents; and

- (ii) a minimum of 0.2 must be surface spaces for visitors;
- (G) the maximum height of a building or structure is:
 - (i) 2 storeys within 25.0 metres of the rear lot line or within 25.0 metres of the southern lot line; and
 - (ii) 3 storeys in all other cases;
- (H) the maximum lot coverage is 40%; and
- (I) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

(321) Exception RM 321

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (B) the minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in a RD, RS or RT zone; and
 - (ii) 10.5 in all other cases; and
- (C) a minimum of 50% of the lot area must be used for soft landscaping;
- (D) A **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street;
- (E) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each **dwelling unit** and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking;
- (I) a resident parking space must be located in a building or structure.

Prevailing By-laws and Prevailing Sections: (None Apply)

(323) Exception RM 323

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Tapscott Road; and
 - (ii) 2.0 metres in all other cases;
- (B) the minimum setback from a lot line that abuts a railway is 30.0 metres;
- (C) the minimum setback from a **lot line** that abuts an Open space zone category is 5.0 metres;
- (D) the maximum height of a **building** is the lesser of 14 metres and 4 **storeys**;
- (E) a required parking space may be located on a driveway in the front yard;
- (F) parking spaces must be provided at a minimum rate of 1.4 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(324) Exception RM 324

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Tapscott Road; and
 - (ii) 2.0 metres in all other cases;
- (B) the minimum setback from a **lot line** that abuts an Open space zone category is 5.0 metres;
- (C) the maximum height of a **building** is the lesser of 13 metres and 4 **storeys**;
- (D) parking spaces must be provided at a minimum rate of 1.3 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(325) Exception RM 325

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the **lot line** abuts Sheppard Avenue, Neilson Road, Tapscott Road and Washburn Way; and
 - (ii) 6.0 metres in all other cases;
- (B) The minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if it abuts a lot in a RD, RS or RT zone; and
 - (ii) 10.5 metres in all other cases;
- (C) the maximum lot coverage is 30%;
- (D) the minimum building setback from a lot line for a below grade parking structures is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (E) The maximum height of a **building** is 9.5 metres and 2 **storeys**;
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking;
- (G) a minimum of 75% of the required resident parking spaces must be located in a building or structure;
- (H) a minimum of 50% of the lot area must be used for soft landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(326) Exception RM 326

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Milner Avenue and Burrows Hall Boulevard and
 - (ii) 6.0 metres in all other cases;
- (B) The minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if it abuts a lot in a RD, RS or RT zone; and
 - (ii) 10.5 metres in all other cases;
- (C) the minimum building setback from a lot line for a below grade parking structures is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;

- (D) The maximum height of a **building** is 9.5 metres and 2 **storeys**;
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for visitor parking;
- (F) a minimum of 75% of the required resident parking spaces must be located in a building or structure;
- (G) a minimum of 50% of the lot area must be used for soft landscaping.

(327) Exception RM 327

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a **lot line** that abuts a **street** is:
 - (i) 7.5 metres if the lot line abuts Milner Avenue and Burrows Hall Boulevard and
 - (ii) 6.0 metres in all other cases;
- (B) The minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if it abuts a lot in a RD, RS or RT zone; and
 - (ii) 10.5 metres in all other cases;
- (C) the minimum building setback from a lot line for a below grade parking structures is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (D) The maximum height of a **building** is 9.5 metres and 2 **storeys**;
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for visitor parking;
- (F) a minimum of 75% of the required resident parking spaces must be located in a building or structure:
- (G) a minimum of 50% of the lot area must be used for soft landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(328) Exception RM 328

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) a common shared indoor amenity space is required to be provided at a minimum rate of 0.3 square metres for each dwelling unit;
- (C) parking spaces must be provided at the following rates:
 - (i) 1.2 for each dwelling unit and uses for resident parking; and
 - (ii) 0.2 for each dwelling unit and used for visitor parking;
- (D) the maximum lot coverage is equal to the percentage of the lot area covered by buildings on the date of the enactment of the by-law;
- (E) the maximum **building** height is equal to the maximum height of **building** existing on the **lot** on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(329) Exception RM 329

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the maximum height of a building is:
 - (i) the lesser of 12.0 storeys and 38 .0 metres for any part of a building located within 30.0 metres of a lot line that abuts Markham Road; and
 - (ii) the lesser of 18.0 **storeys** and 56 .0 metres in all other cases;
- (C) the maximum lot coverage is equal to the percentage of the lot area covered by buildings on the date of the enactment of the by-law;
- (D) a common shared indoor amenity space is required to be provided at a minimum rate of:
 - (i) 0.3 square metres for each dwelling unit in a townhouse building; and
 - (ii) 1.0 square metres for each dwelling unit in an apartment building;
- (E) parking spaces must be provided at the following rates:
 - (i) 1.2 for each dwelling unit and uses for resident parking; and
 - (ii) 0.2 for each dwelling unit and used for visitor parking; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(330) Exception RM 330

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of dwelling units permitted is the number of dwelling units existing on the lot on the date of the enactment of this By-law;
- (B) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (C) the minimum setback from a lot line is:
 - (i) 12.0 metres if it is the northerly lot line;
 - (ii) 4.5 metres if it is the southerly lot line; and
 - (iii) 7.5 metres from all other lot lines;
- (D) the maximum lot coverage is 30%;
- (E) a minimum of 50% of the area of the lot must be used for soft landscaping;
- (F) a **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street;
- (G) **parking spaces** must be provided at the following minimum rates:
 - (i) 1.0 for each dwelling unit an used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking;
- (H) all required resident parking spaces must be located in the residential building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(331) Exception RM 331

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum lot coverage is 15%;
- (B) Block C is not required to front on a street;
- (C) a minimum of 49% of the lot area is to used for soft landscaping;
- (D) the maximum height of a **building** is the lesser of 3 **storeys** and 10.5 metres;
- (E) the minimum building setback from a lot line is:

- (i) 1.2 metres from the northerly lot line; and
- (ii) 4.0 metres from the easterly lot line; and
- (F) a below ground parking structure must be a minimum of 0.5 metres from any lot line.
- (G) parking spaces must be provided underground at a minimum rate of 1.2 for each dwelling unit for resident use, plus 0.2 for each dwelling unit, for visitor use.
- (H) On the lands City of Toronto by-law 687-2007.

(332) Exception RM 332

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 51%,
- (B) a minimum of 49% of the lot area must be used for landscaping;
- (C) the maximum building height is the lesser of 4 storeys and 13.5; and
- (D) the minimum building setback from a lot line is:
 - (i) 1.7 metres if the lot line abuts Markham Road; and
 - (ii) 1.2 metres from the northerly lot line; and
- (E) a below ground parking structure must be a minimum of 0.5 metres from any lot line; and
- (F) parking spaces must be provided underground at a minimum rate of 1.2 for each dwelling unit for resident use, plus 0.2 for each dwelling unit, for visitor use; and

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 687-2007.

(333) Exception RM 333

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 51%,
- (B) a minimum of 49% of the lot area must be used for landscaping;
- (C) the maximum **building** height is the lesser of 4 **storeys** and 13.5 metres;
- (D) the minimum building setback from a lot line is
 - (i) 2.1 metres if the lot line abuts Markham Road;
 - (ii) 3.2 metres if the lot line abuts Omerod Street; and
 - (iii) 4.0 metres from the easterly lot line; and
- (E) a below ground parking structure must be a minimum of 0.5 metres from any lot line; and
- (F) parking spaces must be provided underground at a minimum rate of 1.2 for each dwelling unit, for resident use, plus 0.2 for each dwelling unit, for visitor use; and

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 687-2007.

(334) Exception RM 334

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1978-18.

(335) Exception RM 335

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum building setback from a side lot line or rear lot line is:
 - (i) 7.5 metres from the side main wall of the end dwelling unit;
 - (ii) 12.0 metres if the lot line abuts a lot in a RD or RS zone; and
 - (iii) 10.5 metres in all other cases; and
- (B) the maximum lot coverage is 30%;
- (C) the minimum setback from a **lot line** that abuts a **street** is 12.0 metres;
- (D) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking; plus
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking; and
- (E) a resident parking space must be located in a building or structure;
- (F) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (G) a **building** uses for waste storage may be located in a yard that abuts a **street** if it is:
 - (i) fully enclosed by four walls and roof; and
 - (ii) at least 1.5 metres from any lot line; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(336) Exception RM 336

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from **lot line** abutting a **street** is 3.0 metres;
- (B) the maximum Building height is 11.0 metres;
- (C) a **main wall** containing a vehicular entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (D) parking spaces must be provided at a minimum rate of:
 - (i) 1.4 for each dwelling unit and used for resident parking; plus
 - (ii) 0.2 for each dwelling unit and used for surface visitor parking; and
- (E) a minimum of 1 parking space for each dwelling unit must be located in a building
- (F) except for a maximum of 2 **driveways**, a minimum depth of 3.0 metres along the entire length of the **lot line** abutting Rural Avenue must be **soft landscaping**; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(337) Exception RM 337

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of 1 fourplex building per lot on a registered plan;
- (B) the minimum required **lot frontage** is that which existed on the date of the enactment of this By-
- (C) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (D) the minimum setback from a front lot line is 7.5 metres;

- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the maximum lot coverage is 30%; and
- (I) these lands must also comply with exception 900.6.10(473).

(338) Exception RM 338

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 1 duplex building per lot on a registered plan;
- (B) the minimum required lot frontage is that which existed on the date of the enactment of this Bylaw:
- (C) the minimum required lot area is that which existed on the date of the enactment of this By-law;
- (D) the minimum setback from a front lot line is 7.5 metres;
- (E) the minimum setback from a side lot line is 1.2 metres;
- (F) the minimum setback from a side lot line that abuts a street is 3.6 metres;
- (G) an attached or detached garage must be set back a minimum of 0.3 metres from a side lot line that does not abut a street; and
- (H) the maximum lot coverage is 30%; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(339) Exception RM 339

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum **building setback** from a **lot line** that abuts Kingston Road is 36.0 metres, measured from the original centreline of the **street**;
- (B) the maximum lot coverage is 30%;
- (C) the minimum setback from a lot line for a below ground parking structure is 3.0 metres;
- (D) the maximum height of a **building** is the maximum height of the **building** that existed on the **lot** on the date of the enactment of this By-law;
- (E) parking spaces must be provided:
 - (i) for tenant parking at a minimum rate of 1.25 for each dwelling unit and a minimum of 80% must be located in a building;
 - (ii) for visitor parking at a minimum rate of 0.25 for each **dwelling unit** and 100% must be surface **parking spaces**; and
- (F) an ancillary building or structure used for waste storage may be located in the front or a side yard if:
 - (i) it is wholly enclosed; and
 - (ii) it is a minimum of 1.5 metres from a lot line that abuts a street;
- (G) these lands must also comply with exception 900.6.10(473).
- (H) a maximum of 8 visitor parking spaces may be located in a yard that abuts Kingston Road.

Prevailing By-laws and Prevailing Sections: (None Apply)

(340) Exception RM 340

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road; and
- (B) 7.0 metres in all other cases;
- (C) an ancillary building or structure used for waste storage may be located in the front or a side yard if:
 - (i) it is wholly enclosed; and
 - (ii) it is a minimum of 1.5 metres from a lot line that abuts a street.
- (D) the maximum height of a **building** is 8.0 metres;
- (E) a minimum of 50% of the lot area must be landscaped;
- (F) parking spaces must be located in the residential building; and
- (G) parking space must be provided at a minimum rate of 1.0 for each dwelling unit; and
- (H) these lands must also comply with exception 900.6.10(473).

(341) Exception RM 341

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a **fourplex** is permitted on each **lot** on the registered plan;
- (B) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (C) the minimum setback from a side lot line is 2.7 metres;
- (D) the maximum **lot coverage** is equal to the percentage of the **lot** covered by the **residential building** on the date of the enactment of this By-law; and
- (E) the maximum building height is equal to the height of the building that existed on the date of the enactment of this By-law; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(342) Exception RM 342

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (B) the minimum building setback for a side lot line that does not abut a street is 4.5 metres;
- (C) the minimum building setback from a rear lot line is 7.5 metres;
- (D) the maximum **lot coverage** is equal to the percentage of the **lot** covered by the **residential building** on the date of the enactment of this By-law;
- (E) the maximum **building** height of a **building** is equal to the height of the **building** that existed on the date of the enactment of this By-law; and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(343) Exception RM 343

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum building setback for a side lot line that does not abut a street is 1.5 metres;
- (C) the minimum building setback from a rear lot line is 21.0 metres;

- (D) the maximum **building** height of a **building** is 10.5 metres;
- (E) the maximum **lot coverage** is equal to the percentage of the **lot** covered by the **residential building** on the date of the enactment of this By-law;
- (F) the maximum building height of a building is equal to the height of the building that existed on the date of the enactment of this By-law;
- (G) parking spaces must be provided at a minimum rate of 1.8 for each dwelling unit; and
- (H) parking spaces may be located in a side yard that abuts Dorset Road; and
- (I) these lands must also comply with exception 900.6.10(473).

(344) Exception RM 344

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Kingston Road; and
 - (ii) 7.5 metres from a lot line abutting any other street;
- (B) The minimum setback from a side lot line is:
 - (i) 6.0 metres if the lot line abuts a street; and
 - (ii) in all other cases a distance equal to one half the height of the building; and
- (C) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(345) Exception RM 345

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **front lot line** is 2.0 metres;
- (B) the minimum building setback from a side lot line is:
 - (i) 1.4 metres if the side lot line abuts a street; and
 - (ii) 0.6 metres in all other cases; and
- (C) the portion of **main wall** containing an entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (D) the minimum **building setback** from a **rear lot line** is 7.5 metres;
- (E) the maximum **building** height is 11.0 metres;
- (F) the maximum lot coverage is 30%; and
- (G) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit; and
- (H) these lands must also comply with exception 900.6.10(473).
- (I) No portion of the **building** or projection from it is permitted to encroach into a yard that abuts a **street**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(346) Exception RM 346

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) one **fourplex** is permitted on a **lot** in a registered plan;
- (B) the minimum building setback from a lot line that abuts a street is 36.0 metres, measured from the original centreline of the street, if the lot line abuts Kingston Road, Eglinton Avenue or Markham Road;

- (C) the maximum lot coverage is 33%;
- (D) the minimum building setback for a below grade parking structures is a distance equal to one half the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (E) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit; and
- (F) these lands must also comply with exception 900.6.10(473).

(347) Exception RM 347

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 30 dwelling units are permitted;
- (B) the minimum building setback from a lot line that abuts a street is:
 - (i) 0 metres if the lot line abuts Bellamy Road South;
 - (ii) 2.0 metres if the lot line abuts Kingston Road;
- (C) the minimum building setback from a lot line that abuts a lot in an RD Zone is 0.6 metres; and
- (D) the minimum **building setback** from the easterly **lot line** is 5.0 metres;
- (E) the maximum **building** height is 12.5 metres;
- (F) the maximum lot coverage is 47%; and
- (G) the required parking space must be located in the residential building; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(348) Exception RM 348

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **lot line** that abuts a **street** is 6.0 metres;
- (B) the minimum building setback from a side lot line that does not abut a street is 1.3 metres:
- (C) the maximum **building** height is 11.0 metres;
- (D) the maximum lot coverage is 33%;
- (E) parking space must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking; and
 - (ii) 0.4 for each dwelling and used for visitor parking only; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(350) Exception RM 350

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the only uses permitted are:
 - (i) **Dwelling Units** if located in other than a **detached house**;
 - (ii) Group Home;
 - (iii) Day Nursery;
 - (iv) Nursing Home;
- (B) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (C) the minimum setback from a side lot line is 0.6 metres;
- (D) the minimum setback from a rear lot line is 7.5 metres;

- (E) the maximum lot coverage is 33%;
- (F) the maximum building height is 14.0 metres;
- (G) a parking space may not be located in a side yard, rear yard or within 3.0 metres of a lot line that abuts a street;
- (H) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking; and
 - (ii) 0.6 for each dwelling unit and used for visitor parking only; and
- (I) these lands must also comply with exception 900.6.10(473).

(351) Exception RM 351

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the only **building** types permitted are **detached house**, **semi-detached house** and **duplex**;
- (B) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (C) the minimum building setback from a rear lot line is 7.5 metres;
- (D) the maximum height of a building is:
 - (i) 9.1 metres if the building is a detached house or semi-detached house; and
 - (ii) 12.2 metres for all other buildings;
- (E) the maximum number of **storeys** is 3;
- (F) the maximum lot coverage is 33%;
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 2.0 spaces for each dwelling unit and used for resident parking; and
 - (ii) 0.2 spaces for each dwelling unit and used for visitor parking only;
- (H) a minimum of 1 parking space for each dwelling unit must be located in the building containing the dwelling unit for which it is required; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(352) Exception RM 352

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 22.0 metres, measured from the original centreline of the street, it the lot line abuts Scarborough Golf Club Road; and
 - (ii) 36.0 metres, measured from the original centreline of the street, it the lot line abuts Kingston Road;
- (B) the minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone;
 - (ii) 7.5 metres to the side main wall of a building; and
 - (iii) 10.5 metres in all other cases; and
- (C) the maximum **building** height is 9.0 metres;
- (D) the maximum number of storeys is 2;
- (E) the minimum **building setback** from a **lot line** for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; and

- (ii) a distance equal to one half the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (F) the maximum lot coverage is 33%; and
- (G) these lands must also comply with exception 900.6.10(473).

(353) Exception RM 353

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 33.0 metres, measured from the original centreline of the **street**, it the **lot line** abuts Kingston Road Eglinton Avenue or Markham Road; and
 - (ii) 7.0 metres in all other cases;
- (B) the minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in an RD, RS or RT zone;
 - (ii) 7.5 metres to the side main wall of a building; and
 - (iii) 10.5 metres in all other cases; and
- (C) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to one half the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (D) the maximum lot coverage is 33%;
- (E) an ancillary building used for storage of waste may be located in a front yard if:
 - (i) it is a minimum of 1.5 from a lot line that abuts a street; and
 - (ii) is entirely enclosed; and
- (F) parking spaces must be provided at a minimum rate of 1.6 for each dwelling unit;
- (G) a minimum of 1 parking space for each dwelling unit must be located in the building containing the dwelling unit for which it is required.
- (H) a minimum of 0.2 parking spaces for each dwelling unit must be used for surface parking; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(354) Exception RM 354

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum building setback from a side lot line or rear lot line is:
 - (i) 7.5 metres if the **lot line** abuts a **lot** in an RD, RS or RT zone;
 - (ii) 3.0 metres in all other cases; and
- (C) the maximum lot coverage is 50%;
- (D) parking spaces for resident use must be provided at a minimum rate of 1.0 spaces for each dwelling unit;
- (E) in the residential building there must be one parking space for each dwelling unit;
- (F) **parking spaces** for visitor use only must be provided at a minimum rate of:
 - (i) 0.8 for each dwelling unit if the visitor parking spaces are located in a communal parking area; or

- (ii) 1.2 for each dwelling unit if:
 - (a) one visitor parking space is located on each driveway in tandem with each parking space behind the main wall; and
 - (b) the remaining visitor parking spaces are located in a communal parking area; and
- (G) these lands must also comply with exception 900.6.10(473).

(355) Exception RM 355

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) only those buildings, structures and parking existing on the day of the enactment of this By-law are permitted
- (B) the maximum lot coverage is 30%;
- (C) the part of a **building** used for below grade parking must be set back from a **lot line** that abuts a **street** is a distance equal to the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to one half the vertical distance from the elevation of the surface of the lowest floor to the elevation surface grade at the **lot line** abutting the **street**;
- (D) an ancillary building used for storage of waste may be located in a front yard or side yard if:
 - (i) it is a minimum of 1.5 from a lot line that abuts a street; and
 - (ii) is entirely enclosed;
- (E) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(356) Exception RM 356

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line is:
 - (i) 9.0 metres if the lot line abuts Manse Road or Coronation Drive; and
 - (ii) 10.5 metres from the easterly lot line; and
 - (iii) 6.0 metres from the northerly lot line if it is the side main wall of a townhouse building;and
 - (iv) 10.5 metres in all other cases; and
- (B) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street;
- (C) the maximum lot coverage is 30%;
- (D) the maximum height of a **building** is the lesser of 3 **storeys** and 10.5 metres;
- (E) an ancillary building used for the storage of waste may be located in a front yard or side yard if:
 - (i) the building is fully enclosed; and
 - (ii) the building is set back a minimum of 1.5 metres from a lot line; and
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit for resident use and located in the residential building; and
 - (ii) 0.2 for each dwelling unit and used for visitor parking at located at grade; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(357) Exception RM 357

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) 25.0 metres, measured from the original centreline of the **street**, is the minimum **building setback** if a **lot line** abuts Galloway Road, Morningside Avenue, Manse Road or Beechgrove Drive; and
- (B) the minimum building setback from a side lot line or rear lot line is:
 - (i) 7.5 metres if it does not abut a **street**;
 - (ii) 12.0 metres from a if it abuts a lot in a RD, RS or RT zone;
 - (iii) 10.5 metres in all other cases;
- (C) the maximum lot coverage is 30%;
- (D) the maximum height of a building is 8.0 metres;
- (E) an ancillary building used for the storage of waste may be located in a front yard or side yard if:
 - (i) the **building** is fully enclosed; and
 - (ii) the building is set back a minimum of 1.5 metres from a lot line; and
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (G) a minimum of 75% of all parking spaces must be located under ground;
- (H) 20% of all parking spaces must be located at grade for visitor parking only; and
- (I) these lands must also comply with exception 900.6.10(473).
- (J) only those building, structures and parking spaces existing on the date of the enactment of this by-law are permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(358) Exception RM 358

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line is:
 - (i) 31.0 metres, measured from the original centreline of the **street**, if a **lot line** abuts Lawrence Avenue; and
 - (ii) 12.0 metres in all other cases
- (B) the maximum height of a **building** is 9.0 metres measured from **average grade** to the underside of the eaves;
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 60% of the area of the lot to be used for landscaping purposes only.
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit for resident use; and
 - (ii) 0.125 each dwelling unit for to be located at grade for visitor parking only;
- (F) a minimum of 67% of all parking spaces must be located under ground;
- (G) surface **parking spaces** for visitors are permitted in a yard if the **parking space** is located between the **main wall** of a **building** and the **lot line** abutting Valia Road; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(359) Exception RM 359

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) A **townhouse** is a permitted **residential building** type.

- (B) The maximum number of dwelling units is 9.
- (C) The maximum height of a **building** is the lesser of 3 **storeys** and 10.5 metres.
- (D) The minimum **building setback** from a **lot line** that abuts a **street** is 6.0 metres.
- (E) The minimum building setback from a side lot line that does not abuts a street is 1.2 metres.
- (F) The minimum **building setback** from a **rear lot line** that does not abuts a **street** is 4.8 metres.
- (G) The maximum lot coverage is 30%.
- (H) Parking spaces must be provided at a minimum rate of 2.0 for each dwelling unit.
- (I) One required parking space for each dwelling unit must be located in the residential building.
- (J) These lands must also comply with exception 900.6.10(473).

(360) Exception RM 360

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the maximum number of dwelling units is 6;
- (B) the minimum building setback from a lot line that abuts a street is 7.5 metres;
- (C) the maximum lot coverage is equal to the percentage of the lot covered by existing buildings on the date of the enactment of this By-law;
- (D) a minimum area of 95 square metres in the **front yard** must be used for no other purpose than **landscaping** and a minimum area of 60 square metres in the **side yard** must be used for no other purpose than a recreational and amenity/playground area;
- (E) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit; and
- (F) the required parking space for each dwelling unit must be located in the residential building; and
- (G) despite regulations to the contrary, an apartment building is not a permitted building; and
- (H) these lands must also comply with exception 900.6.10(473).
- (I) no part of a **dwelling unit** may be located below grade in the **basement**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(361) Exception RM 361

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of **dwelling units** is 16;
- (B) the minimum setback from a **lot line** is the greater of:
 - (i) 6.0 metres from the north **lot line** and 18.5 metres from the south **lot line**, if the **residential building** is 58.0 metres or less from the **front lot line**;
 - (ii) 3.0 metres from the north **lot line** and 1.5 metres from the south **lot line**, if the **residential building** is more than 58.0 metres from the **front lot line**;
 - (iii) 3.0 metres from a lot line that abuts a street;
 - (iv) 4.0 metres from a **lot line** that hat abuts a **lot** in Open Space Zone category;
- (C) the maximum height of a **building** is 11.5 metres;
- (D) the maximum number of **storeys** of a **building** is 3;
- (E) the maximum **lot coverage** is 40%;
- (F) **parking spaces** for resident use must be provided at a minimum rate of 2.0 for each **dwelling** unit:
- (G) a minimum of one parking space, for each dwelling unit, must be located in the residential building; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(362) Exception RM 362

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of dwelling units is 15;
- (B) The minimum setback from a lot line is the greater of:
 - (i) 4.5 metres from the south lot line;
 - (ii) 1.5 metres from a lot line that abuts Lawrence Avenue; and
 - (iii) 4.3 metres from a side lot line; and
- (C) the maximum height of a **building** is the lesser of 2 **storeys** and 8.5 metres;
- (D) the maximum lot coverage is 40%; and
- (E) parking spaces must be provided at a minimum rate of 1.2 for each dwelling unit; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(363) Exception RM 363

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive is 22.0 metres measured from the original centreline of the street;
- (B) the minimum building setback from side lot line or rear lot line that does not abut a street is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in a RD, RS or RT zone;
 - (ii) 7.5 metres if it is the side main wall of the building; and
 - (iii) 10.5 metres in all other cases; and
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the greater of:
 - (i) 3.0 metres; and
 - (ii) the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street; and
- (D) a minimum of 50% of the lot area must be used for landscaping;
- (E) an **ancillary building** used for the storage of waste may be located in a front or **side yard** if it is a minimum of 1.5 metres from a **lot line** that abuts a **street** and it is wholly enclosed;
- (F) the maximum lot coverage is 30%;
- (G) parking spaces for resident use must be provided at a minimum rate of 1.0 for each dwelling unit and must be located underground or in the residential building; and
- (H) parking spaces for visitor use only must be provided at a minimum rate of 0.3 for each dwelling unit and must be located at grade; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(364) Exception RM 364

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum number of **dwelling units** is 71;
- (B) the portion of a below grade **structure** used for **parking spaces** must be set back from a **lot line** that abuts a road a distance equal to the greater of:
 - (i) 3.0 metres; and

- (ii) the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street; and
- (C) a minimum of 50% of the lot area must be used for landscaping;
- (D) an ancillary building used for the storage of waste may be located in a front or side yard if it is a minimum of 1.5 metres from a lot line that abuts a street and it is wholly enclosed;
- (E) the maximum **lot coverage** is 30%;
- (F) a minimum of 114 parking space must be provided;
- (G) 25% of all parking spaces must be for visitor parking only; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 59, of Scarborough By-law 10327

(365) Exception RM 365

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) despite regulations to the contrary, only dwelling units in an apartment building and a nursing home are permitted;
- (B) the maximum height of a **building** is 15.0 metres;
- (C) parking spaces must be provided at a minimum rate of 2.0 for each dwelling unit;
- (D) for each dwelling unit one required parking space must be located in the residential building and the second parking space must be located on the driveway in tandem with the parking space in the residential building; and
- (E) these lands must also comply with exception 900.6.10(473).
- (F) the maximum lot coverage is 40%; and
- (G) the minimum building setback from a lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(366) Exception RM 366

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of **dwelling units** is 30;
- (B) the maximum height of a **building** is 11.5 metres;
- (C) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (D) the minimum **building setback** from a **side lot line** that does not abut a **street** is 1.5 metres;
- (E) the part of a **main wall** of a **building** that contains a **vehicle** entrance to a **parking space** must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (F) the maximum lot coverage is 30%;
- (G) parking spaces must be provided at a minimum rate of 1.8 for each dwelling unit;
- (H) one parking space for each dwelling unit must be located in the residential building;
- (I) a minimum of 11% of all parking spaces must be for visitor parking only; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(367) Exception RM 367

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) only those **buildings**, **structures** and parking existing on the day of the enactment of this By-law are permitted;

- (B) the maximum height of a **building** is the lesser of 3 **storeys** and 10.0 metres;
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the greater of:
 - (i) 3.0 metres; and
 - (ii) the distance between the finished elevation of the lowest floor and the elevation of the ground at the **lot line** abutting the **street**; and
- (D) a minimum of 50% of the lot area must be used for landscaping;
- (E) the maximum lot coverage is 30%;
- (F) an ancillary building used for the storage of waste material and recyclable material may be located in a front yard or side yard if it is a minimum of 1.5 metres from a lot line that abuts a street and it is wholly enclosed;
- (G) parking spaces for resident use must be provided at a minimum rate of 1.0 for each dwelling unit and must be located underground or in the residential building;
- (H) parking spaces for visitor use only must be provided at a minimum rate of 0.2 for each dwelling unit and must be located at grade;
- a minimum 6.0 metres long driveway must be located in front of the vehicular entrance in the main wall of the residential building; and
- (J) these lands must also comply with exception 900.6.10(473).

(368) Exception RM 368

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the centreline of the street, if the lot line abuts Lawrence Avenue; and
 - (ii) 6.0 metres from all other streets;
- (B) the minimum building setback from side lot line or rear lot line that does not abut a street is:
 - (i) 12.0 metres if the lot line abuts a lot in a RD, RS or RT zone;
 - (ii) 7.5 metres if it is the side main wall of the building; and
 - (iii) 10.5 metres in all other cases; and
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the greater of:
 - (i) 3.0 metres:
 - (ii) the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street; and
- (D) the maximum **building** height is the height of the **building** as it existed on the date of the enactment of this By-law;
- (E) a minimum of 50% of the **lot area** must be used for **landscaping**;
- (F) the maximum lot coverage is 30%;
- (G) an ancillary building used for the storage of waste may be located in a front or side yard if it is a minimum of 1.5 metres from a lot line that abuts a street and it is wholly enclosed;
- (H) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (I) a minimum of 80% of all parking spaces are be located below ground or in a building; and
- (J) a minimum of 20% of all **parking spaces** must be located at grade and used for visitor parking only; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(369) Exception RM 369

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum building height is the height of the building as it existed on the date of the enactment of this By-law;
- (B) the minimum building setback from side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres if it is the side main wall of the building; and
 - (ii) 10.5 metres in all other cases; and
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the greater of:
 - (i) 3.0 metres; and
 - (ii) the distance between the finished elevation of the lowest floor and the elevation of the ground at the **lot line** abutting the **street**; and
- (D) a minimum of 50% of the lot area must be used for landscaping;
- (E) the maximum lot coverage is 30%;
- (F) an ancillary building used for the storage of waste may be located in a front or side yard if it is a minimum of 1.5 metres from a lot line that abuts a street and it is wholly enclosed;
- (G) parking spaces must be provided at a minimum rate of 1.8 for each dwelling unit;
- (H) one parking space for each dwelling unit must be located in the residential building; and
- (I) a **parking space** for visitors if located on the **driveway** must be in tandem with the **parking space** in the **building**; and
- (J) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(370) Exception RM 370

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum **building** height is the height of the **building** as it existed on the date of the enactment of this By-law;
- (B) the minimum building setback from side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres if it is the side main wall of the building; and
 - (ii) 10.5 metres in all other cases; and
- (C) the maximum **lot coverage** is 30%;
- (D) an ancillary building used for the storage of waste material and recyclable material may be located in a front or side yard if it is a minimum of 1.5 metres from a lot line that abuts a street and it is wholly enclosed;
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit for resident use and located in the residential building;
 - (ii) 0.25 for each dwelling unit must be located on grade and used for visitor parking only; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(371) Exception RM 371

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres if the lot line abuts Lawrence Avenue, measured from the original centreline of the street; and

- (6.0 metres in all other cases; and
- (B) the minimum building setback from lot line that does not abut a street is:
 - (i) 4.5 metres from the easterly lot line;
 - (ii) 7.5 metres from the westerly lot line; and
 - (ii) 10.5 metres from the southerly lot line; and
- (C) the maximum building height is the height of the building as it existed on the date of the enactment of this By-law;
- (D) the maximum lot coverage is 30%;
- (E) the portion of a below grade **structure** used for **parking spaces** must be set back from a **lot line** that abuts a road a distance equal to the greater of:
 - (i) 3.0 metres; and
 - (ii) the distance between the finished elevation of the lowest floor and the elevation of the ground at the **lot line** abutting the **street**; and
- (F) an ancillary building used for the storage of waste material and recyclable material may be located in a front or side yard if it is a minimum of 1.5 metres from a lot line that abuts a street and it is wholly enclosed; and
- (G) these lands must also comply with exception 900.6.10(473).
- (H) only building, structures and parking spaces existing on the date of the enactment of this by-law are permitted on these lands.

(372) Exception RM 372

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum **building** height is the lesser of 3 **storeys** and 10.0 metres;
- (B) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (C) the maximum lot coverage is 30%;
- (D) parking spaces must be provided a minimum rate of 1.8 for each dwelling unit;
- (E) a minimum of 1.0 parking space for each dwelling unit must be located in the residential building; and
- (F) a minimum of 11% of the required parking spaces must be used for visitor parking; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(373) Exception RM 373

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 25.0 metres measured from the original centreline of the street, if the lot line abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive;
 - (ii) 9.0 metres if the **lot line** abuts any other **street**;
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) a minimum 7.5 metre wide **landscape** strip is required all parts of a **lot line** that abut a **lot** in an RD or RS zone; and
- (D) parking spaces must be provided a minimum rate of 1.25 for each dwelling unit; and
- (E) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(374) Exception RM 374

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.6.10(23).
- (B) A photography studio is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(375) Exception RM 375

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.6.10(2).
- (B) A seniors retirement house is permitted subject to the following:
 - (i) the minimum east **side yard setback** is 1.7 metres;
 - (ii) the minimum west **side yard setback** of the detached garage is 0.25 metres;
 - (iii) the minimum north yard and west yard setbacks for projecting eaves is 0.0 metres; and
 - (iv) a maximum of 14 residents plus one staff person shall be permitted to reside in the house.

Prevailing By-laws and Prevailing Sections: (None Apply)

(376) Exception RM 376

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.6.10(2).
- (B) A **funeral home** use is permitted on the lands.

Prevailing By-laws and Prevailing Sections: (None Apply)

(377) Exception RM 377

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The lands must comply with exception 900.6.10(2).
- (B) A group home is a permitted use on the lands subject to the requirements of Section 150.15.

Prevailing By-laws and Prevailing Sections: (None Apply)

(378) Exception RM 378

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a **lot line** that abuts Guildwood Parkway is 6.0 metres;
- (B) the minimum setback from a lot line that abuts Rowatson Road is 4.0 metres:
 - (i) where the vehicle entrance to a garage also faces the street, the entrance must be set back a minimum of 5.7 metres from a lot line that abuts Rowatson Road;
- (C) the minimum setback from a side lot line is:
 - (i) 2.0 metres for an end wall from the north lot line; and
 - (ii) 1.2 metres in all other cases;
- (D) the required parking space must be located in the residential building;
- (I) despite regulations to the contrary, **buildings** or **structures** used for the storage of refuse must be:

- (i) setback a minimum of 0.3 metres from a lot line; and
- (ii) enclosed by four walls and a roof;
- (E) the maximum lot coverage is 33%;
- (F) the maximum height of a **building** or **structure** is 3 **storeys**; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 18, of Scarborough By-law 9676.

(379) Exception RM 379

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) only the following **building** types are permitted:
 - (i) detached house; and
 - (ii) townhouse;
- (B) of the maximum number of permitted dwelling units:
 - (i) a maximum of five dwelling units in townhouses shall abut the lot line of Kingston Road;
 - (ii) a maximum of three dwelling units in detached houses shall abut the lot line Crestwood Drive;
- (C) the minimum setback from a **lot line** that abuts Kingston Road is 3.0 metres;
- (D) the minimum setback from a **lot line** that abuts Crestwood Drive is 4.7 metres;
- (E) the minimum setback from the north **lot line** for the **townhouses** that abut Kingston Road is 0.6 metres;
- (F) the minimum setback from the north **lot line** for **detached houses** that abut Crestwood Drive is 1.2 metres:
- (G) an unenclosed porch may encroach into the easterly yard of the detached house that abuts Crestwood Drive a maximum of 1.8 metres;
- (H) parking spaces must be provided at a minimum rate of 2.0 spaces per dwelling unit;
 - (i) the required parking spaces must be located within in the residential building;
- (I) a minimum landscaping strip of 1.5 metres must be provided along the lot line that abuts Crestwood Drive;
- (J) the maximum lot coverage is 44%; and
- (K) the maximum height of the **building** or **structure** is:
 - (i) 3 storeys excluding basements and 12.5 metres for townhouses; and
 - (ii) 2 storeys excluding basements and 9.0 metres for detached houses; and
- (L) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(380) Exception RM 380

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Kingston Road is 3.0 metres;
- (B) the **vehicle** entrance to a garage must be set back a minimum of 6.0 metres from a minimum 6.0 metre wide access **lane**;
- (C) parking spaces must be provided at a minimum rate of 1.25 spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 1.0 parking space must be located in the residential building for residents;

- (ii) a minimum of 0.25 **parking spaces** must be surface spaces for visitors and shall not include the area in front of the entrance to a garage; and
- (iii) the minimum dimension for enclosed parking space shall be 2.7 metres in width by 5.7 metres in length;
- (E) the maximum gross floor area for a dwelling unit is 139 square metres;
- (F) despite regulations to the contrary, **buildings** or **structures** used for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street; and
 - (ii) enclosed by four walls and a roof;
- (G) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**; and
- (H) the maximum lot coverage is 20%; and
- (I) these lands must also comply with exception 900.6.10(473).

(381) Exception RM 381

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) one fourplex is permitted on a lot with a minimum of 19.5 metres frontage on a street and a minimum lot area of 929 square metres;
- (B) the minimum setback from a lot line that abuts Guildwood Parkway is 12.0 metres;
- (C) the minimum setback from a lot line that abuts Livingston Road is 20.5 metres, measured from the original centreline of the street;
- (D) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (E) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (F) the minimum setback from a rear lot line is 9.0 metres; and
- (G) the maximum lot coverage is 33%; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(382) Exception RM 382

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 7.5 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the maximum height of a building or structure is 3 storeys;
- (D) the maximum lot coverage is 33%; and
- (E) the minimum setback for a **building** or **structure** is the lesser of:
 - (i) 76.0 metres from the top edge of the Scarborough Bluffs, or
 - (ii) a horizontal distance of 137.0 metres from the water's edge of Lake Ontario; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(383) Exception RM 383

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the maximum permitted lot coverage is 40%.

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(384) Exception RM 384

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts:
 - (i) Midland Avenue is 12.0 metres and
 - (ii) Finch Avenue is 18.0 metres; and
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone;
 - (ii) 7.5 metres from a side lot line; and
 - (iii) 10.5 metres from a rear lot line; and
- (C) the maximum **lot coverage** is 30%;
- (D) a minimum of 50% of the lot must be used for soft landscaping;
- (E) below grade structures are permitted in all required yards if it is not closer to a lot line that abuts a street than a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (G) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all parking spaces must be for visitor use only; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(385) Exception RM 385

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Midland Avenue is 25.0 metres, measured from the original centerline of the street;
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in an RD, RS or RT zone;
 - (ii) 7.5 metres in other cases; and
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 60% of the lot must be used for soft landscaping; and
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit, and a minimum of 50% must be located in a building; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(386) Exception RM 386

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts Midland Avenue is 25.0 metres, measured from the original centerline of the street;
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone;

- (ii) 7.5 metres in other cases; and
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 50% of the lot must be used for soft landscaping; and
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (F) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all parking spaces must be for visitor use only; and
- (G) these lands must also comply with exception 900.6.10(473).

(387) Exception RM 387

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Midland Avenue is 25.0 metres, measured from the original centerline of the street;
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone;
 - (ii) 7.5 metres in other cases; and
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 60% of the lot must be used for soft landscaping; and
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (F) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all parking spaces must be for visitor use only; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(388) Exception RM 388

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 9.0 metres if the lot line abuts Huntingwood Drive; and
 - (ii) 7.5 metres in all other cases; and
- (B) the minimum interior floor area for a dwelling unit is 102 square metres;
- (C) The minimum building setback from a side lot line or rear lot line is 7.5 metres if the lot line abuts a lot in an RD, RS or RT zone;
- (D) a yard that abuts a **lot** in an RD, RS or RT zone must be used for no other purpose than **soft landscaping**; and
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit, and a minimum of 50% must be located in a building; and
- (F) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(389) Exception RM 389

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 9.0 metres if the lot line abuts Huntingwood Drive; and
 - (ii) 6.0 metres from any other street; and
- (B) the minimum **building setback** from a **side lot line** or **rear lot line** is a distance equal to one half the height of the **building**.
- (C) the minimum separation between the above ground main wall of two building is the distance equal to one half to combined total height of the two buildings.
- (D) the maximum lot coverage is 30%;
- (E) a minimum of 50% of the lot must be used for soft landscaping; and
- (g) these lands must also comply with exception 900.6.10(473).

(390) Exception RM 390

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum **building setback** from a **lot line** that abuts Alexmuir Boulevard is 12.0 metres;
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in an RD, RS or RT zone;
 - (ii) 7.5 metres in other cases; and
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 50% of the lot must be used for soft landscaping;
- (E) below grade structures are permitted in all required yards if it is not closer to a lot line that abuts a street than a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (F) a **building** used for the storage of waste may be located in a yard that abuts a **street**, if it is a minimum of 1.5 metres from the **lot line** and the **building** is entirely enclosed; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(391) Exception RM 391

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Brimley Road is 9.0 metres;
- (B) the minimum building setback from a side lot line or rear lot line is 7.5 metres;
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 50% of the lot must be used for soft landscaping;
- (E) below grade structures are permitted in all required yards if it is not closer to a lot line that abuts a street than a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (G) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all parking spaces must be for visitor use only; and
- (H) these lands must also comply with exception 900.6.10(473).
- (I) a swimming pool existing on the date of the enactment of this By-law may be located in a yard that abuts Brimwood Boulevard; and

(J) a free standing recreation **building** is permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(392) Exception RM 392

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 9.0 metres;
- (B) a minimum of 50% of the lot must be used for soft landscaping;
- (C) in addition to regulations (A) and (B) above, the lands must be developed according to regulations(D) or (E) but not both;
- (D) if the lands are developed for a **Detached house**, **Semi-detached house**, **Duplex**, **Townhouse**, **Apartment building** or a **building** other than those listed that has a maximum of four **dwelling units** sharing one common entrance to the **building**, then the following regulations apply:
 - (i) the maximum number of **dwelling units** must not be more than 1 **dwelling unit** for each 161 square metres of **lot area**;
 - (ii) the minimum building setback from a side lot line and rear lot line that does not abut a street is a distance equal to one half the height of the building;
 - (iii) the maximum height of a building or structure is the lesser of 13.5 metres and 4 storeys;
 - (iv) amenity space must be provided at a minimum rate of 46 square metres plus 0.9 square metres for each dwelling unit in excess of fifty (50). If the total amount of amenity space required for all dwelling units exceeds 93 square metres, then the required amenity space must be provided in two or more rooms, with each room having an interior floor area of not less than 46 square metres and not more than 93 square metres;
 - (v) parking spaces must be provided at a minimum rate of 1.12 for each dwelling unit; and
 - (vi) of the parking spaces required a minimum of:
 - (a) 65% must be located in a building; and
 - (b) 11% of all parking spaces must be for visitor use only; and
- (E) these lands must also comply with exception 900.6.10(473).
- (F) if the lands are developed for a **Detached house**, **Semi-detached house**, **Duplex** or a **building** other than those listed that has a maximum of four **dwelling units** sharing one common entrance to the **building**, then the following regulations apply:
 - (i) the maximum number of dwelling units must not be more than 1 for each 269 square metres of lot area;
 - (ii) the minimum **building setback** from a **side lot line** or **rear lot line** is 7.5 metres;
 - (iii) the maximum lot coverage is 30%; and
 - (iv) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
 - (v) of the parking spaces required a minimum of:
 - (a) 75% must be located in a building; and
 - (b) 20% of all parking spaces must be for visitor use only; and
 - (vi) below grade structures are permitted in all required yards if it is not closer to a lot line that abuts a street than a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(394) Exception RM 394

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts Finch Avenue is 18.0 metres;
- (B) The minimum building setback from a side lot line or rear lot line is:

- (i) 12.0 metres if the **lot line** abuts a **lot** in an RD, RS or RT zone;
- (ii) 7.5 metres from a side lot line; and
- (iii) 10.5 metres from a rear lot line; and
- (C) the maximum lot coverage is 30%;
- (D) The maximum height of the **building** from grade to the underside of the eaves is 8.0 metres;
- (E) a minimum of 50% of the lot must be used for soft landscaping;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (G) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all parking spaces must be for visitor use only.
- (H) below grade structures are permitted in all required yards if it is not closer to a lot line that abuts a street than a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (I) these lands must also comply with exception 900.6.10(473).
- (J) the lands may also be used for a **place of worship**, if it is the only use on the lands covered by this exception and the lands comply with all the following:
 - (i) the minimum building setback from a lot line that abuts Finch Avenue is 18.0 metres;
 - (ii) the minimum **building setback** from a **side lot line** or **rear lot line** is a distance equal to one half the height of the **building**.
 - (iii) the minimum separation between the above ground **main wall** of two **building** is the distance equal to one half to combined total height of the two **buildings**.
 - (iv) the maximum lot coverage is 40%;

(395) Exception RM 395

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Finch Avenue is 18.0 metres;
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in an RD, RS or RT zone;
 - (ii) 7.5 metres from a side lot line; and
 - (iii) 10.5 metres from a rear lot line; and
- (C) the maximum lot coverage is 30%;
- (D) The maximum height of the **building** from grade to the underside of the eaves is 8.0 metres;
- (E) a minimum of 50% of the lot must be used for soft landscaping;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
- (G) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all parking spaces must be for visitor use only; and
- (H) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(396) Exception RM 396

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum building setback from a lot line that abuts McCowan Road or Sandhurst Circle is 9.0 metres;

- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone;
 - (ii) 7.5 metres from a side lot line; and
 - (iii) 10.5 metres from a rear lot line; and
- (C) the maximum lot coverage is 30%;
- (D) below grade **structures** are permitted in all required yards if it is not closer to a **lot line** that abuts a **street** than a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**;
- (E) a minimum of 50% of the lot must be used for soft landscaping;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
- (G) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all parking spaces must be for visitor use only; and
- (H) these lands must also comply with exception 900.6.10(473).

(397) Exception RM 397

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts McCowan Road; and
 - (ii) 9.0 metres if the lot line abuts Sandhurst Circle; and
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone;
 - (ii) 7.5 metres from a side lot line; and
 - (iii) 10.5 metres from a rear lot line; and
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 50% of the lot must be used for soft landscaping;
- (E) below grade **structures** are permitted in all required yards if it is not closer to a **lot line** that abuts a **street** than the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
- (G) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building; and
 - (ii) 20% of all **parking spaces** must be for visitor use only.
- (H) a building used for the storage of waste may be located in a yard that abuts a street, if it is a minimum of 1.5 metres from the lot line and the building is entirely enclosed; and
- (I) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(398) Exception RM 398

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) if land is located within 90 metres of lot line abutting Sandhurst Circle then the maximum building height is 10.5 metres and 3 storeys;

- (B) the minimum building setback from a lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Sandhurst Circle or Exchequer Place;
 - (ii) 6.0 metres if the **lot line** abuts Finch Avenue or McCowan Road and the **building** has a height of 10.5 metres and three **storeys** or less; and
 - (iii) 14.0 metres if the **lot line** abuts Finch Avenue or McCowan Road and the **building** has a height of more than 10.5 metres and three **storeys**
- (C) a balcony, porch or canopy may encroach into a required **building setback** between the **main wall** of the **building** and a **lot line** abutting a **street**, if the balcony, porch or canopy does not have a length of more than 4.0 metres along the **main wall** of the **building**.
- (D) a below grade **structure** must be set back a minimum of 3.0 metres from a **lot line** that abuts a **street** unless the **lot line** abuts Exchequer Place for which no setback is required.
- (E) amenity space must be provided at a minimum rate of 1.5 square metres for each dwelling unit.
- (F) parking spaces must be provided at a minimum rate of 1.4 for each dwelling unit, of which 1.0 for each dwelling unit must be for resident use and 0.2 for each dwelling unit must be for at grade visitor parking only; and
- (G) these lands must also comply with exception 900.6.10(473).

(399) Exception RM 399

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum building height is the lesser of 13.5 metres and 4 storeys;
- (B) the minimum **building setback** from a **side lot line** and **rear lot line** that does not abut a **street** is a distance equal to one half the height of the **building**;
- (C) the minimum building setback from a lot line that abuts a street is:
 - (i) 12.0 metres from Middlefield Road,
 - (ii) 9.0 metres from Richmond Park Blvd.
- (D) a minimum of 50% of the lot must be used for soft landscaping;
- (E) below grade **structures** are permitted in all required yards if it is not closer to a **lot line** that abuts a **street** than the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (F) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit; and
- (I) of the parking spaces required a minimum of:
 - (i) 65% must be located in a building: and
 - (ii) 11% of all parking spaces must be for visitor use only; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(400) Exception RM 400

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the lot line abuts Sandhurst Circle; and
 - (ii) 4.5 metres in all other cases; and
- (B) The minimum building setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone;

- (ii) 7.5 metres from a side lot line; and
- (iii) 10.5 metres from a rear lot line; and
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 50% of the lot must be used for soft landscaping;
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
- (F) of the parking spaces required a minimum of:
 - (i) 75% must be located in a building and directly accessible from a dwelling unit; and
 - (ii) 20% of all parking spaces must be on grade and for visitor use only.
- (G) below grade structures are permitted in all required yards if it is not closer to a lot line that abuts a street than the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (H) a building used for the storage of waste may be located in a yard that abuts a street, if it is a minimum of 1.5 metres from the lot line and the building is entirely enclosed; and
- (I) these lands must also comply with exception 900.6.10(473).

(401) Exception RM 401

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 25.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Brimley Road; and
 - (ii) 9.0 metres if the lot line abuts Huntingwood Drive; and
- (B) the minimum setback from a **lot line** that abuts a **lot** in a RD, RS or RT zone is 7.5 metres and that setback must be used only for **soft landscaping**;
- (C) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building.
- (D) the minimum separation between the above ground **main wall** of two **building** is the distance equal to one half to combined total height of the two **buildings**.
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.
- (F) a minimum of 50% of the parking spaces must be in a building; and
- (G) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(402) Exception RM 402

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a lot line that abuts a street is:
 - (i) 6.0 metres for the part of main wall containing a vehicular entrance to a parking space;
 - (ii) 3.0 metres in all other cases;
- (B) parking spaces must be provided at a minimum rate of 1.6 for each dwelling unit;
- (C) of the required parking spaces a minimum of:
 - (i) 1.0 for each dwelling unit is for resident parking; and
 - (ii) 0.2 for each dwelling unit is for visitor parking.

(403) Exception RM 403

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a **lot line** that abuts a **street** is:
 - (i) 6.0 metres for the part of main wall containing a vehicular entrance to a parking space; and
 - (ii) 3.0 metres in all other cases;
- (B) parking spaces must be provided at a minimum rate of 1.6 for each dwelling unit, of which:
 - (i) a minimum of 1.4 for each dwelling unit is for resident parking; and
 - (ii) a minimum of 0.2 for each dwelling unit is for visitor parking.
- (C) a minimum of 70% of the required resident parking spaces must be in a building or below grade parking structure.

Prevailing By-laws and Prevailing Sections: (None Apply)

(404) Exception RM 404

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a road is:
 - (i) 12.0 metres if the lot line abuts Sewells Road or McLevin Avenue;
 - (ii) 9.0 metres in all other cases;
- (B) the minimum setback from a lot line that does not abut a street is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in a RD, RS or RT zone;
 - (ii) in all other cases:
 - (a) 7,5 metres from a side main wall to a lot line;
 - (b) 10.5 metres from a rear main wall to a lot line;
- (C) a minimum of 50% of the lot area must be soft landscaping:
- (D) the minimum **building setback** from a **lot line** for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**.
- (E) A **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street; and
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.3 parking spaces per dwelling unit for residents;
 - (ii) 0.2 parking spaces per dwelling unit must be provided for visitors; and
- (G) of the required Resident parking spaces:
 - (i) a minimum of 1.0 **parking space** per **dwelling unit** must be either in an attached garage or below grade; and
 - (ii) a maximum of 0.3 **parking spaces** per **dwelling unit** may be provided in tandem together with enclosed parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(405) Exception RM 405

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a **lot line** that abuts a **street** is:
 - (i) 6.0 metres for the part of **main wall** containing a vehicular entrance to a **parking space**;
 - (ii) 6.0 metres if the **lot line** abuts Sewells Road or McLevin Avenue;
 - (iii) 3.0 metres in all other cases;
- (B) the minimum setback from a lot line that does not abut a street is 6.0 metres;
- (C) the minimum **building setback** from a **lot line** for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line.
- (D) a minimum of 45% of the lot areas must be used for soft landscaping;
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.4 parking spaces per dwelling unit for residents;
 - (ii) 0.2 parking spaces per dwelling unit must be provided for visitors; and
- (F) of the required resident **parking spaces**, a minimum of 1.0 **parking space** per **dwelling unit** must be either in an attached garage or below grade;

Prevailing By-laws and Prevailing Sections: (None Apply)

(406) Exception RM 406

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the minimum setback from a side lot line or rear lot line is 10.5 metres;
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 50% of the lot area shall be used for soft landscaping;
- (E) the minimum **building setback** from a **lot line** for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line.
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking
- (G) a resident parking space must be located in a building or structure.
- (H) A **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(407) Exception RM 407

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback is 9.0 metres from a front lot line that abuts Sheppard Avenue, Neilson

Road, Sewells Road, Brenyon Way or Wickson Trail;

- (B) the minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone; and
 - (ii) 10.5 metres in all other cases;
- (C) the maximum lot coverage is 30%;
- (D) the maximum **building** height is 10.5 metres;
- (E) a minimum of 50% of the lot area shall be used for soft landscaping;
- (F) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**.
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking
- (H) a resident parking space must be located in a building or structure.
- (I) A **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(408) Exception RM 408

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback is 9.0 metres from a **front lot line** that abuts Sheppard Avenue, Neilson Road, Sewells Road, Brenyon Way or Wickson Trail;
- (B) the minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone; and
 - (ii) 10.5 metres in all other cases;
- (C) the maximum lot coverage is 30%;
- (D) the maximum **building** height is the lesser of 10.5 metres and 3 **storeys**;
- (E) a minimum of 50% of the lot area shall be used for soft landscaping;
- (F) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line.
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking
- (H) the required resident parking space must be located in the residential building;
- the vehicular entrance in the main **building** must be set back a minimum of 6.0 metres from a street or lane.
- (J) A **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street.

(K) visitor **parking spaces** may be located in a yard that abuts Wickson Trail if they are a minimum of 9.0 metres from the **lot line** that abuts Wickson Trail.

Prevailing By-laws and Prevailing Sections: (None Apply)

(409) Exception RM 409

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is:
 - (i) 36.0 metres, if the **lot line** abuts Sheppard Avenue, and measured from the original centreline of the **street**; and
 - (ii) 7.5 metres in all other cases;
- (B) the minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone; and
 - (ii) 10.5 metres in all other cases;
- (C) the maximum lot coverage is 30%;
- (D) the maximum **building** height is 10.5 metres;
- (E) a minimum of 50% of the lot area shall be used for soft landscaping;
- (F) the minimum **building setback** from a **lot line** for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres:;and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1.6 for each dwelling unit and used for resident parking;
 - (ii) 0.2 for each dwelling unit and used for surface visitor parking;
- (H) a minimum of 1.0 resident parking space for each dwelling unit must be located in the residential building;
- (I) A **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(410) Exception RM 410

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a front lot line is:
 - (i) 14.0 metres, if the lot line abuts Sheppard Avenue; and
 - (ii) 7.5 metres in all other cases;
- (B) the minimum setback from a side lot line or rear lot line is:
 - (i) 12.0 metres if the lot line abuts a lot in an RD, RS or RT zone; and
 - (ii) 10.5 metres in all other cases;
- (C) the maximum lot coverage is 30%;
- (D) a minimum of 50% of the lot area shall be used for soft landscaping;
- (E) the minimum **building setback** from a **lot line** for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; and

- (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each **dwelling unit** and used for resident parking;
 - (ii) 0.3 for each dwelling unit and used for surface visitor parking;
- (G) A **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof;
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street.

(411) Exception RM 411

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 22.0 metres if the lot line abut warden Avenue; and
 - (ii) 5.7 metres in all other cases; and
- (B) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the maximum building height is the height of the building as it existed on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(412) Exception RM 412

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 5.7 metres; and
- (B) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**:
- (C) the maximum building height is the height of the building as it existed on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(414) Exception RM 414

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a maximum of 11 **detached houses** are permitted;
- (B) the minimum building setback from a lot line that abuts a street is:
 - (i) 6.5 metres if the lot line abuts Kingston Road; and
 - (ii) 2.7 metres if the lot line abuts Birchmount Road; and
- (C) the minimum building setback from a lot line that does not abut a street is:
 - (i) 2.7 metres if it is from the side wall of the **building**; and
 - (ii) 5.7 metres in all other cases;
- (D) the maximum height of a building containing a dwelling unit is the lesser of 4 storeys and 14.0 metres
- (E) the maximum lot coverage is 30%
- (F) a minimum of 50% of the lot area must be used for landscaping
- (G) the minimum building setback for a below grade parking structure from a lot line is the greater

of:

- (i) 3.0 metres; and
- (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (H) a **building** or **structure** used for the storage of waste may be located in a yard that abuts a **street** if it is wholly enclosed and a minimum of 1.5 metres from any **lot line**;
- (I) parking must be provided on the following basis:
 - (i) a minimum of one **parking space** per **dwelling unit** must be located in the **residential building**; and
 - (ii) a minimum of one **parking space** per **dwelling unit** must be provided for visitors and located in tandem with the **parking space** in (i) above; and
- (J) the following lands must be used only for landscaping:
 - (i) a minimum of 5.7 metre wide strip of land along the Kingston Road frontage excluding from that area a bus shelter;
 - (ii) a minimum 2.7 metre wide strip of land along the easterly lot line;
 - (iii) a minimum 5.7 metre wide strip of land along the southerly lot line; and
 - (iv) a minimum 2.7 metre wide strip of land along the Birchmount Road frontage excluding from that area a 6.0 metre wide combined egress and ingress; and
- (K) these lands must also comply with exception 900.6.10(473).

Prevailing By-laws and Prevailing Sections: (None Apply)

(417) Exception RM 417

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 7.5 metres;
- (B) the minimum building setback from a side lot line or rear lot line is 12.0 metres;
- (C) the maximum **lot coverage** is 30%;
- (D) a minimum of 50% of the lot area must be used for no other purpose than landscaping;
- (E) a **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is wholly enclosed with walls and a roof; and
 - (ii) is located a minimum of 1.5 metres from a lot line that abuts a street; and
- (F) the minimum setback for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each **dwelling unit**, to be located in the **residential building** and attached to the **dwelling unit** for which it is required and used for resident parking only; and
 - (ii) 0.25 for each dwelling unit, to be used as visitor parking only and located at grade; and
- (H) the maximum number of storeys is 2.

Prevailing By-laws and Prevailing Sections: (None Apply)

(418) Exception RM 418

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum **building setback** is 13.5 metres from the **lot line** abutting a **street** within 30 metres from the north **side lot line**. 19.5 metres thereafter:

- (B) the minimum building setback from a side lot line is:
 - (i) 7.5 metres from the north side lot line within 75 metres from the street line.
 - (ii) 7.5 metres from the south side lot line within 100 metres from the street line.
 - (iii) 2.4 metres in all other cases.
- (C) the maximum number of storeys is 2;
- (D) the maximum lot coverage is 30%;
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and use for resident parking; and
 - (ii) 0.6 for each dwelling unit and use only for visitor parking; and
- (F) these lands must also comply with exception 900.6.10(473).

(419) Exception RM 419

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is:
 - (i) a minimum of 3.0 metres and a maximum of 6.0 metres from the **street** line of Finch Avenue:
 - (ii) and in all other cases, 3.0 metres except that the main wall containing the vehicular entrance to a parking space must be set back a minimum of 6.0 metres; and
- (B) the minimum building setback from a side lot line is 1.0 metres on one side only;
- (C) the maximum lot coverage is 50%; and
- (D) the maximum floor space index for the lot is 1.8, and for this exception Gross Floor Area means the aggregate of the areas of each floor above grade measured between the exterior walls of the building or structure at the level of each floor including any part of the building or structure above grade used for the storage or parking of motor vehicles, locker storage and laundry facilities, but excluding any part of the building or structure used for retail commercial purposes open to the public and any area used for recreational or mechanical purposes.

Prevailing By-laws and Prevailing Sections: (None Apply)

(420) Exception RM 420

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 18.0 metres, if the lot line abuts of Finch Avenue and Warden Avenue; and
 - (ii) 12.0 metres, if the lot line abuts of Bridletowne Circle and Birchmount Road; and
 - (iii) 9.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line and rear lot line is 7.5 metres;
- (C) a yard that abuts a **lot** in a RS or RD zone must be used for **landscaping** only;
- (D) a minimum of 50% of the **lot area** must be used for no other purpose than **landscaping**;
- (E) the maximum lot coverage is 30%;
- (F) the maximum height of the building wall between established grade and the underside of the eves is 8.0 metres;
- (G) a minimum of 50% of the lot area must be used for landscaping;
- (H) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (I) of the required parking spaces:
 - (i) a minimum of 75% must be located in a **building** or in a **structure** below grade;

- (ii) a minimum of 20% of all required **parking spaces** must be for visitor parking only;
- (J) a below grade parking **structures** is permitted in a **front yard**, if it is setback a minimum distance equal to the vertical distance between the elevation of the surface of the lowest floor of the **structure** to the average elevation at the **front lot line**; and
- (K) these lands must also comply with exception 900.6.10(473).

(421) Exception RM 421

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 3.0 metres, except that the portion of the main wall containing a vehicular entrance to a parking space must be set back a minimum of 6.0 metres;
- (B) the maximum height of the **building** wall between **established grade** and the underside of the eves is 7.5 metres;
- (C) parking spaces must be provided at a minimum arte of 1.4 for each dwelling unit; and
- (D) of the required parking spaces:
 - (i) a minimum of 1.0 **parking space** for each **dwelling unit** must be located in a **building** or in a below grade **structure**; and
 - (ii) a minimum of 0.25 parking spaces for each dwelling unit must be used for visitor parking only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(422) Exception RM 422

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum building setback from a front lot line is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum building setback from a side lot line and rear lot line is:
 - (i) 10.5 metres if the lot line abuts a lot in a RD or RS zone: and
 - (ii) a distance equal to one half the height of the building in all other cases; and
- (C) the maximum height of the **building** wall between **established grade** and the underside of the eves is 7.5 metres;
- (D) a minimum 1.5 metre wide strip of land used only for soft landscaping must be provided along the portion of a lot line that abuts a lot in an RD zone;
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; of which:
 - (i) a minimum of 75% must be located in a **building** or in a **structure** below grade:
 - (ii) a minimum of 20% of all required parking spaces must be for visitor parking only;
- (F) a minimum of 60% of the lot area must be used for no other purpose than landscaping;
- (G) the maximum lot coverage is 30%;
- (H) amenity space must be provided inside a building at a minimum rate of 2.4 square metres for each dwelling unit; and
- (I) in addition to the uses permitted in the zone, one **place of worship** is permitted if it complies with the following:
 - (i) it is located on Part Lot 26, Concession "D": Being lands bounded on the West by Midland Avenue, on the North by the H.E.P.C. right-of-way and Registered Plan M669 on the East by the Institutional Uses-Radio Station, on the South by the Registered Plan 3391;
 - (ii) the **building** must be set back from a **lot line** that abuts Midland Avenue a minimum of 25.0 metres, measured from the original centreline of the **street**;

- (iii) the maximum lot coverage is 40%; and
- (iv) the minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building.

(423) Exception RM 423

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 7.5 metres;
- (B) the minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (C) the maximum height of the **building** wall between **established grade** and the underside of the eves is 7.5 metres;
- (D) the maximum lot coverage is 35%; and
- (E) a maximum four **dwelling units**, which may be in the form of a **fourplex**, per parcel of land with a minimum 21 metres frontage on a public **street** and a minimum area of 780 m2; or
- (F) a maximum one **dwelling unit** per parcel of land with a minimum of 5.25 metres frontage on a public **street** and a minimum area of 195 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(424) Exception RM 424

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 6.0 metres;
- (B) the minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building;

Prevailing By-laws and Prevailing Sections: (None Apply)

(425) Exception RM 425

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum lot frontage for each dwelling unit is 5.2 metres;
- (B) the minimum lot area for each dwelling unit is 120.0 squares:
- (C) the minimum building setback from a front lot line is 4.0 metres, except that the portion of a main wall containing a vehicular entrance to a parking space must be set back a minimum of 6.3 metres;
- (D) the minimum building setback from a side lot line is 1.4 metres;
- (E) the minimum building setback from a rear lot line is 6.5 metres; and
- (F) the maximum building height is the lesser of 3 storeys and 10.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(426) Exception RM 426

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line is 7.5 metres;
- (B) the minimum building setback from aside lot line or rear lot line is:
 - (i) 6.0 metres if the setback is to the side main wall of the building; and
 - (ii) 10.5 metres in all other cases;

- (C) the maximum lot coverage is 30%;
- (D) a **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is a wholly enclosed building; and
 - (ii) it is located a minimum of 1.5 metres from a lot line that abuts a street; and
- (E) **parking spaces** for resident use must be provided at a minimum rate of 1.0 for each **dwelling unit** and must be located below grade or in a garage;
- (F) parking spaces for visitor parking only must be provided at a minimum rate of 0.25 for each dwelling unit and must be located at ground level.

(427) Exception RM 427

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that does not abut a street is a distance equal to one half the height of the building;
- (B) the minimum separation between the above ground main walls of two building on a lot is a distance equal to one half the combine total height of the two buildings;
- (C) the maximum building height between
- (D) the maximum height of the **building** wall between **established grade** and the underside of the eves is 7.5 metres;
- (E) a **building** used for the storage of waste is permitted in a yard that abuts a **street** if:
 - (i) it is a wholly enclosed **building**; and
 - (ii) it is located a minimum of 1.5 metres from a lot line that abuts a street; and
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (G) of the required parking spaces:
 - (i) a minimum of 75% must be located below ground or in the residential building; and
 - (ii) a minimum of 20% must be for visitor use only and located at ground level; and
- (H) a below grade parking **structures** may be permitted in a **front yard** if it is setback the greater of:
 - (i) a minimum of 3.0 metres; and
 - (ii) a minimum distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (I) a minimum of 45% of the lot area must be used for no other purpose than landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(429) Exception RM 429

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) On a lot, a private school or a religious education use is a permitted use.

Prevailing By-laws and Prevailing Sections: (None Apply)

(430) Exception RM 430

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) The lands municipally known as 1120 -1132 Weston Road must comply with City of Toronto by-law 1029-2006.

(432) Exception RM 432

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of **dwelling units** is 14;
- (B) the minimum building setback from a front lot line is 1.2 metres;
- (C) the maximum lot coverage is 46%;
- (D) the minimum setback from a **side lot line** is 6.0 metres;
- (E) the maximum height of a **building** is the lesser of 4 **storeys** and 10.5 metres; and
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling for resident use and located in an building or structure; and
 - (ii) 0.1 space for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(433) Exception RM 433

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands municipally known as 15 Primrose Avenue, City of Toronto by-law 75-2006.

(435) Exception RM 435

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from Birchmount Road is 25.0 metres measured from the original centreline of the street;
- (B) the minimum building setback from a side lot line or rear lot line is the distance equal to one half the height of the building;
- (C) the minimum separation between the above ground **main wall** of two **building** on the same **lot** is the distance equal to one half the combine total height of the two **buildings**;
- (D) the maximum lot coverage is 25%;
- (E) the minimum elevation of the floor of the **basement** of the **building** must be a minimum of 3.5 metres above the invert of the Massey Creek;
- (F) a minimum 1.5 metres wide landscaped strip of land must be provided along the entire length of the portion of a lot line that abuts a lot in a residential zone category;
- (G) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit
- (H) a minimum of f required parking space must be located in a garage in the rear yard; and
- (I) all roofs to be pitched with a rise of 1.0 metres in 4.0 metres including garages.

Prevailing By-laws and Prevailing Sections: (None Apply)

(436) Exception RM 436

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from Kennedy Road is 25.0 metres measured from the original centre line of the street;
- (B) the minimum building setback from a side lot line or rear lot line is the distance equal to one half the height of the building;
- (C) the minimum separation between the above ground main wall of two building on the same lot is the distance equal to one half the combine total height of the two buildings;
- (D) the maximum lot coverage is 30%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(437) Exception RM 437

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 3 dwelling units may be contained in a building;
- (B) each dwelling unit must have individual access to the outdoors at grade level; or, not more than two dwelling units may have a common access to the exterior of the building at grade level;
- (C) the maximum lot coverage is 30%;
- (D) the maximum **building setback** from a **side lot line** that does not abut a **street** or **rear lot line** is the distance equal to one half the height of the **building**;
- (E) the minimum separation distance between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **building**;
- (F) the minimum building setback from a lot line that abuts Lawrence avenue is 25.0 metres, measured from the original centreline of the street; and
- (G) parking space must be provided at a minimum rate of 1.5 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(439) Exception RM 439

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Lawrence Avenue is 25.0 metres;
- (B) the minimum building setback from a side lot line and rear lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) the minimum separation distance between the above ground main walls of two buildings that are on the same lot is a distance equal to one half the total combined height of the two buildings;
- (D) the maximum lot coverage is 30%;
- (E) each dwelling unit must have an individual access to the outdoors at grade level; or, not more than two dwelling units must have a common access to the exterior of the building at grade level:
- (F) a building may not contain more that 3 dwelling units; and
- (G) parking spaces must be provided at a minimum rate of 1.5 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(442) Exception RM 442

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres if the lot line abuts Morningside Avenue and Ellesmere Road; and
 - (ii) 9.0 metres in all other cases;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres if the lot line abuts a lot in an RD or RS zone
 - (iii) 10.5 metres in all other cases; and
- (C) the maximum lot coverage is 60%;
- (D) a minimum of 60% of the area of the lot not covered by buildings, driveway and required parking space must be soft landscaping;
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (F) of the required **parking spaces**, 75% must be for resident use and located in a below grade parking **structure**, and 20% must be used for visitor parking only;

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 25, of Scarborough By-law 11883.

(443) Exception RM 443

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 12.0 metres;
- (B) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres if the lot line abuts a lot in an RD or RS zone
 - (iii) 10.5 metres in all other cases;
- (C) the maximum lot coverage is 30%;
- (D) the maximum height of the main wall from established grade to the underside of the eaves is 7.5 metres;
- (E) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (F) of the required **parking spaces**, 75% must be for resident use and located in a below grade parking **structure**, and 20% must be used for visitor parking only;
- (G) a minimum of 60% of the lot area must be landscaped; and
- (H) the maximum height building is the height of the tallest building on the lot on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(444) Exception RM 444

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 15.0 metres if the lot line abuts Warden Avenue;
 - (ii) 12.0 metres if the lot line abuts Birchmount Road;
 - (iii) 9.0 metres in all other cases, except that an end wall may be a minimum of 6.0 metres from the street line of Cass Avenue;
- (B) the minimum building setback from a side lot line and rear lot line is:
 - (i) 6.0 metres if the wall is an end wall; and (ii) 9.0 metres in all other cases;
- (C) the maximum height of the main wall from established grade to the underside of the eaves is 7.5 metres:
- (D) a minimum of 50% of the lot area must be landscaped;
- (E) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (F) parking spaces provided in excess of the minimum required by this By-law must be used for visitor parking spaces only;
- (G) an ancillary building may be located in a yard that abuts a street if it is:
 - (i) wholly enclosed;
 - (ii) used only for waste storage;
 - (iii) at least 1.5 metres from all lot lines; and
- (H) the maximum height building is the height of the tallest building on the lot on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(445) Exception RM 445

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 208 **dwelling units** per block as shown on a Registered Plan;
- (B) the minimum building setback is:
 - (i) 3.0 metres from a **lot line** that abuts Neilson Road:
 - (ii) 2.0 metres from a lot line that abuts any other street;
 - (iii) 30.0 metres from a lot line that abuts a railway right-of-way;
- (C) the maximum height of a **building** is the lesser of 4 **storeys** and 16 metres;
- (D) a below grade parking **structure** must be set back a minimum of 1.5 metres from a **lot line** that abuts a **street**:
- (E) parking spaces must be provided at a minimum rate of 1.4 for each dwelling unit;
- (F) In addition to the uses permitted in the zone, a public school is also permitted;
- (G) despite regulations to the contrary, a **townhouse** is a permitted **building** type;
- (H) a maximum of 5 model homes must be permitted prior to the registration of the plan of subdivision provided that these model homes are constructed in compliance with the applicable requirements of this By-law.

Prevailing By-laws and Prevailing Sections: (None Apply)

(446) Exception RM 446

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback is:
 - (i) 12.0 metres from a **lot line** that abuts a **lot** in a RD or RS zone;
 - (ii) 10.5 metres from a rear lot line; and
 - (iii) 7.5 metres from all other lot lines;
- (B) the maximum **building** height is 7.5 metres;
- (C) a minimum 50% of the lot area to be used for no other purpose than landscaping;
- (D) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (E) a minimum of 75% of the total parking spaces must be located underground;
- (F) 20% of the parking spaces must be located on the surface and used only for visitors' parking;
- (G) the minimum setback for a below grade parking **structures** is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance between the surface of the lowest floor of the structure to the average grade along the front lot line;
- (H) a building used for waste storage may be located in a yard that abuts a street if it is:
 - (i) fully enclosed by four walls and roof; and
 - (ii) no closer than 1.5 metres to any lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(447) Exception RM 447

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **building setback** is:
 - (i) 12.0 metres from a lot line that abuts a lot in a RD or RS zone;
 - (ii) 10.5 metres from a rear lot line; and
 - (iii) 7.5 metres from all other lot lines;
- (B) the maximum **building** height is 7.5 metres;
- (C) a minimum 50% of the lot area to be used for no other purpose than landscaping;

- (D) underground parking **structures** may be permitted in all yards;
- (E) the minimum setback for a below grade parking structures is the distance equivalent to the vertical distance between the surface of the lowest floor of the structure to the average grade along the front lot line;
- (F) the maximum lot coverage is 15%;
- (G) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (H) a minimum of 75% of the total parking spaces must be located underground; and
- (I) 20% of the parking spaces must be located on the surface and used only for visitors' parking.

(448) Exception RM 448

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback is:
 - (i) 7.5 metres from the east **lot line**;
 - (ii) 2.0 metres from the west lot line;
- (B) the maximum **building** height is 12.5 metres;
- (C) no maximum lot coverage applies;
- (D) parking spaces for resident use must be provided at a minimum rate of 1.2 spaces for each dwelling unit;
- (E) visitor parking spaces must be provided at a minimum rate of 0.2 spaces for each dwelling unit;
- (F) attached dwelling units must have individual private access to each dwelling unit from grade.

Prevailing By-laws and Prevailing Sections: (None Apply)

(449) Exception RM 449

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback is:
 - (i) 12.0 metres from a **lot line** that abuts a **lot** in a RD or RS zone;
 - (ii) 10.5 metres from a rear lot line; and
 - (iii) 7.5 metres from all other lot lines;
- (B) a minimum 50% of the lot area to be used for no other purpose than landscaping;
- (C) the minimum setback for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance between the surface of the lowest floor of the **structure** to the **average grade** along the **front lot line**;
- (D) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
- (E) a minimum of 65% of the total parking spaces must be located underground; and
- (F) 11% of the parking spaces must be located on the surface and used only for visitors' parking; and
- (G) a building uses for waste storage may be located in a yard that abuts a street if it is:
 - (i) fully enclosed by four walls and roof; and
 - (ii) no closer than 1.5 metres to any lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(450) Exception RM 450

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback is:
 - (i) 30.0 metres from a lot line that abuts Ellesmere Road; and
 - (ii) from a side lot line a distance equal to one half the height of the building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(451) Exception RM 451

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A townhouse is a permitted building type.
- (B) The minimum **building setback** from a **front lot line** is the greater of:
 - (i) 33.0 metres measured from the original centerline of Kennedy Road; and
 - (ii) 6.0 metres.
- (C) The minimum building setback from a side lot line is a distance equal to one half the height of the building.
- (D) The maximum **building** height is the lesser of 3 **storeys** and 10.0 metres.
- (E) Parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(452) Exception RM 452

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 2 **dwelling units** per **lot** with a minimum 15.0 metres of **lot frontage** and 510 square metres of **lot area**; or
- (B) a maximum of 1 **dwelling unit** per **lot**, with a minimum of 7.5 metres of **lot frontage** and 255 square metres of **lot area**;
- (C) the minimum **building setback** is:
 - (i) 17.5 metres from a front lot line; and
 - (ii) 2.4 metres from a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(453) Exception RM 453

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 22.0 metres measured from the original centerline of the street a lot line that abuts Birchmount Road; and
- (B) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(454) Exception RM 454

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum building setback from a lot line that abuts a street is:
 - (i) 6.0 metres for that portion of the main wall containing a vehicle entrance to a parking space;
 - (ii) 4.5 metres from a side lot line; and

- (iii) 3.0 metres in all other cases;
- (B) the maximum **building** height is the lesser of 3 **storeys** and 10.0 metres;
- (C) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit; and
- (D) visitor parking must be provided at a minimum rate of 0.2 for each dwelling unit.

(455) Exception RM 455

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum building setback from a lot line that abuts Birchmount Road is 16.0 metres, measured from the original centerline of the street;
- (B) the minimum building setback from a side lot line is 1.2 metres;
- (C) the minimum building setback from a rear lot line is:
 - (i) 7.7 metres to the rear main wall of the residential building; and
 - (ii) 5.8 metres to any other **structure**;
- (D) the maximum lot coverage is 76%;
- (E) the maximum **building** height is 10.45 metres;
- (F) parking space for visitor parking must be provided at a minimum rate of 0.25 for each dwelling unit:
- (G) attached dwelling units must have individual private access to each dwelling unit from grade;
- (H) landscaping must be provided on the site as follows:
 - (i) a 1.2 metre wide strip of land along the entire length of the portion of a **lot line** abutting a **lot** in a RD zone must be used for walkways or **landscaping**;
 - (ii) a 5.8 metre wide strip of land along the entire length of the rear lot line must be used for landscaping; and
 - (iii) a minimum 45 square metre **landscape** open space area must be provided in a central location on the **lot**.

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 1465 Birchmount Road, City of Toronto by-law 740-2005.

(457) Exception RM 457

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 28332.

(458) Exception RM 458

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.20(8) of former City of North York Zoning By-law 7625.

(462) Exception RM 462

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

 (A) the minimum setback from a lot line that abuts Victoria Park Avenue is 27.0 metres, measured from the original centreline of the street;

- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line is a distance equal to one half the height of the building; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 15, 16, 17, of Scarborough By-law 9366

(463) Exception RM 463

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **lot line** that abuts a **street** is 9.0 metres;
- (B) the minimum **building setback** from a **rear lot line** and a **side lot line** that does not abut a **street** is:
 - (i) 12.0 metres if the lot line abuts a lot in the RD-zone or RS-zone;
 - (ii) 7.5 metres if the main wall is an end-wall; and
 - (iii) 10.5 in all other cases; and
- (C) the maximum lot coverage is 30%;
- (D) the maximum **building** height to the underside of the eves is 7.5 metres;
- (E) a minimum 60% of the **lot area** must be used for no other purpose than **landscaping**;
- (F) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (G) a minimum of 67% of all parking spaces must be located under ground;
- (H) a minimum of 33% of the parking space must be for visitor parking; and
- (I) the minimum **building setback** from a **lot line** for a below grade parking **structure** is a distance equal to 1/2 the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(464) Exception RM 464

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 7.5 metres;
- (B) the minimum building setback from a rear lot line and a side lot line that does not abut a street is 7.5 metres;
- (C) the maximum **building** height to the underside of the eves is 7.5 metres;
- (D) a minimum 60% of the lot area must be used for no other purpose than landscaping;
- (E) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (F) a minimum of 67% of all parking spaces must be located under ground; and
- (G) a minimum of 33% of the parking space must be for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(465) Exception RM 465

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum building setback from a lot line that abuts a street is:
 - (i) 22.0 metres measured from the original centre line of the road if the road is Birchmount Road; and
 - (ii) 9.0 metres in all other cases; and

- (B) the minimum building setback from a rear lot line and a side lot line that does not abut a street is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in the RD-zone or RS-zone;
 - (ii) 7.5 metres if the main wall is an end-wall; and
 - (iii) 10.5 in all other cases; and
- (C) the maximum lot coverage is 30%;
- (D) the maximum **building** height to the underside of the eves is 7.5 metres;
- (E) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (F) a minimum of 67% of all parking spaces must be located under ground;
- (G) a minimum of 33% of the parking space must be for visitor parking;
- (H) a minimum 60% of the lot area must be used for no other purpose than landscaping; and
- (I) the minimum building setback from a lot line for a below grade parking structure is a distance equal to 1/2 the vertical distance from the lowest floor of the structure to the average elevation of grade at the front lot line.

(466) Exception RM 466

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum **building setback** from a **lot line** that abuts Birchmount Road is 22.0, metres measured from the original centre line of the road;
- (B) the minimum building setback from a rear lot line and a side lot line that does not abut a street is 7.5 metres;
- (C) the maximum number of storeys permitted is 2;
- (D) the maximum lot coverage is 30%;
- (E) a wholly enclosed and roofed building or structure used for the storage of waste may be located in a front yard if it is a minimum of 1.5 metres from a lot line that abuts a street;
- (F) the minimum building setback from a lot line for a below grade parking structure is a distance equal to the greater of:
 - (i) 1/2 the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
 - (ii) 3.0 metres; and
- (G) the required parking space must be located in the residential building; and
- (H) visitor **parking spaces** must be located in a surface parking area that is a minimum of 20% of the area covered by the **residential buildings** on the **lot**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(467) Exception RM 467

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 9.0 metres if it is the side wall of a building on a corner lot; and
 - (ii) 7.5 metres in all other cases; and
- (B) the minimum building setback from a rear lot line and a side lot line that does not abut a street is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in the RD-zone or RS-zone;
 - (ii) 7.5 metres if the main wall is an end-wall; and
 - (iii) 10.5 in all other cases; and

- (C) The maximum lot coverage is 30%;
- (D) the maximum **building** height to the underside of the eves is 7.5 metres;
- (E) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (F) a minimum of 67% of all parking spaces must be located under ground;
- (G) a minimum of 33% of the parking space must be for visitor parking;
- (H) a minimum 60% of the lot area must be used for no other purpose than landscaping; and
- (I) the minimum building setback from a lot line for a below grade parking structure is a distance equal to 1/2 the vertical distance from the lowest floor of the structure to the average elevation of grade at the front lot line.

(468) Exception RM 468

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum building setback from a front lot line is:
 - (i) 6.0 metres for the part of the **building** containing a **vehicle** entrance to a **parking space**; and
 - (ii) 3.0 metres in all other cases; and
- (B) the minimum building setback from a rear lot line and a lot line that abuts a lot in an RD zone or Open Space Zone category, is 7.5 metres;
- (C) the required parking space must be located in the residential building; and
- (D) a minimum of one **parking space** must be provided for visitors and be located on a **driveway** leading to a **parking space** in the **residential building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(469) Exception RM 469

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum building setback from a front lot line is:
 - (i) 6.0 metres for the part of the **building** containing a **vehicle** entrance to a **parking space**;
 - (ii) 3.0 metres in all other cases; and
- (B) the maximum building height is 12 metres; and
- (C) parking spaces must be provided at a minimum rate of 1.5 for each dwelling unit, of which 1.0 for each dwelling unit must be enclosed and 0.2 for each dwelling unit must be for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(470) Exception RM 470

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum **building setback** from a **front lot line** is 3.0 metres;
- (B) the maximum building height is 12 metres; and
- (C) parking spaces must be provided at a minimum rate of 1.5 for each dwelling unit, of which 1.0 for each dwelling unit must be enclosed and 0.2 for each dwelling unit must be for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(471) Exception RM 471

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum **building setback** from a **lot line** that abuts a **street** is 9.0 metres;
- (B) the minimum **building setback** from a **rear lot line** and a **side lot line** that does not abut a **street** is:
 - (i) 12.0 metres if the **lot line** abuts a **lot** in an RD zone or RS zone;
 - (ii) 7.5 metres if the main wall is an end-wall; and
 - (iii) 10.5 in all other cases; and
- (C) the maximum lot coverage is 30%;
- (D) the maximum **building** height to the underside of the eves is 7.5 metres;
- (E) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (F) a minimum of 75% of all parking spaces must be located under ground;
- (G) a minimum of 20% of the parking space must be for visitor parking; and
- (H) a minimum 60% of the lot area must be used for no other purpose than landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(472) Exception RM 472

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Warden Avenue is 15.0 metres;
- (B) the minimum building setback from a side lot line and rear lot line is:
 - (i) 6.0 metres if the wall is the side end wall of a **building**; and
 - (ii) 9.0 metres in all other cases; and
- (C) the maximum lot coverage for all building is 30%;
- (D) a minimum of 50% of the lot area must be used for soft landscaping;
- (E) the maximum **building** height to the underside of the eves is 7.5 metres;
- (F) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (G) any parking space provided in excess of those required must be for visitor parking only; and
- (H) a wholly enclosed and roofed building or structure used for the storage of waste may be located in a front yard, if it is a minimum of 1.5 metres from a lot line that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(473) Exception RM 473

The lands, or a portion thereof are subject to the following:

Site Specific Provisions:

- (A) the maximum floor space index for a lot containing a dwelling unit in a permitted building type is:
 - (i) the lesser of 0.6 and 204 square metres, if the lot area is less than 408 square metres;
 - (ii) the lesser of 0.5 and 279 square metres, if the lot area is 408 square metres to 697 square metres; and
 - (iii) 0.4 if the **lot area** is more than 697 square metres.

(474) Exception RM 474

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(475) Exception RM 475

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A detached house, semi-detached house, duplex, triplex, a townhouse with every dwelling unit fronting directly on a street, and an apartment building are the only residential building types permitted.
- (B) The minimum lot frontage is:
 - (i) 8.0 metres for a detached house;
 - (ii) 12.0 metres for a semi-detached house, duplex, or triplex;
 - (iii) 5.0 metres for a townhouse; and
 - (iv) 20.0 metres for an apartment building.
- (C) The maximum **building** height is:
 - (i) 11.0 metres and no more than 3 storeys for a detached house, semi-detached house, duplex, triplex, or townhouse; and
 - (ii) 14.0 metres and no more than 4 storeys for an apartment building.
- (D) The maximum floor space index is:
 - (i) 1.0 for a detached house, semi-detached house, duplex, triplex, or townhouse; and
 - (ii) 1.5 for an apartment building.
- (E) The minimum rear yard setback is:
 - (i) 6.0 metres for a detached house, semi-detached house, duplex, triplex, or townhouse; and
 - (ii) 7.5 metres for an apartment building.
- (F) The minimum side yard setback is:
 - (i) 0.5 metres on one side and 1.2 metres on the other side for a detached house, duplex, or triplex;
 - (ii) 1.2 metres for the exterior of two attached duplex or triplex buildings;
 - (iii) 1.2 metres for a semi-detached house;
 - (iv) 0.5 metres for a townhouse; and
 - (v) 2.5 metres for an apartment building.
- (G) A **duplex** may be attached to one other **duplex** on an adjacent **lot** in the same zone.
- (H) A triplex may be attached to one other triplex on an adjacent lot in the same zone.

Prevailing By-laws and Prevailing Sections: (None Apply)

(476) Exception RM 476

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum lot area is:
 - (i) 370 square metres for a detached house;
 - (ii) 325 square metres for each dwelling unit of a semi-detached house;
 - (iii) 555 square metres for a duplex or triplex;
 - (iv) 650 square metres for a fourplex; and
 - (v) 695 square metres for an apartment building.
- (B) The minimum lot frontage is:
 - (i) 12.0 metres for a detached house:
 - (ii) 10.5 metres for each dwelling of a semi-detached house;
 - (iii) 15.0 metres for a duplex;

- (iv) 18.0 metres for a triplex;
- (v) 21.0 metres for a fourplex; and
- (vi) 22.5 metres for an apartment building.
- (C) The maximum **building** height is:
 - (i) 9.5 metres for a **detached house**;
 - (ii) 11.0 metres for a semi-detached house, duplex, triplex, or fourplex; and
 - (iii) 20.0 metres for an apartment building.
- (D) The maximum floor space index is:
 - (i) 0.35 for a detached house;
 - (ii) 0.6 for a semi-detached house, duplex, triplex, or fourplex; and
 - (iii) 1.0 for an apartment building.
- (E) The minimum rear yard setback is:
 - (i) 7.5 metres for a detached house, semi-detached house, duplex, or triplex; and
 - (ii) 10.5 metres for a fourplex or apartment.
- (F) The minimum side yard setback is:
 - (i) 0.9 metres for a detached house or semi-detached house;
 - (ii) 1.8 metres for a duplex;
 - (iii) 3.0 metres for a triplex;
 - (iv) 3.6 metres for a fourplex; and
 - (v) 4.5 metres for an apartment building.

(477) Exception RM 477

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum lot area is:
 - (i) 370 square metres for a detached house;
 - (ii) 325 square metres for each dwelling unit of a semi-detached house;
 - (iii) 555 square metres for a duplex or triplex;
 - (iv) 650 square metres for a fourplex; and
 - (v) 695 square metres for an apartment building.
- (B) The minimum lot frontage is:
 - (i) 12.0 metres for a detached house;
 - (ii) 10.5 metres for each dwelling of a semi-detached house;
 - (iii) 15.0 metres for a duplex;
 - (iv) 18.0 metres for a triplex;
 - (v) 21.0 metres for a fourplex; and
 - (vi) 22.5 metres for an apartment building.
- (C) The maximum building height is:
 - (i) 9.5 metres for a detached house;
 - (ii) 11.0 metres for a semi-detached house, duplex, triplex, or fourplex; and
 - (iii) 10.5 metres for an apartment building.
- (D) The maximum floor space index is:
 - (i) 0.35 for a detached house:
 - (ii) 0.6 for a semi-detached house, duplex, triplex, or fourplex; and

- (iii) 1.0 for an apartment building.
- (E) The minimum rear yard setback is:
 - (i) 7.5 metres for a detached house, semi-detached house, duplex, or triplex; and
 - (ii) 10.5 metres for a fourplex or apartment.
- (F) The minimum side yard setback is:
 - (i) 0.9 metres for a detached house or semi-detached house;
 - (ii) 1.8 metres for a duplex;
 - (iii) 3.0 metres for a **triplex**;
 - (iv) 3.6 metres for a fourplex; and
 - (v) 4.5 metres for an apartment building.

(478) Exception RM 478

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) 325 square metres for a detached house;
 - (ii) 555 square metres for a semi-detached house;
 - (iii) 370 square metres for a duplex; and
 - (iv) 465 square metres for a triplex.
- (B) The minimum lot frontage is:
 - (i) 10.5 metres for a detached house;
 - (ii) 18.0 metres for a semi-detached house;
 - (iii) 12.0 metres for a duplex;
 - (iv) 15.0 metres for a triplex; and
 - (v) 22.5 metres for a fourplex or apartment building.
- (C) The maximum **building** height is 9.5 metres for a **detached house**.
- (D) The minimum side yard setback is:
 - (i) 0.9 metres for a detached house, semi-detached house, duplex, or triplex; and
 - (ii) 0.6 times the height of the building for a fourplex or apartment building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(479) Exception RM 479

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum lot area is:
 - (i) 325 square metres for a **detached house**;
 - (ii) 555 square metres for a semi-detached house; and
 - (iii) 370 square metres for a duplex.
- (B) The minimum lot frontage is:
 - (i) 10.5 metres for a detached house;
 - (ii) 18.0 metres for a semi-detached house; and
 - (iii) 15.0 metres for a duplex.
- (C) The maximum **building** height is 9.5 metres for a **detached house**.
- (D) The minimum side yard setback is 0.9 metres.

(480) Exception RM 480

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) 230 square metres for a detached house;
 - (ii) 460 square metres for a semi-detached house;
 - (iii) 555 square metres for a duplex; and
 - (iv) 610 square metres for a triplex.
- (B) The minimum lot frontage is:
 - (i) 7.5 metres for a detached house;
 - (ii) 15.0 metres for a semi-detached house or duplex;
 - (iii) 16.5 metres for a triplex; and
 - (iv) 22.5 metres for a fourplex or apartment building.
- (C) The maximum building height is 9.5 metres for a detached house.
- (D) If regulation 10.5.40.70(1) does not apply, the minimum **front yard setback** is 4.5 metres for a **fourplex** or **apartment building**.
- (E) The minimum side yard setback is:
 - (i) 0.6 metres for a detached house,
 - (ii) 1.2 metres for a semi-detached house, duplex, or triplex; and
 - (iii) 1.5 metres from a side lot line abutting a street for a detached house, semi-detached house, duplex, or triplex on a corner lot; and
 - (iv) 0.5 times the height of the building for a fourplex or apartment building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(500) Exception RM 500

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1981-258.

(501) Exception RM 501

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 313 and 315 The Kingsway, former City of Etobicoke by-law 83-142.

900.7 RA - Zone

900.7.1 General

(1) RA Zone Exceptions

The regulations located in Article 900.7.10 apply only to the exceptions subject to the RA zone and identified with the corresponding exception number.

900.7.10 Exceptions for RA Zone

(1) Exception RA 1

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 13627.

(2) Exception RA 2

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 8 Humberline Drive, former City of Etobicoke by-law 1989-225.

(3) Exception RA 3

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.20-A(2) of North York Zoning By-law 7625

(4) Exception RA 4

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-19.

(5) Exception RA 5

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1990-253.

(6) Exception RA 6

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14,642.

(7) Exception RA 7

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 365-2007.

(8) Exception RA 8

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 621.

(9) Exception RA 9

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 21054.

(11) Exception RA 11

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1989-78.

(12) Exception RA 12

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 147-2005.

(13) Exception RA 13

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) the greater of 665 square metres or 139 square metres per dwelling unit for an apartment building with 5 dwelling units; and
 - (ii) 139 square metres per dwelling unit for an apartment building with more than 5 dwelling units.
- (B) The minimum lot frontage is:
 - (i) 18.0 metres for an apartment building with 5 dwelling units; and
 - (ii) 24.0 metres for an apartment building with more than 5 dwelling units.
- (C) The minimum front yard setback is 7.5 metres.
- (D) The minimum rear yard setback is the greater of 7.5 metres or 25% of the lot depth.
- (E) The minimum side yard setback is:
 - (i) 3.0 metres for an apartment building with 5 dwelling units; and
 - (ii) half the height of the building for an apartment building with more than 5 dwelling units.

Prevailing By-laws and Prevailing Sections: (None Apply)

(14) Exception RA 14

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 10,931.

(15) Exception RA 15

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1984-87.

(16) Exception RA 16

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1437.

(17) Exception RA 17

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 3472.

(18) Exception RA 18

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1986-157.

(19) Exception RA 19

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2285 Lake Shore Boulevard West, former City of Etobicoke by-law 1988-141.

(21) Exception RA 21

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) The lands subject to this exception must comply with City of Toronto by-law 174-2003.

(22) Exception RA 22

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14,656.

(23) Exception RA 23

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 75 Irwin Road, former City of Etobicoke by-law 14,267.

(24) Exception RA 24

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 75 Tandridge Crescent, former City of Etobicoke by-laws 2313 and 15,027 prevail.

(25) Exception RA 25

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2045 Lake Shore Boulevard West, former City of Etobicoke by-laws 3878, 14849 and 15507 prevail.

(26) Exception RA 26

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2269 Lake Shore Boulevard West, former City of Etobicoke by-law 1988-116.

(27) Exception RA 27

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1982-117 and 1982-118.

(28) Exception RA 28

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto 840-2002.

(29) Exception RA 29

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1978-35, 1978-36 and 1978-254.

(30) Exception RA 30

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 530.

(31) Exception RA 31

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14,757.

(32) Exception RA 32

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1981-155.

(33) Exception RA 33

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 905.

(34) Exception RA 34

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1766 and 1805.

(35) Exception RA 35

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1766, 1805 and 3131.

(36) Exception RA 36

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1988-106.

(37) Exception RA 37

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1806 and 1988-106 prevail.

(38) Exception RA 38

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1807 and 4171 prevail.

(39) Exception RA 39

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2777 Kipling Avenue, former City of Etobicoke by-law 1808 and City of Toronto by-law 527-2002.

(40) Exception RA 40

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 2110 and 1986-79.

(41) Exception RA 41

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 625 and 2034.

(42) Exception RA 42

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2855 Bloor Street West, former City of Etobicoke by-law 1994-118.

(43) Exception RA 43

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1371.

(44) Exception RA 44

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1719, 1297 and 1983-136.

(46) Exception RA 46

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 318-2001.

(47) Exception RA 47

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 165 La Rose Avenue, former City of Etobicoke by-law 1978-198.

(48) Exception RA 48

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 151 La Rose Avenue, former City of Etobicoke by-laws 3708 and 132 prevail.

(49) Exception RA 49

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 123, 125, and 135 La Rose Avenue, former City of Etobicoke by-laws 1980-196 and 1980-225 prevail.

(51) Exception RA 51

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 105 La Rose Avenue, former City of Etobicoke by-law 1982-122.

(52) Exception RA 52

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 95 La Rose Avenue, former City of Etobicoke by-law 1982-122.

(53) Exception RA 53

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 319-2001.

(54) Exception RA 54

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 40 Richview Road, former City of Etobicoke by-law 1978-105.

(55) Exception RA 55

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 32 Richview Road, former City of Etobicoke by-law 1986-155.

(56) Exception RA 56

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1332.

(58) Exception RA 58

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 834.

(59) Exception RA 59

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 346.

(60) Exception RA 60

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1984-16.

(61) Exception RA 61

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) the greater of 665 square metres or 139 square metres per **dwelling unit** for an **apartment building** with 5 **dwelling units**; and
 - (ii) 116 square metres per **dwelling unit** for an **apartment building** with more than 5 **dwelling units**.
- (B) The minimum lot frontage is:
 - (i) 18.0 metres for an apartment building with 5 dwelling units; and
 - (ii) 24.0 metres for an apartment building with more than 5 dwelling units.
- (C) The maximum height is 14.0 metres.
- (D) The minimum front yard setback is 7.5 metres.
- (E) The minimum rear yard setback is the greater of 6.0 metres or 20% of the lot depth.
- (F) The minimum side yard setback is:
 - (i) 3.0 metres for an apartment building with 5 dwelling units; and
 - (ii) half the height of the building for an apartment building with more than 5 dwelling units.

Prevailing By-laws and Prevailing Sections: (None Apply)

(62) Exception RA 62

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 702 and 2014.

(63) Exception RA 63

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 435-2004.

(64) Exception RA 64

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1994-122.

(65) Exception RA 65

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1993-56.

(66) Exception RA 66

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 12,950.

(67) Exception RA 67

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 13,190.

(68) Exception RA 68

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Permitted Uses

(i) a private recreation use ancillary to the apartment buildings is permitted.

(B) Building Types

(i) a maximum of 2 apartment buildings and 1 building used for private recreation use are permitted.

(C) Building Requirements

- (i) the maximum number of dwelling units is 523;
- (ii) the maximum building height of each apartment building is 15 storeys;
- (iii) the maximum floor space index is 1.86, and the calculation of the maximum gross floor area shall include above grade space used for locker storage and laundry facilities and shall exclude space used for retail, recreational, mechanical, or parking uses;
- (iv) the east lot line is the front lot line;
- (v) the minimum setback of an apartment building from the rear lot line is 6 metres
- (vi) the minimum setback of an apartment building from the north side lot line is 6 metres and

from the south side lot line is 30 metres;

- (vii) the minimum setback of the **building** used for private **recreation use** from the **front lot line** is 9.0 metres;
- (viii) the minimum setback of any parking garage from any lot line is 0.45 metres.

(D) Landscaping Requirements

- (i) the minimum area of the **lot** to be used as **landscaping** is 70%.
- (E) Parking Requirements
 - (i) 15% of the total number of **parking spaces** required must be for visitors parking;
 - (ii) surface parking spaces for visitors parking may be located in the front of the apartment buildings.

Prevailing By-laws and Prevailing Sections: (None Apply)

(69) Exception RA 69

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a recreation use building is permitted;
- (B) in the recreation use building, a Day Nursery and a retail store are permitted;
- (C) the maximum lot coverage of the recreation use building is 3.5%;
- (D) the maximum number of dwelling units is 648;
- (E) the maximum **building** height of the **recreation use building** is 4.3 metres;
- (F) the maximum gross floor area of the recreation use building is 1524 square metres;
- (G) the maximum gross floor area of the Day Nursery is 615 square metres;
- (H) the maximum gross floor area of the retail store is 105 square metres;
- (I) the minimum side yard setback of the recreation use building is 10.5 metres; and
- (J) the minimum area of the **lot** to be used as **landscaping** is 71%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(70) Exception RA 70

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-205.

(71) Exception RA 71

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 10 Humber Boulevard, former City of Etobicoke by-law 1988-225.

(72) Exception RA 72

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1987-181.

(73) Exception RA 73

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1984 and 1524.

(74) Exception RA 74

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1993-84.

(75) Exception RA 75

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14,915.

(76) Exception RA 76

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 13,851 and 14,126.

(77) Exception RA 77

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 936.

(79) Exception RA 79

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 807, 839 and 1625.

(80) Exception RA 80

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 807, 839 and 3835.

(81) Exception RA 81

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 807 and 839.

(82) Exception RA 82

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-laws 815-1998 and 747-2002.

(83) Exception RA 83

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 878, 2201, and 3834.

(84) Exception RA 84

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 810, 838 and 1989-49.

(85) Exception RA 85

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 929, 1165 and 3494.

(88) Exception RA 88

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1079 and 4100.

(89) Exception RA 89

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14,826.

(90) Exception RA 90

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 14,809.

(92) Exception RA 92

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

(A) On the lands subject to this exception townhouses are an additional permitted building type, subject to the RT zone requirements.

Prevailing By-laws and Prevailing Sections: (None Apply)

(93) Exception RA 93

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 311 Dixon Road, former City of Etobicoke by-law 14,450.

(94) Exception RA 94

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1994-123.

(95) Exception RA 95

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1996-115.

(96) Exception RA 96

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 811.

(97) Exception RA 97

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-laws 1990-98 and 1978-226.

(98) Exception RA 98

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1333.

(99) Exception RA 99

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 3765.

(101) Exception RA 101

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 929, 931, 933, 935, 937 and 939 Sheppard Avenue West, Section 64.20-A(137) of the former City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(102) Exception RA 102

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 992-2004.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(103) Exception RA 103

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 64.20-A(57) of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(104) Exception RA 104

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 27699.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(105) Exception RA 105

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 29561.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(106) Exception RA 106

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 230 Milvan Drive, Section 64.20-A(138) of the former City of North York Zoning By-law 7625

(107) Exception RA 107

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2350 Finch Avenue West, Section 64.20-A(134) of the former City of North York Zoning By-law

(108) Exception RA 108

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 338-2003.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(109) Exception RA 109

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 64.19(11) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(110) Exception RA 110

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25435.

(111) Exception RA 111

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1987-164.

(112) Exception RA 112

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 1099-2006.

(113) Exception RA 113

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 21055, 21424, 28650, 32474, 32737, and City of Toronto by-law 169-1998.

(114) Exception RA 114

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 21055, 21424, 28650, 32474, 32737.

(115) Exception RA 115

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 461-2002.

(116) Exception RA 116

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 153-2002.

(117) Exception RA 117

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 343-2003.

(118) Exception RA 118

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 989-2003.

(119) Exception RA 119

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 824-2004.

(120) Exception RA 120

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 429-2000.

(127) Exception RA 127

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 22134.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(128) Exception RA 128

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

(A) On 85 and 95 Thorncliffe Park Drive, Section 6.10.1, as amended, of the former Town of Leaside Zoning By-law 1916

(129) Exception RA 129

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 92-2003.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(130) Exception RA 130

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 22634.

(131) Exception RA 131

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 22575.

(132) Exception RA 132

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 16397, 19643, 18693.

(133) Exception RA 133

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 190-2002.

(134) Exception RA 134

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 120 Torresdale Avenue, Section 64.20-A(47) of the City of North York Zoning By-law 7625

(135) Exception RA 135

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23088.

(136) Exception RA 136

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 20362.

(137) Exception RA 137

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 475 and 485 Patricia Avenue, Section 64.20-A(161) of the former City of North York Zoning Bylaw 7625

(138) Exception RA 138

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 28621.

(139) Exception RA 139

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 23282 and 27913.

(140) Exception RA 140

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 196-2005 (OMB).

(141) Exception RA 141

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23343.

(142) Exception RA 142

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 20879.

(143) Exception RA 143

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

(A) On 5940 Yonge Street, Section 64.20-A(71) of the City of North York Zoning By-law 7625

(147) Exception RA 147

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 20443.

(148) Exception RA 148

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) In addition to the **building** types permitted in 15.10.20.40 (1), a **townhouse** is a permitted **building** type subject to compliance with the applicable provisions of Section 10.60.

Prevailing By-laws and Prevailing Sections: (None Apply)

(151) Exception RA 151

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2040 Don Mills Road, Section 64.20-A(31) of the City of North York Zoning By-law 7625

(153) Exception RA 153

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) the greater of 665 square metres or 139 square metres per **dwelling unit** for an **apartment building** with 5 **dwelling units**; and
 - (ii) 139 square metres per **dwelling unit** for an **apartment building** with more than 5 **dwelling units**.
- (B) The minimum lot frontage is:
 - (i) 18.0 metres for an apartment building with 5 dwelling units; and
 - (ii) 24.0 metres for an apartment building with more than 5 dwelling units.
- (C) The minimum front yard setback is 7.5 metres.
- (D) The minimum rear yard setback is the greater of 7.5 metres or 25% of the lot depth.
- (E) The minimum side yard setback is:
 - (i) 3.0 metres for an apartment building with 5 dwelling units; and
 - (ii) half the height of the **building** for an **apartment building** with more than 5 **dwelling units**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(154) Exception RA 154

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 22077 and 22616.

(155) Exception RA 155

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 134-2008 (OMB).

(156) Exception RA 156

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 21502.

(157) Exception RA 157

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 18745 and 19826.

(163) Exception RA 163

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30481.

(166) Exception RA 166

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 27382.

(167) Exception RA 167

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 26431.

(169) Exception RA 169

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 24613.

(171) Exception RA 171

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 18688, 18910, 18862.

(172) Exception RA 172

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 21769.

(173) Exception RA 173

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 28475.

(174) Exception RA 174

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 707-1998.

(175) Exception RA 175

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.20-A(75) of the City of North York Zoning By-law 7625

(176) Exception RA 176

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 903-1998.

(178) Exception RA 178

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 4-2006.

(179) Exception RA 179

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2431 and 2433 Finch Avenue West, Section 64.20-A(28) of the City of North York Zoning Bylaw 7625

(180) Exception RA 180

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 422-2003.

(181) Exception RA 181

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23457.

(182) Exception RA 182

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 22039 and 29893.

(183) Exception RA 183

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 22102.

(184) Exception RA 184

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 21017.

(185) Exception RA 185

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 535 and 555 Sheppard Avenue West, Section 64.20-A(13) of the City of North York Zoning Bylaw 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(188) Exception RA 188

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 21681.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(189) Exception RA 189

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

- (A) On these lands former City of North York by-laws 30864, 31218 and 31936.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(190) Exception RA 190

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 15 Bideford Avenue, Section 64.20-A(14) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(191) Exception RA 191

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 22171.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(192) Exception RA 192

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 20634.

(193) Exception RA 193

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30470.

(194) Exception RA 194

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 1038-2002.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(195) Exception RA 195

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 1000 Sheppard Avenue West, Section 64.20(9) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(196) Exception RA 196

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 522-2006.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(197) Exception RA 197

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 845-2001.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(198) Exception RA 198

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 1239-2007.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(199) Exception RA 199

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 643-2002.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(200) Exception RA 200

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 798-802 Sheppard Avenue West, Section 64.20-A(62) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(201) Exception RA 201

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 778-782 Sheppard Avenue West, Section 64.20-A(42) of the City of North York Zoning By-law 7625
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(202) Exception RA 202

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1130 and 1154 Wilson Avenue, Section 64.20-A(12) of the City of North York Zoning By-law

7625.

(B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(203) Exception RA 203

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On 1206 Wilson Avenue, Section 64.20-A(1) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(204) Exception RA 204

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 31424.

(205) Exception RA 205

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) former City of North York by-law 28535.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(207) Exception RA 207

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) City of Toronto by-law 3-2005 (OMB).
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(208) Exception RA 208

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 25538.

(210) Exception RA 210

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-laws 26337, 24307 and 20923.

(211) Exception RA 211

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 20724.

(212) Exception RA 212

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 2999.

(213) Exception RA 213

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 22685.

(214) Exception RA 214

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 22075.

(215) Exception RA 215

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) former City of North York by-law 23112.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(216) Exception RA 216

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 22688.

(217) Exception RA 217

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 22527.

(218) Exception RA 218

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-laws 25477 and 22135.

(220) Exception RA 220

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.20-A(60) of the City of North York Zoning By-law 7625

(221) Exception RA 221

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 27624.

(234) Exception RA 234

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 24357.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(235) Exception RA 235

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 26603.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(236) Exception RA 236

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 825-1998.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(237) Exception RA 237

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 809-2007.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(238) Exception RA 238

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 18156 and 32737.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(241) Exception RA 241

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 26455.

(242) Exception RA 242

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 18889.

(243) Exception RA 243

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 32075.

(244) Exception RA 244

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 19780.

(245) Exception RA 245

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 19519.

(246) Exception RA 246

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31448.

(247) Exception RA 247

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 17531.

(249) Exception RA 249

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 31594.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(250) Exception RA 250

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 720-2000.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(251) Exception RA 251

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30946.

(252) Exception RA 252

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 26683 and 27259.

(253) Exception RA 253

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31012.

(254) Exception RA 254

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23702.

(255) Exception RA 255

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 19530.

(256) Exception RA 256

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 29650.

(257) Exception RA 257

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 29938.

(258) Exception RA 258

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 26855.

(259) Exception RA 259

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 22099 and 21708.

(260) Exception RA 260

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 25204.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(261) Exception RA 261

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 28007.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(263) Exception RA 263

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 29426.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(264) Exception RA 264

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 18223 and 32077.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(265) Exception RA 265

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 32000.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(266) Exception RA 266

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) Section 64.20(2) of the City of North York Zoning By-law 7625.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(280) Exception RA 280

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 17175 and 32077.

(281) Exception RA 281

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 27017 and 27417.

(282) Exception RA 282

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 31620 and 29945.

(283) Exception RA 283

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 27625.

(284) Exception RA 284

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 27814 and 21836.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(285) Exception RA 285

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-law 27966.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(287) Exception RA 287

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 17272, 32077, and 32737.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(288) Exception RA 288

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 12191 and 32077.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(289) Exception RA 289

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 739-2001.

(290) Exception RA 290

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 32336 and 32412.

(301) Exception RA 301

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A mixed use building is permitted.
- (B) The maximum lot coverage is 40%.
- (C) The maximum number of dwelling units is 88 and a maximum of 45 extended care beds.
- (D) The maximum height of a **building** is 7 **storeys**.
- (E) The maximum gross floor area of commercial and professional office floor space is 794 square metres.
- (F) The minimum **building setbacks** are as follows:
 - (i) front yard is 1.5 metres;
 - (ii) the westerly side yard is 6.5 metres;
 - (iii) the easterly side yard is 1.5 metres; and
 - (iv) the rear yard is 13.7 metres.
- (G) The minimum number of **parking spaces** is as follows:

- (i) apartment dwelling unit is 1.25 parking spaces per dwelling unit;
- (ii) apartment dwelling unit occupied by senior citizens is 1 parking space for each 4 dwelling units;
- (iii) professional office is 1 parking space for each 47.5 square metres of office floor area; and
- (iv) commercial is 1 parking space for each 19 square metres of commercial floor area.

Prevailing By-laws and Prevailing Sections: (None Apply)

(302) Exception RA 302

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Permitted Uses
 - (i) residential and commercial uses are permitted.

(B) Building Types

- (i) an apartment building and a commercial building, or a mixed use residential/commercial building are permitted;
- (ii) commercial uses must be within a wholly enclosed building and must not be located above the first storey; and
- (iii) open storage and display of goods, materials and equipment is not permitted.
- (C) Lot Requirements
 - (i) the minimum lot area is 2,179 square metres.
- (D) Building Requirements
 - (i) the maximum number of dwelling units is 33;
 - (ii) the maximum **building** height is the lesser of 13.0 metres or 4 **storeys**:
 - (iii) the maximum residential gross floor area is 4,520 square metres;
 - (iv) the maximum commercial gross floor area is 478 square metres; and
 - (v) the minimum setbacks from a lot line are as follows:
 - (a) north lot line is 0.1 metres:
 - (b) south lot line is 0.04 metres;
 - (c) east lot line is 0.5 metres; and
 - (d) west lot line is 12.0 metres.
- (E) Parking Requirements
 - (i) the minimum number of parking spaces is as follows:
 - (a) residential is 1.25 parking spaces per dwelling unit; and
 - (b) commercial is 1 **parking space** per 19 square metres of commercial floor area.

Prevailing By-laws and Prevailing Sections: (None Apply)

(303) Exception RA 303

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands, Section 6.7.5.2, as amended, of the former Town of Leaside Zoning By-law 1916.

(304) Exception RA 304

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

(A) On these lands former City of North York by-law 26595.

(305) Exception RA 305

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31788.

(306) Exception RA 306

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 352, 354, 356 McRae Drive and 216 Randolph Road, Section 6.7.5.4, as amended, of the former Town of Leaside Zoning By-law 1916.

(307) Exception RA 307

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 186 Laird Drive and 360 McRae Drive, Section 6.7.5.5, of the former Town of Leaside Zoning By-law 1916

(308) Exception RA 308

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30765.

(309) Exception RA 309

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 11 Thorncliffe Park Drive and 21 Overlea Boulevard, Sections 6.10.2 and 6.10.3 of the former Town of Leaside Zoning By-law 1916

(310) Exception RA 310

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum lot frontage is 73.0 metres.
- (B) The maximum height of an apartment building is 12 storeys.
- (C) The minimum front yard setback and rear yard setback are those that existed on the day of the enactment of this By-law.
- (D) The minimum east side yard setback is 13.0 metres.
- (E) The minimum west **side yard setback** is that which existed on the day of the enactment of this By-
- (F) The minimum distance between any parking space and an apartment building is 3.0 metres.
- (G) The minimum area of the **lot** to be for **landscaping** is 48%.

- (H) The minimum on-site **parking space** rate is 1.25 for each **dwelling unit**, of which 0.25 for each **dwelling unit** is reserved for visitors **parking spaces**.
- (I) The minimum number of parking spaces to be within an enclosed building is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(311) Exception RA 311

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 522 Plains Road, Section 7.2.4.1 of the former Borough of East York Zoning By-law 6752

(312) Exception RA 312

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the total interior floor area of all dwelling units must not exceed 1.5 times the lot area;
- (B) the maximum number of **dwelling units** permitted is the number of **dwelling units** that existed on the date of the enactment of this By-law;
- (C) the minimum setback from a front lot line is 9.0 metres;
- (D) the minimum setback from a side lot line is:
 - (i) where the **lot line** abuts Lawrence Avenue 36 metres, measured from the original centre line of Lawrence Avenue;
 - (ii) in all other cases is a distance equal to one half the height of the building
- (E) the minimum setback from a rear lot line is:
 - (i) where the **lot line** abuts Lawrence Avenue 36 metres, measured from the original centre line of Lawrence Avenue;
 - (ii) in all other cases is a distance equal to one half the height of the **building**;
- (F) the minimum separation distance between the main walls of two residential buildings on the same lot is the average of the combined height of the two buildings;
- (G) the maximum lot coverage is 15%;
- (H) a minimum 70% of the lot area must be used for no other purpose than landscaping;
- (I) **amenity space** must be provided inside each **building** at a minimum rate of 0.9 square metres per **dwelling unit** in that **building**.
- (J) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 65% of the spaces must be located below grade; and
 - (ii) 0.11 spaces per dwelling unit must be provided as surface parking for visitors.
- (K) the minimum setback for a below grade parking **structures** is equivalent to one half the vertical distance from the lowest floor of the **structure** to the **average grade** at the **front lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(314) Exception RA 314

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) amenity space must be provided at a minimum rate of 3.0 square metres per dwelling unit;
- (C) lot coverage does not apply; and
- (D) parking spaces must be provided at a minimum rate of 1.4 spaces for each dwelling unit, of which:

- (i) a minimum of 1.0 parking space per dwelling unit must be located in a building for resident use; and
- (ii) a minimum of 0.2 parking spaces per dwelling unit must be for visitor parking; and

(A) Schedule "C" Exception 64, of Scarborough By-law 10048.

(315) Exception RA 315

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (B) the minimum setback from a side lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) the minimum setback from a rear lot line is 1.5 metres;
- (D) the minimum separation distance between the main walls of two residential buildings on the same lot is the average of the combined height of the two buildings;
- (E) the total interior floor area of all dwelling units must not exceed 2.16 times the lot area;
- (F) the maximum lot coverage is 17%;
- (G) amenity space must be provided at a minimum rate of 0.9 square metres per dwelling unit;
- (H) a minimum 58% of the lot area must be used for no other purpose than landscaping.
- (I) the minimum setback for a below grade parking **structures** is equivalent to one half the vertical distance from the lowest floor of the **structure** to the **average grade** at the **front lot line**.
- (J) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 65% of the spaces must be located below grade; and
 - (ii) 0.11 spaces per dwelling unit must be provided as surface parking for visitors.

Prevailing By-laws and Prevailing Sections: (None Apply)

(316) Exception RA 316

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres.
- (B) amenity space must be provided at a minimum rate of 3.0 square metres per dwelling unit.
- (C) lot coverage does not apply;
- (D) the minimum number of parking spaces required is 1.4 spaces per dwelling unit;
- (E) of the required parking spaces:
 - (i) a minimum of 1.0 parking spaces per dwelling unit must be in a building for resident use; and
 - (ii) a minimum of 0.2 parking spaces per dwelling unit must be for visitor parking; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 64, of Scarborough By-law 10048.

(317) Exception RA 317

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a front lot line is 9.0 metres;
- (B) the maximum permitted projection of an unenclosed porch into the rear yard is 6.0 metres;
- (C) amenity space must be provided at a minimum rate of 0.9 square metres per dwelling unit;

- (D) lot coverage does not apply;
- (E) the minimum setback for a below grade parking **structures** is equivalent to one half the vertical distance from the lowest floor of the **structure** to the **average grade** at the **front lot line**;
- (F) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 65% of the spaces must be located below grade; and
 - (ii) 0.11 spaces per dwelling unit must be provided as surface parking for visitors; and

(A) Schedule "C" Exceptions 63 and 64, of Scarborough By-law 10048.

(319) Exception RA 319

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the **front lot line** is 31 metres as measured from the original centre line of Midland Avenue;
- (B) the minimum side yard setback and rear yard setback is the greater of either one-half the height of the building, or one-half the length of the wall of the building which faces the side lot line or rear lot line:
- (C) the minimum separation distance between residential buildings on the same lot building is the average of the combined height of the two buildings;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (E) the maximum **lot coverage** is 18%. (50);
- (F) a minimum 50% of the lot area must be used for no other purpose than landscaping;
- (G) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which 0.11 spaces per dwelling unit must be provided as surface parking for visitors.

Prevailing By-laws and Prevailing Sections: (None Apply)

(320) Exception RA 320

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts:
 - (i) Midland Avenue is 12.0 metres,
 - (ii) Gilder Drive is 9.0 metres; and
- (B) the minimum setback from a rear lot line, or a side lot line that does not abut a street, is a distance equal to one half the height of the building;
- (C) the minimum separation distance between the main walls of two residential buildings on the same lot is the average of the combined height of the two buildings;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (E) the maximum lot coverage is 18%;
- (F) a minimum of 70% of the **lot area** must be used for no other purpose than **landscaping**;
- (G) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 65% of the spaces must be located below grade; and
 - (ii) 0.11 spaces per dwelling unit must be provided as surface parking for visitors; and
- (H) the minimum setback for a below grade parking **structures** is equivalent to one half the vertical distance from the lowest floor of the **structure** to the **average grade** at the **front lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(321) Exception RA 321

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Midland Avenue is 25 metres as measured from the original centre line of Midland Avenue;
- (B) the minimum setback from a side lot line or rear lot line is equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) a minimum of 46 square metres of **amenity space** must be provided, plus 0.9 square metres per **dwelling unit** in excess of fifty (50); and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(322) Exception RA 322

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 12 metres;
- (B) the minimum setback from a side lot line that abuts a street is 9 metres;
- (C) the minimum setback from a rear lot line, or a side lot line that does not abut a street is a distance equal to one half the height of the building;
- (D) the minimum separation distance between the main walls of two residential buildings on the same lot is the average of the combined height of the two buildings;
- (E) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (F) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (G) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 50% of the spaces must be located below grade; and
 - (ii) 0.125 spaces per dwelling unit must be provided as parking for visitors;
- (H) the maximum **lot coverage** is the **lot coverage** that existed on the **lot** of the date of the enactment of this By-law;
- (I) a minimum 40% of the **lot area** must be used for no other purpose than **landscaping**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(323) Exception RA 323

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from the **lot line** that abuts Eglinton Avenue is 36 metres, measured from the original centre line of Eglinton Avenue;
- (B) The minimum setback from a **side lot line** is a the greater distance of:
 - (i) one half the height of the **building**; or
 - (ii) 5.7 metres;
- (C) the minimum setback from a rear lot line is a distance equal to one half the height of the building;
- (D) The maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(324) Exception RA 324

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the **front lot line** that abuts Midland Avenue is 22 metres, measured from the original centre line of Midland Avenue.
- (B) the minimum setback from a **side lot line** is 0.3 metres:
- (C) the maximum **building** height permitted is 9.5 metres;
- (D) the maximum **lot coverage** is 36%;
- (E) parking spaces must be provided at a minimum rate of 0.5 parking spaces per dwelling unit,
- (F) required parking space shall only be located in the rear yard.

Prevailing By-laws and Prevailing Sections: (None Apply)

(325) Exception RA 325

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the total interior floor area of all dwelling units must not exceed 1.5 times the lot area;
- (B) the maximum lot coverage is 15%;
- (C) a minimum 70% of the lot area must be used for no other purpose than landscaping;
- (D) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 65% of the parking spaces must be located below grade; and
 - (ii) 0.11 parking spaces per dwelling unit must be provided as surface parking for visitors; and
- (E) the minimum setback for underground parking **structures** is equivalent to one half the vertical distance from the lowest floor of the **structure** to the **average grade** at the **street** line;
- (F) amenity space must be provided at a minimum rate of 0.9 square metres per dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(326) Exception RA 326

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) amenity space must be provided at a minimum rate of 1.0 square metres per dwelling unit;
- (C) the minimum number of parking spaces required is 1.4 spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 1.0 parking spaces per dwelling unit must be in a building for resident use;
 - (ii) a minimum of 0.2 parking spaces per dwelling unit must be for visitor parking; and
- (E) the lot coverage regulations of this by-law do not apply; and
- (F) the only uses permitted are a dwelling unit in an apartment building and a day nursery.

Prevailing By-laws and Prevailing Sections: (None Apply)

(327) Exception RA 327

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from the lot line abutting Danforth Road is 25 metres, measured from the original centre line of Danforth Road.
- (B) The minimum setback from a side lot line or rear lot line is equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;

- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(328) Exception RA 328

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from the **lot line** abutting Danforth Road is 25 metres, measured from the original centre line of Danforth Road.
- (B) the minimum setback from a side lot line or rear lot line is equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) a minimum of 46 square metres of **amenity space** must be provided, plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (E) the maximum height is the lesser of four **storeys** and 14.0 metres;
- (F) the maximum lot coverage is 33%.
- (G) parking spaces must be provided at a minimum rate of 1.25 parking spaces per dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(329) Exception RA 329

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from the **lot line** abutting Danforth Road is 25 metres, measured from the original centre line of Danforth Road.
- (B) The minimum setback from a side lot line or rear lot line is equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) amenity space must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per dwelling unit in excess of fifty (50).
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(331) Exception RA 331

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from the lot line abutting Danforth Road is 25 metres, measured from the original centre line of Danforth Road
- (B) The minimum setback from a side lot line or rear lot line is equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(332) Exception RA 332

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections. \

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres,
- (B) the main wall containing a vehicle entrance must be set back a minimum of 6.0 metres from a lot line that abuts a street;
- (C) the minimum setback from a side lot line or rear lot line is equal to one half the height of the building;.
- (D) amenity space must be provided at a minimum rate of 0.9 square metres per dwelling unit.
- (E) no parking spaces shall be located within a required yard that abuts a street.
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(333) Exception RA 333

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line that abuts a street is:
 - (i) 7.0 metres from a lot line that abuts Eglinton Avenue; and
 - (ii) 3.0 metres from a lot line that abuts McCowan Road.
- (B) a canopy and its supporting columns may encroach into a required yard setback from McCowan Road.
- (C) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (D) where the total required **amenity space** area exceeds 93 square metres, the required **amenity space** area must be provided in two or more rooms, each having a floor area of not less 46 square metres.
- (E) parking **structures** must not exceed a height the greater of 5 **storeys** and 17.0 metres;
- (F) the maximum height of a **building** is the lesser of 19 **storeys** and 59 **storeys**;
- (G) parking spaces must be provided at a minimum rate of 1.0 per dwelling unit, to a maximum rate of 1.4 per dwelling unit.
- (H) of the total number of parking spaces provided, a minimum of 0.25 spaces per dwelling unit must be for visitor parking.
- (I) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(334) Exception RA 334

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a front lot line is
 - (i) 25.0 metres where the **lot line** abuts Danforth Road, measured from the centerline of the original road allowance; and
 - (ii) 9 metres in all other cases;
- (B) the minimum setback from a side lot line or rear lot setback is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50); and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(335) Exception RA 335

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts McCowan Road is 25.0 metres measured from the centerline of the original road allowance;
- (B) the minimum setback from a side lot line or rear lot setback is a distance equal to one half the height of the building;
- (C) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50); and
- (D) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 50% of the parking spaces must be located below grade; and
 - (ii) 0.125 parking spaces per dwelling unit must be used for visitor parking.
- (E) the maximum lot coverage is 18%.
- (F) a minimum 50% of the lot area must be used for no other purpose than landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(336) Exception RA 336

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts McCowan Road is 25.0 metres measured from the centerline of the original road allowance;
- (B) the minimum setback from a side lot line or rear lot setback is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50); and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(337) Exception RA 337

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **front lot line** that abuts McCowan Road is 25.0 metres measured from the centerline of the original road allowance;
- (B) the minimum setback from a side lot line or rear lot setback is a distance equal to one half the height of the building;
- (C) amenity space must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per dwelling unit in excess of fifty (50); and
- (D) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 50% of the spaces must be located below grade; and
 - (ii) 0.125 spaces per **dwelling unit** must be used for visitor parking;
- (E) the maximum lot coverage is 18%; and
- (F) a minimum 50% of the lot area must be used for no other purpose than landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(338) Exception RA 338

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The minimum setback from the a lot line that abuts a street is

- (i) 12.0 metres where the lot line abuts McCowan Road; and
- (ii) 9.0 metres where the lot line abuts Trudelle Street;
- (B) The minimum setback from a **side lot line** that does not abut a **street** or a **rear lot line** is a distance equal to one half the height of the **building**.
- (C) The minimum separation distance between the main walls of two residential buildings on the same lot building is the average of the combined height of the two buildings.
- (D) The maximum lot coverage is 15%.
- (E) Parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
- (I) a minimum of 65% of the spaces must be located below grade; and
 - (ii) 0.11 spaces per dwelling unit must be used as visitors parking and located at grade;.
- (F) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (G) where the total required amenity space area exceeds 93 square metres, the required amenity space area must be provided in two or more rooms, each having a floor area of not less 46 square metres.
- (H) A below grade parking structure must be set back from a lot line that abuts a street the greater of:
 - (i) 3.0 metres, and
 - (ii) a distance equal to the distance between the elevation of the finished surface of the lowest floor and the elevation of the **lot line** at the **street**;
- (I) An outdoor area equal to 45% of the **gross floor area** of the **building** or **buildings** must be used for no other purpose than **landscaping**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(339) Exception RA 339

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** and **rear lot line** is 3.0 metres;
- (C) the maximum height is the lesser of 11.5 metres or 3 storeys;
- (D) parking spaces must be provided at a minimum rate of 1.4 parking spaces per dwelling unit, of which:
 - (i) a minimum of 1.0 space per dwelling unit must be located in a building and used by residents; and
 - (ii) a minimum of 0.3 spaces per dwelling unit must be used for visitor parking;
- (E) the maximum lot coverage is that which lawfully existed on the date of the enactment of this Bylaw;
- (F) the only uses permitted are:
 - (i) a dwelling unit if it is in an apartment building; and
 - (ii) private-home day care.

Prevailing By-laws and Prevailing Sections: (None Apply)

(340) Exception RA 340

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 9.0 metres.
- (B) the minimum setback from a side lot line or rear lot line is a distance equal to one half the height of the building;

- (C) the minimum separation distance between the main walls of two residential buildings on the same lot building is the average of the combined height of the two buildings;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) amenity space must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per dwelling unit in excess of fifty (50);
- (F) parking spaces must be provided at a minimum rate of 1.125 parking spaces per dwelling unit, of which:
 - (i) a minimum of 50% of the spaces must be located below grade; and
 - (ii) 0.125 spaces per dwelling unit must be used as visitor parking; and
- (G) the maximum lot coverage is 20%.
- (H) a minimum 40% of the lot area must be used for no other purpose than landscaping.
- (I) the minimum height is the lesser of 8 storeys and 26 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(341) Exception RA 341

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from the front lot line is 25 metres, measured from the original centre line of Bellamy Road;
- (B) the minimum setback from a side lot line or rear lot setback is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres plus 0.9 square metres per **dwelling unit** in excess of fifty (50).
- (E) the maximum lot coverage is 33%; and
- (F) the following uses are permitted provided they are located on the **first floor** if the total combined **interior floor area** these uses does not exceed 47 m2:
 - (i) personal service shop;
 - (ii) dry cleaning and laundry pick-up and delivery;
 - (iii) photographic pick-up and delivery; and
 - (iv) retail store if it only sells foods prepared off the premises; soft drinks for consumption off the premises; or drugs, cosmetics, pharmaceuticals, tobaccos and reading materials; and
 - (v) recreational uses.

Prevailing By-laws and Prevailing Sections: (None Apply)

(344) Exception RA 344

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) amenity space must be provided at a minimum rate of 1.0 square metres per dwelling unit;
- (B) the maximum **building** height is 19.0 metres;
- (C) parking spaces must be provided at a minimum rate of 1.3 parking spaces per dwelling unit, of which:
 - (i) a minimum of 1.2 spaces for each dwelling unit must be used for resident parking; and
 - (ii) a minimum of 0.1 spaces for each dwelling unit must be used for visitor parking;
- (D) the maximum lot coverage is 28%;
- (E) the maximum gross floor area is 1.6 times the area of the lot;
- (F) the minimum **building setback** from a **front lot line** is 3.0 metres;
- (G) the minimum building setback from a side lot line is 1.0 metres; and

(H) regulation 15.5.50.10 (2) does not apply

Prevailing By-laws and Prevailing Sections: (None Apply)

(346) Exception RA 346

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 357-2003.

(347) Exception RA 347

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 23835.

(348) Exception RA 348

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 19340 and 19369.

(349) Exception RA 349

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1465 Lawrence Avenue West, Section 64.20-A(98) of former City of North York Zoning By-law 7625

(350) Exception RA 350

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 31619.

(351) Exception RA 351

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 31347 and 31509.

(358) Exception RA 358

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the total number of **dwelling units** existing on the **lot** on the date of the enactment of this By-law is the maximum number of **dwelling units** permitted in the **lot**;
- (B) the minimum setback from a **lot line** that abuts **street** is 3.0 metres;
- (C) the maximum height for a **building** or **structure** is the lesser of 17.0 metres and 4 **storeys**;

- (D) the minimum number of parking space must be equal to 1.6 parking spaces per dwelling unit; and of the required parking spaces:
 - (i) a minimum of 1.0 parking space per dwelling unit must be located within a building; and
 - (ii) a minimum of 0.3 parking spaces per dwelling unit must be used for visitor parking; and
- (E) the maximum lot coverage is the lot coverage that existed on the lot on the date of the enactment of the by-law; and

(A) Schedule "C" Exception 14 (1), of Scarborough By-law 15907.

(359) Exception RA 359

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the total number of **dwelling units** existing on the **lot** on the date of the enactment of this By-law is the maximum number of **dwelling units** permitted in the **lot**;
- (B) the minimum setback from the northerly lot line is 60.0 metres;
- (C) a soft landscape strip having a minimum width of 1.5 metres must be provided along the entire length of the northerly lot line;
- (D) amenity space must be provided at a minimum rate of 2.2 square metres per dwelling unit;
- (E) the maximum height for a **building** or **structure** is:
 - (i) the lesser of 30 metres and 10 **storeys** for that portion of the **building** located less than 17.0 metres from a **lot line** abutting a **street**; and
 - (ii) the lesser of 36 metres and 12 storey for that portion of the building located 17.0 metres or more from a lot line abutting a street; and
- (F) the minimum number of parking space must be equal to 1.4 parking spaces per dwelling unit; and of the required parking spaces:
 - (i) a minimum of 1.0 parking space per dwelling unit must be located within a building; and
 - (ii) a minimum of 0.2 parking spaces per dwelling unit must be used for visitor parking; and
- (G) parking spaces for a day nursery must be provided at a minimum rate of 3 parking spaces per 100 sq. metres of interior floor area used for a day nursery; and
- (H) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(360) Exception RA 360

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the total number of **dwelling units** existing on the **lot** on the date of the enactment of this By-law is the maximum number of **dwelling units** permitted in the **lot**;
- (B) the minimum setback from a lot line that abuts street is 3.0 metres;
- (C) amenity space must be provided at a minimum rate of 3.0 square metres per dwelling unit;
- (D) the maximum height for a building or structure is 38 metres measured vertically from the average elevation of the finished grade at the front wall of the building to the low part of the eaves at its intersection with the main wall of the building;
- (E) the minimum number of **parking spaces** must be equal to 1.4 **parking spaces** per **dwelling unit** and of the required **parking spaces**:
 - (i) a minimum of 1.0 parking space per dwelling unit must be located within a building;
 - (ii) a minimum of 0.2 parking spaces per dwelling unit must be used for visitors parking; and
- (F) the maximum height of a **building** or **structure** is the lesser of 4 **storeys** and 14.0 metres;
- (G) the maximum lot coverage is 33%; and

(A) Schedule "C" Exception 21, of Scarborough By-law 15907

(361) Exception RA 361

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the total number of **dwelling units** existing on the **lot** on the date of the enactment of this By-law is the maximum number of **dwelling units** permitted in the **lot**;
- (B) the minimum building setback from a lot line that abuts a street is:
 - (i) a minimum of 36.0 metres measured from the centre line of Meadowvale Road, and;
 - (ii) a minimum of 7.5 metres from Generation Boulevard; and
- (C) the minimum setback from the **side lot lines** is 7.5 metres;
- (D) the minimum setback from the **rear lot line** is 7.5 metres:
- (E) the maximum lot coverage is 30%;
- (F) all parts of a **building** located below grade and used for parking or storage of **vehicle** must be set back from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance from the surface of the lowest floor of the structure to the grade; and
- (G) a minimum of 45% of the lot must be landscaped;
- (H) a wholly enclosed **building** used only for the storage of waste must be set back a minimum of 1.5 metres from a **lot line** that abuts a **street**;
- (I) the maximum height of a **building** or **structure** is the lesser of 10 metres and 3.0 **storeys**;
- (J) the minimum number of **parking spaces** must be equal to 2.0 **parking spaces** per **dwelling unit** and of the required **parking spaces**:
 - (i) a minimum of 1.0 **parking space** per **dwelling unit** must be used for resident **parking spaces**; and
 - (ii) a minimum of 1.0 parking space per dwelling unit must be used for visitor parking spaces; and
- (K) an area used for the parking or storage of a vehicle may be located in a yard abutting Generation Boulevard and Meadowvale Road if it is a minimum of 1.5 metres from all lot lines;
- (L) **amenity space** must be provided at a minimum rate of 46 square metres plus 0.9 square metres for each unit over 50 units;
- (M) a minimum 7.5 metre wide of land used for soft landscaping must be located along the entire length of a any lot line that abuts Meadowvale Road; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 7 and 16, of Scarborough By-law 15907

(362) Exception RA 362

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the total number of **dwelling units** permitted is 622;
- (B) The minimum building **setback** is 6.0 metres a lot line abutting Dean Park Road and 20.0 metres from the east property line;
- (C) the maximum lot coverage is 25%;
- (D) A minimum of 3.22 **parking spaces** per 100 m² of **gross floor area** must be provided for all uses except **recreational uses** which must provide parking space in compliance with the requirements of this by-law;
- (E) Minimum 30.7 % of the lot area must be used for landscaping;

- (F) Maximum building height 12 storeys, excluding utility room, elevator room, enclosed roof access stairs and basements:
- (G) Parking spaces for dwelling units must be provided at a minimum rate of 1.4 parking spaces for each dwelling unit;
- (H) Recreational facilities must be provided at a rate of 1.5 square metres for each **dwelling unit**; and Prevailing By-laws and Prevailing Sections:
 - (A) Schedule "C" Exception 2,8, of Scarborough By-law 15907.
 - (B) On these lands City of Toronto by-law 1227-2009.

(363) Exception RA 363

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the total number of **dwelling units** existing on the **lot** on the date of the enactment of this By-law is the maximum number of **dwelling units** permitted in the **lot**
- (B) the minimum setback from a lot line that abuts:
 - (i) Meadowvale Road is 18.0 metres
 - (ii) Dean Park Road is 12.0 metres
 - (iii) Braymore Boulevard is 9.0 metres
 - (iv) any other street is 7.5 metres
- (C) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is a distance equal to one half the height of the **building**
- (D) The minimum separation between **buildings** on a **lot** is equal to one half the total height of the two **buildings**
- (E) the maximum lot coverage is 17%;
- (F) amenity space must be provided in each building at a minimum rate of 46 square metres plus 0.9 square metres for each dwelling unit in excess of 50 units in that building.
- (G) all parts of a **building** located below grade and used for parking or storage of **vehicle** must be set back from a **lot line** that abuts a **street** the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the distance from the surface of the lowest floor of the **structure** to the grade.
- (H) the minimum area used for soft landscaping must be equal to 45% of the gross floor area of all buildings on the lot;
- a 1.5 metre wide landscaping strip must be provided along the entire length of the lot line abutting Meadowvale Road.
- (J) a landscape strip having a minimum width of 1.5 metres must be provided along the entire length of the northerly lot line
- (K) parking spaces must be provided at a minimum rate of 1.2 parking spaces per dwelling unit of which:
 - (i) a minimum of 0.7 parking spaces per dwelling unit must be located in a residential building; and
 - (ii) a minimum of 0.2 per **parking spaces dwelling unit** must be located at grade and used for visitor parking.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 2, of Scarborough By-law 15907

(365) Exception RA 365

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Site Specific Provisions:

- (A) The minimum setback from a **lot line** that abuts a **street** is 3.0 metres.
- (B) The minimum setback from a lot line that abuts a street for underground structures is 1.0 metre.
- (C) The minimum setback from a **lot line** that abuts an Open Space zone category is 15.0 metres.
- (D) The minimum setback from a **lot line** that abuts an Open Space zone category for underground **structures** is 0.0 metres.
- (E) The maximum lot coverage is 45%.
- (F) Amenity space must be provided at a minimum rate of 1.0 square metre per dwelling unit.
- (G) No open balconies are permitted to face the westerly lot line.
- (H) The maximum height for a building or structure is:
 - (i) the lesser of 13.0 metres and 4 storeys for that portion of the building located less than 50.0 metres from a lot line abutting Sheppard Avenue and the lesser of 28.0 metres and 9 storeys for that portion of the building located between 50.0 metres and 175.0 metres from a lot line abutting Sheppard Avenue East and the lesser of 13.0 metres and 4 storeys for that portion of the building located beyond 175.5 metres from a lot line abutting Sheppard Avenue East; and
 - (ii) 54.0 metres in all other cases.
- (I) The second floor contained in dwelling units located on the ninth storey in the buildings will be considered as one storey in total.
- (J) Parking spaces must be provided at a minimum rate of 1.4 parking spaces per dwelling unit in an apartment building, as follows:
 - (i) a minimum of 1.2 parking space per dwelling unit must be within a building; and
 - (ii) a minimum of 0.2 spaces per dwelling unit must be for visitors.
- (K) Parking spaces must be provided at a minimum rate of 2.0 parking spaces per dwelling unit in a residential building other than an apartment building, as follows:
 - (i) a minimum of 1.0 parking space per dwelling unit must be within a building; and
 - (ii) a minimum of 1.0 tandem parking space per dwelling unit.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 18, of Scarborough By-law 15907.

(366) Exception RA 366

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 29075, 31617 and 32063.

(367) Exception RA 367

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 29075.

(368) Exception RA 368

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 32230.

(369) Exception RA 369

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 32737.

(370) Exception RA 370

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 19951.

(371) Exception RA 371

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.20(1) of the City of North York Zoning By-law 7625.

(372) Exception RA 372

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 32474 and 31841.

(373) Exception RA 373

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-laws 21147 and 21247.

(374) Exception RA 374

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 64.20-A(6) of North York Zoning By-law 7625

(375) Exception RA 375

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A retail store, having a maximum interior floor area of 65 square metres, may be located within a building situated on the lands described as Block "B", Plan 7012, provided that no advertising signs are affixed to the exterior walls of the retail store.
- (B) In addition to the **building** types permitted in 15.10.20.40 (1), a **townhouse** is a permitted **building** type subject to the requirements in Section 10.60.

Prevailing By-laws and Prevailing Sections: (None Apply)

(377) Exception RA 377

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30407.

(378) Exception RA 378

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 14863, 28211, 28241, 28453, and 31172.

(379) Exception RA 379

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 39 and 45 Green Belt Drive, Sections 64.16(10), 64.16(17), 64.20-A(84), 64.20-A(85), and 64.37(19) of the former City of North York Zoning By-law 7625

(381) Exception RA 381

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 65 and 75 Halsey Avenue, Section 7.7.5.1, as amended, of the former Borough of East York Zoning By-law 6752

(382) Exception RA 382

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 404-444 Lumsden Avenue, Section 7.7.5.7, as amended, of the former Borough of East York Zoning By-law 6752

(383) Exception RA 383

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 141-439 Lumsden Avenue, Section 7.7.5.8, as amended, of the former Borough of East York Zoning By-law 6752

(384) Exception RA 384

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 48-108 Eastdale Avenue, Section 7.7.5.6, as amended, of the former Borough of East York Zoning By-law 6752

(385) Exception RA 385

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 61-75 Eastdale Avenue and 2-12 Goodwood Park Crescent, Section 7.7.5.9, as amended, of the former Borough of East York Zoning By-law 6752

(386) Exception RA 386

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2 Secord Avenue, Section 7.7.5.13, as amended, of the former Borough of East York Zoning By-law 6752

(387) Exception RA 387

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 7.7.5.12, as amended, of the former Borough of East York Zoning By-law 6752

(388) Exception RA 388

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 500 Dawes Road, Section 12.1.17, as amended, of the former Borough of East York Zoning By-law 6752

(389) Exception RA 389

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 506 Dawes Road, Section 7.7.5.21, as amended, of the former Borough of East York Zoning By-law 6752

(390) Exception RA 390

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 508 Dawes Road, Section 7.7.5.22, as amended, of the former Borough of East York Zoning By-law 6752

(391) Exception RA 391

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 10 and 12 Gower Street, Section 7.7.5.20, as amended, of the former Borough of East York Zoning By-law 6752

(392) Exception RA 392

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1050 Broadview Avenue, Section 7.7.5.3, as amended, of the former Borough of East York Zoning By-law 6752

(393) Exception RA 393

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1000 Broadview Avenue, Section 7.7.5.4, as amended, of the former Borough of East York Zoning By-law 6752

(394) Exception RA 394

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1010 Broadview Avenue, Section 7.7.5.11, as amended, of the former Borough of East York Zoning By-law 6752

(395) Exception RA 395

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 980 Broadview Avenue, Section 7.7.5.14, as amended, of the former Borough of East York Zoning By-law 6752

(396) Exception RA 396

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1071 Woodbine Avenue, Section 7.7.5.15, as amended, of the former Borough of East York Zoning By-law 6752

(397) Exception RA 397

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 704 Mortimer Avenue, Section 7.7.5.18, as amended, of the former Borough of East York Zoning By-law 6752

(398) Exception RA 398

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 266 Donlands Avenue, Section 7.7.5.17, as amended, of the former Borough of East York Zoning By-law 6752

(399) Exception RA 399

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1501 Woodbine Avenue, Section 12.1.16, as amended, of the former Borough of East York Zoning By-law 6752

(400) Exception RA 400

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 30509.

(401) Exception RA 401

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1042-1048 Broadview Avenue, Section 7.7.4.25, as amended, of the former Borough of East York Zoning By-law 6752

(402) Exception RA 402

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 270-272 Donlands Avenue, Section 7.7.5.26, as amended, of the former Borough of East York Zoning By-law 6752

(403) Exception RA 403

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands City of Toronto by-law 693-2004.

(404) Exception RA 404

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands former City of North York by-laws 27269, and 27144.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(405) Exception RA 405

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The lands may be used for a 14 storey, 13 suite apartment building.
- (B) Gross Floor Area must not exceed 38,000 square feet.
- (C) A minimum of 40 parking spaces must be provided, all of which must be underground.
- (D) 10,000 square feet of landscaping must be provided, consisting of at least lawn and ornamental

shrubs maintained in a healthy growing condition, neat and orderly in appearance.

Prevailing By-laws and Prevailing Sections: (None Apply)

(406) Exception RA 406

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 26370.

(408) Exception RA 408

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

- (A) On these lands City of Toronto by-law 69-2000.
- (B) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(409) Exception RA 409

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 23063, and 22255.

(410) Exception RA 410

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 23063, 22255, 26936, and 27549.

(411) Exception RA 411

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a retail store is permitted on the ground floor or below grade of the building located on Block D2, Plan M-834, provided that:
 - (i) the floor area of the store must not exceed 41.8m2
 - (ii) no direct access to the store from the exterior of the building
 - (iii) no sign advertising the store erected on the lands or affixed to the building
 - (iv) the goods to be sold be limited to day-to-day convenience items such as milk, bread, but not fresh fruit and vegetables
 - (v) no electronic video games or other such amusement machines be located in the store.

Prevailing By-laws and Prevailing Sections: (None Apply)

(412) Exception RA 412

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) a **retail store** is permitted on the ground floor of an **apartment building** if:
 - (i) the floor area of the **retail store** does not exceed 98.5 square metres;

- (ii) there is no access to the retail store from the exterior of the building; and
- (iii) no sign advertising the **retail store** is erected or affixed to the exterior or the interior so as to be visible from any of the adjacent **streets**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(413) Exception RA 413

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The lands may be used for the purpose of an apartment building having a westerly side yard of not less than 10.66 metres and a rear yard of not less than 10.97 metres with retail stores occupying not more than 464.5 square metres on the ground floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(415) Exception RA 415

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 28394, and 28643.

(416) Exception RA 416

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) In addition to the **building** types permitted in 15.10.20.40 (1), a **townhouse** is a permitted **building** type subject to the requirements in Section 10.60.

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-laws, 23874, 28644, 23063, and 22255.

(417) Exception RA 417

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) In addition to the **building** types permitted in 15.10.20.40 (1), a **townhouse** is a permitted **building** type subject to the requirements in Section 10.60.

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-laws 23395, 23063, and 22255.

(418) Exception RA 418

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of North York by-law 21769.

(420) Exception RA 420

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) Lot Requirements
 - (i) the minimum lot frontage is 120 metres.

(B) Building Requirements

- (i) the maximum height of an **apartment building** is 6 **storeys**, not including a mechanical floor:
- (ii) the maximum floor space index is 2.5;
- (iii) the minimum front yard setback is 2.0 metres;
- (iv) the minimum rear yard setback is 10.0 metres;
- (v) the minimum east side yard setback is 3.0 metres; and
- (vi) the minimum west side yard setback is 5.0 metres;

(C) Landscaping Requirements

- (i) the minimum area of the lot to be used as landscaping is 21%; and
- (ii) the minimum indoor amenity space provided and maintained is 680 square metres;

(D) Parking Requirements

- (i) the minimum on-site parking space rate is 1.25 for each dwelling unit;
- (ii) the minimum number of visitor parking spaces is 18; and
- (iii) all the **parking spaces** must be located underground with the exception of 2 surface **parking spaces** reserved for visitors parking and the additional 16 visitor **parking spaces** must be located on the upper level of the underground **parking garage**.

(E) Loading Requirements

(i) the minimum number of on-site loading spaces is 1.

(F) Additional Requirements

- (i) the minimum width of all two-way driveways for vehicle access to and from the lands is 6.0 metres; and
- (ii) all walkways and all interior and exterior accesses to the **apartment building** must be accessible by wheelchair.

Prevailing By-laws and Prevailing Sections: (None Apply)

(421) Exception RA 421

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of York by-law 1318-1988.

(423) Exception RA 423

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of York by-law 865.

(424) Exception RA 424

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 25937 and 26244.

(425) Exception RA 425

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 25740.

(426) Exception RA 426

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 28107 and 26570.

(427) Exception RA 427

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 30894, 27213, and 27162.

(428) Exception RA 428

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) In addition to the **building** types permitted in 15.10.20.40 (1), a **townhouse** is a permitted **building** type subject to the requirements in Section 10.60.

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-laws 24306, and 22843.

(429) Exception RA 429

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 27090.

(430) Exception RA 430

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 20495 and 20462.

(432) Exception RA 432

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a portion of the apartment building may be used for the purpose of a convenience store if:
 - (i) the floor area devoted to the store does not exceed 44 square meters;
 - (ii) the store is located on the ground floor only;
 - (iii) there is no external signage advertising the store; and
 - (iv) a minimum of one surface **parking space** is provided for the store.

Prevailing By-laws and Prevailing Sections: (None Apply)

(433) Exception RA 433

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Permitted Building Types

- (i) a 9 storey apartment building with a maximum of 60 dwelling units at 29 Church Street;
- (ii) a 6 storey apartment building with a maximum of 41 dwelling units at 36 Church Street;
- (iii) two 27 storey apartment buildings with a maximum of 212 dwelling units within each of the 2 apartment buildings at 2450-2460 Weston Road.

Prevailing By-laws and Prevailing Sections: (None Apply)

(434) Exception RA 434

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Building Types

(i) the only permitted building type is an apartment building.

(B) Lot Requirements

(i) the minimum lot frontage is 59 metres.

(C) Building Requirements

- (i) the maximum floor space index is 2.00;
- (ii) the minimum front yard setback is 7.6 metres;
- (iii) the minimum rear yard setback is 7.6 metres;
- (iv) the minimum side yard setback is half the height of the apartment building or 7.6 metres, which ever is greater; and
- (v) the minimum distance between any parking space and the apartment building is 3.0 metres.

(D) Landscaping Requirements

(i) the minimum area of the lot to be used as landscaping is 25%.

(E) Parking Requirements

- (i) the minimum on-site parking space rate is 1.25 for each dwelling unit; and
- (ii) the minimum number of **parking spaces** to be within an enclosed **building** is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(435) Exception RA 435

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) **Building** Types

(i) the only permitted building type is an apartment building.

(B) Lot Requirements

(i) the minimum lot frontage is 45.0 metres.

(C) Building Requirements

- (i) the maximum height of the apartment building is 21.3 metres;
- (ii) the maximum floor space index is 2.16;
- (iii) the minimum front yard setback is 7.6 metres;
- (iv) the minimum rear yard setback is 7.6 metres;
- (v) the minimum north side yard setback is 11.5 metres;

- (vi) the minimum south side yard setback is 10.6 metres; and
- (vii) the minimum distance between any parking space and the apartment building is 3.0 metres.

(D) Landscaping Requirements

- (i) the minimum area of the lot to be used as landscaping is 25%.
- (E) Parking Requirements
 - (i) the minimum on-site parking space rate is 1.25 for each dwelling unit; and
 - (ii) the minimum number of parking spaces to be within an enclosed building is 50%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(436) Exception RA 436

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of York by-law 200.

(437) Exception RA 437

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) In addition to the **building** types permitted in 15.10.20.40 (1), a **townhouse** is a permitted **building** type subject to the requirements in Section 10.60.

Prevailing By-laws and Prevailing Sections:

(A) former City of North York by-law 32539.

(438) Exception RA 438

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2130 Weston Road, Section 16(248) of the City of York Zoning By-law 1-83

(439) Exception RA 439

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) Building Requirements

- (i) the maximum height of an apartment building is 21 storeys;
- (ii) the maximum floor space index is 3.25;
- (iii) the minimum front yard setback is 10.5 metres;
- (iv) the minimum rear yard setback is 6.0 metres;
- (v) the minimum west side vard setback is 55.0 metres; and
- (vi) the minimum east side yard setback is 7.0 metres;

(B) Landscaping Requirements

- (i) the minimum area of the lot to be used as landscaping is 25%; and
- (ii) the minimum **amenity space** provided and maintained for such purposes as children's play areas, swimming pools, and games rooms is 1,650 squares metres.

(C) Parking Requirements

- (i) the minimum on-site **parking space** rate is 1.25 for each **dwelling unit**, of which 0.25 for each **dwelling unit** is reserved for visitors **parking spaces**; and
- (ii) all the required on-site **parking spaces** must be located underground, with the required visitors **parking spaces** located on the upper **parking garage** level.

(D) Ancillary Buildings

- (i) ancillary buildings are not permitted.
- (E) Additional Requirements
 - (i) the minimum width of access **driveways** and ramps is 6.0 metres;
 - (ii) vehicle access to and from the underground parking garage is restricted to 1 access from Weston Road: and
 - (iii) the dwelling units facing Weston Road are to contain individual-unit central air conditioning systems, and the remaining dwelling units must be designed to allow for the installation of window-mounted air conditioning units.

Prevailing By-laws and Prevailing Sections: (None Apply)

(441) Exception RA 441

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 21769.

(442) Exception RA 442

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 21899.

(443) Exception RA 443

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 650 - 672 Sheppard Avenue East, Section 64.20-A(144) of the former City of North York Zoning By-law 7625

(444) Exception RA 444

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 43-55 Goldwin Avenue, Section 16(332) of the former City of York Zoning By-law 1-83

(445) Exception RA 445

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1400 Weston Road, Section 16(306) of the former City of York Zoning By-law 1-83

(446) Exception RA 446

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 55 Emmett Avenue, Sections 16(130) and 16(169) of the former City of York Zoning By-law 1-83.

(447) Exception RA 447

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts:
 - (i) Eglinton Avenue is 36.0 metres, measured from the original centreline of the street; and
 - (ii) Birchmount Road is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the maximum lot coverage is 25%;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) the elevation of the basement floor must be a minimum of 3.5 metres higher than the invert of Massey Creek;
- (F) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (G) parking spaces must be provided at a minimum rate of 1.125 parking spaces for each dwelling unit.
- (H) 60% of the parking space must be located underground; and
- (I) a maximum of 6 parking space may be located in the front yard.

Prevailing By-laws and Prevailing Sections: (None Apply)

(448) Exception RA 448

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts:
 - (i) Eglinton Avenue is 36.0 metres, measured from the original centreline of the **street**;
 - (ii) Birchmount Road is 25.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the maximum lot coverage is 25%;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;and
- (E) the elevation of the basement floor must be a minimum of 3.5 metres higher than the invert of Massey Creek.

Prevailing By-laws and Prevailing Sections: (None Apply)

(449) Exception RA 449

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 25.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) the following uses are also permitted:
 - (i) office; and

(ii) place of worship

Prevailing By-laws and Prevailing Sections: (None Apply)

(450) Exception RA 450

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Eglinton Avenue is 36.0 metres, measured from the original centreline of the **street**:
- (B) the minimum setback from a **lot line** that abuts the **street** is 19.0 metres;
- (C) the minimum setback from a side lot line is a distance equal to one half the height of the building
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) the minimum setback from the rear lot line is 21.0 metres

Prevailing By-laws and Prevailing Sections: (None Apply)

(451) Exception RA 451

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Eglinton Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is a distance equal to one half the height of the buildings;
- (C) the maximum lot coverage is 25%;
- (D) a maximum of 50% of the **interior floor area** of the **first floor** shall be used for **dwelling units**; and
- (E) the elevation of the basement floor must be a minimum of 3.5 metres higher than the invert of Massey Creek.

Prevailing By-laws and Prevailing Sections: (None Apply)

(453) Exception RA 453

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Kennedy Road is 27.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is a distance equal to one half the height of the building; and
- (C) The maximum lot coverage is 30%
- (D) On the portion of the lands being part of Borough Lot 29, Concession "D", the maximum number of dwelling units permitted is equal to 1 dwelling unit for each 64 square metres of lot area; and
- (E) On the portion of the lands being part of Registered Plans of Subdivision 3290, 4150 and 5373, a garage erected on the following lands may be located a minimum of 0.3 metres from the **side lot line** the **driveway** side of a dwelling.

Prevailing By-laws and Prevailing Sections: (None Apply)

(454) Exception RA 454

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

(A) the minimum setback from a lot line that abuts Kennedy Road is 27.0 metres, measured from the

original centreline of the street;

- (B) the minimum setback from a side lot line is a distance equal to one half the height of the building
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 30%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(455) Exception RA 455

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 3.0 metres;
- (B) the minimum setback from a side lot line is 4.0 metres;
- (C) the maximum lot coverage is 40%;
- (D) the maximum height for a **building** or **structure** is the lesser of 4.0 **storeys** and 14 metres;
- (E) an enclosed refuse storage room must be provided on the site.

Prevailing By-laws and Prevailing Sections: (None Apply)

(456) Exception RA 456

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 25.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a side lot line is
 - (i) where the **lot line** abuts a **lot** in a RD or RS zone the greater of:
 - (a) 15 metres; and
 - (b) a distance equal to one half the height of the **building**; and
 - (ii) in all other cases a distance equal to one half the height of the building; and
- (C) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (D) the maximum lot coverage is 18%;
- (E) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (F) resident parking spaces must be provided at a minimum rate of 0.74 for each dwelling unit and must be located below ground;
- (G) visitor parking space must be provided at a minimum rate of 0.12 for each dwelling unit;
- (H) educational training facilities are permitted provided:
 - (i) the maximum interior floor area used in not more than 812.0 square metres;
 - (ii) it is only located in the basement; and
 - (iii) **parking spaces** are provided at a minimum rate of 3 for each 100 square metres used for educational training facilities.

Prevailing By-laws and Prevailing Sections: (None Apply)

(457) Exception RA 457

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum gross floor area of all buildings must not be more than 1.5 times the lot area;
- (B) the minimum setback from a lot line that abuts Eglinton Avenue is 36 metres, measured from the original centreline of the street;

- (C) the minimum setback from a side lot line is 1.2 metres;
- (D) the minimum setback from a side lot line that abuts a street is 5.7 metres;
- (E) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (F) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (G) the maximum lot coverage is 18%;
- (H) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit; and
- (J) of the required parking spaces:
 - (i) a minimum of 75% must be located underground; and
 - (ii) a minimum of 11% must be used only for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(458) Exception RA 458

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(49) of the former City of York Zoning By-law 1-83

(459) Exception RA 459

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) Permitted Uses
 - (i) commercial uses limited to a **retail store**; **eating establishment**, **personal service shop**, **financial institution**, or medical office.

(B) Building Types

- (i) the maximum number of apartment buildings is 4; and
- (ii) a building used for the commercial uses.

(C) Building Requirements

- (i) the maximum number of **dwelling units** permitted in the 4 **apartment buildings** is 1,079;
- (ii) the maximum height of an apartment building is 21 storeys, not including mechanical floors;
- (iii) the maximum height of the commercial building is 1 storey;
- (iv) the maximum area of the commercial building is 930 square metres;
- (v) the minimum amenity space to be provided and maintained at each of the 4 apartment buildings is 3,400 squares metres, which shall include a children's nursery having a minimum area of 93 square metres and a swimming pool having a minimum size of 111 square metres;
- (vi) each apartment building may have 1 office having a maximum size of 92 square metres; and which is located on the first floor; and
- (vii) the minimum yard setbacks and the minimum separation distances between the **apartment buildings** are those that existed on the day of the enactment of this By-law.

(D) Landscaping Requirement

- (i) the minimum area of the subject lands to be used as landscaping is 35%;
- (E) Parking Requirements
 - (i) the minimum on-site parking space rate is 1.00 for each dwelling unit;

- (ii) the minimum on-site visitors parking space rate is 1.00 for every 8 dwelling units; and
- (iii) the minimum number of on-site parking spaces to be provided for customers of the building used for commercial uses is 15;
- (iv) the minimum number of on-site parking spaces to be provided for employees of the building used for commercial uses is 20 to be provided in the underground parking garage; and
- (v) all surface parking spaces are reserved for visitors parking.

(F) Additional Requirements

(i) access to and from the subject lands shall be limited to the westerly extension of East Drive.

Prevailing By-laws and Prevailing Sections: (None Apply)

(460) Exception RA 460

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 28926.

(461) Exception RA 461

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(305) of the former City of York Zoning By-law 1-83.

(462) Exception RA 462

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(131) of the former City of York Zoning By-law 1-83.

(463) Exception RA 463

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-laws 25537, 26552.

(464) Exception RA 464

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(237) of the former City of York Zoning By-law 1-83.

(465) Exception RA 465

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(182) of the former City of York Zoning By-law 1-83.

(466) Exception RA 466

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(193) of the former City of York Zoning By-law 1-83.

(467) Exception RA 467

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(146) of the former City of York Zoning By-law 1-83.

(468) Exception RA 468

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(136) of the former City of York Zoning By-law 1-83.

(469) Exception RA 469

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 797 Jane Street, Section 16(135) of the former City of York Zoning By-law 1-83.

(470) Exception RA 470

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(129) of the former City of York Zoning By-law 1-83.

(471) Exception RA 471

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(6) of the former City of York Zoning By-law 1-83.

(472) Exception RA 472

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2480-2490 Eglinton Avenue West and 9-11 Glenhaven Street, Section 16(335) of the former City of York Zoning By-law 1-83.

(473) Exception RA 473

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 701 Don Mills Road, Section 12.1.11, as amended, of the former Borough of East York Zoning By-law 6752.

(474) Exception RA 474

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Pharmacy Avenue is 22.0 metres, measured from the centerline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum separation distance between buildings on the lot is the height of the buildings; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(475) Exception RA 475

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (B) the minimum separation distance between **buildings** on the **lot** is the height of the **buildings**;
- (C) the maximum lot coverage is 30%; and
- (D) required parking spaces may be located between the building and the lot line abutting a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(476) Exception RA 476

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (B) the minimum separation distance between **buildings** on the **lot** is the height of the **buildings**; and
- (C) the maximum lot coverage is 30%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(478) Exception RA 478

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts St. Clair Avenue is 22.0 metres, measured from the centerline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum separation distance between **buildings** on the **lot** is the height of the **buildings**; and
- (D) the maximum lot coverage is 30%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(479) Exception RA 479

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a lot line that abuts Victoria Park Avenue 3.0 metres;
- (B) the minimum setback from a **lot line** that abuts St. Clair Avenue is 9.0 metres;
- (C) the minimum setback from a lot line for a building is:

- (i) 1.9 metres if the lot line abuts a lot in a RD zone; and
- (ii) 7.5 metres if the lot line abuts a lot in an CR Zone;
- (D) a one-storey building or structure used for refuse storage purposes must be at least 7.5 metres from a lot line;
- (E) the maximum **building** height is:
 - (i) the lesser of 3 **storeys** and 10.5 metres for any part of a **building** located within 32.0 metres of a **lot line** that abuts a **lot line** in a RD zone; and
 - (ii) the lesser of 5 storeys and 17.0 metres in all other cases;5 storeys
- (F) a minimum landscaping strip of 1.9 metres must be provided along the lot line that abuts a RD zone:
- (G) maximum lot coverage does not apply;
- (H) parking spaces must be provided at a minimum rate of 1.6 spaces per dwelling unit.
- (I) of the required parking:
 - (i) a minimum of 0.2 parking spaces must be surface spaces for visitors;
 - (ii) a minimum of 2 parking spaces must be enclosed and arranged in tandem for each dwelling unit containing an integral garage;
- (J) minimum dimensions for an enclosed **parking space** within an integral garage shall be 3.0 metres in width by 6.0 metres in length; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 15, of Scarborough By-law 8978

(480) Exception RA 480

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts:
 - (i) a **street** is 7.5 metres
 - (ii) Victoria Park Avenue is 22.0 metres, measured from the centerline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum separation distance between **buildings** on the **lot** is the height of the **buildings**;
- (D) the maximum lot coverage is 30%; and
- (E) for **Lots** 74, 75, 76, 77 and the northerly 3.05 metres of **Lot** 78, Registered Plan 1859, the minimum setback from a **lot line** that abuts Pitt Avenue is 7.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(481) Exception RA 481

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 18.0 metres, measured from the original centreline of the **street**;
- (B) all parking spaces must be located in a building;
- (C) a minimum total of 3 parking spaces must be provided for visitors;
- (D) the minimum setback from a side lot line is 6.0 metres;
- (E) the minimum setback from a rear lot line is 5.7 metres; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(482) Exception RA 482

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line that abuts:
 - (i) a **street** is 7.5 metres
 - (ii) Pharmacy Avenue is 22.0 metres, measured from the centerline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum separation distance between buildings on the lot is the height of the buildings; and
- (D) the maximum lot coverage is 30%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(483) Exception RA 483

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Pharmacy Avenue is 31.0 metres, measured from the original centerline of the **street**;
- (B) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (C) of the required parking spaces:
 - (i) a minimum of 88% must be enclosed spaces
 - (ii) a minimum of 11% must be for visitor parking, which spaces must be located between the lot line that abuts the street and the building;
- (D) the maximum lot coverage is 15%;
- (E) a minimum of 50% of the area of the lot must be used for no other purpose than landscaping
 - (i) landscaping shall include all areas covered by lawns and shrubs, elevated podium structures and outdoor swimming pools;
- (F) all parts of a building located below grade must be set back from a lot line that abuts a street a distance equal to one half the depth of the building located below grade, measured from the floor of the building to the grade at the lot line that abuts the street;
- (G) the maximum building height is 20 storeys;
- (H) the minimum setback from a lot line that abuts:
 - (i) an ON or I zone is 16.5 metres
 - (a) a corner of the **building**, on the date of the enactment of this By-law, may remain with a lesser setback;
 - (ii) any other zone is the setback existing on the date of the enactment of this By-law;
- (I) indoor amenity space must be provided at a minimum rate of 0.9 square metres for each dwelling unit;
- (J) indoor amenity space may be located within the residential building or within separate buildings on the lot;
- (K) the minimum separation distance between **buildings** on the **lot** is one half the total sum of the height of the **buildings**
 - (i) the existing separation distance between **buildings** on the date of the enactment of this Bylaw is the minimum separation distance permitted; and
- (L) the following use is also permitted:
 - (i) day nursery;
 - (a) the maximum gross floor area is 140 square metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 3, of Scarborough By-law 8978

(484) Exception RA 484

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Pharmacy Avenue is 31.0 metres, measured from the original centerline of the **street**;
- (B) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (C) of the required parking spaces:
 - (i) a minimum of 88% must be enclosed spaces
 - (ii) a minimum of 11% must be for visitor parking, which must be located between the **lot line** abutting the **street** and the **building**;
- (D) the maximum lot coverage is 15%;
- (E) a minimum of 50% of the area of the lot must be used for no other purpose than landscaping
 - (i) landscaping shall include all areas covered by lawns and shrubs, elevated podium structures and outdoor swimming pools;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** a distance equal to one half the depth of the **building** located below grade, measured from the floor of the **building** to the grade at the **lot line** that abuts the **street**;
- (G) the minimum setback from a lot line that abuts:
 - (i) an ON or I zone is 16.5 metres
 - (a) a corner of the **building**, on the date of the enactment of this By-law, may remain with a lesser setback:
 - (ii) any other zone is the setback existing on the date of the enactment of this By-law;
- (H) indoor amenity space must be provided at a minimum rate of 0.9 square metres for each dwelling unit
- (I) indoor amenity space may be located within the residential building or within separate buildings on the lot;
- (J) the minimum separation distance between **buildings** on the **lot** is one half the total sum of the height of the **buildings**
 - (i) the existing separation distance between **buildings** on the date of the enactment of this Bylaw is the minimum separation distance permitted; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 'U', of Scarborough By-law 8978

(485) Exception RA 485

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Pharmacy Avenue is 31.0 metres, measured from the original centerline of the street;
- (B) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (C) of the required parking spaces:
 - (i) a minimum of 88% must be enclosed spaces
 - (ii) a minimum of 11% must be for visitor parking, which must be located between the lot line that abuts the street and the building;
- (D) the maximum lot coverage is 15%;
- (E) a minimum of 50% of the area of the lot must be used for no other purpose than landscaping
 - (i) **landscaping** shall include all areas covered by lawns and shrubs, elevated podium **structures** and outdoor swimming pools;

- (F) all parts of a building located below grade must be set back from a lot line that abuts a street a distance equal to one half the depth of the building located below grade, measured from the floor of the building to the grade at the lot line that abuts the street;
- (G) the maximum building height is 20 storeys;
- (H) the minimum setback from a lot line that abuts:
 - (i) an ON or I zone is 16.5 metres
 - (a) a corner of the **building**, on the date of the enactment of this By-law, may remain with a lesser setback;
 - (ii) any other zone is the setback existing on the date of the enactment of this By-law;
- (I) indoor amenity space must be provided at a minimum rate of 0.9 square metres for each dwelling unit
- (J) indoor amenity space may be located within the residential building or within separate buildings on the lot; and
- (K) the minimum separation distance between **buildings** on the **lot** is one half the total sum of the height of the **buildings**
 - (i) the existing separation distance between **buildings** on the date of the enactment of this Bylaw is the minimum separation distance permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(486) Exception RA 486

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Victoria Park Avenue is 27.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) a minimum of 92 square metres of indoor amenity space must be provided on the first floor;
- (F) the minimum setback from the rear lot line is a distance equal to one half the height of the building;
- (G) the maximum lot coverage is 33%; and
- (H) the maximum height for a **building** or **structure** is 6 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(487) Exception RA 487

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Ellesmere Road is 30.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **lot line** that abuts a **street** is 5.7 metres;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) a minimum of 92 square metres of indoor amenity space must be provided on the first floor; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(488) Exception RA 488

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2322-2400 Eglinton Avenue West and 9-11 Glenhaven Street, Section 16(317) of the former City of York Zoning By-law 1-83

(489) Exception RA 489

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Kennedy Road is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the elevation of the basement floor must be a minimum of 3.6 metres higher than the invert of Massey Creek;
- (D) a maximum of 50% of the **interior floor area** of the **first floor** shall be used for **dwelling units**;
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(490) Exception RA 490

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Kennedy Road is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(491) Exception RA 491

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Kennedy Road is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a side lot line is a distance equal to one half the height of the building;
- (C) the minimum setback from a rear lot line is 13.5 metres;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (E) **parking spaces** must be provided at a minimum rate of 1.1 **parking spaces** per **dwelling unit** and a minimum of 50% of the required **parking space** must be located below grade
 - (i) visitor parking spaces must be provided at a minimum rate of 0.11 per dwelling unit;.
- (F) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (G) the maximum lot coverage is 18%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(492) Exception RA 492

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a lot line that abuts Kennedy Road is 25.0 metres, measured from the

original centreline of the street;

- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the elevation of the basement floor must be a minimum of 3.6 metres higher than the invert of Massey Creek;
- (D) a maximum of 50% of the **interior floor area** of the **first floor** shall be used for **dwelling units**; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(493) Exception RA 493

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts **street** is 16.0 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the elevation of the basement floor must be a minimum of 3.6 metres higher than the invert of Massey Creek;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(494) Exception RA 494

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) the minimum setback from a **side lot line** is 0.9 metres;
- (C) parking spaces must be provided at a minimum rate of 1.4 parking spaces per dwelling unit
 - (i) a minimum of 1.2 parking space per dwelling unit must be for resident parking
 - (ii) a minimum of 0.2 parking spaces per dwelling unit must be for visitor parking;
- (D) the minimum parking space dimensions shall be 2.7 metre in width by 5.3 metres in length;
- (E) the maximum height for a building or structure is 14.0 metres; and
- (F) no maximum lot coverage applies.

Prevailing By-laws and Prevailing Sections: (None Apply)

(495) Exception RA 495

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Kennedy Road is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) the maximum lot coverage is 33%; and
- (E) a greenhouse is also permitted; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception (a), of Scarborough By-law 9276

(496) Exception RA 496

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Kennedy Road is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(497) Exception RA 497

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) only **dwelling units** in an **apartment building** are permitted;
- (B) the minimum setback from a lot line that abuts Midland Avenue is 25.0 metres, measured from the original centreline of the street;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (E) parking spaces must be provided at a minimum rate of 0.4 parking spaces per 100 square metres of gross floor area;
- (F) the maximum lot coverage is 33%; and
- (G) beauty salon is also permitted if:
 - (i) it is located in the existing detached house; and
 - (ii) has a maximum floor area of 20 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(498) Exception RA 498

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the only uses permitted are:
 - (i) dwelling units in an apartment building or detached house are permitted; and
 - (ii) offices; and
- (B) the minimum setback from a lot line that abuts Midland Avenue is 25.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(499) Exception RA 499

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) only dwelling units in an apartment building are permitted;
- (B) the minimum setback from a **lot line** that abuts Midland Avenue is 25.0 metres, measured from the original centreline of the **street**;

- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (E) the minimum setback from a side lot line and rear lot line is a distance equal to one half the height of the building
- (F) the minimum setback on the south side is a distance measured from the centreline of Town Haven Place
 - (i) the distance from the centreline is 16.6 metres;
- (G) the maximum lot coverage is 33%; and
- (H) the following use is also permitted:
 - (i) offices.

Prevailing By-laws and Prevailing Sections: (None Apply)

(500) Exception RA 500

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) only dwelling units in an apartment building are permitted;
- (B) the minimum setback from a lot line that abuts Midland Avenue is 22.0 metres, measured from the original centreline of the street;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(501) Exception RA 501

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Kennedy Road, measured from the original centreline of the **street**, is 25.0 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) the maximum lot coverage is 33%; and
- (E) **nursing home**, as it existed on the **lot** on the date of the enactment of this By-law, is also permitted on the eastern portion of the **lot**, if:
 - (i) the maximum number of beds must not exceed 230;
 - (ii) a minimum 30% of the area of the eastern portion of the lot must be used for no other purpose than landscaping;
 - (iii) the minimum building setback from a lot line that abuts a street, other than Kennedy Road, is 7.5 metres; and
 - (iv) the minimum building setback from a side lot line is a distance equal to one half the height of the building

Prevailing By-laws and Prevailing Sections: (None Apply)

(502) Exception RA 502

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(158) of the former City of York Zoning By-law 1-83

(503) Exception RA 503

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(148) of the former City of York Zoning By-law 1-83

(504) Exception RA 504

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 855 Roselawn Avenue, Section 16(164) of the former City of York Zoning By-law 1-83

(505) Exception RA 505

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(179) of the former City of York Zoning By-law 1-83

(506) Exception RA 506

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(264) of the former City of York Zoning By-law 1-83

(507) Exception RA 507

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 10 Tichester Road, Sections 16(212) and (303) of the former City of York Zoning By-law 1-83

(508) Exception RA 508

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Sections 16(199) and (212) of the former City of York Zoning By-law 1-83

(509) Exception RA 509

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 248 to 256 Heath Street West, Sections 16(165) and (212) of the former City of York Zoning By-law 1-83

(510) Exception RA 510

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 240 to 246 Heath Street West, Sections 16(178) and (212) of the former City of York Zoning By-law 1-83

(511) Exception RA 511

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The maximum height of any **building** on the lands is 23 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(513) Exception RA 513

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 443 to 449 Walmer Road, Section 16(200) of the former City of York Zoning By-law 1-83

(514) Exception RA 514

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 435 to 441 Walmer Road, Section 16(209) of the former City of York Zoning By-law 1-83.

(515) Exception RA 515

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 423 and 425 Walmer Road, Section 16(238) of the former City of York Zoning By-law 1-83

(516) Exception RA 516

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 24.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum setback from a lot line that abuts a street is 5.7 metres;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(517) Exception RA 517

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a lot line that abuts Pharmacy Avenue is 22.0 metres, measured from

the original centreline of the street;

- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(518) Exception RA 518

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Victoria Park Avenue is 27.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(519) Exception RA 519

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Victoria Park Avenue is 21.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a lot line that abuts a street is 6.0 metres;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(520) Exception RA 520

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 24.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a lot line that abuts a street is 6.0 metres;
- (C) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(521) Exception RA 521

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Danforth Road is 22.0 metres, measured from the original centreline of the street;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(522) Exception RA 522

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 25.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(523) Exception RA 523

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 25.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) parking spaces must be provided at a minimum rate of 1.2 parking spaces per dwelling unit;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(524) Exception RA 524

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line that abuts St. Clair Avenue is 7.5 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(525) Exception RA 525

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts St. Clair Avenue is 7.5 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the basement floor shall be used for dwelling units;
- (D) indoor amenity space must be provided at a minimum rate of 46 square metres for the first

dwelling unit, plus an additional 0.9 square metres for each unit over 50;

- (E) a minimum 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (G) of the required parking spaces:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be surface visitor parking;
- (H) all parts of a building located below grade must be set back from a lot line that abuts a street the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line; and
- (I) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(526) Exception RA 526

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts St. Clair Avenue is 7.5 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum setback from a lot line that abuts a street is 5.7 metres;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (E) a minimum 40% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (G) of the required parking spaces:
 - (i) a minimum of 70% must be located below grade;
- (H) the maximum height for a building or structure is 4 storeys; and
- (I) the minimum setback from a **side lot line** or **rear lot line** that abuts a **lot** in an RD or RS zone is 12.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(527) Exception RA 527

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from the front lot line is 5.0 metres
- (B) despite (A) a canopy may project a maximum of 3.0 metres into the required yard setback that abuts a **street**;
- (C) the minimum setback from the north side lot line is 10.0 metres;
- (D) the minimum setback from the south side lot line is 15.0 metres;
- (E) a minimum of 505.0 square metres of indoor amenity space must be provided, of which:
 - (i) the northerly **building** on the **lot** shall contain a minimum of 405.0 square metres
 - (ii) the southerly **building** on the **lot** shall contain a minimum of 100.0 square metres;
- (F) a minimum of 1,475.0 square metres of outdoor amenity space must be provided;
- (G) parking spaces must be provided at a minimum rate of 0.86 parking spaces per dwelling unit of which a minimum of 0.09 parking spaces per dwelling unit must be for visitor parking;
- (H) If a lot abuts a lot in an R, RD, RS, RT, or RM zone, no portion of any building on that lot may penetrate a 45 degrees angular plane projected over the lot along the entire length of any lot line that abuts a lot in the R, RD, RS, RT, or RM zone. The base elevation of that 45 degree angular plane projection is the average elevation of grade along the lot line.
- (I) a minimum of 42 bicycle parking spaces must be provided for residents;

- (J) a **bicycle parking space** must not be located within a **dwelling unit** or on the balcony associated with the **dwelling unit**;
- (K) a **bicycle parking spaces** must be located in a secured area and each **bicycle parking space** must have the following minimum dimensions:
 - (i) if bicycles are placed in a horizontal position, the width is 0.6 metres by 1.8 metres in length and the vertical clearance is 1.9 metres;
 - (ii) if bicycles are placed in a vertical position, the width is 0.6 metres by 1.2 metres in depth and the vertical clearance is 1.9 metres;
- (L) a bicycle rack must be provided outdoors for all visitor bicycle parking spaces;
- (M) a minimum **landscaping** strip of 1.5 metres must be provided along the entire length of a **lot line** that abuts a RD or RS zone;
 - (i) a stairway to a below grade parking area may encroach:
 - (ii) into the required landscape strip in required in (L) to a maximum of 0.6 metres; and
 - (iii) into the 45 degree **angular plane** required in (H), if the stairway is within 950 mm of the west **lot line** and has a maximum height of 2.4 metres;
- (N) the maximum height for a **building** or **structure** is 30.15 metres;
- (O) the maximum gross floor area of all buildings, excluding the gross floor area of all basements, is 22,700 square metres; and
- (P) the minimum building setback from the rear lot line is:
 - (i) 18.0 metres for the first **storey**;
 - (ii) 25.0 metres for the second to sixth storey; and
 - (iii) 28.0 metres for any storey in excess of six

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 6, of Scarborough By-law 9174.

(528) Exception RA 528

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) a minimum of 92 square metres of indoor amenity space must be provided on the first floor; and
- (E) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(529) Exception RA 529

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2339 and 2353 Dufferin Street and 800 Vaughan Road, Section 16(339) of the former City of York Zoning By-law 1-83

(530) Exception RA 530

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(125) of the former City of York Zoning By-law 1-83

(533) Exception RA 533

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 1490-1506 Bathurst Street, Section 16(153) of the former City of York Zoning By-law 1-83

(534) Exception RA 534

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1223.

(535) Exception RA 535

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 109-137 Raglan Avenue, Section 16(73) of the former City of York Zoning By-law 1-83

(536) Exception RA 536

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(27) of the former City of York Zoning By-law 1-83

(537) Exception RA 537

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 40 Raglan Avenue, Section 16(12) of the former City of York Zoning By-law 1-83

(538) Exception RA 538

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 87-99 Vaughan Road, Section 16(329) of the former City of York Zoning By-law 1-83

(539) Exception RA 539 York exception 392, bylaw 652-1999, map 15, Exception RA 539

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 164 Vaughan Road, Section 16(392) of the former City of York Zoning By-law 1-83

(540) Exception RA 540

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 160 Vaughan Road, Section 16(117) of the former City of York Zoning By-law 1-83

(541) Exception RA 541

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 154 Vaughan Road, Section 16(221) of the former City of York Zoning By-law 1-83

(542) Exception RA 542

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 126-138 Vaughan Road, Section 16(177) of the former City of York Zoning By-law 1-83

(543) Exception RA 543

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The maximum height of any **building** on the lands is 18 metres and 6 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(544) Exception RA 544

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts:
 - (i) Midland Avenue is 25.0 metres, measured from the original centreline of the street
 - (ii) all other streets is 9.0 metres;
- (B) the minimum setback from a side lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor amenity space must be provided at a minimum of 92.0 square metres on the first floor;
- (E) the maximum height for a building or structure is 8 storeys; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(545) Exception RA 545

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a lot line that abuts a street is 12.0 metres;
- (B) the minimum setback from a side lot line is a distance equal to one half the height of the building;
- (C) the minimum setback from a rear lot line is 13.5 metres;
- (D) indoor **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking spaces:
 - (i) a maximum of 50% must be surface spaces
 - (ii) a minimum of 11% must be visitor parking;

- (G) a minimum 50% of the **lot** must be used for no other purpose than **landscaping**;
- (H) the maximum lot coverage is 10%; and
- (I) the maximum height for a **building** or **structure** is 20 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(546) Exception RA 546

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Midland Avenue is 31.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) the minimum setback from a rear lot line is 13.5 metres;
- (E) indoor **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (G) of the required parking spaces:
 - (i) a maximum of 50% must be surface spaces
 - (ii) a minimum of 11% must be visitor parking;
- (H) a minimum 50% of the lot must be used for no other purpose than landscaping; and
- (I) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(547) Exception RA 547

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Midland Avenue is 25.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) the minimum setback from a **rear lot line** is 13.5 metres;
- (E) indoor **amenity space** must be provided at a minimum of 92.0 square metres on the **first floor**;
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(548) Exception RA 548

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts:
 - (i) Lawrence Avenue is 36.0 metres, measured from the original centreline of the **street**;
 - (ii) all other **streets** is 9.0 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor amenity space must be provided at a minimum of 92.0 square metres on the first floor;
- (E) the maximum height for a building or structure is 8 storeys; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(549) Exception RA 549

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts:
 - (i) Lawrence Avenue is 36.0 metres, measured from the original centreline of the **street**;
 - (ii) all other streets is 9.0 metres;
- (B) the minimum setback from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units; and
- (D) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(551) Exception RA 551

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres from Sheppard Avenue and McCowan Road
 - (ii) 12.0 metres from Kimroy Grove;
- (B) the minimum setback from a side lot line and rear lot line is:
 - (i) 7.5 metres for an end wall
 - (ii) 12.0 metres abutting an RS zone
 - (iii) 10.5 metres in all other cases;
- (C) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 66% must be located underground
 - (ii) a minimum of 11% must be used only as surface visitor parking;
- (E) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (F) a minimum 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (G) a minimum **landscaping** strip of 9.0 metres must be provided for **landscaping** purposes only along a **lot line** that abuts:
 - (i) a RS zone
 - (ii) Kimroy Grove; and
- (H) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(552) Exception RA 552

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Sheppard Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **side lot line** or **rear lot line** is a distance of one half the height of the **building**:
- (C) the minimum setback from the easterly and southerly lot line where a main wall contains windows

- in habitable rooms is a distance equal to the height of the **building**;
- (D) the minimum setback from the easterly and southerly **lot line** where the **main wall** does not contain windows in habitable rooms is a distance equal to two-thirds the height of the **building**;
- (E) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (F) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, plus an additional 0.9 square metres for each dwelling unit in excess of 50;
- (G) a minimum 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) a minimum **landscaping** strip of 13.5 metres must be provided for no other purpose than **landscaping** along a **lot line** that abuts a **lot** within an RD and RS zone;
- (I) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (J) of the required parking spaces:
 - (i) a minimum of 50% must be located underground
 - (ii) a minimum of 11% must be used only as visitor parking;
- (K) the maximum lot coverage is 30%
- (L) the maximum height for a **building** or **structure** is 54.0 metres;
- (M) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) a minimum setback from a lot line is 1.5 metres
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres; and
- (N) the following use is also permitted:
 - (i) day nursery
 - (a) the maximum gross floor area is 335 square metres.

(553) Exception RA 553

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) parking spaces must be provided at a minimum rate of 1.3 parking spaces per dwelling unit;
- (C) of the required parking spaces:
 - (i) a minimum of 1.0 parking space per dwelling unit must be enclosed for residents
 - (ii) a minimum of 0.3 parking spaces per dwelling unit must be for visitors;
- (D) indoor amenity space must be provided at a minimum rate of 1 square metre for each dwelling unit;
- (E) the maximum height for a building or structure is 8 storeys;
- (F) the maximum lot coverage is 40%;
- (G) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) a minimum setback from a lot line is 1.5 metres
 - (iii) a minimum setback from a lot line that abuts a lot in a RD zone is 12.0 metres; and
- (H) the following use is also permitted:
 - (i) day nursery
 - (a) the maximum gross floor area is 335 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(554) Exception RA 554

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from the front lot line is 12.0 metres;
- (B) the minimum setback from a **lot line** is a distance of one half the height of the **building**;
- (C) parking spaces must be provided at a minimum rate of 1.3 parking spaces per dwelling unit;
- (D) of the required parking spaces:
 - (i) a minimum of 1.0 parking space per dwelling unit must be enclosed for residents
 - (ii) a minimum of 0.1 parking spaces per dwelling unit must be either enclosed or surface spaces for residents
 - (iii) a minimum of 0.2 parking spaces per dwelling unit must be surface spaces for visitors
 - (iv) parking spaces may be located between the main wall and the lot line abutting a street;
- (E) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, plus an additional 0.9 square metres for each dwelling unit in excess of 50;
- (F) a minimum 45% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (G) all parts of a building located below grade must be set back from a lot line that abuts a street the greater of the measurement equivalent to the full depth of the structure measured from the floor of the structure to the grade at the street line or 3.0 metres;
- (H) the maximum height for a **building** or **structure** is 8 **storeys**;
- (I) the maximum lot coverage is 20%;
- (J) swimming pools are permitted in the rear and side yards that does not abut a street;
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) a minimum setback from a lot line is 1.5 metres; and
- (K) the following use is also permitted:
 - (i) day nursery, if
 - (a) the maximum gross floor area is 233 square metres
 - (b) it is located only on the first floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(555) Exception RA 555

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
- (B) parking spaces must be provided at a minimum rate of 1.3 parking spaces per dwelling unit;
- (C) of the require parking:
 - (i) a minimum of 1.0 parking space per dwelling unit must be enclosed for residents
 - (ii) a minimum of 0.3 parking space per dwelling unit must be for visitors;
- (D) parking spaces may be provided between the main wall and a lot line abutting a street:
 - (i) the minimum setback from a **lot line** abutting a **street** to a **parking space** is 3.0 metres;
- (E) indoor amenity space must be provided at a minimum rate of one square metre for each dwelling unit;
- (F) the maximum height for a **building** or **structure** is 54.0 metres;
- (G) the maximum lot coverage may exceed 40%; and
- (H) swimming pools are permitted in a yards that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) a minimum setback from a lot line is 1.5 metres.

(556) Exception RA 556

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 32207.

(557) Exception RA 557

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 100 Raglan Avenue, Section 16(116) of the former City of York Zoning By-law 1-83

(558) Exception RA 558

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(319) of the former City of York Zoning By-law 1-83

(559) Exception RA 559

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 12.1.13, as amended, of the former Borough of East York Zoning By-law 6752

(560) Exception RA 560

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 390 Dawes Road, Section 12.1.19, as amended, of the former Borough of East York Zoning By-law 6752

(561) Exception RA 561

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Section 16(142) of the former City of York Zoning By-law 1-83

(562) Exception RA 562

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a **lot line** that abuts Birchmount Avenue is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance

equal to one half the total combined height of the two buildings;

- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking spaces:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be surface parking for visitors;
- (G) the maximum lot coverage is 15%;
- (H) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, and plus an additional 0.9 square metres for each unit over 50, to a maximum of 93 square metres in one room
 - (i) where the requirement exceeds 93 square metres, two or more rooms must be provided in the **building** with each room having a minimum floor area of 46 square metres;
- (I) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (J) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (K) the maximum height for a building or structure is 54.0 metres; and
- (L) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(563) Exception RA 563

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (B) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (C) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (D) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 66% must be located below grade; and
 - (ii) a minimum of 11% must be surface parking for visitors; and
- (F) the maximum lot coverage is 15%;
- (G) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (H) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (I) a minimum of 45% of the **gross floor area** of all **buildings** on the **lot**, minus the **gross floor area** of enclosed malls used for walkway purposes, must be provided on the **lot** for no other purpose than **landscaping**:

- (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (J) the maximum height for a **building** or **structure** is 53.6 metres;
- (K) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 57, of Scarborough By-law 12466.

(564) Exception RA 564

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Warden Avenue is 36.0 metres, measured from the centreline of the **street**;
- (B) the minimum setback from a **lot line** that abuts a **street** is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 66% must be located below grade;
 - (ii) a minimum of 11% must be surface parking for visitors; and
- (G) the maximum lot coverage is 15%;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the
 measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (J) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping, and landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (K) the maximum height for a **building** or **structure** is 61.5 metres;
- (L) swimming pools are permitted in the rear and side yards that does not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 57, of Scarborough By-law 12466.

(565) Exception RA 565

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Warden Avenue is 36.0 metres, measured from the centreline of the **street**;
- (B) the minimum setback from a **lot line** that abuts a **street** is 12.0 metres;
- (C) the minimum setback from a **side lot line** or **rear lot line** is a distance of one half the height of the **building**;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 66% must be located below grade; and
 - (ii) a minimum of 11% must be surface parking for visitors; and
- (G) the maximum lot coverage is 15%;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- all parts of a building located below grade must be set back from a lot line that abuts a street the
 measurement equivalent to the full depth of the structure measured from the floor of the
 structure to the grade at the street line;
- (J) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping; and landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (K) the maximum height for a **building** or **structure** is 61.5 metres;
- (L) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 54, of Scarborough By-law 12466.

(566) Exception RA 566

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (B) the minimum setback from a **side lot line** or **rear lot line** is a distance of one half the height of the **building**:
- (C) the maximum lot coverage is 15%;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (E) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (F) the maximum height for a **building** or **structure** is 61.2 metres;
- (G) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) swimming pools are permitted in the rear and side yards that do not abut a street;
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 57, of Scarborough By-law 12466.

(567) Exception RA 567

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Finch Avenue 18.0 metres;
- (B) the minimum setback from a lot line that abuts Pharmacy Avenue is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be surface parking for visitors;
- (G) the maximum lot coverage is 15%;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the
 measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (J) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (K) a minimum 1.5 metres landscaping strip must be provided along a rear lot line that abuts a street: and
- (L) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(568) Exception RA 568

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a **lot line** that abuts Pharmacy Avenue is 12.0 metres;
- (C) the minimum setback from a **lot line** that abuts Chester Le Boulevard is 9.0 metres;
- (D) the minimum setback from a **side lot line** or **rear lot line** is a distance of one half the height of the **building**;
- (E) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (G) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be surface parking for visitors;
- (H) the maximum lot coverage is 15%;
- (I) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (J) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the

structure to the grade at the street line

- (K) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (L) the maximum height for a building or structure is 54.0 metres; and
- (M) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(569) Exception RA 569

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Warden Avenue is 36.0 metres, measured from the centreline of the **street**;
- (B) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit:
- (F) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be surface parking for visitors;
- (G) the maximum lot coverage is 15%;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (I) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (J) a minimum of 45% of the **gross floor area** of all **buildings** on the **lot**, minus the **gross floor area** of enclosed malls used for walkway purposes, must be provided on the **lot** for no other purpose than **landscaping**:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area; and
- (K) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(570) Exception RA 570

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Sheppard Avenue is 36.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking spaces:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be surface parking spaces for visitors;
- (G) the maximum lot coverage is 15%;
- (H) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (I) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, and plus an additional 0.9 square metres for each unit over 50, to a maximum of 93 square metres in one room
 - (i) where the requirement exceeds 93 square metres, two or more rooms must be provided in the **building** with each room having a minimum floor area of 46 square metres;
- (J) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (K) the maximum height for a building or structure is 54.0 metres; and
- (L) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(571) Exception RA 571

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a **lot line** that abuts Sheppard Avenue and Chichester Place is 2.8 metres:
- (B) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (C) the minimum setback within 10.0 metres from the lot line intersection of Sheppard Avenue and Chichester Place is 2.0 metres;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (E) **parking spaces** must be provided for an **apartment building** existing on the site as of July 2007 at a minimum rate of 1.0 **parking spaces** per **dwelling unit**;
- (F) of the required parking spaces:

- (i) a minimum of 0.85 parking spaces must be for residents; and
- (ii) a minimum of 0.15 parking spaces must be for visitors; and(G) parking spaces must be provided for an apartment building constructed after July 2007 at a minimum rate of 1.2 parking spaces per dwelling unit;
- (G) of the required parking spaces:
 - (i) a minimum of 1.05 parking spaces must be for residents; and
 - (ii) a minimum of 0.15 parking spaces must be for visitors; and
- (H) parking spaces may exist between the main wall and a lot line abutting a street;
- (I) the maximum height for a **building** or **structure** is 58.0 metres from the **average grade** at the **lot line** abutting a **street** to the top of the **building**, excluding parapet walls, rooftop mechanical
 equipment and penthouses;
- (J) no maximum lot coverage applies;
- (K) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 36, of Scarborough By-law 12466.

(572) Exception RA 572

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum floor space index is 1.5:
 - (i) floor space index (F.S.I.) shall mean the ratio of the total floor area to the site area. Total floor area means the aggregate of the areas of each floor above grade measured between the exterior faces of the exterior walls of the **building** or **structure** at the level of each floor including any part of the **building** or **structure** above grade used for the storage or parking of motor **vehicles**, locker storage and laundry facilities, but excluding any part of the **building** or **structure** used for retail commercial purposes open to the public and any areas used for recreational or mechanical purposes;
- (B) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (C) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (F) the maximum lot coverage is 15%;
- (G) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) all parts of a **building** located below grade must be set back a from a **lot line** that abuts a **street** the minimum of half the full depth of the **structure**;
- (I) the maximum height for a building or structure is 54.0 metres; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(573) Exception RA 573

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum floor space index is 1.5;
- (B) the minimum setback from a lot line that abuts Victoria Park Avenue is 36.0 metres, measured from the original centreline of the street;
- (C) the minimum setback from a lot line that abuts a lot in a RD zone is 15.0 metres;
- (D) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (E) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (G) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be for visitors;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (I) the maximum lot coverage is 15%;
- (J) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (K) all parts of a **building** located below grade must be set back a from a **lot line** that abuts a **street** the minimum of half the full depth of the **structure**;
- (L) the maximum height for a building or structure is 54.0 metres; and
- (M) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres
 - (iii) the minimum setback from a lot line that abuts a lot in an RD zone is 12.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(574) Exception RA 574

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from the lot line that abuts a lot in an RD zone is 15.0 metres;
- (B) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building:
- (C) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (D) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 66% must be located below grade; and
 - (ii) a minimum of 11% must be for visitors; and
- (F) the maximum lot coverage is 15%;
- (G) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (H) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum height for a **building** or **structure** is 54.0 metres;
- (J) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres;
 - (iii) the minimum setback from a lot line that abuts a lot in an RD zone is 12.0 metres; and
- (K) the following use is also permitted on Block B, Registered Plan M-1272:

- (i) a retail store in the form of a convenience commercial use if it is not greater than a gross floor area of 47.0 square metres;
- (ii) a day nursery if it is not greater than a gross floor area of 140 square metres; and
- (iii) recreational facilities.

(575) Exception RA 575

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum floor space index is 1.25
 - (i) floor space index (F.S.I.) shall mean: the ratio of the total floor area to the site area. Total floor area means the aggregate of the areas of each floor above grade, measured between the exterior faces of the exterior walls of the **building** or **structure** at the level of each floor, including any part of the **building** or **structure** above grade used for the storage or parking of motor **vehicles**, locker storage and laundry facilities, but excluding any part of the **building** or **structure** used for retail commercial purposes open to the public and any areas used for recreational or mechanical purposes;
- (B) the minimum setback from a **lot line** that abuts Victoria Park Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (C) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (E) the minimum setback from a lot line that abuts a lot in a RD zone is 15.0 metres;
- (F) parking spaces must be provided at a minimum rate of 0.9 parking space per dwelling unit;
- (G) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be for visitors;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (I) the maximum lot coverage is 15%;
- (J) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (K) all parts of a **building** located below grade must be set back a from a **lot line** that abuts a **street** the minimum of half the full depth of the **structure**;
- (L) the maximum height for a building or structure is 54.0 metres;
- (M) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres
 - (iii) the minimum setback from a lot line that abuts a lot in an RD zone is 12.0 metres; and
- (N) the following use is also permitted:
 - (i) a property Management Office on the ground floor only to conduct: rent collection, maintenance and social services.

Prevailing By-laws and Prevailing Sections: (None Apply)

(576) Exception RA 576

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum setback from a **lot line** that abuts Finch Avenue is 36.0 metres, measured from the original centreline of the **street**;

- (B) the minimum setback from a **lot line** that abuts a **street** is 12.0 metres;
- (C) the minimum setback from a **side lot line** or **rear lot line** is the greater of:
 - (i) one half the height of the building or one half the width of the building; and
 - (ii) in no case shall it be less than a minimum of 15.0 metres from a **lot line** that abuts a **lot** in an RD zone; and
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 77% must be located below grade; and
 - (ii) a minimum of 11% must be for visitors; and
- (G) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (H) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (I) the maximum lot coverage is 18%;
- (J) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**;
 - (ii) a minimum setback from a side lot line and rear lot line is 1.5 metres; and
 - (iii) the minimum setback from a lot line that abuts a lot in an RD zone is 12.0 metres; and
- (K) on Blocks A and B, Registered Plan M-1207, a retail store is permitted if:
 - (i) it is for the sale of food prepared off the premises; sale of soft drinks for consumption off the premises; sale of drugs, cosmetics, pharmaceuticals, tobaccos and reading materials; and
 - (ii) the total interior floor area of all retails stores does not exceed 66.0 square metres.

(577) Exception RA 577

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Finch Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line or rear lot line is a distance of one half the height of the building;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be surface parking spaces for visitors;
- (G) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (H) the maximum lot coverage is 15%;
- (I) a minimum **landscaping** strip of 1.5 metres must be provided along the **lot line** abutting Finch Avenue;
- (J) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (K) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:

- (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (L) the maximum height for a building or structure is 54.0 metres; and
- (M) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

(578) Exception RA 578

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Finch Avenue and Warden Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts Bridletowne Circle is 12.0 metres;
- (C) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres:
- (D) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (E) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (G) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be for surface parking spaces for visitors;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (I) the maximum lot coverage is 15%;
- (J) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line;
- (K) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (L) the maximum height for a building or structure is 54.0 metres; and
- (M) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(579) Exception RA 579

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Warden Avenue is 18.0 metres;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be for surface parking spaces for visitors;
- (G) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (H) the maximum lot coverage is 22%;
- (I) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (J) a minimum of 45% of the **gross floor area** of all **buildings** on the **lot**, minus the **gross floor area** of enclosed malls used for walkway purposes, must be provided on the **lot** for no other purpose than **landscaping**:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (K) on Blocks B, D and E on Registered Plan M-1492, free-standing recreation buildings shall be provided and shall only serve these lands;
- (L) the maximum height for a building or structure is 54.0 metres; and
- (M) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) a minimum setback from a side lot line and rear lot line is 1.5 metres.

(580) Exception RA 580

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum floor space index is 1.5:
 - (i) floor space index (F.S.I.) shall mean the ratio of the total floor area to the site area. Total floor area means the aggregate of the areas of each floor above grade measured between the exterior faces of the exterior walls of the **building** or **structure** at the level of each floor including any part of the **building** or **structure** above grade used for the storage or parking of motor **vehicles**, locker storage and laundry facilities, but excluding any part of the **building** or **structure** used for retail commercial purposes open to the public and any areas used for recreational or mechanical purposes;
- (B) the minimum setback from a **lot line** that abuts Finch Avenue and Warden Avenue is 18.0 metres;
- (C) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (D) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is a distance of one half the height of the **building**;
- (E) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;

- (G) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be for surface parking spaces for visitors;
- (H) the maximum lot coverage is 40%;
- all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the
 greater of the measurement equivalent to the full depth of the **structure** measured from the floor of
 the **structure** to the grade at the **street** line or 3.0 metres;
- (J) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (K) the maximum height for a **building** or **structure** is 54.0 metres;
- (L) swimming pools are permitted in the rear and side yards that do not abut a street;
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and
- (M) the following additional uses are permitted:
 - (i) convenience commercial uses such as Barber Shop, Beauty Parlour, Dry Cleaning and Laundry Pick-up and delivery and including the sale of foods prepared off the **premises**, sale of soft drinks sale of cosmetics, drugs, pharmaceuticals and tobaccos, to a maximum of 84 square metres
 - (ii) day nurseries to a maximum floor area of 372 square metres
 - (iii) a free-standing recreation **building** for the purpose of servicing the entire development must be provided.

(581) Exception RA 581

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts Warden Avenue is 36.0 metres, measured from the centreline of the street:
- (B) the minimum setback from a lot line that abuts a street is12.0 metres, measured from the centreline of the street;
- (C) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is a distance of one half the height of the **building**;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (F) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be for surface parking spaces for visitors;
- (G) the maximum lot coverage is 15%;
- (H) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for

landscaping, including any part of the site occupied by recreational **ancillary buildings**, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a **building** or **structure** open to the air suitable for **landscaping** and used as a recreational area, but excluding any **driveway** or ramp, whether surfaced or not, any curb, retaining wall, or motor **vehicle** parking area;

- (I) the maximum height for a **building** or **structure** is 54.0 metres; and
- (J) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(582) Exception RA 582

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts Warden Avenue is 36.0 metres, measured from the centreline of the street:
- (B) the minimum setback from a lot line that abuts a street is 12.0 metres, measured from the centreline of the street;
- (C) the minimum setback from a **side lot line** is 6.0 metres;
- (D) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (E) of the required parking:
 - (i) a minimum of 66% must be located below grade
 - (ii) a minimum of 11% must be for surface parking spaces for visitors;
- (F) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, and plus an additional 0.9 square metres for each unit over 50;
- (G) the maximum lot coverage is 22%:
- (H) a minimum of 45% of the gross floor area of all buildings on the lot, minus the gross floor area of enclosed malls used for walkway purposes, must be provided on the lot for no other purpose than landscaping:
 - (i) landscaping shall mean: open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (I) the maximum height for a building or structure is 54.0 metres; and
- (J) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(583) Exception RA 583

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum gross floor area is 1.4 times the area of the lot;
- (B) the minimum setback from the **lot line** that abuts Warden Avenue is 9.0 metres;
- (C) the minimum setback from south lot line is 6.0 metres
 - (i) balcony and window projections shall be permitted to a maximum of 1.2 metres;

- (D) the minimum setback from north lot line is 8.0 metres
 - (i) an enclosed walkway projection shall be permitted to a maximum of 1.8 metres;
- (E) the minimum setback from the rear lot line is 6.0 metres;
- (F) parking spaces must be provided at a minimum rate of 1.6 parking spaces per dwelling unit;
- (G) of the required parking:
 - (i) a minimum of 1.4 parking spaces must be for residents
 - (ii) a minimum of 0.2 parking spaces must be for visitors;
- (H) indoor amenity space must be provided at a minimum rate of 1 square metres for each dwelling unit; and
- (I) the maximum height for a **building** or **structure** is 11.5 metres.

(584) Exception RA 584

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Birchmount Road is 31.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **lot line** that abuts Finch Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (C) the minimum setback from a lot line that abuts a street is 12.0 metres;
- (D) the minimum setback from a **side lot line** is a distance of one half the height of the **building**;
- (E) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (F) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit;
- (G) of the required parking:
 - (i) a minimum of 77% must be located below grade
 - (ii) a minimum of 11% must be for visitors;
- (H) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, and plus an additional 0.9 square metres for each unit over 50;
- (I) the maximum lot coverage is 18%;
- (J) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (K) the maximum height for a building or structure is 54.0 metres; and
- (L) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(585) Exception RA 585

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) only the following building types are permitted:
 - (i) multiple family dwellings
 - (ii) or a combination of multiple family dwellings and apartment buildings;
- (B) for the purpose of this exception, multiple family dwelling means two or more dwelling units arranged in a building so that not more than 4 dwelling units have a common access from one external entrance to the building at grade level;
- (C) the minimum setback from a **lot line** that abuts Silver Springs Boulevard is 12.0 metres;

- (D) the maximum lot coverage is 30%;
- (E) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (F) despite regulations to the contrary, **buildings** or **structures** for the storage of refuse must be:
 - (i) setback a minimum of 1.5 metres from a lot line that abuts a street
 - (ii) enclosed by four walls and a roof;
- (G) a minimum of 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (H) where a combination of multiple family dwelling units and apartment buildings occur, the following also applies:
 - (i) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building
 - (ii) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**
 - (iii) parking spaces must be provided at a minimum rate of 1.1 parking spaces per dwelling unit
 - (iv) of the required parking spaces:
 - (a) a minimum of 66% must be located below grade
 - (b) a minimum of 11% must be surface parking for visitors
 - (v) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, plus an additional 0.9 square metres for each unit over 50, to a maximum of 93 square metres in one room, and where the requirement exceeds 93 square metres, two or more rooms must be provided in the building with each room having a minimum floor area of 46 square metres;
 - (vi) the maximum height for a **building** or **structure** is the lesser of 9 **storeys** and 30 metres;
- (I) where only multiple family **dwelling units** occur, the following also applies:
 - (i) the minimum setback from a side lot line or rear lot line is:
 - (a) 7.5 metres for end walls
 - (b) 10.5 metres
 - (ii) the maximum height for a building or structure is 8.0 metres
 - (iii) parking spaces must be provided at a minimum rate of 1.2 parking spaces per dwelling unit
 - (iv) of the required parking spaces:
 - (a) a minimum of 75% must be located below grade
 - (b) a minimum of 20% must be surface parking for visitors; and
- (J) the maximum number of **dwelling units** is the lesser of 430, and 40 for each hectare of **lot area**.

(586) Exception RA 586

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a side lot line is a distance of one half the height of the building;
- (B) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (C) the minimum setback from a lot line abuts a lot in a RD zone is 15.0 metres;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;

- (F) the maximum height for a **building** or **structure** is 54.0 metres;
- (G) the maximum lot coverage is 40%; and
- (H) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

(587) Exception RA 587

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Sheppard Avenue is 36.0 metres, measured from the original centreline of the **street**;
- (B) the minimum setback from a **lot line** that abuts Pharmacy Avenue is 12.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (D) the minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to one half the total combined height of the two **buildings**;
- (E) parking spaces must be provided at a minimum rate of 1.1 spaces per dwelling unit;
- (F) of the required parking spaces:
 - (i) a minimum of 100% must be below grade;
 - (ii) a minimum of 12.5% must be surface spaces for visitors; and
 - (iii) the minimum dimensions for below grade **parking spaces** shall be 2.7 metres in width by 6.0 metres in length;
- (G) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (H) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (I) the maximum height for a building or structure is 54.0 metres;
- (J) a minimum 50% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (K) the maximum lot coverage is 20%; and
- (L) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(588) Exception RA 588

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum gross floor area is 1.85 times the area of the lot;
- (B) the minimum **building setback** from a **lot line** that abuts a **street** is 7.5 metres;
- (C) the minimum building setback from the eastern lot line is 15.0 metres;
- (D) the minimum building setback from the western lot line is 3.0 metres;
- (E) the minimum building setback from a rear lot line is 35.0 metres;
- (F) the minimum building setback from a lot line for a below grade parking garage is:
 - (i) 3.0 metres from a front lot line;
 - (ii) 0.3 metres from a side lot line; and
 - (iii) 1.2 metres from a rear lot line;
- (G) the minimum **building setback** from a **rear lot line** for mechanical equipment and ventilation

vents from the below grade parking garage is 3.0 metres;

- (H) indoor amenity space must be provided at a minimum rate of 1.3 square metres for each dwelling unit;
- (I) a minimum **landscaping** strip of 2.0 metres must be provided for **landscaping** purposes only along a eastern **lot line**;
- (J) a minimum **landscaping** strip of 3.0 metres must be provided for **landscaping** purposes only along a western and **rear lot lines**;
- (K) the maximum height of a building or structure is:
 - (i) 20.0 metres for the portion located within 38.0 metres of the rear lot line; and
 - (ii) 23.0 metres in all other cases;
- (L) all rooftop equipment must be enclosed within a penthouse:
 - (i) the maximum height of a penthouse is 7.0 metres, measured from the **building** rooftop to the top of the penthouse;
- (M) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 29, of Scarborough By-law 10717.

(590) Exception RA 590

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Sheppard Avenue is:
 - (i) 18.0 metres for a side main wall or rear main wall; and
 - (ii) 36.0 metres, measured from the original centreline of the **street**, in all other cases;
- (B) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (C) the minimum setback from a side lot line or rear lot line that does not abut a street is a distance of one half the height of the building;
- (D) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
- (E) parking spaces must be provided at a minimum rate of 1.1 spaces per dwelling unit;
- (F) of the required parking spaces:
 - (i) a minimum of 66% must be below grade; and
 - (ii) a minimum of 33% of the total surface spaces must be for visitors;
- (G) all parts of a building located below grade must be set back from a lot line that abuts a street equivalent to the full depth of the structure;
- (H) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, plus an additional 0.9 square metres for each unit over 50;
- (I) the maximum height for a building or structure is 54.0 metres;
- (J) a minimum of 70% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (K) the maximum lot coverage is 15%; and
- (L) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(591) Exception RA 591

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) apartment building is permitted;
- (B) all other **building** types are permitted;
- (C) a minimum 65% of the area of the **lot** must be used for no other purpose than **landscaping**;
- (D) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** equivalent to the full depth of the **structure**;
- (E) the maximum lot coverage is 40%;
- (F) swimming pools are permitted in the rear and side yards that do not abut a street:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres;
- (G) the following only applies to an apartment building:
 - (i) maximum number of units permitted is one dwelling unit for every 136 square metres of lot area;
 - (ii) the minimum setback from a lot line that abuts a street is 9.0 metres;
 - (iii) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is a distance of one half the height of the **building**;
 - (iv) the minimum separation between the main walls of two buildings on the same lot is a distance equal to one half the total combined height of the two buildings;
 - (v) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
 - (vi) parking spaces must be provided at a minimum rate of 1.1 spaces per dwelling unit;
 - (vii) of the required parking spaces:
 - (a) a minimum of 66% must be below grade; and
 - (b) a minimum of 33% of the total surface parking spaces must be for visitors;
 - (viii) the maximum height for a building or structure is 54.0 metres;
- (H) the following only applies to all other building types:
 - (i) maximum number of units permitted is one **dwelling unit** for every 445 square metres of **lot**
 - (ii) the minimum setback from a lot line that abuts a street is 7.5 metres;
 - (iii) the minimum setback from a side lot line or rear lot line that does not abut a street is:
 - (a) 7.5 metres for an end wall;
 - (b) 12.5 metres where the lot line abuts a lot in a RD or RS zone; and
 - (c) 10.5 metres in all other cases;
 - (iv) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
 - (v) of the required parking:
 - (a) a minimum of 75% must be below grade; and
 - (b) a minimum of 50% of the total surface $\boldsymbol{parking\ spaces}$ must be for visitors; and
 - (vi) the maximum height of a building or structure is 9.5 metres from grade to eaves.

Prevailing By-laws and Prevailing Sections: (None Apply)

(592) Exception RA 592

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a **lot line** that abuts a **street** is 3.0 metres.
- (B) a minimum of 46 square metres of amenity space must be provided, plus 0.9 square metres per dwelling unit in excess of fifty;

- (C) a minimum of 1.1 **parking spaces** for each **dwelling unit** must be provided either below grade or in a **building** for resident parking
- (D) a minimum of 0.2 parking spaces for each dwelling must be provided for visitor parking at grade.
- (E) the maximum height of a **building** is the lesser of 14 metres and 4 **storeys** for the part of a **building** located within 60 metres of a RD, RS or RT zone

(593) Exception RA 593

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum setback from a lot line is:
 - (i) 3.0 metres if the lot line abuts a street; and
 - (ii) 1.0 metres in all other cases;
- (B) a building uses for waste storage may be located in a yard that abuts a street if it is:
 - (i) fully enclosed by four walls and roof; and
 - (ii) at least 1.5 metres from any lot line; and
- (C) a minimum of 45% of the lot area must be soft landscaping; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 24, of Scarborough By-law 14402

(594) Exception RA 594

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line is:
 - (i) 3.0 metres if the **lot line** abuts a **street**;
 - (ii) 6.0 metres for the par of the main part that contains a vehicular entrance to a parking space:
- (B) a building uses for waste storage may be located in a yard that abuts a street if it is:
 - (i) fully enclosed by four walls and roof; and
 - (ii) at least 1.5 metres to any lot line; and
- (C) a minimum of 45% of the lot area must be soft landscaping; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 24, of Scarborough By-law 14402

(595) Exception RA 595

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line is 3.0 metres if the lot line abuts a street:
- (B) the minimum setback from a rear lot line is 7.5 metres;
- (C) parking spaces must be provided at a minimum rate of 0.9 for each dwelling unit of which:
 - (i) 0.7 for each dwelling unit is located in a building or in a below grade structure and used for resident parking; and
 - (ii) 0.2 for each **dwelling unit** is located at grade and used for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(596) Exception RA 596

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a front lot line is 12.0 metres
- (B) a minimum of 45% of the lot area must be soft landscaping; and
- (C) parking spaces must be provided at a minimum rate of 1.3 spaces for each dwelling unit of which:
 - (i) a minimum of 1.07 **parking spaces** for each **dwelling unit** is for resident parking of which 90% must be located in a below grade **structure**; and
 - (ii) a minimum of 0.23 **parking spaces** for each **dwelling unit** is for visitor parking and is located at grade; and

(D) for an apartment building:

- (i) the minimum setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (ii) the minimum separation between two **buildings** on the same **lot** is a distance equal to one half the total height of both **buildings**.
- (iii) a minimum of 46 square metres of amenity space must be provided, plus 0.9 square metres for each dwelling unit in excess of fifty;
- (iv) the minimum lot area used for an apartment building is 181.5 square metres for each dwelling unit.

(E) for any other residential buildings:

- (i) the minimum setback from a side lot line or rear lot line is 6.5 metres;
- (ii) the maximum **lot** coverable for all **buildings** is 15.5%;
- (iii) the minimum lot area used for a building other than an apartment building is 333.0 square metres for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(597) Exception RA 597

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Sheppard Avenue, Neilson Road or Finch Avenue
 - (ii) 12.0 metres in all other cases;
- (B) the minimum setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) the minimum separation between two **buildings** on the same **lot** is a distance equal to one half the total height of both **buildings**.
- (D) The maximum lot coverage is 15%;
- (E) parking spaces must be provided at a minimum rate of 1.12 for each dwelling unit, of which;
 - (i) 1.0 for each **dwelling unit** is only for resident parking and a minimum of 65% of the required resident **parking spaces** are located in a **building** or a below grade **structure**; and
 - (ii) 0.12 for each dwelling unit is only for at grade visitor parking;
- (F) a minimum of 46 square metres of **amenity space** must be provided, plus 0.9 square metres for each **dwelling unit** in excess of fifty; and
- (G) a minimum of 45% of the lot area must be soft landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(598) Exception RA 598

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) parking spaces must be provided at a minimum rate of 1.4 spaces per dwelling unit;
- (C) of the required parking spaces:
 - (i) a minimum of 1.2 parking spaces must be below grade for residents; and
 - (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
- (D) a maximum of 0.2 parking spaces per dwelling unit must be located in a street yard:
 - (i) for which a minimum setback of 3.0 metres from a lot line that abuts a street must be provided;
- (E) **amenity space** must be provided at a minimum rate of 93 square metres for the first **dwelling unit**, plus an additional 1.9 square metres for each unit over 50;
- (F) the maximum lot coverage is 40%;
- (G) the maximum height for a building or structure is 70.0 metres; and
- (H) swimming pools are permitted in yards that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a line is 1.5 metres; and
- the parking space requirements and the amenity space requirements apply collectively to the whole of the area.

(599) Exception RA 599

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres;
- (B) parking spaces must be provided at a minimum rate of 1.4 spaces per dwelling unit;
- (C) of the required parking spaces:
 - (i) a minimum of 1.2 parking spaces must be below grade for residents; and
 - (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
- (D) a maximum of 0.2 parking spaces per dwelling unit must be located in a street yard:
 - (i) for which a minimum setback of 3.0 metres from a lot line that abuts a street must be provided;
- (E) amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit, plus an additional 0.9 square metres for each unit over 50;
- (F) the maximum lot coverage is 40%;
- (G) the maximum height for a building or structure is 65.0 metres; and
- (H) swimming pools are permitted in yards that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a line is 1.5 metres; and
- (I) the **parking space** requirements and the **amenity space** requirements apply collectively to the whole of the area.

Prevailing By-laws and Prevailing Sections: (None Apply)

(600) Exception RA 600

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) parking spaces must be provided at a minimum rate of 1.4 spaces per dwelling unit;
- (C) of the required parking spaces:

- (i) a minimum of 1.2 parking spaces must be below grade for residents; and
- (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
- (D) despite regulations to the contrary, parking spaces may be located in a street yard;
- (E) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (F) the maximum lot coverage is 40%;
- (G) the maximum height for a building or structure is 54.0 metres; and
- (H) despite regulations to the contrary, swimming pools are permitted in any yard; and
- (I) the requirements of this exception and this by-law apply collectively to the whole of this area.

(601) Exception RA 601

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum floor space index is 1.6;
- (B) the minimum setback from a lot line that abuts Warden Avenue is 18.0 metres;
- (C) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (D) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit;
- (E) of the required parking spaces:
 - (i) a minimum of 1.2 parking spaces must be enclosed or below grade for residents; and
 - (ii) a minimum of 0.2 parking spaces must be surface spaces for visitors;
- (F) all parts of a **building** located below grade must be set back from a **lot line** that abuts a **street** the greater of the measurement equivalent to the full depth of the **structure** measured from the floor of the **structure** to the grade at the **street** line or 3.0 metres;
- (G) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (H) an area equal to or greater than 45% of the total gross floor area of all buildings on the lot shall provided for no other purpose than landscaping;
- (I) the maximum lot coverage is 16%;
- (J) the maximum height for a building or structure is 54.0 metres; and
- (K) swimming pools are permitted in yards that do not abut a **street**:
 - (i) the total surface area of the structure must not be more than 15% of the area of the lot; and
 - (ii) the minimum setback from a lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(602) Exception RA 602

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) parking spaces must be provided at a minimum rate of 1.0 spaces per dwelling unit;
- (B) the maximum height of a building or structure is 4 storeys, excluding basements;
- (C) the maximum lot coverage is 30%; and
- (D) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(603) Exception RA 603

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) parking spaces must be provided at a minimum rate of 1.6 spaces per dwelling unit;
- (B) the maximum height of a **building** or **structure**, excluding **basements** is:
 - (i) 2 storeys within 21.0 metres of a RD zone; and
 - (ii) 3 storeys, in all other cases;
- (C) indoor amenity space must be provided at a minimum rate of 1 square metre for each dwelling unit;
- (D) the maximum lot coverage is 40%; and
- (E) swimming pools are permitted in the rear and **side yards** that do not abut a **street**:
 - (i) the total surface area of the **structure** must not be more than 15% of the area of the **lot**; and
 - (ii) the minimum setback from a side lot line and rear lot line is 1.5 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(604) Exception RA 604

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 18.0 metres;
- (B) the minimum setback from a side lot line is a distance of one half the height of the building;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) parking spaces must be provided at a minimum rate of 1.0 parking spaces per dwelling unit;
- (E) indoor **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50; and
- (F) the maximum lot coverage is 33%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(605) Exception RA 605

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum setback from a **side lot line** that does not abut a **street** is 6.0 metres;
- (C) the minimum setback from a **rear lot line** is 40.0 metres;
- (D) parking spaces must be provided at a minimum rate of 1.4 parking spaces per dwelling unit;
- (E) of the require parking:
 - (i) a minimum of 1.2 parking space per dwelling unit must be underground for residents; and
 - (ii) a minimum of 0.2 parking spaces per dwelling unit must be surface spaces for visitors;
- (F) indoor amenity space must be provided at a minimum rate of 2.25 square metres for each dwelling unit;
- (G) the maximum lot coverage is 33%; and
- (H) the maximum height for a **building** or **structure** is 41.0 metres; and for the purpose of this exception, height is measured as the vertical distance between the average elevation of the finished grade at the front **main wall** of the **building** to the underside of the eaves.

Prevailing By-laws and Prevailing Sections: (None Apply)

(606) Exception RA 606

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the minimum setback from a **lot line** that abuts a **street** is 10.5 metres;
- (B) the minimum setback from a side lot line is a distance of one half the height of the building;
- (C) the minimum setback from a rear lot line is 9.0 metres;
- (D) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (E) indoor **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (F) the maximum lot coverage is 33%;
- (G) the maximum height of a building or structure is 3 storeys;
- (H) the following building types are not permitted:
- (I) row housing and maisonettes;
- (J) a **nursing home** use is also permitted if:
 - (i) the **building** is set back from a **lot line** that abuts a **street** a least 10.5 metres;
 - (ii) the **building** is set back from a **side lot line** or **rear lot line** at least the greater of:
 - (a) 7.5 metres, or
 - (b) a distance equal to one-half of the height of the building; and
 - (iii) parking spaces are provided at a minimum rate of 3 parking spaces for every 10 beds;
 - (a) of the total required **parking spaces** required, a maximum of 20 **parking spaces** are located between the main **front wall** and the **lot line** abutting a **street**; and
 - (iv) a minimum 30% of the area of the **lot** is used for no other purpose than **landscaping**.

(607) Exception RA 607

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts a **street** is 9.0 metres;
- (B) the minimum setback from a side lot line is a distance of one half the height of the building;
- (C) a maximum of 50% of the interior floor area of the first floor shall be used for dwelling units;
- (D) indoor **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit**, plus an additional 0.9 square metres for each unit over 50;
- (E) the maximum lot coverage is 33%; and
- (F) the minimum setback for a **building** or **structure** is the lesser of:
 - (i) 76.0 metres from the top edge of the Scarborough Bluffs, or
 - (ii) a horizontal distance of 137.0 metres from the water's edge of Lake Ontario.

Prevailing By-laws and Prevailing Sections: (None Apply)

(608) Exception RA 608

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Neilson Road;
 - (ii) 12.0 metres if the lot line abuts Crow Trail; and
 - (iii) 9.0 metres in all other cases; and
- (B) the minimum setback from a side lot line or rear lot line is the distance equal to one half the height of the building;
- (C) the minimum separation between all above ground **main walls** of two **buildings** on the same **lot** is the distance equal to one half the cumulative total height of the two **buildings**.
- (D) The maximum lot coverage is 15%;

- (E) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) a minimum of 45% of the lot area must be used for soft landscaping;
- (G) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (H) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.25 for each dwelling unit and used for surface visitor parking
- (I) a resident parking space must be located in a building or structure.

(609) Exception RA 609

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) A maximum of dwelling units permitted is:
 - (i) 259 if located in an apartment building; and
 - (ii) 12 if located in a multiple dwelling unit building other than an apartment building; and
- (B) the minimum above ground setback from a lot line is
 - (i) 7.5 metres from the northerly lot line and westerly lot line; and
 - (ii) 3.0 metres in all other cases;
- (C) amenity space must be provided at a minimum rate of 1.0 square metres for each dwelling unit;
- (D) parking spaces must be provided at the following minimum rates:
 - (i) for an Apartment Building:
 - (a) 1.2 for each dwelling unit and used for resident parking;
 - (b) 0.2 for each dwelling unit and used for visitor parking;
 - (ii) for any other residential building:
 - (a) 2.0 for each dwelling unit;
- (E) the maximum **building** height is 14.0 metres

Prevailing By-laws and Prevailing Sections: (None Apply)

(610) Exception RA 610

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) amenity space must be provided at a minimum rate of 1.3 square metres for each dwelling unit;
- (B) the maximum lot coverage is 33%;
- (C) parking spaces must be provided at the following minimum rates:
 - (i) 1.2 for each dwelling unit and used for resident parking; and
 - (ii) 0.2 for each dwelling unit and used for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(611) Exception RA 611

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) amenity space must be provided at a minimum rate of 1.3 square metres for each dwelling unit;
- (B) the maximum lot coverage is 33%;
- (C) parking spaces must be provided at the following minimum rates:
 - (i) 1.2 for each dwelling unit and used for resident parking; and
 - (ii) 0.2 for each dwelling unit and used for visitor parking; and
- (D) the maximum height of a building is 61 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 29, of Scarborough By-law 14402

(612) Exception RA 612

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is 9.0 metres;
- (B) the minimum setback from a side lot line or rear lot line is the distance equal to one half the height of the building;
- (C) the minimum separation between all above ground **main walls** of two **buildings** on the same **lot** is the distance equal to one half the cumulative total height of the two **buildings**.
- (D) parking spaces must be provided at the following minimum rate:
 - (i) 1.0 for each dwelling unit and used for below grade resident parking; and
 - (ii) 0.12 for each dwelling unit and used for surface visitor parking;
- (E) the minimum building setback from a lot line for a below grade parking structures is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (F) the maximum **building** height is the lesser of 14 .0 metres and 4 **storeys**;
- (G) a minimum of 50% of the lot area must be used for soft landscaping.

Prevailing By-laws and Prevailing Sections: (None Apply)

(613) Exception RA 613

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Sheppard Avenue, Neilson Road or Finch Avenue;
 - (ii) 12,0 metres if the lot line abuts Tapscott Road or Washburn Way; and
 - (iii) 9.0 metres in all other cases;
- (B) the minimum setback from a side lot line or rear lot line is the distance equal to one half the height of the building;
- (C) the minimum separation between all above ground **main walls** of two **buildings** on the same **lot** is the distance equal to one half the cumulative total height of the two **buildings**;
- (D) the maximum **lot coverage** is 15%;
- (E) parking spaces must be provided at the following minimum rate:
 - (i) 1.0 for each dwelling unit and used for below grade resident parking; and
 - (ii) 0.12 for each dwelling unit and used for surface visitor parking;
- (F) amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (G) a minimum of 45% of the lot areas must be used for soft landscaping;
- (H) the minimum building setback from a lot line for a below grade parking structures is a distance

equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(614) Exception RA 614

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 28%;
- (B) amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (C) a minimum of 33% of the lot area must be used for soft landscaping;
- (D) the minimum building setback from a lot line for a below grade parking structures is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line;
- (E) **parking spaces** must be provided at the following minimum rates:
 - (i) 1.1 for each dwelling unit and used for resident parking located in a building or structure;
 - (ii) 0.2 for each dwelling unit and used for surface visitor parking;

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 7, of Scarborough By-law 14402

(615) Exception RA 615

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) for an apartment building:
 - (i) amenity space must be provided at a minimum rate of 1.0 square metres for each dwelling unit; and
 - (ii) the maximum height of the **building** is the lesser of 16 **storeys** and 51 metres, for any part of the **building** more than 30 metres from a **lot line** abutting Markham Road; and
- (B) for a townhouse building:
 - (i) the minimum rear yard setback is 5.2 metres;
 - (ii) amenity space must be provided in a building at a minimum rate of 0.3 square metres for each townhouse unit:
 - (iii) the minimum building setback from the front lot line is 3.0 metres;
 - (iv) the minimum setback for the main wall containing vehicular access to a parking space is 5.6 metres; and
- (C) for a **building** containing non-residential uses:
 - (i) the maximum height is the lesser of 4 storeys and 14 metres;
 - (ii) the minimum setback from a **lot line** that abuts a **street** is 3.0 metres:
 - (iii) the maximum interior floor area used for an office use is 372 square metres; and
 - (iv) the maximum gross floor area of all retail stores, personal service shops and office uses must not be more than 1,858 square metres;
- (D) in addition to the uses permitted in the zone, **personal service shops**, **retail stores** and offices are also permitted.

Prevailing By-laws and Prevailing Sections: (None Apply)

(616) Exception RA 616

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum gross floor area of the building must not be more than 1.5 times the area of the lot;
- (B) the minimum setback from a front lot line is:
 - (i) 36.0 metres from the centreline of McCowan Road, measured from the original centreline of the road; and
 - (ii) 12.0 metres in all other cases; and
- (C) the minimum setback from a **side lot line** or **rear lot line** that does not abut a **street** is a distance equal to one half the height of the **building**;
- (D) the minimum separation between all above ground **main walls** of two **buildings** on the same **lot** is the distance equal to one half the cumulative total height of the two **buildings**.
- (E) the maximum lot coverage is 15%;
- (F) a minimum of 70% of the lot must be used for landscaping;
- (G) amenity space must be provided at a rate of 0.9 square metres for each dwelling unit;
- (H) **parking spaces** must be provided at the following minimum rate:
 - (i) 1.0 for each dwelling unit and used for below grade resident parking; and
 - (ii) 0.12 for each dwelling unit and used for surface visitor parking;
- (I) the minimum **building setback** from a **lot line** for a below grade parking **structures** is a distance equal to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (J) the maximum floor space index for a lot containing a dwelling unit in a Detached House, Semidetached House or Duplex is:
 - (i) the lesser of 0.6 and 204 square metres, if the lot area is less than 408 square metres;
 - (ii) the lesser of 0.5 and 279 square metres, if the lot area is 408 square metres to 697 square metres; and
 - (iii) 0.4 if the lot area is more than 697 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(617) Exception RA 617

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 3688.

(618) Exception RA 618

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 10 Humberline Drive, former City of Etobicoke by-law 1978-308.

(619) Exception RA 619

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum building setback from a rear lot line is 7.5 metres plus 50% of the lot depth in excess of 33.5 metres;

- (C) the maximum **building** height is 13.0 metres;
- (D) the maximum lot coverage is 36%; and
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.2 for each dwelling unit for tenant use; plus
 - (ii) 0.2 for each dwelling unit for visitor parking use only.

(620) Exception RA 620

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts St. Clair Avenue, McCowan Road, Brimley Road and Bellamy Road is 25.0 metres measured from the original centreline of the street;
- (B) the minimum **side yard building setback** from a **lot line** that does not abut a **street** is a distance equal to one half the height of the **building**;
- (C) The maximum height of a **building** is the lesser of 6 **storeys** and 20 metres;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) a minimum of 92.0 square metres of amenity space must be located on the first floor; and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit; and
- (G) a maximum of 30% of the dwelling units in the building may be two bedroom dwelling units.

Prevailing By-laws and Prevailing Sections: (None Apply)

(621) Exception RA 621

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a **lot line** that abuts Brimley Road is 7.5 metres;
- (B) the minimum building setback from a side lot line is:
 - (i) 6.0 metres if it is the Northerly side lot line; and
 - (ii) for any other side lot line a distance equal to one half the height of the building; and
- (C) the minimum building setback from a rear lot line is 3.0 metres;
- (D) the maximum height of a building is 22.5 metres;
- (E) **amenity space** located in the **residential building** must be provided at a minimum rate of 1.0 square metre for each **dwelling unit**;
- (F) parking space must be provided at the minimum rate of:
 - (i) 1.1 for each dwelling unit of which a minimum of 83% must be in an enclosed building; and
 - (ii) 0.19 for each dwelling unit and used at grade visitor parking only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(622) Exception RA 622

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the maximum height of a **building** is the actual height of the **building** as it existed on the date of the enactment of this By-law;
- (B) The minimum front yard setback is that which existed on the date of the enactment of this By-law;
- (C) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**; and
- (D) the maximum lot coverage is that which existed on the date of the enactment of this By-law.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 43, of Scarborough By-law 9396.

(623) Exception RA 623

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Eglinton Avenue is 25.0 metres, measured from the original centreline of the street;
- (B) the minimum side yard building setback from a lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) The maximum height of a **building** is the actual height of the **building** as it existed on the date of the enactment of this By-law;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units; and
- (E) a minimum of 92.0 square metres of amenity space must be located on the first floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(624) Exception RA 624

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **lot line** that abuts St. Clair Avenue, McCowan Road, and Bellamy Road is 31.0 metres measured from the original centreline of the **street**;
- (B) the minimum side yard building setback from a lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) the minimum **building setback** from a **side lot line** that abuts a **street** is 9.0 metres;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units; and
- (E) a minimum of 92.0 square metres of amenity space must be located on the first floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(625) Exception RA 625

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 43.0 metres measured from the original centre line of the **street**, if the **street** is St. Clair Avenue; and
 - (ii) 20.5 metres measured from the original centre line of the street, if the street is Brimley Road: and
- (B) the minimum side yard building setback from a lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) the minimum building setback from a rear lot line is 7.5 metres
- (D) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (E) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres; and
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 23 and 35, of Scarborough By-law 9396.

(626) Exception RA 626

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 25.0 metres, measured from the original centreline of the street, if the lot line abuts St. Clair Avenue, McCowan Road, Brimley Road and Bellamy Road; and
 - (ii) in all other cases 9.0 metres;
- (B) the minimum side yard building setback from a lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) The maximum height of a **building** is the lesser of 6 **storeys** and 20 metres;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) a minimum of 92.0 square metres of amenity space must be located on the first floor; and
- (F) parking space must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(627) Exception RA 627

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) despite land use permissions for this zone, only the following uses are permitted:
 - (i) a **nursing home** if it does not have more than 301 beds; and
 - (ii) a senior's apartment if it does not have more than 53 dwelling units; and
- (B) the minimum building setback from a lot line is:
 - (i) 1.8 metres if the lot line abuts Leisure Lane;
 - (ii) 26.0 metres from the southerly lot line; and
 - (iii) 3.0 metres in all other cases; and
- (C) the maximum height of a building or structure is the lesser of:
 - (i) 3 storeys or 11.0 metres for any part of the building or structure within 35.0 metres of a lot line abutting Midland Avenue;
 - (ii) 3 **storeys** or 11.0 metres for any part of the **building** or **structure** within 40.0 metres of the southerly **lot line**; and
 - (iii) 6 storeys or 20.0 metres in all other cases; and
- (D) the total maximum gross floor area of all buildings may not be more than 1.5 times the area of the lot; and
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 0.25 for each dwelling unit in a seniors apartment building; and
 - (ii) 0.25 for each bed in a nursing home.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 15, of Scarborough By-law 9364.

(628) Exception RA 628

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

- (A) the maximum lot coverage is 18.0%
- (B) the minimum building setback from a lot line that abuts a street is:
 - (i) 33.0 metres if the lot line abuts Kingston Road and measured from the original centre line of the street; and
 - (ii) 26.0 metres if the lot line abuts Midland Avenue and measured from the original centre line of the street; and

- (C) the minimum building setback from a lot line that does not abut a street is
 - (i) a distance equal to the greater of one half the height of the **building** and 15.0 metres if the **lot line** abuts a **lot** in a RD, RS or RT zone; and
 - (ii) in all other cases a distance equal to one half the height of the building; and
- (D) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50.
- (E) the maximum building height is the lesser of 17 storeys and 54 metres;
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit for use by resident and of which 84% must be located in a building below ground; and
 - (ii) 0.125 for each dwelling unit and used only for visitor parking; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 12 and 20, of Scarborough By-law 9364.

(629) Exception RA 629

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 33.0%;
- (B) the minimum setback from a lot line that abuts a street is 16.0 metres and measured from the original centreline of the road allowance;
- (C) the minimum building setback from a lot line that does not abut a road is a distance equal to one half the height of the building;
- (D) the maximum height of a building of structure is the lesser of 3 storeys and 11.0 metres; and
- (E) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(630) Exception RA 630

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 33.0%;
- (B) the minimum setback from a **lot line** that abuts a **street** is 16.0 metres and measured from the original centreline of the road allowance;
- (C) the minimum **building setback** from a **lot line** that does not abut a road is a distance equal to one half the height of the **building**; and
- (D) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(631) Exception RA 631

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 33.0%;
- (B) the minimum setback from a lot line that abuts a street is 16.0 metres and measured from the original centreline of the road allowance;
- (C) the minimum **building setback** from a **lot line** that does not abut a road is a distance equal to one half the height of the **building**;
- (D) the maximum height of a building of structure is the lesser of 4 storeys and 14.0 metres; and
- (E) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(633) Exception RA 633

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 33.0%;
- (B) the minimum setback from a lot line that abuts a street is 4.5 metres;
- (C) 1.8 metres is the minimum **building setback** from a **lot line** that abuts a **lot** in an RD zone;
- (D) the maximum height of a **building** of **structure** is the lesser of 3 **storeys** and 11.0 metres; and
- (E) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(634) Exception RA 634

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue or Markham Road; and
 - (ii) 9.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line or rear lot line, if it does not abut a road, is a distance equal to one half the height of the building;
- (C) the maximum Lot coverage is 33%;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(635) Exception RA 635

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum building setback from a rear lot line is 7.5 metres; and
- (C) the maximum Lot coverage is 33%;
- (D) amenity space must be provided at a minimum rate of 1.0 square metre for each dwelling unit; and
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.25 for each dwelling unit; and
 - (ii) 1.5 for each 100 square metres used for a Day Nursery

Prevailing By-laws and Prevailing Sections: (None Apply)

(636) Exception RA 636

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum building setback from a side lot line, if it does not abut a street, is 6.0 metres;
- (C) the minimum building setback from a rear lot line or rear lot line, if it does not abut a road, is 7.5 metres;
- (D) the maximum height of a building is 19.0 metres;

- (E) the maximum Lot coverage is 33%;
- (F) amenity space must be provided in the residential building at a minimum rate of 1.5 square metres for each dwelling unit; and
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 2.0 for each **dwelling unit**, of which one must be in a **building** and the second may be on a **driveway** in tandem with the first; plus
 - (ii) 0.2 for each dwelling unit and used only for visitor parking; and
- (H) the portion of a building located below ground and used for parking spaces is not subject to the minimum building setback requirements; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 38, of Scarborough By-law 10010.

(637) Exception RA 637

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a parking space may be located within 16.0 metres of a lot line that abuts Dunelm Street;
- (B) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit for resident use and located in a building; plus
 - (ii) 0.2 for each dwelling unit and used only for visitor parking; and
- (C) the maximum lot coverage is 33%;
- (D) For an **Apartment building** the following applies:
 - (i) the maximum number of **dwelling units** in an **apartment building** is not more than 1 **dwelling unit** for each 71 square metres of **lot area**;
 - (ii) the minimum building setback from a lot line that abuts a street is:
 - (a) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue or Markham Road; and
 - (b) 9.0 metres in all other cases; and
 - (iii) the minimum building setback from a side lot line or rear lot line that does not abut a street is a distance equal to one half the height of the building;
 - (iv) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
 - (v) A convenience commercial facility for the sale of foods and sundry household items is permitted, if it has an interior floor area not more than 0.35% of the gross floor area of the apartment building;
- (E) for a dwelling unit contained in a detached house, semi-detached house, duplex, triplex or fourplex the following applies:
 - (i) the maximum number of dwelling units must not be more than 1 for each 632 square metres of lot area:
 - (ii) the minimum building setback from a lot line that abuts a street is 3.0 metres;
 - (iii) the floor area of each dwelling unit is
 - (a) a minimum of 111 square metres;
 - (b) a maximum of 168 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(638) Exception RA 638

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue or Markham Road; and
 - (ii) 9.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) the minimum separation between any two or more **buildings** located on the same development **lot** is a distance equal to the one half of the combined total height of the two **buildings**;
- (D) the maximum lot coverage is 18%;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for tenant parking only; and
 - (ii) 0.125 for each dwelling unit and used for visitor parking only;
 - (iii) 70% of all parking spaces must be located in a below grade structure; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 12, of Scarborough By-law 10010

(639) Exception RA 639

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Kingston Road, Eglinton Avenue or Markham Road; and
 - (ii) 9.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 33%;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (E) a maximum of 50% of the Gross Floor Area of the ground floor may be used for dwelling units;and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(640) Exception RA 640

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Kingston Road, Eglinton Avenue or Markham Road; and
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 18%;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for tenant parking only; and

- (ii) 0.125 for each dwelling unit and used for visitor parking only; and
- (F) a minimum of 70% of all parking spaces must be located in a below grade structure; and
- (G) a maximum of 8 parking space may be located in the front yard.

(641) Exception RA 641

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) the minimum building setback from a rear lot line is 7.5 metres
- (C) the maximum lot coverage is 33%;
- (D) amenity space must be provided at a minimum rate of 1.0 square metres for each dwelling unit;
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for tenant parking only; and
 - (ii) 0.3 for each dwelling unit and used for visitor parking only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(642) Exception RA 642

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue or Markham Road; and
 - (ii) 12.0 metres in all other cases; and
- (B) the minimum **building setback** from a **side lot line** or **rear lot line** is a distance equal to one half the height of the **building**;
- (C) the maximum lot coverage is 33%;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (E) a maximum of 50% of the Gross Floor Area of the ground floor may be used for dwelling units;and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(643) Exception RA 643

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue or Markham Road; and
 - (ii) 12.0 metres in all other cases; and
- (B) the maximum setback from a side lot line or rear lot line that abuts a lot in a RD, RS or RT zone is a distance equal to the greater of:
 - (i) 15.0 metres; and
 - (ii) one half the height of the **building**;
- (C) the maximum lot coverage is 18%;
- (D) a wholly enclosed area in the residential building with a minimum interior floor area of 17.64

square metres must be provided and used only for the collection and storage of waste;

- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) the area used as **amenity space** is to:
 - (i) be located in the residential building;
 - (ii) have a minimum interior floor area of 46.0 square metres; and
 - (iii) have a maximum interior floor area of 93.0 square metres;
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for tenant parking only; and
 - (ii) 0.125 for each dwelling unit and used for visitor parking only;
- (H) a minimum of 66% of all parking spaces must be located in a below grade structure; and
- (I) storage lockers must be provided at a minimum rate of 1 for each dwelling unit.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 23, of Scarborough By-law 10010;

(644) Exception RA 644

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue or Markham Road; and
 - (ii) 12.0 metres in all other cases; and
- (B) the maximum setback from a side lot line or rear lot line that abuts a lot in a RD, RS or RT zone is a distance equal to the greater of:
 - (i) 15.0 metres; and
 - (ii) one half the height of the building;
- (C) the maximum lot coverage is 18%;
- (D) a wholly enclosed area in the **residential building** with a minimum **interior floor area** of 17.64 square metres must be provided and used only for the collection and storage of waste;
- (E) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (F) the area used as amenity space is to:
 - (i) be located in the **residential building**;
 - (ii) have a minimum interior floor area of 46.0 square metres; and
 - (iii) have a maximum interior floor area of 93.0 square metres;
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for tenant parking only; and
 - (ii) 0.125 for each **dwelling unit** and used for visitor parking only;
- (H) a minimum of 78% of all parking spaces must be located in a below grade structure; and
- (I) storage lockers must be provided at a minimum rate of 1 for each dwelling unit.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 9, of Scarborough By-law 10010;

(645) Exception RA 645

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 18.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Kingston Road; and
 - (ii) 12.0 metres in all other cases; and
- (B) the minimum **building setback** from a **side lot line** or **rear lot line** is a distance equal to one half the height of the **building**;
- (C) the maximum lot coverage is 30%;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (E) the area used as amenity space is to:
 - (i) be located in the residential building;
 - (ii) have a minimum interior floor area of 46.0 square metres; and
 - (iii) have a maximum interior floor area of 93.0 square metres;
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for tenant parking only; and
 - (ii) 0.125 for each **dwelling unit** and used for visitor parking only;
- (G) a minimum of 78% of all parking spaces must be located in a below grade structure.

(646) Exception RA 646

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) if a **building** is not more than 91 metres from the **lot line** abutting Markham Road then:
 - (i) it may contain a maximum of 279 square metres used for one or more of:
 - (a) Personal service shop;
 - (b) Financial institution;
 - (c) Take-out eating establishment; and
 - (d) drug store; and
 - (ii) a Day Nursery is permitted if it does not occupy more than 837 square metres;
 - (iii) a recreational centre is permitted if it does not occupy more than 930 square metres;
- (B) the minimum **building setback** from a **lot line** that abuts a **street** is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Ellesmere Road, Lawrence Avenue or Markham Road; and
 - (ii) 12.0 metres in all other cases; and
- (C) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**:
- (D) the minimum building setback from a rear lot line is 13.5 metres;
- (E) the maximum lot coverage is 18%;
- (F) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50, but in no case is the total amenity space to be less than 198 square metres;
- (G) the part of a **building** used for below grade parking must be set back from a **lot line** that abuts a **street** is a distance equal to one half the vertical distance from the surface of the lowest floor to surface grade at the **lot line** abutting the **street**;
- (H) parking space must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit for resident use; and
 - (ii) 0.125 for each dwelling unit and used for visitor parking space only; and

(I) 75% of all parking spaces must be located at or above grade.

Prevailing By-laws and Prevailing Sections: (None Apply)

(647) Exception RA 647

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Ellesmere Road, Lawrence Avenue or Markham Road is 36.0 metres, measured from the original centreline of the street;
- (B) the minimum building setback from a side lot line is a distance equal to one half the height of the building;
- (C) the minimum building setback from a rear lot line is 13.5 metres;
- (D) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (E) the maximum lot coverage is 18%;
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each **dwelling unit** for resident use; and
 - (ii) 0.125 for each dwelling unit and used for visitor parking space only; and
- (G) 75% of all parking spaces must be located at or above grade.

Prevailing By-laws and Prevailing Sections: (None Apply)

(648) Exception RA 648

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the lands may be developed in compliance with the regulations of (B) or (C) below, but not both;
- (B) for an apartment building:
 - (i) a minimum of 67 square metres of lot area is required of each dwelling unit;
 - (ii) the minimum building setback from a front lot line is 18.0 metres;
 - (iii) the minimum building setback from a side lot line that abuts a street is 12.0 metres;
 - (iv) the minimum building setback from a side lot line that does not abut a street is a distance equal to one half the height of the building;
 - (v) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units:
 - (vi) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
 - (vii) the minimum building setback from a rear lot line is 7.5 metres;
 - (viii) the maximum lot coverage is 33%; and
 - (ix) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.
- (C) for residential buildings other than an apartment building:
 - (i) a minimum of 199.0 square metres of lot area is required for each dwelling unit;
 - (ii) the minimum building setback from a front lot line is 12.0 metres; and
 - (iii) the minimum building setback from a side lot line that abuts a street is 9.0 metres;
 - (iv) the minimum building setback from a side lot line that does not abut a street is 2.4 metres.
 - (v) the minimum **building setback** from a **rear lot line** is 7.5 metres;
 - (vi) the maximum lot coverage is 33%;
 - (vii) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
 - (viii) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50.

(649) Exception RA 649

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the lands may be developed in compliance with the regulations of (B) or (C) but not both;
- (B) for an apartment building:
 - (i) a minimum of 63 square metres of lot area is required of each dwelling unit;
 - (ii) the minimum building setback from a front lot line is 18.0 metres;
 - (iii) the minimum building setback from a side lot line that abuts a street is 12.0 metres;
 - (iv) the minimum building setback from a side lot line that does not abut a street is a distance equal to one half the height of the building;
 - (v) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
 - (vi) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
 - (vii) the **lot** is to contain an outdoor children's play area with minimum area of 158 square metres;
 - (viii) the minimum building setback from a rear lot line is 7.5 metres;
 - (ix) the maximum lot coverage is 33%; and
 - (x) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.
- (C) for residential buildings other than an apartment building:
 - (i) a minimum of 199.0 square metres of lot area is required for each dwelling unit;
 - (ii) the minimum building setback from a front lot line is 12.0 metres;
 - (iii) the minimum building setback from a side lot line that abuts a street is 9.0 metres;
 - (iv) the minimum building setback from a side lot line that does not abut a street is 2.4 metres.
 - (v) the minimum building setback from a rear lot line is 7.5 metres;
 - (vi) the maximum lot coverage is 33%;
 - (vii) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit; and
 - (viii) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50.

Prevailing By-laws and Prevailing Sections: (None Apply)

(650) Exception RA 650

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts at street is
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Ellesmere Road, Lawrence Avenue or Markham Road; and
 - (ii) 12.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) the minimum building setback from a rear lot line is 13.5 metres;
- (D) the maximum lot coverage is 33%;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(651) Exception RA 651

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Ellesmere Road, Lawrence Avenue or Markham Road; and
 - (ii) 25.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Scarborough Golf Club Road, Bellamy Road or Orton Park Road; and
- (B) the minimum building setback from a side lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) the maximum lot coverage is 33%;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(652) Exception RA 652

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Ellesmere Road, Lawrence Avenue or Markham Road;
 - (ii) 9.0 metres in all other cases:
- (B) the minimum building setback from a side lot line is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 33%;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(653) Exception RA 653

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Ellesmere Road, Lawrence Avenue or Markham Road;
 - (ii) 9.0 metres in all other cases;
- (B) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**;
- (C) the maximum lot coverage is 33%;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(654) Exception RA 654

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Ellesmere Road, Lawrence Avenue or Markham Road;
 - (ii) 9.0 metres in all other cases;
- (B) the minimum building setback from a side lot line is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 33%;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(655) Exception RA 655

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) despite regulations to the contrary, a **Nursing Home** or **Retirement Home** is not permitted;
- (B) 3.0 metres is the minimum **building setback** from a **lot line** that abuts Confederation Drive:
- (C) the maximum lot coverage is 33%;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) indoor recreational space must be provided at a minimum rate of 3 square metres for each dwelling unit;
- (G) a minimum of 148 parking spaces must be provided; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 66, of Scarborough By-law 9510

(656) Exception RA 656

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) despite regulations to the contrary, a Nursing Home and Retirement Home is not permitted;
- (B) The following uses are permitted if the collective total **gross floor area** of these use is not more than 800 square metres:
 - (i) Office,
 - (ii) financial institution,
 - (iii) Optical Stores,
 - (iv) Florist,
 - (v) Pharmacy,
 - (vi) Card and Gift Shops and
 - (vii) Computer/Office Supply Stores
- (C) the minimum building setback from a lot line that abuts a street is:
 - (i) 3.0 metres if the lot line abuts Confederation Drive;

- (ii) 60.0 metres if the lot line abuts Stevenwood Road;
- (D) the maximum lot coverage is 33%;
- (E) the maximum height of a **building** is the lesser of:
 - (i) 9.0 metres; and
 - (ii) 30 metres, measured from the lowest point at the **street** line of Markham Road located 120 metres north of the **lot line** on Stevenwood Road to the highest point of the **building** excluding mechanical equipment room; and
- (F) indoor recreational space must be provided at a minimum rate of 3 square metres for each dwelling unit;
- (G) amenity space must be located in the residential building;
- (H) parking spaces must be provided at a minimum rate of:
 - (i) 1.2 for each **dwelling unit** and used for resident parking; and
 - (ii) 0.2 for each dwelling unit and used for visitor parking only;
- (I) **parking spaces** for a **day nursery** must be provided at a minimum rate of 3.0 for each 100 square metres used for a **day nursery**;

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 66, of Scarborough By-law 9510

(657) Exception RA 657

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections

Site Specific Provisions:

- (A) the number of dwelling units on this site must not be more than 120 and not less than 100; and
- (B) 3.0 metres is the minimum building setback from a lot line that abuts a street;
- (C) 7.5 metres is the minimum setback from a lot line that does not abut a street;
- (D) the maximum height of a **building** is the lesser of 5 **storeys** and 17.0 metres;
- (E) the maximum lot coverage is 33%;
- (F) amenity space must be provided at a minimum rate of 1.0 square metres for each dwelling unit;
- (G) amenity space must be located in the residential building;
- (H) parking spaces must be provided at a minimum rate of:
 - (i) 1.3 for each dwelling unit and used for resident parking; and
 - (ii) 0.3 for each dwelling unit and used for visitor parking only;
- (I) **parking spaces** for a **day nursery** must be provided at a minimum rate of 3.0 for each 100 square metres used for a **day nursery**;
- (J) despite regulations to the contrary, a Recreation Centre and a Day nursery are also permitted uses;
- (K) a retail store is permitted if total gross floor area occupied by it is not more than 25.0 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(658) Exception RA 658

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street is the minimum building setback from a lot line that abuts Ellesmere Road, Lawrence Avenue or Markham Road;
 - (ii) 18.0 metres in all other cases;
- (B) the minimum building setback from a side lot line that does not abut a street is a distance equal

to one half the height of the building;

- (C) the minimum building setback from a rear lot line that does not abut a street is 13.5 metres;
- (D) a maximum of 50% of the gross floor area of the first floor may be used for dwelling units;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) the maximum height of a **building** is the lesser of 12 **storeys** and 38.0 metres;
- (G) the maximum lot coverage is 55%;
- (H) parking space must be provided at a minimum rate of:
 - (i) 1.0 for each **dwelling unit** and used for resident parking;
 - (ii) 0.125 for each dwelling unit and used for visitor parking only;
- (I) a minimum of 50% of the resident **parking spaces** required in H(i) must be located at or above grade; and
- (J) despite regulation to the contrary, the following retail uses are also permitted if the total **interior floor area** of these uses is not more than 139 square metres:
 - (i) a pharmacy;
 - (ii) a take-out eating establishment, if the food is not prepared on site.

Prevailing By-laws and Prevailing Sections: (None Apply)

(659) Exception RA 659

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street** if the **lot line** abuts Ellesmere Road, Lawrence Avenue or Markham Road
 - (ii) 18.0 metres in all other cases;
- (B) the minimum building setback from a side lot line or rear lot line that does not abut a street is the greater of:
 - (i) 15.0 metres; and
 - (ii) a distance equal to one half the height of the building;
- (C) the minimum separation distance between the above ground, **main walls** of two **residential buildings** on the same **lot**, is a distance equal to one half the total height of the two **buildings**;
- (D) the maximum lot coverage is 18%;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking;
 - (ii) 0.125 for each **dwelling unit** and used for visitor parking;
- (G) a minimum of 75% of the parking spaces required must be located at or above grade.

Prevailing By-laws and Prevailing Sections: (None Apply)

(660) Exception RA 660

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum number of **dwelling units** permitted is:
 - (i) if located in an apartment building, 1 for each 80.0 square metres of lot area; and
 - (ii) if located in a detached house, semi-detached house or townhouse, 1 for each 199 square metres of lot area; and

- (B) 36.0 metres, measured from the original centreline of the **street**, is the minimum **building setback** from a **lot line** that abuts Ellesmere Road, Lawrence Avenue or Markham Road;
- (C) the minimum building setback from a side lot line is a distance equal to one half the height of the building;
- (D) for an **apartment building** a maximum of 50% of the **gross floor area** of the **first floor** may be used for **dwelling units**;
- (E) the maximum lot coverage is 33%; and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

(661) Exception RA 661

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of **dwelling units** permitted is:
 - (i) if located in an apartment building, 1 for each 80.0 square metres of lot area; and
 - (ii) if located in a detached house, semi-detached house or townhouse, 1 for each 199 square metres of lot area; and
- (B) 36.0 metres, measured from the original centreline of the street, is the minimum building setback from a lot line that abuts Ellesmere Road, Lawrence Avenue or Markham Road;
- (C) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**;
- (D) for an **apartment building** a maximum of 50% of the **gross floor area** of the **first floor** may be used for **dwelling units**;
- (E) the maximum lot coverage is 33%; and
- (F) for an apartment building amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50; and
- (G) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(662) Exception RA 662

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Ellesmere Road. Lawrence Avenue or Markham Road: and
 - (ii) 25.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Bellamy Road, Scarborough Golf Club Road, Orton Park Road;
- (B) the minimum building setback from a side lot line is a distance equal to one half the height of the building;
- (C) for an **apartment building** a maximum of 50% of the **gross floor area** of the **first floor** may be used for **dwelling units**;
- (D) for an apartment building amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50; and
- (E) the maximum lot coverage is 33%; and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(663) Exception RA 663

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions,

Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) 36.0 metres, measured from the original centreline of the street, is the minimum building setback from a lot line that abuts Ellesmere Road, Lawrence Avenue or Markham Road;
- (B) the minimum **building setback** from a **side lot line** that does not abut a **street** is a distance equal to one half the height of the **building**;
- (C) the minimum building setback from a rear lot line that does not abut a street is 13.5 metres;
- (D) a **building** or **structure** must be set back a minimum of 10.0 metres from a stable top-of-bank line;
- (E) for an apartment building amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50; and
- (F) the maximum height of a **building** is the lesser of 11 **storeys** and 35.0 metres;
- (G) the maximum lot coverage is 15%; and
- (H) the part of a **building** used for below grade parking must be set back from a **lot line** that abuts a **street** a distance equal to one half the vertical distance from the surface of the lowest floor to surface grade at the **lot line** abutting the **street**;
- (I) **parking spaces** must be provided at the minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking; and
 - (ii) 0.125 for each dwelling unit and used for visitor parking; and
- (J) a minimum of 66% of all parking spaces must be located under ground;
- (K) a minimum of 70% of the **lot area** must be **landscaped** and of that **landscaped** area a minimum of 50% must be **soft landscaping**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(664) Exception RA 664

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 19.0 metres measured from the original centreline of the street;
- (B) the minimum building setback from a side lot line or rear lot line, that does not abut a street is a distance equal to one half the height of the building;
- (C) the minimum separation between the above ground **main walls** of two or more **buildings** on the same **lot** is a distance equal to one half of the combined height of the two **buildings**;
- (D) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (E) a minimum of 50% of the parking spaces must be located in a building;
- (F) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;and
- (G) if developed as dwelling units in an apartment building the following shall apply:
 - (i) the maximum number of dwelling units must not exceed 1 for each 67 square metres of lot area:
 - (ii) the maximum lot coverage is 18%;
- (H) if developed with **dwelling units** in other than an **apartment building** the following shall apply:
 - (i) the maximum number of dwelling units must not exceed 1 for each 199 square metres of lot area;
 - (ii) the maximum lot coverage is 40%.

Prevailing By-laws and Prevailing Sections: (None Apply)

(665) Exception RA 665

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 12.0 metres if the lot line abuts Neilson Road, measured from the original centreline of the street;
 - (ii) 9.0 metres if the lot line abuts any other street;
- (B) the maximum height of a **building** is the lesser of 15 **storeys** and 47 metres;
- (C) the maximum lot coverage is 18%;
- (D) the minimum **building setback** from a **lot line** for a below grade parking **structure** is equivalent to the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equal to the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**;
- (E) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit for resident use; and
 - (ii) 0.12 for each dwelling unit for to be located at grade for visitor parking only;
- (F) a minimum of 67% of all parking spaces must be located under ground;
- (G) a recreation centre must be provided in a detached house having a maximum gross floor area of 744 square metres.

(666) Exception RA 666

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum set back from a lot line that abuts a street is:
 - (i) 25.0 metres if the lot line abuts Neilson Road, measured from the original centreline of the street:
 - (ii) 18.0 metres if the lot line abuts Ellesmere Road, measured from the original centreline of the street;
 - (iii) 12.0 metres if the lot line abuts any other street;
- (B) the minimum building setback from a side lot line or rear lot line that does not abut a street is a distance equal to one half the height of the building;
- (C) the minimum separation between the above ground **main wall** of two **buildings** on the same **lot** is a distance equal to one half the total height of the two **buildings**;
- (D) the maximum lot coverage is 18%;
- (E) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;and
- (F) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (G) a minimum of 50% of the parking spaces must be located in a building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(667) Exception RA 667

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum building setback from a lot line that abuts a street that which existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a side lot line that does not abut a street is a distance equal to the distance the building is set back from a side lot line on the date of the enactment of this By-law;

- (D) the minimum building setback from a rear lot line that does not abut a street is a distance equal to the distance the building is set back from a rear lot line on the date of the enactment of this By-law;
- (E) the maximum lot coverage is 40%;
- (F) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit for resident use; and
 - (ii) 0.125 each dwelling unit for to be located at grade for visitor parking only; and
- (H) a minimum of 67% of all parking spaces must be located under ground; and
- (I) in addition to the uses permitted in a RA zone, the following uses are also permitted:
 - (i) Nursing Home;
 - (ii) Medical Office;
 - (iii) Day Nursery;
 - (iv) Drug Store; and
 - (v) Nurses, Doctor and Medical Student Residences.

Prevailing By-laws and Prevailing Sections:

(A) On the lands municipally known as 80 Mornelle Court, Schedule "C" Exception 28, of Scarborough By-law 11883 applies.

(668) Exception RA 668

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum **building setback** from a **lot line** that abuts a **street** is that which existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a side lot line that does not abut a street is a distance equal to the distance the building is set back from a side lot line on the date of the enactment of this By-law;
- (D) the minimum building setback from a rear lot line that does not abut a street is a distance equal to the distance the building is set back from a rear lot line on the date of the enactment of this By-law;
- (E) the maximum lot coverage is 31.1%;
- (F) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit for resident use; and
 - (ii) 0.125 each dwelling unit for to be located at grade for visitor parking only; and
- (G) a minimum of 67% of all **parking spaces** must be located under ground.

Prevailing By-laws and Prevailing Sections: (None Apply)

(669) Exception RA 669

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum **building setback** from a **lot line** that abuts a **street** is that which existed on the date of the enactment of this By-law;
- (C) the minimum **building setback** from a **side lot line** that does not abut a **street** is a distance equal to the distance the **building** is set back from a **side lot line** on the date of the enactment of this

By-law;

- (D) the minimum building setback from a rear lot line that does not abut a street is a distance equal to the distance the building is set back from a rear lot line on the date of the enactment of this By-law;
- (E) the maximum lot coverage is 40%;
- (F) a below grade parking structure must be set back from a lot line that abuts a road a minimum of 3.0 metres:
- (G) amenity space must be provided at a minimum rate of 1.0 square metres for each dwelling unit;
- (H) parking spaces must be provided at a minimum rate of:
 - (i) 1.0 for each dwelling unit and used for resident parking; and
 - (ii) 0.3 for each dwelling unit and used for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(670) Exception RA 670

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum height is the height of the **building** that existed on the date of the enactment of this By-law;
- (B) the minimum building setback from a lot line that abuts a street is that which existed on the date of the enactment of this By-law;
- (C) the minimum building setback from a side lot line that does not abut a street is a distance equal to the distance the building is set back from a side lot line on the date of the enactment of this By-law;
- (D) the minimum building setback from a rear lot line that does not abut a street is a distance equal to the distance the building is set back from a rear lot line on the date of the enactment of this By-law;
- (E) the maximum **lot coverage** is 40%;
- (F) amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50; and
- (G) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit for resident use; and
 - (ii) 0.125 each dwelling unit for to be located at grade for visitor parking only; and
- (H) a minimum of 67% of all parking spaces must be located under ground.

Prevailing By-laws and Prevailing Sections: (None Apply)

(671) Exception RA 671

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 12.0 metres if the lot line abuts Manse Road; and
 - (ii) 9.0 metres if the lot line abuts Wildlark Drive; and
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) the minimum separation between the above ground portions of the main walls of two buildings on the same lot is a distance equal to one half of the combined total height of the two buildings;
- (D) the portion of a below grade **structure** used for **parking spaces** must be set back from a **lot line** that abuts a road a distance equal to the distance between the finished elevation of the lowest floor and the elevation of the ground at the **lot line** abutting the **street**;
- (E) the maximum **lot coverage** is 40%;
- (F) the maximum height of a **building** is the lesser of 4 **storeys** and 14.0 metres;

- (G) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (H) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres;
- (I) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit for resident use; and
 - (ii) 0.125 each **dwelling unit** for to be located at grade for visitor parking only;
- (J) a minimum of 67% of all parking spaces must be located under ground.

(672) Exception RA 672

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Lawrence Avenue; and
 - (ii) 12.0 metres if the lot line abuts Galloway Road; and
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street;
- (D) the maximum lot coverage is 15%;
- (E) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (F) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres;
- (G) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (H) a minimum of 67% of all parking spaces must be located under ground;
- (I) a minimum of 33% of the parking space must be for visitor parking; and
- (J) despite the uses permitted on this lot, if a minimum of 3.22 parking space for each 100 square metres of commercial interior floor area and the total interior floor area used for commercial is not more than 233 square metres, then the following uses are also permitted:
 - (i) Barber Shop, Beauty Salon;
 - (ii) Dry Cleaning/Laundry pick-up; and
 - (iii) Retail Store, limited to the sale of food and non-alcoholic beverages prepared off the premises.

Prevailing By-laws and Prevailing Sections: (None Apply)

(673) Exception RA 673

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts Lawrence Avenue is 36.0 metres, measured from the original centreline of the street;
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the interior floor area of the first floor may be used for dwelling units;
- (D) the maximum height of the **building** is the lesser of 6 **storeys** and 20 metres;

- (E) the maximum lot coverage is equal to the percentage of the lot covered by buildings on the date of the enactment of this By-law;
- (F) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (G) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 34 and 16, of Scarborough By-law 10327

(674) Exception RA 674

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 7.5 metres if the **lot line** abuts Brimley Road;
 - (ii) 3.0 metres in all other cases; and
- (B) the minimum setback from a rear lot line for all buildings and structures including swimming pools is 10.0 metres;
- (C) the maximum height of the **building** is the lesser of 5 **storeys** and 17 metres;
- (D) the maximum lot coverage is equal to the percentage of the lot covered by buildings on the date of the enactment of this By-law;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 82, of Scarborough By-law 10327.

(675) Exception RA 675

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the street, if the lot line abuts Lawrence Avenue; and
 - (ii) 12.0 metres if the lot line abuts Galloway Road; and
- (B) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street;
- (C) the maximum lot coverage is 15%;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (E) **amenity space** must be located in a **building** and each room used for **amenity space** has a minimum **interior floor area** of 46.0 square metres and a maximum **interior floor area** of 93.0 square metres;
- (F) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (G) a minimum of 67% of all parking spaces must be located under ground;
- (H) a minimum of 33% of the parking space must be for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(676) Exception RA 676

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive is 22.0 metres measured from the original centreline of the street:
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) a maximum of 50% of the interior floor area of the first floor may be used for dwelling units;
- (D) the maximum **building** height is equal to the height of the **building** existing on the **lot** on the date of enactment of this By-law;
- (E) the maximum lot coverage is equal to the percentage of the lot covered by buildings on the date of the enactment of this By-law;
- (F) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (G) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres.

(677) Exception RA 677

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive; and
 - (ii) 18.0 metres if the lot line abuts Kingston Road; and
- (B) the minimum building setback from a side lot line or rear lot line is the greater of:
 - (i) a distance equal to one half the height of the building; and
 - (ii) 15 metres where the lot line also abuts a lot in a RD or RS zone;
- (C) the minimum separation between the above ground portions of the main walls of two buildings on the same lot is a distance equal to one half of the combined total height of the two buildings;
- (D) the maximum lot coverage is 15%;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) **amenity space** must be located in a **building** and each room used for **amenity space** has a minimum **interior floor area** of 46.0 square metres and a maximum **interior floor area** of 93.0 square metres;
- (G) a maximum of 50% of the interior floor area of the first floor may be used for dwelling units;
- (H) a minimum 7.5 metre wide strip of land along the entire length of the part of a lot line that abuts a lot in a RD or RS zone must be used for soft landscaping;
- (I) an area of the **lot** equal to a minimum of 45% of the **gross floor area** of all **buildings** on the **lot** must be used for **soft landscaping**;
- (J) despite the uses permitted on this lot, a place of worship is also permitted if it does not cover more than 50% of the area of the lot.

Prevailing By-laws and Prevailing Sections: (None Apply)

(678) Exception RA 678

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum setback for a building that abuts a street is:
 - (i) 36.0 metres if the lot line abuts Lawrence Avenue, measured from the original centreline of the street;

- (ii) 31.0 metres if the lot line abuts Morningside Avenue, measured from the original centreline of the street; and
- (iii) 9.0 metres from any other street; and
- (B) the minimum building setback from a side lot line or rear lot line is a distance equal to one half the height of the building;
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street;
- (D) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (E) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres;
- (F) an area of the **lot** equal to a minimum of 45% of the **gross floor area** of all **buildings** on the **lot** must be used for **soft landscaping**;
- (G) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (H) a minimum of 67% of all parking spaces must be located under ground; and
- (I) a minimum of 33% of the **parking space** must be for visitor parking.

(679) Exception RA 679

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 25.0 metres, measured from the original centreline of the street, if the lot line abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive;
- (B) the minimum **building setback** from a **side lot line** and **rear lot line** that does not abut **street**, is a distance equal to one half the height of the **building**; and
- (C) the maximum building height is equal to the height of the building existing on the lot on the date of enactment of this By-law;
- (D) the maximum lot coverage is 18%;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres;
- (G) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (H) a minimum of 67% of all parking spaces must be located under ground; and
- (I) a minimum of 11% of the **parking space** must be for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(680) Exception RA 680

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 31.0 metres, measured from the original centreline of the street, if the lot line abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive;
- (B) the minimum building setback from a side lot line that abuts a street is 3.0 metres;
- (C) the minimum **building setback** from a **side lot line** and **rear lot line** that does not abut **street**, is a distance equal to one half the height of the **building**;
- (D) a maximum of 50% of the **interior floor area** of the **first floor** may be used for **dwelling units**;

- (E) the maximum **building** height is equal to the height of the **building** existing on the **lot** on the date of enactment of this By-law;
- (F) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (G) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres; and
- (H) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit.

(681) Exception RA 681

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 31.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive; and
 - (ii) 9.0 metres from any other street; and
- (B) the minimum **building setback** from a **side lot line** and **rear lot line** that does not abut **street**, is a distance equal to one half the height of the **building**;
- (C) the maximum building height is equal to the height of the building existing on the lot on the date of enactment of this By-law;
- (D) a maximum of 50% of the interior floor area of the first floor may be used for dwelling units;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) amenity space must be located in a building and each room used for amenity space has a minimum interior floor area of 46.0 square metres and a maximum interior floor area of 93.0 square metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(682) Exception RA 682

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the centreline of Kingston Road;
 - (ii) 22.0 metres, measured from the centreline of Galloway Road; and
 - (iii) 9.0 metres from Poplar Road; and
- (B) for the part of the lot containing and required for an apartment building the following shall apply:
 - (i) the maximum number of **dwelling unit** may not be more than 1 for each 57 square metres used for an **apartment building**;
 - (ii) the minimum **building setback** from a **side lot line** and **rear lot line** that does not abut **street**, is a distance equal to one half the height of the **building**;
 - (iii) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street;
 - (iv) the maximum building height is the lesser of 18 storeys and 56 metres;
 - (v) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
 - (vi) a minimum of 67% of all parking spaces must be located under ground;
 - (vii) a minimum of 11% of the parking space must be for visitor parking;
 - (viii) a day nursery is permitted if it has an interior floor area not more than 509 square metres;

- (ix) auditorium, adult games room, sauna baths, swimming pool, washrooms, kitchen and storage are permitted if the **interior floor area** is not more than 919 square metres; and
- (x) the minimum **building setback** from the southerly **lot line** is:
 - (a) 36.0 metres if the **building** is more than 3 **storeys**; and
 - (b) 18.0 metres if the building is 3 storeys or less; and
- (C) for the part of the **lot** containing and required for a **townhouse building** the following shall apply:
 - (i) a maximum of 70 dwelling units may be in to be located only in townhouse buildings;
 - (ii) the minimum building setback from a side lot line or rear lot line, that does not abuts a street, is 6.0 metres;
 - (iii) maximum height of a townhouse building is the lesser of 3 storeys and 10.0 metres;
 - (iv) the maximum lot coverage must not be more than an amount equal to 57 square metres for each dwelling unit;
 - (v) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit;
 - (vi) a minimum of 75% of all parking spaces must be located under ground or in a building;and
 - (vii) a minimum of 20% of the parking space must be for visitor parking.

(683) Exception RA 683

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 22.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Galloway Road, Morningside Avenue, Manse Road and Beechgrove Drive;
 - (ii) 18.0 metres, if the lot line abuts Kingston Road; and
 - (iii) 9.0 metres if the lot line abuts any other street;
- (B) the minimum building setback from a side lot line and rear lot line that does not abut a street, is a distance equal to one half the height of the building;
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a road a distance equal to the greater of:
 - (i) 3.0 metres; and
 - (ii) the distance between the finished elevation of the lowest floor and the elevation of the ground at the lot line abutting the street;
- (D) the maximum lot coverage is 30%;
- (E) **amenity space** must be provided at a minimum rate of 46.0 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (G) a minimum of 67% of all parking spaces must be located under ground;
- (H) a minimum of 33% of the parking space must be for visitor parking.

Prevailing By-laws and Prevailing Sections: (None Apply)

(684) Exception RA 684

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is the greater of 3.0 metres and:
 - (i) 16.5 metres, measured from the centre line of the original road allowance, if the lot line abuts Galloway Road;
 - (ii) 21.0 metres, measured from the centre line of the street, if the lot line abuts Kingston

Road: and

- (B) the minimum ground floor area for a one-storey building is be 102 square metres per dwelling unit; and for a more than one-storey building, the minimum ground floor area is 51 square metres per dwelling unit.
- (C) the portion of a below grade structure used for parking spaces must be set back from a lot line that abuts a street a minimum of 3.0 metres;
- (D) amenity space must be provided at a minimum rate of 1.0 square metres for each dwelling unit;
- (E) parking spaces for resident use must be provided at a minimum rate of 1.0 for each dwelling unit:
- (F) parking spaces for visitor use must be provided at a minimum rate of 0.3 for each dwelling unit;
- (G) a parking space may be located in a yard that abuts a street if it is not located in the area of the required building setback.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 70, of Scarborough By-law 10327

(685) Exception RA 685

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On 2346 and 2352 Weston Road, Section 16(255) of the former City of York Zoning By-law 1-83

(686) Exception RA 686

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On these lands former City of North York by-law 32985.

(687) Exception RA 687

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum setback from a **lot line** that abuts Brimley Road is 12.0 metres;
- (B) the minimum **building setback** from a **side lot line** or **rear lot line** is a distance equal to one half the height of the **building**.
- (C) the minimum separation between the above ground **main wall** of two **building** is the distance equal to one half to combined total height of the two **buildings**.
- (D) the maximum lot coverage is 20%;
- (E) amenity space must be provided at a minimum rate of 46 square metres plus 0.9 square metres for each dwelling unit in excess of fifty (50). If the total amount of amenity space required for all dwelling units exceeds 93 square metres, then the required amenity space must be provided in two or more rooms, with each room having an interior floor area of not less than 46 square metres and not more than 93 square metres;
- (F) the minimum lot area to be used for landscaping, is an area equal to 45% of the gross floor area of all buildings, minus the gross floor area of the free-standing recreation building and enclosed public malls used for walkway purposes;
- (G) below grade **structures** are permitted in all required yards if it is not closer to a **lot line** that abuts a **street** than the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and

- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit; and
- (I) of the **parking spaces** required a minimum of 65% must be located in a **building** or **structure** below grade.

(688) Exception RA 688

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback is:
 - (i) 6.0 metres if a **building** has a maximum height the lesser of 10.5 metres and 3 **storeys**; and
 - (ii) 14.0 metres if a **building** has a maximum height more than 10.5 metres and 3 **storeys**;
- (B) the minimum setback from a lot line that abuts a lot in a RD, RS, RT or RM zone is:
 - (i) 35.0 metres if the **building** has a maximum height the lesser of 10.5 metres and 3 **storeys**;
 - (ii) 45.0 metres if a **building** has a maximum height more than 10.5 metres and 3 **storeys**;
- (C) despite (B(i)) a gatehouse is permitted;
- (D) a maximum of 14 dwelling units may be located in a building with 3 storeys or less;
- (E) a balcony, porch or canopy may encroach into a required **building setback** between the **main wall** of the **building** and a **lot line** abutting a **street**, if the balcony, porch or canopy does not have a length of more than 4.0 metres along the **main wall** of the **building**.
- (F) a below grade **structure** must be set back a minimum of 3.0 metres from a **lot line** that abuts a **street** unless the **lot line** abuts Exchequer Place for which no setback is required; and
- (G) amenity space must be provided at a minimum rate of 3.0 square metres for each dwelling unit.
- (H) parking spaces must be provided at a minimum rate of 1.4 for each dwelling unit, of which 1.0 for each dwelling unit must be for resident use and 0.2 for each dwelling unit must be for at grade visitor parking only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(689) Exception RA 689

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **building setback** from a **lot line** that abuts a **street** is 18.0 metres if the **lot line** abuts Finch Avenue or McCowan Road:
- (B) the minimum **building setback** from a **side lot line** or **rear lot line** is a distance equal to one half the height of the **building**;
- (C) the minimum separation between the above ground main wall of two building is the distance equal to one half to combined total height of the two buildings;
- (D) the maximum lot coverage is 15%;
- (E) amenity space must be provided at a minimum rate of 46 square metres plus 0.9 square metres for each dwelling unit in excess of fifty (50). If the total amount of amenity space required for all dwelling units exceeds 93 square metres, then the required amenity space must be provided in two or more rooms, with each room having an interior floor area of not less than 46 square metres and not more than 93 square metres;
- (F) the minimum lot area to be used for landscaping, is an area equal to 45% of the gross floor area of all buildings, minus the gross floor area of the free-standing recreation building and enclosed public malls used for walkway purposes;
- (G) below grade **structures** are permitted in all required yards if it is not closer to a **lot line** that abuts a **street** than the greater of:
 - (i) 3.0 metres; and

- (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit; and
- (I) of the parking spaces required a minimum of:
 - (i) 65% must be located in a building; and
 - (ii) 11% of all parking spaces must be for visitor use only.

(690) Exception RA 690

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) is 25 metres, measured from the original centerline of the **street**, if the **lot line** abuts Warden Avenue; and
 - (ii) 6.0 metres from all other streets; and
- (B) The minimum building setback from a side lot line is the distance equal to one half the height of the building, except that the building erected on Block "B" of Plan 6454, may have a minimum building setback of 17.6 metres from the southerly side lot line;
- (C) **amenity space** must be provided at the minimum rate of 9.0 square metres for each **dwelling unit** and it must be located in a recreational room in a **building**; and
- (D) parking spaces must be provided at the minimum rate of 0.5 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(691) Exception RA 691

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a street is 16.0 metres, measured from the original centerline of the street;
- (B) The minimum **building setback** from a **side lot line** is the distance equal to one half the height of the **building**, except that a **building** erected on Block "E" of Plan 6454, may have a minimum **building setback** of 8.8 metres from the easterly **side lot line**;
- (C) **amenity space** must be provided at the minimum rate of 9.0 square metres for each **dwelling unit** and it must be located in a recreational room in a **building**; and
- (D) parking spaces must be provided at the minimum rate of 0.5 for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(692) Exception RA 692

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the lot line abuts Victoria Park Avenue;
 - (ii) 10.5 metres if the lot line abuts Denton Avenue; and
 - (iii) 7.5 metres if the lot line abuts Macey Avenue; and
- (B) The maximum surface area of the **lot** that may be covered by all **buildings** and **structures** is 16%;
- (C) the minimum building setback from the southerly lot line is 15.0 metres;
- (D) amenity space must be provided at the minimum rate of 0.9 square metres for each dwelling unit; and

- (E) the minimum **building setback** from a **lot line** for a below grade parking **structure** from a **lot line** is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
 - (iii) this requirement does not apply to the lane along the southerly boundary of the these lands;
- (F) a maximum 20 storeys (18 storeys for apartment dwelling units over 2 lowest storeys containing ancillary uses as automobile parking, storage, utilities and recreation centre).
- (G) the maximum height of the building is the actual building height that existed on the date of the enactment of this By-law;
- (H) parking spaces must be provided at a minimum rate of:
 - (i) 1 for each dwelling unit and used for resident parking and located in an enclosed structure below grade with a landscaped roof; and
 - (ii) 0.2 each dwelling unit and used for visitor parking and located on grade or in an open structure below grade with a landscaped roof;
- (I) the minimum width of a driveway is:
 - (i) 4.8 metres if it is for one way traffic movement only;
 - (ii) 6.0 metres if it is two way traffic movement; and
 - (iii) 3.0 metres if it is a ramp to underground parking; and
- (J) despite regulations to the contrary, dwelling units may only be in an Apartment Building;
- (K) the maximum **gross floor area**, excluding the **interior floor area** uses for **amenity space**, is no to be more than:
 - (i) on Block A, 2.75 times the area of the lot; and
 - (ii) on Block B, 2.5 times the area of the lot; and
- (L) the minimum amount of **landscaping** to be provided is:
 - (i) on Block A, 0.25 square metres for each 1.0 square metres of **gross floor area** in the **building**; and
 - (ii) on Block B, , 0.24 square metres for each 1.0 square metres of gross floor area in the building; and
- (M) a balcony and enclosed porch may project from a building a maximum of 1.85 metres into a required yard setback.

(693) Exception RA 693

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 18.0 metres if the **lot line** abuts Victoria Park Avenue;
 - (ii) 10.5 metres if the lot line abuts Denton Avenue; and
 - (iii) 7.5 metres if the lot line abuts Macey Avenue; and
- (B) the minimum **building setback** from the southerly **lot line** is 12.0 metres;
- (C) the maximum surface area of the **lot** that may be covered by **building** may not be more than 17% of the **lot area**;
- (D) amenity space must be provided at the minimum rate of 0.9 square metres for each dwelling unit; and
- (E) the minimum **building setback** from a **lot line** for a below grade parking **structure** from a **lot line** is the greater of:

- (i) 3.0 metres; and
- (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (iii) this requirement does not apply to the lane along the southerly boundary of the these lands;
- (F) a maximum 18 storeys (16 storeys for apartment dwelling units over 2 lowest storeys containing ancillary uses as automobile parking, storage, utilities and recreation centre).
- (G) the minimum width of a driveway is:
 - (i) 4.8 metres if it is for one way traffic movement only;
 - (ii) 6.0 metres if it is two way traffic movement; and
 - (iii) 3.0 metres if it is a ramp to underground parking; and
- (H) parking spaces must be provided at a minimum rate of:
 - (i) 0.88 for each **dwelling unit** and used for resident parking and located in an enclosed **structure** below grade with a **landscaped** roof; and
 - (ii) 0.12 each dwelling unit and used for visitor parking and located on grade or in an open structure below grade with a landscaped roof;
- (I) despite regulations to the contrary, dwelling units may only be in an Apartment Building;
- (J) the maximum **gross floor area**, excluding the **interior floor area** uses for **amenity space**, is no to be more than:
 - (i) on Block A, 2.75 times the area of the lot; and
 - (ii) on Block B, 2.5 times the area of the lot; and
- (K) the minimum amount of landscaping to be provided is:
 - (i) on Block A, 0.25 square metres for each 1.0 square metres of **gross floor area** in the **building**; and
 - (ii) on Block B, , 0.24 square metres for each 1.0 square metres of **gross floor area** in the **building**; and
- (L) a balcony and enclosed porch may project from a **building** a maximum of 1.85 metres into a required yard setback.

(694) Exception RA 694

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the maximum gross floor area of all floor levels at grade or above may not be more than an area equal to 2.5 times the area of the lot, but does not include interior floor area used for retail, amenity space or mechanical purposes;
- (B) the minimum building setback from a side lot line is:
 - (i) 20.0 metres if the lot line abuts a lot in a RD or RS zone; and
 - (ii) 7.5 metres in all other cases; and
- (C) the minimum $building\ setback\ from\ a\ rear\ lot\ line\ is\ 50\ .0\ metres;$
- (D) the maximum lot coverage is 15%;
- (E) the minimum building setback for a below grade parking structure from a lot line is the greater of:
 - (i) 3.0 metres; and
 - (ii) a distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (F) parking spaces must be provided at a minimum rate of 1.0 for each dwelling unit;
- (G) of the parking space required by (F):

- (i) a minimum of 87.5% must be used for resident parking only and must be located in a building; and
- (ii) a minimum of 12.5% must be used for visitor parking only and must be located at grade; and
- (H) a minimum of 60% of the lot area must be used for no other purpose than landscaping.
- (I) if there is an **apartment building** on the **lot**, the following uses are also permitted if they also comply with the requirements in (J) and (K) below:
 - (i) a **retail store** limited to a convenience store which may include the sale of foods and soft drinks prepared off the **premises**; and a drug store; and
 - (ii) a **personal service shop** limited to a Barber Shop, Beauty Parlour, Dry Cleaning and Laundry pick-up and Delivery;
 - (iii) Day Nursery;
 - (iv) Recreational Use:
 - (v) Rental Office limited to the rental of units on the same lot; and
- (J) the total permitted gross floor area:
- (I) for all commercial uses other than office is 372 square metres; and
- (II) for the Apartment Rental Office Uses is 372 square metres; and
- (K) in addition to all other **parking spaces** required by this by-law a minimum of 9 surface **parking spaces** be provided and used for no other purpose than the Apartment Rental Office use.

(695) Exception RA 695

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centerline of the **street**; if the **lot line** abuts Pharmacy Avenue; and
 - (ii) from any other street:
 - (a) 12.0 metres to any wall of the building 20 metres or more in length; and
 - (b) 7.5 metres to any wall of the building less than 20 metres in length; and
- (B) the maximum lot coverage is 15%;
- (C) no part of a **building** may be less than 18.0 from a **lot line** that abuts a **lot** in a different zone, except that one corner of the **building** may be a minimum of 15.0 metres;
- (D) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit, of which 1.0 parking space for each dwelling unit must be used for resident parking only and the remaining parking spaces must be used for visitor parking only;
- (E) a minimum of 50% of the lot area must be used for no other purpose than landscaping; and
- (F) the minimum building setback for a below grade parking structure from a lot line is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line.
- (G) amenity space must be provided at the minimum rate of 0.9 square metres for each dwelling unit and must be located in the **residential building**; and
- (H) The walls of **buildings**, containing habitable rooms, facing one another shall maintain a minimum distance between the **buildings** of one-half of the sum of the height of the two **buildings** except where the overlap is less than 100%, in which case the minimum distance may be reduced proportionately by that amount of **building** which is not overlapped, but in no case shall the distance be less than 45 m; where two walls less than 19.5 metres in length face each other the distance must be no less than 30 m, but, where one or both of these walls does not contain habitable rooms, the minimum distance must be not less than 24 metres. A minimum **side yard** of one-half the height of **ancillary** or recreational **buildings** must be provided from any other zone boundary. For the purpose of this regulation, overlap means, the greater of two distances, measured along the elevation of the **building**, between two lines extended perpendicularly from

each building to the corners of an opposite building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(696) Exception RA 696

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centerline of the **street**; if the **lot line** abuts Pharmacy Avenue; and
 - (ii) from any other **street**:
 - (a) 12.0 metres to any wall of the **building** 20 metres or more in length; and
 - (b) 7.5 metres to any wall of the **building** less than 20 metres in length; and
- (B) the maximum lot coverage is 15%;
- (C) no part of a **building** may be less than 18.0 from a **lot line** that abuts a **lot** in a different zone, except that one corner of the **building** may be a minimum of 15.0 metres;
- (D) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit, of which 1.0 parking space for each dwelling unit must be used for resident parking only and the remaining parking spaces must be used for visitor parking only;
- (E) a minimum of 50% of the **lot area** must be used for no other purpose than **landscaping**; and
- (F) the minimum building setback for a below grade parking structure from a lot line is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line.
- (G) **amenity space** must be provided at the minimum rate of 0.9 square metres for each **dwelling unit** and must be located in the **residential building**; and
- (H) The walls of buildings, containing habitable rooms, facing one another shall maintain a minimum distance between the buildings of one-half of the sum of the height of the two buildings except where the overlap is less than 100%, in which case the minimum is not less than 45.0 m; where two walls less than 19.5 metres in length face each other the distance must be no less than 30.0 m, but, where one or both of these walls does not contain habitable rooms, the minimum distance must be not less than 24.0 metres. A minimum side yard of one-half the height of ancillary or recreational buildings must be provided from any other zone boundary. For the purpose of this regulation, overlap means, the greater of two distances, measured along the elevation of the building, between two lines extended perpendicularly from each building to the corners of an opposite building.
- (I) Retail Store, Personal Service Shop and Eating Establishment are also permitted if:
 - (i) Maximum interior floor area of all Eating Establishment in not more than 50 m2;
 - (ii) The combined gross floor area of all Retail Store, Personal Service Shop and Eating Establishment is not more than 279 square metres
 - (iii) all **Retail Store**, **Personal Service Shop** and **Eating Establishment** are located only on the **first floor**; and
 - (iv) **parking spaces** must be provided for these uses at a minimum rate of 1 for each 100 square metres of **gross floor area**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(697) Exception RA 697

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is 12.0 metres;
- (B) the minimum building setback from a side lot line that does not abut a street is 9.0 metres;
- (C) the minimum building setback from a rear lot line is 15.0 metres;
- (D) the maximum lot coverage is 15%;

- (E) a minimum area equal to 25% of the **lot area** must be used only for recreational uses and may be located in a **building** or outside on the **lot**;
- (F) a minimum of 70% of the lot area must be used for landscaping;
- (G) the minimum building setback for a below grade parking structure from a lot line is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit, of which 1.0 parking space for each dwelling unit must be used for resident parking only and the remaining parking spaces must be used for visitor parking only.
- (I) on the lands described as, COMMENCING at the north-east corner of Lot 1, Registered Plan 849; THENCE northerly 88.697 metres along the easterly boundary of Warden Avenue to the southerly boundary of the lands owned by the Board of Education and being presently used for the Warden Avenue Public School;

THENCE westerly along the southerly boundary of the aforesaid Board of Education lands 187.935 metres to a point in the said southerly boundary; THENCE southerly 88.583 metres to a point; THENCE easterly along the northerly boundary of Registered Plan 849 187.249 metres to the easterly boundary of Warden Avenue, and the place of beginning; an greenhouse existing on the date of the enactment of this By-law may continue to expand if:

- (i) it is set back from a lot line that abuts a street at least:
 - (a) 19.0 metres, measure from the centreline of the original road allowance if the **lot line** abuts Warden Avenue; and
 - (b) 4.5 metres from a lot line that abuts any other street; and
- (ii) not more than 50% of the lot area is covered by buildings.

Prevailing By-laws and Prevailing Sections: (None Apply)

(698) Exception RA 698

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 9.0 metres;
- (B) the minimum building setback from a side lot line is 9.0 metres;
- (C) the minimum building setback from a rear lot line is 15.0 metres;
- (D) the maximum **lot coverage** is 15%;
- (E) a minimum area equal to 25% of the **lot area** must be used only for recreational uses and may be located in a **building** or outside on the **lot**;
- (F) a minimum of 70% of the lot area must be used for landscaping;
- (G) the minimum building setback for a below grade parking structure from a lot line is a distance equivalent to the vertical distance from the surface of the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit, of which 1.0 parking space for each dwelling unit must be used for resident parking only and the remaining parking spaces must be used for visitor parking only.
- (I) on the lands described as, COMMENCING at the north-east corner of Lot 1, Registered Plan 849; THENCE northerly 88.697 metres along the easterly boundary of Warden Avenue to the southerly boundary of the lands owned by the Board of Education and being presently used for the Warden Avenue Public School;

THENCE westerly along the southerly boundary of the aforesaid Board of Education lands 187.935 metres to a point in the said southerly boundary; THENCE southerly 88.583 metres to a point; THENCE easterly along the northerly boundary of Registered Plan 849 187.249 metres to the easterly boundary of Warden Avenue, and the place of beginning; an greenhouse existing on the date of the enactment of this By-law may continue to expand if:

- (i) it is set back from a lot line that abuts a street at least:
 - (a) 19.0 metres, measure from the centreline of the original road allowance if the lot line abuts Warden Avenue; and

- (b) 4.5 metres from a lot line that abuts any other street; and
- (ii) not more than 50% of the lot area is covered by buildings.

(707) Exception RA 707

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line is:
 - (i) 6.0 metres from a **lot line** that abuts a **street**;
 - (ii) 4.6 metres from the north lot line; and
 - (iii) a distance equal to 1/2 the height of the building from the south lot line; and
- (B) the maximum **building** height is 15.0 metres;
- (C) the maximum lot coverage is 30%;
- (D) a maximum of 6 parking spaces may be located in a yard that abuts a street.

Prevailing By-laws and Prevailing Sections: (None Apply)

(710) Exception RA 710

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts Kennedy road is 27 metres, measured from the original centreline of the street;
- (B) The minimum building setback from a lot line that does not abut a street is a distance equal one half the height of the building;
- (C) the minimum separation between the above ground main walls of two buildings on the same lot is a distance equal to one half the combined total height of the two buildings;
- (D) a minimum of 50% of the gross floor area of the first is used only for dwelling units;
- (E) the maximum lot coverage is 30%; and
- (F) a minimum 1.5 metre wide strip of land used only for soft landscaping must be located along the entire part of a lot line that abuts a lot in a Residential Zone category.

Prevailing By-laws and Prevailing Sections: (None Apply)

(711) Exception RA 711

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum setback from a lot line that abuts a street is:
 - (i) 22.0 metres, measured from the original centreline of the street, if it is a front lot line, and
- (B) 3.6 metres, if it is a side lot line.

Prevailing By-laws and Prevailing Sections: (None Apply)

(712) Exception RA 712

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line is:
 - (i) 3.0 metres if the lot line abuts a street;
 - (ii) 6.0 metres if the lot line is the westerly side lot line;
 - (iii) 15.0 metres if the lot line is the easterly side lot line; and

- (iv) 40.0 metres if the lot line is the northerly rear lot line;
- (B) the maximum **building** height is the lesser of 32 metres and 11 **storeys**;
- (C) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (D) the **side yard** abutting the easterly **lot line** must be used only for **landscaping** with the exception that a **driveway** is permitted in the **street yard**;
- (E) parking spaces must be provided at a minimum rate of 1.3 for each dwelling unit;
- (F) a minimum of:
 - (i) 0.8 parking spaces per dwelling unit must be provided underground for tenant parking;
 - (ii) 0.2 parking spaces per dwelling unit to be provided on the surface for visitor parking; and
- (G) the maximum number of storeys is 2.

(713) Exception RA 713

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centre line of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue and Markham Road; and
 - (ii) 9.0 metres in all other cases; and
- (B) The minimum building setback from a lot line that abuts a lot in a residential RD zone is 7.5 metres;
- (C) a minimum of 50% of the interior floor area of the first floor is be used for dwelling units;
- (D) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (E) the minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(714) Exception RA 714

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 36.0 metres, measured from the original centre line of the street;
- (B) the minimum **building setback** from a **side lot line** and **rear lot line** is a distance equal to one half the height of the **building**.
- (C) a minimum of 50% of the interior floor area of the first floor is be used for dwelling units;
- (D) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (E) parking spaces must be provided at a minimum rate of 1.1 for each dwelling unit; and
- (F) a minimum of 50% of the required parking spaces must be located below ground.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 10 and 11, of Scarborough By-law 10010

(715) Exception RA 715

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) the minimum building setback from a lot line that abuts a street is:

- (i) 36.0 metres, measured from the original centre line of the **street**, if the **lot line** abuts Kingston Road, Eglinton Avenue and Markham Road; and
- (ii) 9.0 metres in all other cases; and
- (B) the minimum **building setback** from a **side lot line** and **rear lot line** is a distance equal to one half the height of the **building**.
- (C) a minimum of 50% of the interior floor area of the first floor is be used for dwelling units;
- (D) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (E) parking spaces must be provided at a minimum rate of 1.05 for each dwelling unit; and
- (F) a minimum of 50% of the required parking spaces must be located below ground.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 11 and 19, of Scarborough By-law 10010

(716) Exception RA 716

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that abuts a street is 3.0 metres;
- (B) a minimum of 50% of the interior floor area of the first floor is be used for dwelling units; and
- (C) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit**, plus 0.9 square metres for each **dwelling unit** in excess of 50; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 34, of Scarborough By-law 10010

(718) Exception RA 718

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a lot line that does not abut a street is a distance equal to one half the height of the building;
- (B) the minimum separation between the above ground main walls of two building on a lot is a distance equal to one half the combine total height of the two buildings;
- (C) **parking spaces** must be provided at a minimum rate of 1.125 for each **dwelling unit** of which 66% must be located below grade;
- (D) a minimum of 11% of the required **parking space** must be used for visitor parking only;
- (E) amenity space must be provided at a minimum rate of 46.0 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (F) if the total area of **amenity space** to be provided is greater than 93 square metres, it must be provided in two or more room with no room having an area less than 46 square metres;
- (G) a below grade parking **structures** may be permitted in a **front yard** if it is setback the greater of:
 - (i) a minimum of 3.0 metres; and
 - (ii) a minimum distance equivalent to the vertical distance from the surface of the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (H) the minimum building setback from a lot line that abuts a street is:
 - (i) 9.0 metres if the lot line abuts Bellamy Road; and
 - (ii) 7.5 metres in all other cases.

Prevailing By-laws and Prevailing Sections: (None Apply)

(721) Exception RA 721

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) On a **lot**, a **building** containing office use is permitted provided:
 - (i) the height of the **building** does not exceed 11.0 metres;
 - (ii) the front yard setback of the building is not less than 9.0 metres;
 - (iii) the minimum soft landscaped open space is 220 square metres;
 - (iv) a minimum of 7 parking spaces are provided on the lot; and
 - (v) no **vehicle** access to or from the **lot** is provided from Glengarry Avenue

Prevailing By-laws and Prevailing Sections: (None Apply)

(725) Exception RA 725

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

(A) The maximum height of any building on the lands is 18 metres with no more than 6 storeys.

Prevailing By-laws and Prevailing Sections: (None Apply)

(726) Exception RA 726

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-laws 1990-156 and 1990-203.

(727) Exception RA 727

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) former City of Etobicoke by-laws 1982-192 and 1985-137.

(728) Exception RA 728

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the number of **dwelling units** permitted is:
 - (i) a minimum of 145 dwelling units; and
 - (ii) a maximum of 170 dwelling units; and
- (B) the minimum setback from a lot line abutting a street is 3.0 metres;
- (C) amenity space must be provided within a building a minimum rate of 1.0 square metres for each dwelling unit;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the maximum height of a building or structure is:
 - (i) 15 metres for the portion located with 30 metres of Alton Towers Circle; and
 - (ii) 54 metres in all other cases; and
- (F) parking spaces must be provided at the minimum rate of:
 - (i) 1.0 parking space for each dwelling unit; and
 - (ii) 0.3 parking space for each dwelling unit and used for visitor parking; and
- (G) a parking space may be located in a yard that abuts a street if it is a minimum of 3.0 metres from the lot line that abuts the street.

(729) Exception RA 729

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the number of dwelling units permitted is:
 - (i) for lands within 65 metres of Alton Towers Circle:
 - (a) a minimum of 50 dwelling units for each hectare; and
 - (b) a maximum of 65 dwelling units for each hectare; and
 - (ii) for lands within 65 metres of Alton Towers Circle:
 - (a) a minimum of 225 dwelling units for each hectare; and
 - (b) a maximum of 240 dwelling units for each hectare; and
- (B) the minimum setback from a lot line abutting a street is 3.0 metres;
- (C) amenity space must be provided within a building at a minimum rate of 1.0 square metres for each dwelling unit;
- (D) where the **vehicle** entrance to a garage also faces the **street**, the entrance must be set back a minimum of 6.0 metres from a **lot line** that abuts a **street**;
- (E) the maximum height of a building or structure is:
 - (i) 15 metres for the portion located with 30 metres of Alton Towers Circle; and
 - (ii) 54 metres in all other cases; and
- (F) **parking spaces** must be provided at the minimum rate of:
 - (i) 1.0 parking space for each dwelling unit;
 - (ii) 0.25 parking space for each dwelling unit in a senior citizen building; and
 - (iii) 0.3 parking space for each dwelling unit in an apartment building and used only for visitor parking; and
- (G) in addition to the uses permitted, day nurseries and private home care are also permitted uses;
- (H) despite regulations to the contrary, dwelling units may be located in all residential building types.

Prevailing By-laws and Prevailing Sections: (None Apply)

(731) Exception RA 731

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) On or between the odd numbered addresses of 1467 -1515 BATHURST ST, 396 ST CLAIR AVE W, City of Toronto by-law 358-98.

(733) Exception RA 733

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 335-2010.

(735) Exception RA 735

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

(A) City of Toronto by-law 995-2009 as amended.

(736) Exception RA 736

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) City of Toronto by-law 601-2009.

(737) Exception RA 737

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum building setback from a lot line that abuts a street is 10.5 metres;
- (B) the maximum lot coverage is 50%;
- (C) the minimum **building setback** from a **side lot line** is the distance equal to one half the height of the **building**;
- (D) the minimum building setback from a lot line that abuts a lot in a residential zone category is 7.5 metres; and
- (E) the maximum height of a **building** is the lesser of 11.0 metres and 3 **storeys**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(738) Exception RA 738

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) 22.0 metres, measured from the original centreline of the street, is the minimum building setback if the lot line abuts Pharmacy Avenue, Danforth Road, Victoria Park Avenue, and Warden Avenue; and
- (B) the minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(739) Exception RA 739

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **lot line** that abuts a **street** is:
 - (i) 36.0 metres, measured from the original centreline of the road, if the **lot line** abuts Ellesmere Road, Lawrence Avenue or Markham Road; and
 - (ii) 9.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line is a distance equal to one half the height of the building:
- (C) a maximum 50% of the gross floor area of the first floor may be used for dwelling units;
- (D) On a reversed **lot**, a minimum 1.5 metre wide strip of land along the entire length of the **rear lot line** must be used for **soft landscaping**.
- (E) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50

Prevailing By-laws and Prevailing Sections: (None Apply)

(740) Exception RA 740

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) a maximum of 259 dwelling units in an apartment building and 12 dwelling units within multiple family dwellings are permitted on these lands.
- (B) the minimum building setback from a lot line is:
 - (i) 7.5 metres from the westerly **lot line**;
 - (ii) 7.5 metres for above ground structures From the northerly lot line, and no setback requirement for underground structures; and
 - (iii) 3.0 metres from a **lot line** that abuts a **street**, for above ground **structures** and no setback requirement for underground **structures**; and
- (C) amenity space must be provided inside a building at a minimum rate if 1.0 square metres for each dwelling unit;
- (D) Parking space must be provided at a minimum rate of:
 - (i) 1.4 for each dwelling unit in an apartment building; and
 - (ii) 2.0 for each dwelling unit in a Multiple-Family Dwelling; and
- (E) the maximum height of a building is the lesser of 14 storeys and 44 metres;
- (F) despite regulations to the contrary, a Multiple-Family Dwelling is also a permitted building type on these lands: and
- (G) for the purpose of this exception, a Multiple-Family Dwelling means two or more dwelling units arranged in a building so that not more than four (4) dwelling units have common access from one external entrance at grade level of the building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(741) Exception RA 741

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum lot coverage is 33%;
- (B) **parking space** must be provided at a minimum rate of:
 - (i) 1.2 for each dwelling unit and used for resident parking; and 0.2 for each dwelling unit and used for visitor parking only; and
- (C) indoor amenity space must be provided at a minimum rate of 1.3 square metres for each dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(742) Exception RA 742

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line is:
 - (i) 18.0 metres if the lot line abuts Kennedy Road; and
 - (ii) 12.0 meters in all other cases; and
- (B) The minimum **building setback** from a **side lot line** and **rear lot line** is a distance equal to one half the height of the **building**;
- (C) The maximum lot coverage is 15%;
- (D) the maximum floor space index is 1.5;
- (E) the minimum separation between the above ground **main wall** of two **building** on the same **lot** is a distance equal to one half the total combine height of the two **buildings**;
- (F) a below grade parking **structure** may be located in all yards;
- (G) the minimum setback for a below grade parking structures is a distance equal to the vertical distance between the surface of the lowest floor of the structure and the average grade along the front lot line;

- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (I) a minimum of 157 **parking spaces** must be provided on the **lot**, of which a minimum of 123 **parking spaces** must be located underground; and
- (J) A minimum 40% of the **lot** must be used for no other purpose than **landscaping**; and (K the maximum number of **dwelling units** must not be more than the sum of: The total number of Bachelors x 1.5 the total number of 1-Bedroom units x 2.25, the total number of 2-bedroom units x 3.25, the total number of 3-bedroom units x 4.25 must not exceed 401 times the site area in hectares, but, in no case, shall 2-bedroom units exceed 31% of the total number of units and 3-bedroom units shall not exceed one per floor.

(743) Exception RA 743

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is:
 - (i) 18.0 metres if the lot line abuts Kennedy Road; and
 - (ii) 12.0 meters in all other cases; and
- (B) The minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (C) The maximum lot coverage is 15%;
- (D) the maximum floor space index is 1.5;
- (E) the minimum separation between the above ground **main wall** of two **building** on the same **lot** is a distance equal to one half the total combine height of the two **buildings**;
- (F) a low grade parking structure may be located in all yards;
- (G) the minimum setback for a below grade parking structures is a distance equal to the vertical distance between the surface of the lowest floor of the structure and the average grade along the front lot line;
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (I) a minimum 45% of the **lot** must be used for no other purpose than **landscaping**;
- (J) a minimum of 217 parking spaces must be provided on the site, of which a minimum of 141 parking spaces must be located underground; and
- (K) a maximum of two parking spaces may be permitted in the front yard abutting Antrim Crescent; and
- (L) the maximum number of **dwelling units** must not be more than the sum of: The total number of Bachelors x 1.5 the total number of 1-Bedroom units x 2.25, the total number of 2-bedroom units x 3.25, the total number of 3-bedroom units x 4.25 must not exceed 401 times the site area in hectares, but, in no case, shall 2-bedroom units exceed 31% of the total number of units and 3-bedroom units shall not exceed one per floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(744) Exception RA 744

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **front lot line** is 22.0 meters, measured from the original centre line of the **street**;
- (B) The minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**; and
- (C) a minimum of 50% of the first floor is used for dwelling units;

Prevailing By-laws and Prevailing Sections: (None Apply)

(745) Exception RA 745

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 12.0 meters;
- (B) The minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (C) The maximum lot coverage is 15%;
- (D) the maximum floor space index is 1.5;
- (E) the minimum separation between the above ground main wall of two building on the same lot is a distance equal to one half the total combine height of the two buildings;
- (F) below grade parking structure may be located in all yards;
- (G) the minimum setback for a below grade parking structures is a distance equal to the vertical distance between the surface of the lowest floor of the structure and the average grade along the front lot line;
- (H) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (I) a minimum of 211 **parking spaces** must be provided on the site, of which a minimum of 144 **parking spaces** must be located underground; and
- (J) a maximum of six parking spaces is permitted in the front yard abutting Antrim Crescent.
- (K) an area equal to, but not less than, 43% of the following: gross floor area of the building or buildings, minus the gross floor area for basements; must be provided for landscaping;
- (L) for the purpose of this exception, landscaping shall mean open, unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar areas, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area; and
- (M) the maximum number of dwelling units must not be more than the sum of: The total number of Bachelors x 1.5 the total number of 1-Bedroom units x 2.25, the total number of 2-bedroom units x 3.25, the total number of 3-bedroom units x 4.25 must not exceed 401 times the site area in hectares, but, in no case, shall 2-bedroom units exceed 31% of the total number of units and 3bedroom units shall not exceed one per floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(746) Exception RA 746

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line is 12.0 meters;
- (B) The minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (C) The maximum lot coverage is 15%;
- (D) the maximum floor space index is 1.5;
- (E) the minimum separation between the above ground main wall of two building on the same lot is a distance equal to one half the total combine height of the two buildings;
- (F) below grade parking **structure** may be located in all yards;
- (G) the minimum setback for a below grade parking structures is a distance equal to the vertical distance between the surface of the lowest floor of the structure and the average grade along the front lot line:
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (I) a minimum of 209 **parking spaces** must be provided on the site, of which a minimum of 128 **parking spaces** must be located underground; and

- (J) A minimum 40% of the lot must be used for no other purpose than landscaping; and
- (K) the maximum number of dwelling units must not be more than the sum of: The total number of Bachelors x 1.5 the total number of 1-Bedroom units x 2.25, the total number of 2-bedroom units x 3.25, the total number of 3-bedroom units x 4.25 must not exceed 401 times the site area in hectares, but, in no case, shall 2-bedroom units exceed 31% of the total number of units and 3bedroom units shall not exceed one per floor.

(747) Exception RA 747

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line is 12.0 meters;
- (B) The minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (C) The maximum lot coverage is 15%;
- (D) the maximum floor space index is 1.5;
- (E) the minimum separation between the above ground **main wall** of two **building** on the same **lot** is a distance equal to one half the total combine height of the two **buildings**;
- (F) below grade parking structure may be located in all yards;
- (G) the minimum setback for a below grade parking structures is a distance equal to the vertical distance between the surface of the lowest floor of the structure and the average grade along the front lot line:
- (H) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (I) a minimum of 235 **parking spaces** must be provided on the site, of which a minimum of 156 **parking spaces** must be located underground; and
- (J) A minimum 45% of the lot must be used for no other purpose than landscaping; and
- (K) the maximum number of dwelling units must not be more than the sum of: The total number of Bachelors x 1.5 the total number of 1-Bedroom units x 2.25, the total number of 2-bedroom units x 3.25, the total number of 3-bedroom units x 4.25 must not exceed 401 times the site area in hectares, but, in no case, shall 2-bedroom units exceed 31% of the total number of units and 3bedroom units shall not exceed one per floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(748) Exception RA 748

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line is:
 - (i) 36.0 metres, measured from the original centerline of the street, if the lot line abuts Kennedy Road; and
 - (ii) 12.0 metres in all other cases;
- (B) the minimum building setback from a side lot line is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 18%;
- (D) the minimum setback from a rear lot line is 13.5 metres;
- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) A minimum 50% of the lot must be used for no other purpose than landscaping; and
- (G) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit; and
- (H) of the required parking spaces:
 - (i) a minimum of 55% may be located at or above ground; and

(ii) 11% must be surface parking spaces for visitor use only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(749) Exception RA 749

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum building setback from a front lot line is:
 - (i) 18.0 metres if the lot line abuts Kennedy Road; and
 - (ii) 12.0 meters in all other cases; and
- (B) The minimum building setback from a side lot line and rear lot line is a distance equal to one half the height of the building;
- (C) the maximum lot coverage is 15%;
- (D) the maximum floor space index is 1.5;
- (E) the minimum separation between the above ground main wall of two building on the same lot is a distance equal to one half the total combine height of the two buildings;
- (F) below grade parking structure may be located in all yards;
- (G) the minimum setback for a below grade parking structures is a distance equal to the vertical distance between the surface of the lowest floor of the structure and the average grade along the front lot line;
- (H) indoor amenity space must be provided at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (I) a minimum 45% of the lot must be used for no other purpose than landscaping;
- (J) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit; and
- (K) of the required parking spaces:
 - (i) a minimum of 66% must be located underground; and
 - (ii) 11% must be surface parking spaces for visitor use only; and
- (L) the maximum number of **dwelling units** must not be more than the sum of: The total number of Bachelors x 1.5 the total number of 1-Bedroom units x 2.25, the total number of 2-bedroom units x 3.25, the total number of 3-bedroom units x 4.25 must not exceed 401 times the site area in hectares, but, in no case, shall 2-bedroom units exceed 31% of the total number of units and 3bedroom units shall not exceed one per floor.

Prevailing By-laws and Prevailing Sections: (None Apply)

(750) Exception RA 750

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) The minimum **building setback** from a **lot line** abutting Ellesmere Road is:
 - (i) 2.7 metres, for any portion of the **building** that is only one **storey** and contains a recreation area and/or lobby space; and
 - (ii) 9.0 metres in all other cases;
- (B) the lot line abutting Ellesmere Road is the front lot line;
- (C) there is no maximum lot coverage;
- (D) the minimum building setback from a side lot line is 12.0 metres;
- (E) the minimum building setback from a rear lot line is:
 - (i) 25.0 metres if the rear lot line abuts a lot in an RT zone; and
 - (ii) 7.5 metres in all other cases;
- (F) the maximum building height is 16 storeys;
- (G) in addition to the uses permitted in the zone, retail stores and personal service shops

(excluding the preparation of food) are also permitted if:

- (i) the gross floor area of all retails stores and all personal service shops is 475 square metres;
- (ii) they are setback a minimum of 180 metres from Mondeo Drive; and
- (iii) they are on the first floor; and
- (H) Underground parking structures are permitted to have zero (0) setback from the lot lines of Ellesmere Road and Mondeo Drive;
- (I) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit; and
- (J) Visitor parking spaces must be provided at a minimum rate of 0.2 spaces per dwelling unit.

Prevailing By-laws and Prevailing Sections: (None Apply)

(751) Exception RA 751

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback, measured from the original centre line of the street is 25.0 metres:
- (B) The minimum building setback from a side lot line is a distance equal to one half the height of the building; and
- (C) a minimum of 50% of the first floor is used for dwelling units.

Prevailing By-laws and Prevailing Sections: (None Apply)

(752) Exception RA 752

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum **building setback** from a **front lot line** is 6.0 metres;
- (B) the minimum building setback from a rear lot line is 7.5 metres;
- (C) the minimum building setback
 - (i) from the south **side lot line** is 0.8 metres.
 - (ii) from the north side lot line is 1.0 metres.
- (D) the maximum lot coverage is 42%;
- (E) the maximum **building** height is 4.5 **storeys** and 14 metres;
- (F) Underground parking **structures** (including stairwells), must be set back at least:
 - (i) 1.2 metres from a lot line abutting Birchmount Road; and
 - (ii) 0.3 metres from all other lot lines; and
- (G) parking spaces must be provided at a minimum rate of 1.6 spaces for each dwelling unit; and
- (H) A minimum of 2 surface parking spaces for the disabled must be provided.

Prevailing By-laws and Prevailing Sections: (None Apply)

(753) Exception RA 753

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback, measured from the original centre line of the street is 25.0 metres;
- (B) The minimum building setback from a side lot line is a distance equal to one half the height of the building; and
- (C) the minimum building setback from a rear lot line is 7.5 metres;
- (D) a minimum of 50% of the first floor is used for dwelling units;

- (E) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50; and
- (F) parking spaces must be provided at a minimum rate of 1.2 spaces per dwelling unit.

(754) Exception RA 754

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback, measured from the original centre line of the street is 36.0 metres:
- (B) The minimum building setback from a side lot line is a distance equal to one half the height of the building; and
- (C) a minimum of 50% of the first floor is used for dwelling units;
- (D) a minimum of 92 square metres of first floor must be utilized for recreational purposes.

Prevailing By-laws and Prevailing Sections: (None Apply)

(755) Exception RA 755

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback, measured from the original centre line of the street is 36.0 metres:
- (B) The minimum **building setback** from a **side lot line** is a distance equal to one half the height of the **building**:
- (C) the maximum lot coverage is 18%;
- (D) indoor **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (E) a minimum of 50% of the lot area must be used for landscaping; and
- (F) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit; and
- (G) of the required parking spaces:
 - (i) a minimum of 55% must be located underground; and
 - (ii) 11% must be surface parking spaces for visitor use only.

Prevailing By-laws and Prevailing Sections: (None Apply)

(756) Exception RA 756

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The maximum number of **dwelling units** must not be more than:
 - (i) one dwelling unit per 66 square metres of lot area for a Senior Citizens' Home; or
 - (ii) one dwelling unit per 94 square metres of lot area for an apartment building;
- (B) The minimum building setback from the from lot line is 6.0 metres;
- (C) the maximum height of the **apartment building** is the lesser of:
 - (i) 14.5 metres and 4 storeys for an apartment building; and
 - (ii) 40 metres and 11 storeys for a Senior Citizens' Home;
- (D) amenity space must be provided at a minimum rate of 1.0 square metres for each dwelling unit;
- (E) all **buildings** and **structures** including swimming pools must be set back a minimum of 10.metres from lands in an ON zone; and

Parking space must be provided at a minimum rate of:

(i) 0.5 for each dwelling unit in a Senior Citizen's Home;

- (ii) 1.8 for each dwelling unit in a multiple family dwelling; and
- (iii) 1.4 for each dwelling unit in an apartment building;

(761) Exception RA 761

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Former City of Etobicoke by-law 1772.

(763) Exception RA 763

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line that abuts a street is:
 - (i) 36.0 metres measured from the original centre line of the **street** if the **front lot line** abuts Sheppard Avenue; and
 - (ii) 12.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line that abuts a street is:
 - (i) 21.0 metres measured from the original centre line of the street if the side lot line abuts Sheppard Avenue; and
 - (ii) 3.0 metres in all other cases; and
- (C) The minimum building setback from a lot line that does not abut a street is a distance equal to 1/2 the height of the building;
- (D) The minimum separation between the main walls of two buildings on the same lot is a distance equal to 1/2 the total combine height of the two buildings;
- (E) amenity space must be provided in each building at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (F) The maximum lot coverage is 15%;
- (G) a minimum 70% of the **lot area** must be used for no other purpose than **landscaping**;
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (I) a minimum of 67% of all parking spaces must be located under ground;
- (J) a minimum of 33% of the **parking space** must be for visitor parking;
- (K) the minimum building setback from a lot line for a below grade parking structure is a distance equal to 1/2 the vertical distance from the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (L) the maximum **building** height is 54.0 metres.

Prevailing By-laws and Prevailing Sections: (None Apply)

(764) Exception RA 764

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line that abuts a street is:
 - (i) 36.0 metres measured from the original centre line of the street if the front lot line abuts Sheppard Avenue or Birchmount Road;
 - (ii) 18.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line and rear lot line is a distance equal to the greater of:
 - (i) 1/2 the height of the building; and

- (ii) 1/2 the length of the building; and
- (C) the minimum building setback from a lot line that abuts a lot in an RD-Zone or RS-Zone is 15.0 metres;
- (D) The minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to 1/2 the total combine height of the two **buildings**;
- (E) **amenity space** must be provided at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) The maximum lot coverage is 18%;
- (G) a minimum 50% of the **lot area** must be used for no other purpose than **landscaping**;
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (I) a minimum of 67% of all parking spaces must be located under ground;
- (J) a minimum of 33% of the parking space must be for visitor parking;
- (K) on the lands municipally known as 365 Bay Mills Boulevard a Day Nursery is permitted if:
 - (i) it is located only on the ground floor;
 - (ii) it has an interior floor area less than 372 square metres;
- (L) on the lands municipally known as 2360 Birchmount Road one variety store is permitted if it has an **interior floor area** less than 47 square metres;
- (M) the maximum **building** height is 54.0 metres.

(765) Exception RA 765

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line that abuts a street is 9.0 metres;
- (B) for a side main wall and rear main wall the minimum building setback is;
 - (i) 18.0 metres from a **lot line** that abuts Sheppard Avenue; and
 - (ii) 12.0 metres from a lot line that abuts Birchmount Road; and
- (C) The minimum **building setback** from a **lot line** that does not abut a **street** is a distance equal to 1/2 the height of the **building**;
- (D) The minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to 1/2 the total combine height of the two **buildings**;
- (E) amenity space must be provided in each building at a minimum rate of 46 square metres for the first dwelling unit plus 0.9 square metres for each dwelling unit in excess of 50;
- (F) The maximum lot coverage is 15%;
- (G) a minimum 70% of the lot area must be used for no other purpose than landscaping;
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (I) a minimum of 67% of all parking spaces must be located under ground;
- (J) a minimum of 33% of the **parking space** must be for visitor parking;
- (K) the minimum building setback from a lot line for a below grade parking structure is a distance equal to 1/2 the vertical distance from the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (L) the maximum building height is 54.0 metres.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 28 and 79, of Scarborough By-law 12360

(766) Exception RA 766

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line that abuts a street is 9.0 metres;
- (B) the minimum building setback from a side lot line that abuts a street is 3.0 metres;
- (C) the minimum building setback from a lot line that does not abut a street is a distance equal to 1/2 the height of the building;
- (D) The minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to 1/2 the total combine height of the two **buildings**;
- (E) **amenity space** must be provided in each **building** at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (F) the maximum lot coverage is 15%;
- (G) a minimum 70% of the lot area must be used for no other purpose than landscaping;
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (I) a minimum of 67% of all parking spaces must be located under ground;
- (J) a minimum of 33% of the parking space must be for visitor parking; and
- (K) the minimum building setback from a lot line for a below grade parking structure is a distance equal to 1/2 the vertical distance from the lowest floor of the structure to the average elevation of grade at the front lot line.

(A) Schedule "C" Exception 79, of Scarborough By-law 12360

(767) Exception RA 767

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line that abuts a street is 3.0 metres;
- (B) amenity space must be provided at a minimum rate of 1 square metres for each dwelling unit;
- (C) the maximum **building** height is 77.0 metres;
- (D) parking spaces must be provided at a minimum rate of 1.4 for each dwelling unit, of which;
 - (i) a minimum of 1.2 for each dwelling unit must be located under ground;
 - (ii) a minimum of 0.2 for each dwelling unit are for visitor parking; and
- (E) the number of **dwelling unit** existing on the **lot** on the date of the enactment of this by-law is the maximum number of **dwelling units** permitted.

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 75, of Scarborough By-law 12360

(768) Exception RA 768

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line that abuts a street is:
 - (i) 36.0 metres measured from the original centre line of the street if the front lot line abuts Sheppard Avenue or Kennedy Road; and
 - (ii) 12.0 metres in all other cases; and
- (B) the minimum **building setback** from a **side lot line** and **rear lot line** is a distance equal to the greater of:
 - (i) 1/2 the height of the building; and
 - (ii) 1/2 the length of the building; and
- (C) the minimum building setback from a lot line that abuts a lot in an RD-Zone or RS-Zone is 15.0 metres;
- (D) The minimum separation between the main walls of two buildings on the same lot is a distance equal to 1/2 the total combine height of the two buildings;

- (E) a minimum 50% of the lot area must be used for no other purpose than landscaping;
- (F) **amenity space** must be provided in each **building** at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (G) The maximum lot coverage is 18%;
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (I) a minimum of 67% of all parking spaces must be located under ground;
- (J) a minimum of 33% of the parking space must be for visitor parking;
- (K) the minimum building setback from a lot line for a below grade parking structure is a distance equal to 1/2 the vertical distance from the lowest floor of the structure to the average elevation of grade at the front lot line; and
- (L) the maximum **building** height is 54.0 metres.

(769) Exception RA 769

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line that abuts a street is:
 - (i) 36.0 metres measured from the original centre line of the street if the front lot line abuts Sheppard Avenue; and
 - (ii) 25.0 metres measured from the original centre line of the street if the front lot line abuts Birchmount Road; and
 - 12.0 metres in all other cases; and
- (B) the minimum building setback from a side lot line that abuts a street is 3.0 metres;
- (C) The minimum **building setback** from a **side lot line** that does not abut a **street** is a distance equal to 1/2 the height of the **building**;
- (D) the minimum building setback from a rear lot line is 13.5 metres;
- (E) The minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to 1/2 the total combine height of the two **buildings**;
- (F) a minimum 50% of the lot area must be used for no other purpose than landscaping;
- (G) amenity space must be provided in each **building** at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (H) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (I) a minimum of 67% of all parking spaces must be located under ground;
- (J) a minimum of 33% of the parking space must be for visitor parking; and
- (K) any **parking space** provided in excess of those required must be for visitor parking only;
- (L) the maximum building height is the lesser of 4 stories and 14.0 metres; and
- (M) on the lands municipally know as 3717 Sheppard Avenue East a dental office existing in a detached house on the date of the enactment of this by-law is permitted if it has a minimum of 6 parking spaces in the rear yard.

Prevailing By-laws and Prevailing Sections: (None Apply)

(770) Exception RA 770

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line that abuts a street is 3.0 metres;
- (B) the maximum lot coverage is 45%;
- (C) amenity space must be provided at a minimum rate of 2.3 square metres for each dwelling unit;
- (D) the maximum building height is 43.0 metres;
- (E) the maximum height of a parking **structure** is 5.0 metres;
- (F) parking space must be provided at a minimum rate of:

- (i) 1.0 for each dwelling unit and used for resident parking; and
- (ii) 0.3 for each dwelling unit and used for visitor parking; and

(A) Schedule "C" Exception 70, of Scarborough By-law 12360.

(771) Exception RA 771

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a front lot line that abuts a street is 30.0 metres;
- (B) the maximum lot coverage is 21%;
- (C) **amenity space** must be provided in each **building** at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (D) the minimum **building setback** from a **rear lot line** is 15.0 metres;
- (E) the minimum **building setback** from a **lot line** for a below grade parking **structure** is a distance equal to the greater of:
 - (i) 1/2 the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
 - (ii) 3.0 metres; and
- (F) a maximum of 105 dwelling units are permitted;
- (G) the maximum building height is the lesser of 13 storeys and 54 metres;
- (H) A minimum of 147 underground parking spaces must be provided;
- (I) the area of the **lot** that must be **landscaped** is equal to a minimum of 45% of the **gross floor area** of all **buildings**, minus the **interior floor area** used for retail commercial purposes open to the public and minus the **interior floor area** used for recreational purposes; and
- (J) For the purpose of this exception, 'Landscaped' shall mean open unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area.

Prevailing By-laws and Prevailing Sections: (None Apply)

(772) Exception RA 772

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a front lot line is 25 metres;
- (B) The minimum **building setback** from a **side lot line** is a distance equal to 1/2 the height of the **building**;
- (C) The minimum **building setback** from a **rear lot line** is 7.5 metres;
- (D) The minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to 1/2 the total combine height of the two **buildings**;
- (E) a minimum 50% of the lot area must be used for no other purpose than landscaping;
- (F) **amenity space** must be provided in each **building** at a minimum rate of 46 square metres for the first **dwelling unit** plus 0.9 square metres for each **dwelling unit** in excess of 50;
- (G) parking spaces must be provided at a minimum rate of 1.125 for each dwelling unit;
- (H) a minimum of 50% of all parking spaces must be located under ground;
- (I) parking spaces provided in excess of the minimum required must be used only for visitor parking;
- (J) the maximum building height is the lesser of 4 storeys and 13.0 metres; and
- (K) the minimum building setback from a lot line for a below grade parking structure is a distance

equal to 1/2 the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**.

Prevailing By-laws and Prevailing Sections: (None Apply)

(773) Exception RA 773

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the minimum building setback from a side lot line and rear lot line is 7.5 metres;
- (B) the maximum building height is 54.0 metres; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exceptions 10, 18 and 60, of Scarborough By-law 12360.

(774) Exception RA 774

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) the maximum number of **dwelling unit** permitted is 240;
- (B) the minimum building setback from a lot line that abuts Kennedy Road is 18.0 metres;
- (C) the minimum building setback from the southern lot line is a distance equal to 1/2 the height of the building;
- (D) the maximum lot coverage is 18%:
- (E) the minimum **building setback** from a **lot line** for a below grade parking **structure** is a distance equal to the greater of:
 - (i) 1/2 the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
 - (ii) 3.0 metres; and
- (F) parking spaces must be provided at a minimum rate of 1.25 for each dwelling unit of which:
 - (i) 90% must be located underground; and
 - (ii) 8.3% must be for visitor parking and located on the surface; and
- (G) the minimum building setback from a lot line that abuts a lot in the open space category is 7.5 metres; and
- (H) the minimum lot area to be soft landscaping is equal to 18% of the total gross floor area of all buildings.; and

Prevailing By-laws and Prevailing Sections:

(A) Schedule "C" Exception 8, of Scarborough By-law 12360

(775) Exception RA 775

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum **building setback** from a **front lot line** is 18.0 metres;
- (B) The minimum building setback from a side lot line is a distance equal to 1/2 the height of the building;
- (C) The minimum building setback from a rear lot line is the greater of:
 - (i) a distance equal to 1/2 the height of the **building**; and
 - (ii) 18.0 metres; and
- (D) The minimum separation between the **main walls** of two **buildings** on the same **lot** is a distance equal to 1/2 the total combine height of the two **buildings**;
- (E) the total number of suites (individual dwelling units) must not exceed 300 and not more than 264 is

Bachelor suites and not more than 36 is one-bedroom suites:

- (F) Only the following suite types (individual dwelling units) are permitted: Bachelor with a minimum interior floor area of 33.0 square metres and 1-Bedroom with a minimum interior floor area of 47.0 square metres;
- (G) the maximum lot coverage is 22%;
- (H) the minimum building setback from a lot line for a below grade parking structure is a distance equal to 1/2 the vertical distance from the lowest floor of the structure to the average elevation of grade at the front lot line;
- (I) a minimum of 50% of the lot area must be landscaped;
- (J) For the purpose of this exception, 'Landscaped' shall mean open unobstructed space on the site which is suitable for landscaping, including any part of the site occupied by recreational ancillary buildings, any surfaced walk, patio or similar area, any sports or recreational area, any ornamental or swimming pool, and the roof or other part of a building or structure open to the air suitable for landscaping and used as a recreational area, but excluding any driveway or ramp, whether surfaced or not, any curb, retaining wall, or motor vehicle parking area;
- (K) a recreation hall may be must be located at least 3.0 metres from the westerly lot line; and
- (L) parking spaces must be provided at a minimum rate of 0.15 for each dwelling unit; and
- (M) a dwelling unit only for senior citizens occupancy is the only use permitted and the dwelling unit must be located in an apartment building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(776) Exception RA 776

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions: (None Apply)

Prevailing By-laws and Prevailing Sections:

(A) Schedule 'D' Airport Hazard Map from City of North York zoning by-law 7625.

(777) Exception RA 777

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) A detached house, semi-detached house, duplex, triplex, townhouse with every dwelling unit fronting directly on a street, and an apartment building are the only residential building types permitted.
- (B) The minimum lot frontage is:
 - (i) 8.0 metres for a **detached house**;
 - (ii) 12.0 metres for a semi-detached house, duplex, or triplex;
 - (iii) 5.0 metres for a townhouse; and
 - (iv) 20.0 metres for an apartment building.
- (C) The maximum **building** height is:
 - (i) 11.0 metres and no more than 3 storeys for a detached house, semi-detached house, duplex, triplex, or townhouse; and
 - (ii) 24.0 metres and no more than 8 storeys for an apartment building.
- (D) The maximum floor space index is:
 - (i) 1.0 for a detached house or semi-detached house,
 - (ii) 1.5 for a duplex, triplex, or townhouse; and
 - (iii) 2.5 for an apartment building.
- (E) The minimum rear yard setback is:
 - (i) 6.0 metres for a detached house, semi-detached house, duplex, triplex, or townhouse; and

- (ii) 7.5 metres for an apartment building
- (F) The minimum side yard setback is:
 - (i) 0.5 metres on one side and 1.2 metres on the other side for a detached house;
 - (ii) 1.2 metres for a semi-detached house;
 - (iii) 2.5 metres for a duplex, triplex or townhouse;
 - (iv) 2.5 metres for the exterior of two attached duplex or triplex buildings; and
 - (v) 4.5 metres for an apartment building.
- (G) A duplex may be attached to one other duplex on an adjacent lot in the same zone.
- (H) A **triplex** may be attached to one other **triplex** on an adjacent **lot** in the same zone.

(778) Exception RA 778

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

Site Specific Provisions:

- (A) The minimum lot area is:
 - (i) 325 square metres for a **detached house**;
 - (ii) 555 square metres for a semi-detached house;
 - (iii) 370 square metres for a duplex; and
 - (iv) 465 square metres for a triplex.
- (B) The minimum lot frontage is:
 - (i) 10.5 metres for a detached house;
 - (ii) 18.0 metres for a semi-detached house;
 - (iii) 12.0 metres for a duplex;
 - (iv) 15.0 metres for a triplex; and
 - (v) 22.5 metres for a fourplex or apartment building.
- (C) The maximum **building** height is 9.5 metres for a **detached house**.
- (D) The minimum side yard setback is
 - (i) 0.9 metres for a detached house, semi-detached house, duplex, or triplex; and
 - (ii) 0.6 times the height of the building for a fourplex or apartment building.

Prevailing By-laws and Prevailing Sections: (None Apply)

(779) Exception RA 779

The lands, or a portion thereof as noted below, are subject to the following Site Specific Provisions, Prevailing By-laws and Prevailing Sections.

- (A) the minimum building setback from a lot line that abuts a street is:
 - (i) 36.0 metres, measured from the original centreline of the **street**, if the **lot line** abuts Sheppard Avenue East; and
 - (ii) 7.5 metres in all other cases; and
- (B) the minimum **building setback** is a distance equal to a distance equal to 1/2 the height of the **building**;
- (C) the minimum separation between the main walls of two buildings on the same lot is a distance equal to 1/2 the total combine height of the two buildings;
- (D) the maximum lot coverage is 30%;
- (E) the minimum **building setback** from a **lot line** for a below grade parking **structure** is a distance equal to the greater of:

- (i) 1/2 the vertical distance from the lowest floor of the **structure** to the average elevation of grade at the **front lot line**; and
- (ii) 3.0 metres; and
- (F) the gross floor area of all building must not exceed 1.5 time the lot area;
- (G) a minimum of 30% of the lot are must be used for soft landscaping;
- (H) **parking spaces** must be provided at a minimum rate of 0.43 for each 100 square metres of **gross floor area**;
- (I) only the following suite types (individual dwelling units) are permitted: Bachelor with a minimum interior floor area of 33.0 square metres and 1-Bedroom with a minimum interior floor area of 47.0 square metres:
- (J) the maximum building height is the lawful height of the building existing on the date of the enactment of this by-law; and
- (K) the maximum number of **dwelling units** permitted is equal to the number of **dwelling units lawfully existing** in the **building** existing on the date of the enactment of this by-law; and

(A) Schedule "C" Exception 62, of Scarborough By-law 12360