



STREET VENDING BYLAW: ATTACHMENT 6 - DRAWING 1

	<b>M</b> TORONTO	
SECTION VIEW	DWG-01	<u>NTS</u> 03/14




STREET VENDING BYLAW: ATTACHMENT 6 - DRAWING 2

STREET VENDING ADJACENT TO CURB	<b>M</b> TORONTO	
PLAN VIEW	DWG-02	NTS 03/14



STREET VENDING BYLAW: ATTACHMENT 6 - DRAWING 3

STREET VENDING ADJACENT TO PROPERTY LINE	<b>M</b> TORONTO	
SECTION VIEW	DWG-03	<u>NTS</u> 03/14



STREET VENDING BYLAW: ATTACHMENT 6 - DRAWING 4


STREET VENDING ADJACENT TO PROPERTY LINE PLAN VIEW	<u> 1</u> Toronto	
PLAN VIEW	DWG-04	<u>NTS</u> 03/14

## NOTE:

1.5 METER CLEAR SPACE REQUIRED FROM ALL VERTICAL OBSTRUCTIONS INCLUDING BUT NOT LIMITED TO PARKING METERS, TREE PITS, SIGNAGE, & POLES.

2.5 METER OFFSETS REQUIRED FROM HYDRANTS, BICYCLE PARKING, UTILITY BOXES AND OTHER ELEMENTS REQUIRING ONGOING ACCESS.

CLEAR ZONES REQUIRED FROM TTC STOP POLES ARE 12M FOR REGULAR BUS ROUTES AND 16M FOR ARTICULATED BUS ROUTES.



## STREET VENDING BYLAW: ATTACHMENT 6 - DRAWING 5

STREET VENDING ADJACENT TO CURB	<b><u>A</u>TORONTO</b>	
FROINT SECTION VIEW	DWG-05	NTS 03/14