Authority: Etobicoke York Community Council Item [##], as adopted by City of Toronto Council on ~, 2023

## CITY OF TORONTO

## BY-LAW [XXX]-[2023]

## To amend Zoning By-law 569-2013, as amended, with respect to the lands municipally known in the year 2022 as 15 Canmotor Avenue.

Whereas Council of the City of Toronto has the authority pursuant to Section 34 of the Planning Act, R.S.O. 1990, c. P. 13, as amended, to pass this By-law; and

Whereas Council of the City of Toronto has provided adequate information to the public and has held at least one public meeting in accordance with the Planning Act, as amended.

The Council of the City of Toronto enacts:

- 1. The lands subject to this By-law are outlined by heavy black lines on Diagram 1 attached to this By-law.
- 2. The words highlighted in bold type in this By-law have the meaning provided in Zoning By-law 569-2013, as amended, Chapter 800 Definitions.
- **3.** Zoning By-law 569-2013, as amended, is further amended by amending the zone label on the Zoning By-law Map in Section 990.10 respecting the lands outlined by heavy black lines from a zone label of E 1.0 to a zone label of E 1.0 (x 72) as shown on Diagram 2 attached to this By-law.
- **4.** Zoning By-law 569-2013, as amended, is further amended by adding to Article 900.20.10 Exception Number 72 so that it reads:

(72) <u>Exception E 72</u>

The lands, or a portion thereof as noted below, are subject to the following Site-Specific Provisions, Prevailing By-laws and Prevailing Sections:

Site Specific Provisions:

- (A) On lands municipally known as 15 Canmotor Avenue, if the requirements of By-law [Clerks to insert By-law number] are complied with, a building or structure may be constructed, used or enlarged in compliance with Regulations (B) to (M) below;
- (B) For the purposes of this exception, and in accordance with Regulation

5.10.30.20(1), the front lot line is the lot line abutting Canmotor Avenue;

- (C) In addition to the permitted non-residential uses listed in regulation 60.20.20.10(1), a medical office use is permitted, and a medical office includes a medical clinic;
- (D) Despite regulation 60.20.40.10(1), the permitted maximum height of a building or structure is the number in metres following the letters "HT" as shown on Diagram 3 of By-law [Clerks to insert By-law ##];
- (E) Despite regulations 60.5.40.10(3), (4) and (6), 60.20.40.10(2), and (D) above, the following equipment and structures may project beyond the permitted maximum height shown on Diagram 3 of By-law [Clerks to insert By-law number]:
  - equipment used for the functional operation of the **building**, including electrical, utility, mechanical and ventilation equipment, as well as enclosed stairwells, roof access, maintenance equipment storage, elevator shafts, chimneys, and vents, by a maximum of 3 metres;
  - structures that enclose, screen, or cover the equipment, structures and parts of a building listed in (i) above, by a maximum of 3 metres;
  - (iii) architectural features, parapets, and elements and **structures**, by a maximum of 1.5 metres;
  - (iv) **building** maintenance units and window washing equipment, by a maximum of 2 metres; and
  - (v) planters, **landscaping** features, guard rails, and divider screens on a balcony and/or terrace, by a maximum of 1.85 metres;
- (F) Despite regulations 60.20.40.70(1), (2) and (3), the required minimum building setbacks are as shown in metres on Diagram 3 of By-law [Clerks to insert By-law ##];
- (G) Despite regulation 60.5.10.60(1), and (F) above, the following elements may encroach into the required minimum **building setbacks** as follows:
  - (i) terraces, at or above the second storey, to the extent of the **building** roof on which they are situated;
  - (ii) canopies and awnings, by a maximum of 0.5 metres;
  - (iii) cladding added to the exterior surface of the **main wall** of a

**building**, by a maximum of 0.5 metres;

- (iv) eaves, by a maximum of 0.5 metres; and
- air conditioners, vents, light fixtures, and pipes, by a maximum of (v) 0.5 metres:
- Despite Regulation 60.20.60.1(1), and (F) above, ancillary buildings and (H) structures used to enclose waste and recyclable material may have a minimum north side yard **setback** of 1.10 metres, and must comply with the required minimum front yard, rear yard and south side yard building setbacks.
- Despite Regulations 230.5.10.1(1), (3) and Table 230.5.10.1(1), bicycle (I) parking spaces must be provided and maintained on the lot in accordance with the following minimum rates:
  - 0.1 "long-term" bicycle parking spaces for each 100 square (i) metres of interior floor area used for a medical office; and
  - (ii) 2 plus 0.1 "short-term" bicycle parking spaces for each 100 square metres of interior floor area used for a medical office;
- (J) Despite regulations 60.5.80.10(1)(A) and 60.20.80.20(1), a parking space must be located at least:
  - 3.0 metres from the front lot line; (i)
  - 0.10 metres from the lot line abutting Caven Street (ii)
  - 1.10 metres from the northerly lot line; and (iii)
  - 0.06 metres from the easterly lot line; (iv)
- (K) Despite regulation 60.5.80.10(2)(A), permitted **parking spaces** may be located in a side yard that abuts Caven Street;
- (L) Despite regulations 220.5.10.1(1), (5), (8) and (9), no loading spaces are required.
- Despite regulation 200.5.1.10 (2)(A)(iii), a maximum of one parking (M) **space** may be obstructed as described in regulation 200.5.1.10(2)(D) without being required to provide additional width for the obstructed sides of the parking space.

Prevailing By-laws and Prevailing Sections: (None Apply)

**5.** Despite any severance, partition or division of the lands, the provisions of this Bylaw shall apply as if no severance, partition or division occurred.

Enacted and passed on [Clerks to insert date].

[full name], Speaker

(Seal of the City)

[full name], City Clerk



Diagram 1

City of Toronto By-law 569-2013 Not to Scale 08/29/2023



City of Toronto By-law 569-2013 Not to Scale 08/29/2023

Diagram 2



City of Toronto By-law 569-2013 Not to Scale 08/29/2023

Diagram 3