ATTACHMENT 1: PROPOSED AMENDMENTS TO CHAPTER 694 TO CREATE AND IMPLEMENT THE WOODBINE SPECIAL SIGN DISTRICT AND TO CHANGE THE SIGN DESIGNATION APPLICABLE TO 555 REXDALE BOULEVARD

BY-LAW No. XXX-2023

To amend City of Toronto Municipal Code Chapter 694, Signs, General, to add to Schedule C, Additional Special Sign Districts, the WB-SSD - Woodbine Special Sign District, to implement updated regulations for the premises municipally known as 555 Rexdale Boulevard, by changing its sign district designation to WB-SSD - Woodbine Special Sign District, by and additional amends in relation to the implementation of the WB-SSD -Woodbine Special Sign District including modification to the site specific restrictions concerning Highway 427 and Highway 27

Whereas under sections 7 and 8 of the City of Toronto Act, 2006 (the "Act"), the City may pass by-laws in respect of the health, safety and well-being of persons and the economic, social and environmental well-being of the City; and

Whereas authority is given to Council to pass by-laws respecting matters related to Structures, including fences and signs under subsection 8(2) of the Act; and

Whereas subsection 8(1) of the Act, provides the City with broad authority to provide any service or thing the City considers necessary or desirable for the public; and

Whereas the City provides the regulation of signs to the citizens of Toronto as a necessary and desirable service; and

Whereas Council has authorized regulations that promote the public's ability to utilize signs to express messages, while ensuring signs are appropriate to their function and compatible with their surroundings; and

Whereas at its meeting of February 22 and 23, 2010, City Council adopted By-law No. 196-2010, which by-law enacted Chapter 694, Signs, General, ("Chapter 694") to the City of Toronto's Municipal Code; and

Whereas Subsection 694-5E of Chapter 694 requires that a proposed sign comply with the regulations established in the provisions of the chapter prior to the issuance; and

Whereas Council has decided that modifications to the provisions concerning signs applicable to specific premises in the City subject to the sign district designation as a Woodbine Special Sign District are appropriate; and

Whereas notice of the intention to enact this by-law has been provided in accordance with the Act and its regulations;

The Council of the City of Toronto enacts:

1. Chapter 694, Signs, General, is amended by adding Schedule "1" to this by-law as Subsections 7 and 8 to Schedule C, Additional Special Sign District Regulations.

- 2. Municipal Code Chapter 694, Signs, General, is amended as follows:
 - A. By adding the following section 694-19A as subsection 694-19A(17):
 - (17) WB-SSD Woodbine Special Sign District;
 - B. By deleting subsection 694-24A(10), as it currently reads, from section 694-24A and substituting the following therefore:

(10) 400 metres of any limit of Highway 27 from Highway 401 to the northerly limit of the Weston Subdivision, transferred from the Province by Order in Council 535/97;

C. By deleting subsection 694-24A(17), as it currently reads, from section 694-24A and substituting the following therefore:

(17) 400 metres of any limit of any portion of Highway 427 from Evans Avenue to the northly limit of the Weston Subdivision;

D. By adding the following subsections to section 694-24A as subsections 694-24A (10.1), 694-24A (17.1) in appropriate numeric order:

(10.1) 400 metres of any limit of Highway 27 from the southerly limit of Rexdale Boulevard to Steeles Avenue, transferred from the Province by Order in Council 535/97;

(17.1) 400 metres of any limit of any portion of Highway 427 from the southerly limit of Rexdale Boulevard to Steeles Avenue;

3. Schedule A, Maps of Chapter 694, Signs, General, is amended to establish the premises municipally known as 555 Rexdale Boulevard, as the WB-SSD Woodbine Special Sign District, by deleting the map titled Ward 1 – Etobicoke North from Schedule A to Chapter 694, Maps, and substituting a map substantially in accordance with the map attached as Schedule 2 to this by-law.

SCHEDULE "1" SCHEDULE C,ADDITIONAL SPECIAL SIGN DISTRICT REGULATIONS

- 1. The Woodbine Special Sign District WB-SSD may contain the following first party signs:
 - A. Any sign which complies with the provisions of § 694-21A of this chapter where erected or displayed within the area labelled as WB-SSD-R as set out on the diagram indicated at Subsection F(15) as 555 Rexdale Boulevard Map 1;
 - B. Any sign which complies with the provisions of § 694-21C of this chapter where erected or displayed within the area labelled as WB-SSD-C as set out on the diagram indicated at Subsection F(15) as 555 Rexdale Boulevard Map 1;
 - C. Any sign which complies with the provisions of § 694-21D of this chapter where erected within the area labelled as WB-SSD-CR as set out on the diagram indicated at Subsection F(15) as 555 Rexdale Boulevard Map 1;
 - D. Any sign which complies with the provisions of § 694-21G of this chapter where erected within the area labelled as WB-SSD-U as set out on the diagram indicated at Subsection F(15) as 555 Rexdale Boulevard Map 1;
 - E. Any sign which complies with the provisions of § 694-21H of this chapter where erected within the area labelled as WB-SSD-OS as set out on the diagram indicated at Subsection F(15) as 555 Rexdale Boulevard – Map 1;
 - F. The Woodbine Special Sign District WB-SSD may contain, in addition to the signs permitted by Subsection 1A, B, C, D and E above, the following signs:
 - (1) A ground sign providing direction provided:
 - (a) The aggregate sign face area shall not exceed 40.0 square metres;
 - (b) The sign height shall not exceed 8.00 metres;
 - (c) The sign shall display static copy only;
 - (d) The sign shall not have more than eight sign faces;
 - (e) The signs faces shall:
 - [1] be rectangular;
 - [2] not exceed an area of 5.0 square metres each;
 - (f) The signs shall be located only within an areas labelled as WB-SSD-C, WB-SSD-CR, WD-SSD-OS as set out on the diagram indicated at Subsection F(15) as 555 Rexdale Boulevard – Map 1; and

- (g) There shall be no more than 20 such signs shall be located on the premises.
- (2) A ground sign providing direction provided:
 - (a) The aggregate sign face area shall not exceed 6.6 square metres;
 - (b) The sign height shall not exceed 3.50 metres;
 - (c) The sign shall display static copy only;
 - (d) The sign shall not have more than four sign faces;
 - (e) The signs faces shall:

[1] be rectangular;

- [2] not exceed an area of 1.65 square metres each;
- (f) The sign shall not be illuminated;
- (g) The sign shall not be erected within 2.0 metres of any property line; and
- (h) The sign shall not be erected within 6.0 metres from the intersection of two street lines;
- (i) The signs shall be located only within an area labelled as WB-SSD-C or an area labelled as WB-SSD-CR as set out on the diagram indicated at Subsection F(15) as 555 Rexdale Boulevard Map 1; and
- (j) No more than seventeen such signs shall be located on the premises.
- (3) A ground sign providing direction provided:
 - (a) The sign face area shall not exceed 9.0 square metres;
 - (b) The sign height shall not exceed 4.7 metres;
 - (c) The sign shall display static copy only;
 - (d) The sign shall not have more than two sign faces;
 - (e) Where the sign has two faces, the sign faces shall be back to back;
 - (f) The sign shall not be erected within 2.0 metres of any property line;
 - (g) The sign shall not be erected within 6.0 metres from the intersection of two street lines;

- (h) The sign shall be entirely located within the area labelled as WB-SSD-EZ represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard Map 2; and
- (i) No more than four such signs shall be located on the premises.
- (4) A ground sign providing direction provided:
 - (a) The sign face area shall not exceed 1.0 square metre;
 - (b) The sign height shall not exceed 3.7 metres;
 - (c) The sign shall display static copy only;
 - (d) The sign shall not have more than eight sign faces;
 - (e) The signs faces shall:
 - [1] be rectangular;
 - [2] not exceed an area of 1.65 square metres each;
 - (f) The sign shall not be illuminated;
 - (g) The sign shall not be erected within 6.0 metres from the intersection of two street lines;
 - (h) The sign shall be entirely located within the area labelled as WB-SSD-EZ represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard Map 2; and
 - (i) No more than twenty-one such signs shall be located on the premises.
- (5) A ground sign provided:
 - (a) The sign face area shall not exceed 25.0 square metres;
 - (b) The sign height shall not exceed 2.6 metres;
 - (c) The sign shall display static copy only;
 - (d) The sign shall not have more than one sign face;
 - (e) The sign shall not be erected within 2.0 metres of any property line;
 - (f) The sign shall not be erected within 6.0 metres from the intersection of two street lines;
 - (g) The sign shall be entirely located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard Map 2; and

- (h) No more than one such sign shall be located on the premises.
- (6) A wall sign provided:
 - (a) The sign face area shall not exceed 25.0 square metres;
 - (b) The sign height shall not exceed 22.5 metres;
 - (c) The sign shall display static copy only;
 - (d) The sign shall not have more than one sign face;
 - (e) The sign shall not extend above the wall or parapet wall of a building;
 - (f) The sign shall not extend beyond either end of the wall on which it is erected;
 - (g) The sign shall be erected on a building located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2;
 - (h) The sign shall be located in one of the two areas identified by the letters WMB1 on the diagram indicated as subsection F(17) as 555 Rexdale Boulevard – Map 3; and
 - (i) No more than two such signs shall be located on the premises.
- (7) An overhanging structure sign provided
 - (a) The sign face area shall not exceed 82.0 square metres;
 - (b) The sign height shall not exceed 10.0 metres;
 - (c) Where the sign is displayed in whole or in part above the overhanging structure, it shall not extend more than 2.5 metres above the overhanging structure;
 - (d) The sign shall display static copy only;
 - (e) The sign shall not have more than one sign face;
 - (f) The sign shall not extend beyond either end of the wall from which the overhanging structure projects;
 - (g) The sign shall be erected on a building located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on

the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2;

- (h) The sign shall be located in the area identified by the letters WMB2 on the diagram indicated as subsection F(17) as 555 Rexdale Boulevard - Map 3; and
- (i) No more than one such sign shall be located on the premises.
- (8) An electronic ground sign provided:
 - (a) The sign face area shall not exceed 5.0 square metres;
 - (b) The sign height shall not exceed 7.9 metres;
 - (c) The sign shall display electronic static copy only;
 - (d) The sign shall not have more than two sign faces;
 - (e) Where the sign has two faces, the sign faces shall be back to back;
 - (f) The sign shall not be erected within 2.0 metres of any property line;
 - (g) The sign shall not be erected within 6.0 metres from the intersection of two street lines;
 - (h) The sign shall be entirely located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2; and
 - (i) No more than ten such signs shall be located on the premises.
- (9) An electronic ground sign provided:
 - (a) The sign face area shall not exceed 2.5 square metres;
 - (b) The sign height shall not exceed 3.5 metres;
 - (c) The sign shall display electronic static copy only;
 - (d) The sign shall not have more than two sign faces;
 - (e) Where the sign has two faces, the sign faces shall be back to back;
 - (f) The sign shall not be erected within 2.0 metres of any property line;
 - (g) The sign shall not be erected within 6.0 metres from the intersection of two street lines;


- (h) The sign shall be entirely located within theWB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2; and
- (i) No more than seven such signs shall be located on the premises.
- (10) An electronic ground sign provided:
 - (a) The sign face area shall not exceed 4.5 square metres;
 - (b) The sign height shall not exceed 4.5 metres;
 - (c) The sign shall display electronic static copy only;
 - (d) The sign shall not have more than three sign faces;
 - (e) If the sign contains three sign faces displaying electronic static copy, the sign faces shall form an interior angle of not more than 60 degrees;
 - (f) The sign shall not be erected within 2.0 metres of any property line;
 - (g) The sign shall not be erected within 6.0 metres from the intersection of two street lines;
 - (h) The sign shall be entirely located within the WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2; and
 - (i) No more than eleven such signs shall be located on the premises.
- (11) An electronic ground sign provided:
 - (a) The sign face area shall not exceed 19.0 square metres;
 - (b) The sign height shall not exceed 8.5 metres;
 - (c) The sign shall display electronic static copy only;
 - (d) The sign shall not have more than one sign face;
 - (e) The sign shall not be erected within 2.0 metres of any property line;
 - (f) The sign shall not be erected within 6.0 metres from the intersection of two street lines;
 - (g) The sign shall be erected on a building located within theWB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard Map 2;

- (h) No more than two such signs shall be located on the premises.
- (12) An electronic ground sign provided:
 - (a) The sign face area shall not exceed 17.0 square metres;
 - (b) The sign height shall not exceed 6.0 metres;
 - (c) The sign shall contain electronic static copy and static copy only;
 - (d) The component of the sign face displaying electronic static copy shall not exceed 2.5 square metres;
 - (e) The sign shall not have more than two sign faces;
 - (f) Where the sign has two faces, the sign faces shall be back to back;
 - (g) The sign shall not be erected within 2.0 metres of any property line;
 - (h) The sign shall not be erected within 6.0 metres from the intersection of two street lines;
 - (i) The sign shall be entirely located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2; and
 - (j) No more than two such signs shall be located on the premises.
- (13) An electronic wall sign provided:
 - (a) The sign face area shall not exceed 100.0 square metres;
 - (b) The sign height shall not exceed 20.0 metres;
 - (c) The sign shall display electronic static copy only;
 - (d) The sign shall not have more than one sign face;
 - (e) The sign shall not extend above the wall or parapet wall of a building;


The sign shall not extend beyond either end of the wall on which it is erected;


- (f) The sign shall be erected on a building located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2;
- (g) The sign shall be located in the area on the diagram indicated as subsection F(17) as 555 Rexdale Boulevard Map 3; and

- (h) No more than one such sign shall be located on the premises.
- (14) An electronic overhanging structure sign provided: (GMD2)
 - (a) The sign face area shall not exceed 26.0 square metres;
 - (b) The sign height shall not exceed 6.5 metres;
 - (c) The sign shall display electronic static copy only;
 - (d) The sign shall not have more than one sign face;
 - (e) The sign shall not extend beyond either end of the wall from which the overhanging structure projects;
 - (f) The sign shall be erected on a building located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard – Map 2;
 - (g) The sign shall be located in one of the two area identified by the letters GDM2 on the diagram indicated as subsection F(17) as 555 Rexdale Boulevard – Map 3; and
 - (h) No more than two such signs shall be located on the premises.
- (15) 555 Rexdale Boulevard Map 1:



(16) 555 Rexdale Boulevard – Map 2:





- 2. The Woodbine Special Sign District WB-SSD may contain the following third party signs:
 - A. An electronic ground sign provided:
 - (1) The sign face area shall not exceed 97.0 square metres;
 - (2) The height shall not exceed 15.0 metres;
 - (3) The sign shall contain no more than four sign faces;
 - (4) The sign shall contain no more than two sign faces displaying static copy;
 - (5) The sign shall contain no more than two sign faces displaying electronic static copy;
 - (6) Any sign faces displaying static copy shall only:
 - [1] be rectangular;
 - [2] display only the name or logo of the Woodbine entertainment attractions located on the premises;
 - [3] be comprised of individually installed letters or like sign components;
 - [4] the centre line of any sign face displaying static copy shall not exceed 12.5 metres;
 - [5] the bisecting line of any sign face displaying static copy shall not exceed 1.1 metres;
 - [6] the sign face area of any sign face displaying static copy shall not exceed 12.0 square metres
 - (7) Any sign faces displaying electronic static copy shall only:
 - [1] be rectangular;

- [2] the centre line of any sign face displaying electronic static copy shall not exceed 16.5 metres;
- [3] the bisecting line of any sign face displaying electronic static copy shall not exceed 5.3 metres;
- [4] the sign face area of any sign face displaying electronic static copy shall not exceed 85.0 square metres
- (8) The sign shall not contain any sign faces displaying electronic static copy, if the sign does not contain two sign faces displaying static copy as provided for in this subsection;
- (9) If the sign contains more than one sign face displaying electronic static copy, the sign faces shall form an interior angle not exceeding 45 degrees;
- (10) The sign shall not be erected within 30.0 metres of the intersection of a major street with any other street;
- (11) The sign shall not be erected within 14.0 metres of the west property line and 3.0 metres of any other property line;
- (12) The sign shall not be erected within 60.0 metres of any premises located, in whole or in part, in an R, RA, CR, I or OS Sign District;
- (13) Where a sign is located within 250 metres of an R, RA or OS sign district, the sign cannot face any premise in the R, RA or OS sign district;
- (14) The sign shall not contain illumination that results in light which projects onto any premises located in an R, RA or OS sign district;
- (15) The sign shall be located a minimum of 500 metres of any other third party electronic sign located on:
 - [1] the same frontage; or
 - [2] the same properly line adjacent to other premises not within the Woodbine Special Sign District;
- B. An electronic ground sign, other than an electronic ground sign permitted by Subsection A above, provided:
 - (1) The sign face area shall not exceed 79.0 square metres;
 - (2) The height shall not exceed 15.0 metres;
 - (3) The sign shall contain no more than four sign faces;
 - (4) The sign shall contain no more than two sign faces displaying static copy;
 - (5) The sign shall contain no more than two sign faces displaying electronic static copy;


- (6) Any sign faces displaying static copy shall only:
 - [1] be rectangular;
 - [2] display only the name or logo of the Woodbine entertainment attractions located on the premises; and,
 - [3] be comprised of individually installed letters or like sign components;
 - [4] the centre line of any sign face displaying static copy shall not exceed 12.5 metres;
 - [5] the bisecting line of any sign face displaying static copy shall not exceed 1.1 metres;
 - [6] the sign face area of any sign face displaying static copy shall not exceed 14.0 square metres
- (7) Any sign faces displaying electronic static copy shall only:
 - [1] be rectangular;
 - [2] the centre line of any sign face displaying electronic static copy shall not exceed 15.0 metres;
 - [3] the bisecting line of any sign face displaying electronic static copy shall not exceed 4.5 metres;
 - [4] the sign face area of any sign face displaying electronic static copy shall not exceed 66.0 square metres
- (8) The sign shall not contain any sign faces displaying electronic static copy, if the sign does not contain two sign faces displaying static copy as provided for in this subsection;
- (9) If the sign contains more than one sign face displaying electronic static copy, the sign faces shall form an interior angle not exceeding 45 degrees;
- (10) The sign shall not be erected within 30.0 metres of the intersection of a major street with any other street;
- (11) The sign shall not be erected within 14.0 metres of the west property line and 3.0 metres of any other property line;
- (12) The sign shall not be erected within 60.0 metres of any premises located, in whole or in part, in an R, RA or OS Sign District;
- (13) Where a sign is located within 250 metres of an R, RA or OS sign district, the sign cannot face any premise in the R, RA or OS sign district;
- (14) The sign shall not contain illumination that results in light which projects onto any premises located in an R, RA or OS sign district;
- (15) The sign shall be located a minimum of 500 metres of any other third party electronic sign on:
 - [1] the same frontage; or
 - [2] the same properly line adjacent to other premises not within the Woodbine Special Sign District;


- C. An electronic ground sign, other than an electronic ground sign permitted by Subsections A and B above, provided:
 - (1) The sign face area shall not exceed 39.0 square metres;
 - (2) The height shall not exceed 14.0 square metres;
 - (3) The sign shall contain no more than four sign faces;
 - (4) The sign shall contain no more than two sign faces displaying static copy;
 - (5) The sign shall contain no more than two sign faces displaying electronic static copy;
 - (6) Any sign faces displaying static copy shall only:
 - [1] be rectangular;
 - [2] display only the name or logo of the Woodbine entertainment attractions located on the premises;
 - [3] be comprised of individually installed letters or like sign components;
 - [4] the centre line of any sign face displaying static copy shall not exceed 4.5 metres;
 - [5] the bisecting line of any sign face displaying static copy shall not exceed 2.0 metres;
 - [6] the sign face area of any sign face displaying static copy shall not exceed 9.0 square metres;
 - (7) Any sign faces displaying electronic static copy shall only:
 - [1] be rectangular;
 - [2] the centre line of any sign face displaying electronic static copy shall not exceed 4.5 metres;
 - [3] the bisecting line of any sign face displaying electronic static copy shall not exceed 6.6 metres;
 - [4] the sign face area of any sign face displaying electronic static copy shall not exceed 30.0 square metres;
 - (8) The sign shall not contain any sign faces displaying electronic static copy, if the sign does not contain two sign faces displaying static copy as provided for in this subsection;
 - (9) If the sign contains more than one sign face displaying electronic static copy, the sign faces shall be in a back to back configuration;
 - (10) The sign shall not be erected within 30.0 metres of the intersection of a major street with any other street;
 - (11) The sign shall not be erected within 14.0 metres of the west property line and 3.0 metres of any other property line;

- (12) The sign shall not be erected within 60.0 metres of any premises located, in whole or in part, in an R, RA or OS sign district;
- (13) Where a sign is located within 250 metres of an R, RA or OS sign district, the illumination shall not exceed 150 nits;
- (14) The sign shall be located a minimum of 500 metres of any other third party electronic sign located on:
 - [1] the same frontage; or
 - [2] the same properly line adjacent to other premises not within the Woodbine Special Sign District;
- (15) The signs shall be located only on the primary points of vehicular access to the premises of the Woodbine Special Sign District; and
- (16) There shall be no more than two such signs erected at the premises.
- D. An electronic ground sign, other than an electronic ground sign permitted by Subsections A, B and C above, provided:
 - (1) The sign face area shall not exceed 36.0 square metres;
 - (2) The height shall not exceed 15.5 square metres;
 - (3) The sign shall contain no more than four sign faces;
 - (4) The sign shall contain no more than two sign faces displaying static copy;
 - (5) The sign shall contain no more than two sign faces displaying electronic static copy;
 - (6) Any sign faces displaying static copy shall only:
 - [1] display only the name or logo of the Woodbine Racetrack;
 - [2] be comprised of individually installed letters or like sign components;
 - [3] the centre line of any sign face displaying static copy shall not exceed 0.8 metres;
 - [4] the bisecting line of any sign face displaying static copy shall not exceed 1.3 metres;
 - [5] the sign face area of any sign face displaying static copy shall not exceed 1.0 square metres;
 - (7) Any sign faces displaying electronic static copy shall only:
 - [1] the centre line of any sign face displaying electronic static copy shall not exceed 7.6 metres;
 - [2] the bisecting line of any sign face displaying electronic static copy shall not exceed 4.5 metres;
 - [3] the sign face area of any sign face displaying electronic static copy shall not exceed 35.0 square metres;

- (8) The sign shall not contain any sign faces displaying electronic static copy, if the sign does not contain two sign faces displaying static copy as provided for in this subsection;
- (9) The sign shall not be erected within 30.0 metres of the intersection of a major street with any other street;
- (10) The sign shall not be erected within 14.0 metres of the west property line and 3.0 metres of any other property line;
- (11) The sign shall not be erected within 60.0 metres of any premises located, in whole or in part, in an R, RA, CR, I or OS Sign District;
- (12) Where a sign is located within 250 metres of an R, RA or OS sign district, the sign cannot face any premise in the R, RA or OS sign district;
- (13) The sign shall not contain illumination that results in light which projects onto any premises located in an R, RA or OS sign district;
- (14) The sign shall be entirely located within the area labelled as WB-SSD-EZ, represented by the shaded area bounded by heavy lines on the diagram indicated at Subsection F(16) as 555 Rexdale Boulevard Map 2; and
- (15) There shall be no more than two such signs erected at the premises.

SCHEDULE "2"





ATTACHMENT 2. REVISED SIGN DISTRICT MAP WARD 2: ETOBICOKE NORTH