

COVID-19 Vaccine: Building Trust and Confidence


Toronto Community Housing Corporation Staff April 19, 2021

> Presented by: Dr. Vinita Dubey Moderated by: Domenico Calla

DATORONTO Public Health

Variants of Concern

- The coronavirus continues to mutate & change
- Different variants are now in Ontario. They spread infection more easily and cause more serious disease
- Public health measures and vaccine work against variants



The daily rates of new variants of concern (VOCs) for the last 4 days are predicted.



- Some people with COVID-19 infection have symptoms months after the infection is gone.
- COVID-19 infection can cause damage to the lungs, heart or brain, thus increasing the risk of long-term health effects.
- Long term symptoms may include fatigue, shortness of breath, cough, joint pain, pounding heartbeat, trouble concentrating, skin rash or hair loss.



Vaccines can help

Vaccines used in Canada are safe and they work.




Vaccines help to protect us from serious illness





Facts about COVID-19 Vaccination



Getting vaccinated is a personal choice & is free



Vaccines are safe for most people

The vaccines are safe for most people including:



People with health conditions such as heart disease, asthma, diabetes, high blood pressure, or on blood thinners, with hepatitis B, C or HIV.

It is also safe for people with a weakened immune system, autoimmune disorder and pregnancy.



As of April 18, 2021:

- More than 894 million doses of COVID-19 vaccine have been given in 155 countries.
- 209 million doses have been administered in the US, using the same vaccines approved by Health Canada.
- Many more people have been vaccinated in real-world conditions compared to the clinical trials.

Toronto Public Health

4 vaccines available in Canada







For 16-18 years & older, including seniors

Real world effectiveness

2 dose schedule, except for Janssen

Name	Technology	Recommended for	Dose schedule	Availability
Pfizer BioNTech	mRNA	16 years +	2 doses	Available
Moderna	mRNA	18 years +	2 doses	Available
AstraZeneca/ COVISHIELD	viral vector	40 years +	2 doses	Available
Janssen	viral vector	18 years +	1 dose	Not yet available



How the COVID-19 vaccines work...


The COVID-19 vaccines works by telling our body to make *"spike proteins"*, a protein specifically found on the surface of the coronavirus. These proteins will stimulate our body to start making antibodies against COVID-19.



- Pfizer BioNTech and Moderna use mRNA technology.
 - mRNA research and technology has been around for over 10 years.
 - Breaks down and is removed from body in days
- AstraZeneca/COVISHIELD and Janssen use a viral vector.
 - A cold virus that is inactivated (adenovirus), has instructions to make the spike protein in it.



All COVID-19 vaccines protect from severe illness



toronto.ca/COVID19

M TORONTO Public Health



AstraZeneca/COVISHIELD vaccine

- Rare reports of serious blood clots and low blood platelet counts following vaccination (1 in 250,000 people vaccinated).
- Blood clots can occur in the brain, arms/legs or abdomen
- There have been reports of this rare event in Canada.
- With proper medical care, can be treated
- In Ontario, available for people 40+ (starting April 20)
- Informed consent: Benefits of vaccine outweigh potential risk.
- Watch for any side effects following vaccination on days 4 to 20. Seek immediate medical attention if you develop:
 - Trouble breathing, chest pain, abdominal pain that does not go away
 - Sudden severe headache, blurred vision, skin bruising or spots

https://covid19-sciencetable.ca/sciencebrief/vaccine-induced-prothrombotic-immunethrombocytopenia-vipit-following-astrazeneca-covid-19-vaccination-lay-summary/



- The vaccines provide instructions for our body to make antibodies
- Vaccine ingredients include lipids, salts, sugars and buffers
- Vaccines do not have eggs, gelatin (pork), latex, preservatives, antibiotics, formaldehyde, thimerosal, or aluminum
- There is no COVID-19 virus in the vaccine, so they can't give us COVID-19 infection



What if I have allergies?



toronto.ca/COVID19

TORONTO Public Health



Allergies to look for

Pfizer-BioNTech & Moderna: Polyethylene glycol, also found in:

- laxatives or products for colonoscopy, cough syrup, ultrasound gel
- · cosmetics, skin creams,
- shampoos, toothpastes, hair products, contact lenses & solutions,
 some fast foods, baked goods

Moderna vaccine: Tromethamine, also found in:

- contrast media for CT scans / MRI, some medications, skin creams

AstraZeneca/COVISHIELD & Janssen vaccines: Polysorbate 80, also found in:

- processed food, pickles, ice cream, whipped cream, gelatin, shortening, chewing gum,
- cosmetic, soaps, creams, body butter, bath gels, shampoo, mouthwash,
- eye drops, vitamin supplements, heart medication, contraceptives

Vaccines and pregnancy, breastfeeding

- The <u>Society of Obstetricians & Gynecologists of Canada</u> recommends that pregnant and breastfeeding people should be offered vaccination when they are eligible as long as they do not have any contraindications.
- Speak with your doctor or midwife for more information.
- COVID-19 can be serious in pregnancy.

TORONTO

Public Health

- Review the risks and benefits based on your current situation (eg. cannot work from home, live in a crowded household).
- As a precaution, people who are planning a pregnancy can wait for a month after vaccination.




Vaccines and children

- Current vaccines available are for people age 16+
- Research is currently being done to assess COVID-19 vaccine safety and efficacy in younger children

- The best way to protect children is:
 - to keep following public health guidelines, and
 - for adults to be vaccinated as soon as they can



Will it make me sick?



toronto.ca/COVID19

M TORONTO Public Health



- Most vaccine side effects are similar to the flu shot, lasting 1 to 3 days:
 - pain, redness & swelling where the needle is given
 - headache, feeling tired, muscle ache, joint pain
 - fever, chills, nausea or vomiting
 - swelling & tenderness under the armpit / enlarged lymph nodes
- Side effects are more common after the 2nd dose (Pfizer/Moderna)
- Stay at the clinic for 15 minutes after vaccination, so you can be monitored for any allergic reactions



I already had COVID-19...

Do I need the vaccine, if I already had COVID-19?

A: Yes. Based on the latest scientific evidence, natural immunity from COVID-19 may not last long. It is possible to get re-infected after a previous COVID-19 infection.

Learn more: toronto.ca/COVID19

TORONTO Public Health





Informed consent



Speak with your health care provider, if you:

- have an autoimmune disorder
- have a weak immunity from illness or therapy

- Can still get the COVID-19 vaccine, but may have a reduced immune response.
- May want to time medications with vaccination.

Public Health

Phase 2 of vaccine rollout

Projected Phase Two sequencing April to June – updated as of April 9

	Phase 2					
	April	May		June		
Older Adults	Over 75 Over 70 Over 65 Over 60					
Health Conditions	Individuals with Health Conditions					
	Highest Risk & Caregivers	High Risk & Certain Caregivers	At-Risk Hea Conditions			
Congregate Settings	High Risk Congregate Settings					
Hot Spots	COVID-19 Hot S	pots Communities	* Peel and	* Peel and Toronto		
	Highest Risk Communities *	Remaining Hot Spo Communities	ots			
Other priority*	Special Education Workers Education Workers in hot spots		*contact r	*contact risk equivalent to HCW		
Cannot-Work-From-		Wa	Workers who cannot work from home			
Home			Group 1	Group 2		

Source: <u>https://www.tvo.org/article/heres-ontarios-revised-phase-2-vaccination-plan</u>

Health Condition prioritization

Highest-Risk Health Conditions (+ essential caregivers*)

- Organ transplant recipients
- Hematopoietic stem cell transplant recipients
- Neurological diseases in which respiratory function may be compromised (e.g., motor neuron disease, MS)
- Haematological malignancy diagnosed < 1 yr
- Kidney disease eGFR <30

High-Risk Health Conditions

- Obesity (BMI >40)
- Other treatments causing immunosuppression (e.g., chemotherapy, immunity-weakening medications)
- Intellectual or developmental disabilities (e.g., Down Syndrome)

*One essential caregiver of individuals in the Highest-Risk Health Conditions group who require regular and sustained assistance with personal care and/or activities of daily living

Hot Spot Communities Postal Codes (Toronto)

DA TORONTO

Public Health

North York West	North York Central	Scarborough South	Scarborough North
M3J	M2J	M1B	M1S
M3K	M2M	M1C	M1T
M3L	M2R	M1E	M1V
M3M	M3A	M1G	M1W
M3N	M3C	M1H	
M6B	M3H	M1J	
M6L	M4A	M1K	East Toronto
M6M		M1M	M1L
M9L	North Toronto	M1P	M4H
M9M	M5N	M1R	
M9N	M6A	M1X	
M9P			North Etobicoke Malton
	Mid-East Toronto	South Etobicoke	West Woodbridge
West Toronto	M4X	M9A	M9R
M6K	M5A	M9B	M9V
M6N	M5B	M9C	M9W
M8V			

Source: https://assets.documentcloud.org/documents/20586240/20210406_technical-briefing-final-eng.pdf




Ways to get vaccinated

Red & white or no health card? Register using telephone #

City clinics <u>https://covid-</u> <u>19.ontario.ca/book-</u> <u>vaccine/</u> Or call: 1-888-999-6488 (TTY 1-866-797-0007)

Hospital clinics www.vaccineto.ca Or call: 1-888-385-1910 Visit <u>https://covid-</u> <u>19.ontario.ca/book-</u> <u>vaccine/</u> to find a **pharmacy** Or call your local pharmacy / website Mobile & pop-up clinics Host organizations will promote clinics directly to the target community







Pharmacies and Primary Care Providers



Mobile Teams & Pop-up Clinics

Interactive map available online: toronto.ca/covid19vaccinemap



- For those with no other means to get to their vaccination appointment
 - 1. Toronto Ride 416-481-5250; <u>www.torontoride.ca</u>
 - 2. iRide 1-844-474-3301; <u>www.circleofcare.com/vaccinerides;</u>
 - **3.** Scarborough Ride 416 736-9372; <u>www.schcontario.ca/schc-scarborough-ride--transportation--hemodialysis.html</u>
 - Uber Canada
 TTC

Vouchers distributed through a network of partner community agencies

More information: <u>https://www.toronto.ca/home/covid-19/covid-19-protect-yourself-others/covid-19-vaccines/covid-19-how-to-get-vaccinated/?accordion=transportation-to-clinics</u>




Homebound Clients

- 1. Primary Care Led People with primary care providers who are able to provide home-based vaccinations will have their vaccination arranged and completed by the primary care provider.
- 2. Home-Based Care and Toronto Paramedic Services (TPS) People with existing relationship to home-based primary care or community service will have vaccination arranged and completed by the home care service in coordination with TPS.
- 3. TPS Led Primary care provider can make referral to the LHIN for people who do not receive support from a home care provider or home visiting primary care provider. If eligible, Ontario Health care coordinators will arrange and then complete vaccination with TPS.



Second dose extended, but still necessary



Protection is 80% after 1 dose of mRNA vaccine and 90% after the 2nd dose.

Ref - CDC: https://www.cdc.gov/mmwr/volumes/70/wr/mm7013e3.htm?s_cid=mm7013e3

How you can help....

- Share your experience with others
- Be positive and respectful, even if they refuse vaccination right now
- Listen to their concerns
- Emphasize the facts

DA TOBONTO

Public Health

- Balance information on risk and benefits
- Focus on burden of illness or disease
- Know where to get information, if you are not sure of the answers
- Maintain trust so they can approach you again if they have more questions later

And, get vaccinated when it is offered to you



Why it matters



They got their COVID-19 vaccines. Now, in their own languages, they want to tell you how it felt and why it matters



Oneida / English Ron McLester VP, Truth and Reconciliaton at Algonquin College



Onion Ubaldo Tagalog

Doctor



Hang Ying Wong Cantonese LTC resident



Kwasi Adu-Basowah English Registered Nurse




Joe Savikataaq Premier of Nunavut



Vivek Govardhanam Doctor







https://www.thestar.com/news/canada/2021/03/16/they-got-their-covid-19-vaccines-now-in-their-own-languages-they-want-to-tell-you-how-it-felt-and-why-itmatters.html?fbclid=IwAR3uPzyb3xpC3VwoOFGOtLpew gOrW2Fe6jL6WkT-yQO2nEnm6Xnv-tiOUw




Don't spread misinformation





Public Health Measures

Vaccines are **one** of many tools we have to fight the COVID-19 pandemic. It will take time before we have enough vaccine to get everyone vaccinated.



For now, we still need to wear a mask, keep our distance and wash our hands frequently.



More Than A Disease





Mental Health Support

Mental Health Support during COVID-19

It's okay not to feel okay. Many people may feel sad, worried, scared, confused or angry during COVID-19. These are normal and common responses to unexpected or stressful situations.





You are not alone

You are not alone. Support is available.

Call 211 if you are having a hard time. Through 211 anyone be connected to free mental health supports, including including kids, seniors, racialized, Indigenous, Black and LGBTQ2S communities.

Language interpretation is available if you don't speak English.





Be part of something greater

Be part of something greater. Your shot protects others too!



Protected together.



Questions?





Toronto Public Health COVID-19 Hotline

Have questions?

Call Toronto Public Health 416-338-7600

8:30 am to 8:00 pm

Interpreter service is available in many languages. TTY 416-392-0658

More information about COVID-19 & vaccines: toronto.ca/covid19



Supplemental Slides




How vaccines were developed so fast?

- Scientists & researchers around the world sharing data
- Building on existing research & technology
- Large scale funding allowed for multiple testing and large clinical trials
- Over 280 vaccine products were tested
- All vaccines approved by Health Canada still had to meet all safety, efficacy and quality standards

Vaccine development and approval in Canada


..........

Vaccine development



Source: Government of Canada. Vaccine development and approval in Canada. Dec 08 2020.

Review and approval of vaccines



Source: Government of Canada. Vaccine development and approval in Canada. Dec 08 2020.




Vaccine ingredients

Pfizer-BioNTech	Moderna	AstraZeneca / COVISHIELD	Janssen
 active ingredient: mRNA 	 active ingredient: mRNA 	 active ingredient: ChAdOx1-S recombinant 	 active ingredient: Ad26.COV2.S recombinant
 lipids, cholesterol polyethylene glycol [PEG-2000] 	 lipids, cholesterol polyethylene glycol [PEG-2000] 	 amino acid: L-Histidine, L-Histidine hydrochloride monohydrate emulsifier: polysorbate 80 	 emulsifier: 2- hydroxypropyl-β- cyclodextrin, polysorbate- 80
 salts: potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dehydrate sugars: sucrose 	 salts: acetic acid, sodium acetate, sugars: sucrose buffers: tromethamin, tromethamin hydrocholoride 	 salts: sodium chloride, disodium edetate dihydrate (EDTA), magnesium chloride hexahydrate sugars: sucrose alcohol: ethanol 	 buffers: citric acid monohydrate, hydrochloric acid, sodium hydroxide, trisodium citrate dehydrate salts: sodium chloride alcohol: ethanol



Vaccines offer protection against COVID-19 variants



toronto.ca/COVID19

M TORONTO Public Health

DI Toronto Public Health

Mass immunization clinic locations



- North Toronto Memorial Community Centre (200 Eglinton Avenue West)
- Mitchell Field Community Centre (89 Church Avenue)
- The Hangar (75 Carl Hall Road)
- Metro Toronto Convention Centre (255 Front Street West)
- Scarborough Town Centre (300 Borough Drive)
- Carmine Stefano Community Centre (3100 Weston Road)
- Toronto Congress Centre (650 Dixon Road)
- Malvern Community Recreation Centre (30 Sewells Road)
- Cloverdale Mall (250 The East Mall)



Community Immunity





Herd immunity protects our community from infection when many people are vaccinated.



It is another way to protect others by reducing COVID-19 spread.



It also protects people who can't get vaccinated like newborn babies.



Until we have herd immunity, we need to wear our mask & keep a distance from people we don't live with.



TOGETHER, WE CAN GET OUT OF THE 3RD WAVE

Take care of your physical & mental wellbeing.



Stay home except for essential reasons & exercise.



Gather only with members of your household. Keep your distance, wear your mask, wash your hands.

Get the COVID-19 vaccine when it is available to you.



TORONTO.CA/COVID19



What to expect after receiving your 1st dose of the COVID-19 vaccine You may experience It takes 2 weeks The clinic where you Keep your distance, wear a mild side effects that after each dose for the mask and wash your hands received your 1st dose go away in 1-3 days vaccine to take effect will make your 2nd dose until more people are appointment vaccinated

toronto.ca/COVID19

M TORONTO Public Health



Need help getting to a city-run clinic for your vaccination appointment?



If you cannot drive yourself or take transit, ask family or friends



If ride sharing, sit in the back seat with the windows open & wear a mask



If you cannot access or afford transportation you may be eligible for supports



Plan ahead – find more information, maps and pictures of city-run clinics at toronto.ca/COVID19

toronto.ca/COVID19

M TORONTO Public Health