




FRAME




SECTION A-A



SECTION B-B



COVER



TYPICAL INFLOW REDUCTION DISH

INFLOW REDUCTION DISH c/w GASKET (2x5 mm HOLES TO BE DRILLED INTO BOTTOM OF DISH) (CRETEX, OR APPROVED EQUIVALENT)  
 INFLOW DISH TO BE MADE OF HIGH DENSITY POLYETHYLENE COPOLYMER PER ASTM D-1248, CLASS A, CATEGORY 5, TYPE III.

NOTES:

1. REFER TO DRAWING OPSD 401.010, 401.020, 401.030 AND T-1120.06-3 FOR DETAILS PERTAINING TO PRECAST MAINTENANCE HOLES.
2. THIS FRAME AND COVER SYSTEM IS INTENDED FOR INSTALLATION WITHIN THE RIGHT-OF-WAY. THE WORD "SANITARY" TO BE CAST INTO COVER WITH 50mm LETTERS.
3. FRAME TO BE ATTACHED DIRECTLY TO PRECAST MAINTENANCE HOLE TOP. REFER TO DRAWING T-1120.06-1.
4. ALL DIMENSIONS ARE NOMINAL.

All dimensions are in millimetres unless otherwise shown.



ENGINEERING & CONSTRUCTION SERVICES STANDARD DRAWING

**HEAVY DUTY MAINTENANCE HOLE  
 FRAME AND COVER  
 WITH INFLOW DISH**

REV 0

SEP 2019

**T-1120.06-2**

NTS

SHEET 1