INFLUENZA CHEAT SHEET FOR IPAC LEADS

in long-term care homes and retirement homes.

One <u>lab confirmed</u> influenza case? Do this:

Nov 29, 2022

Category	Immediate actions upon receiving lab report	Within 24 hours of receiving lab report
Surveillance	Check the floor/unit for symptomatic residents	Increase symptom surveillance to twice a day Report additional symptomatic staff and residents immediately to TPH and IPAC hub
Testing	 Perform a COVID-19 RAT and PCR test for symptomatic residents Select up to 4 symptomatic residents to perform a <u>MRVP/Fluvid</u> test (results are most accurate when the test is performed within 48 hours of onset) *Note: Do not perform a MRVP/Fluvid test for staff **Note: Check with your lab if a separate swab is needed for MRVP/Fluvid testing 	 Continue COVID-19 RAT and PCR testing for additional symptomatic residents Continue testing MRVP/Fluvid for any additional symptomatic residents for up to a maximum of 4 residents total
Initial IPAC Measures	Place all symptomatic residents on Droplet/Contact Precautions (staff are recommended to wear a N95 respirator until COVID-19 is ruled out)	If COVID-19 negative, symptomatic residents to remain on Droplet/Contact Precautions while symptomatic at minimum
Antiviral Treatment (Tamiflu)	 Notify the pharmacy about the lab-confirmed case so they are aware of possible Tamiflu order(s) Report positive influenza result to facility physician and discuss initiation of Tamiflu treatment for the influenza-positive resident 	*Tamiflu prophylaxis is only applicable for confirmed influenza outbreaks

Once the immediate actions are completed, connect with Toronto Public Health and your IPAC Hub. *This is a fillable PDF*

For Saturday, Sunday and Statutory Holidays from 8:30 a.m. to 4:30 p.m., email the situation* to LRCT@toronto.ca *Note: If you are affiliated with CDLU, contact your CDLU Liaison directly and do not send an email to LRCT@toronto.ca.