



Plate 1: The Site, looking towards east of Eglinton Ave E.



Plate 2: The Site, looking towards west of Kingston Road.



Plate 3: 2590 Eglinton Ave E, approximately 40m North of Eglinton Ave E, view of a car dealership.



Plate 4: 2592 Eglinton Ave E, approximately 40m North of Eglinton Ave E, view of a car dealership.



Plate 5: 2581 & 2583 Eglinton Ave East, 40 m south of Eglinton Ave E, view of an auto repair shop.



Plate 6: 79 Winter Ave, approximately 40m South of Eglinton Ave E, view of an auto repair shop.



Plate 7: 2823 Eglinton Ave E, approximately 50m South of Eglinton Ave E, view of an autobody shop.



Plate 8: 2869 Eglinton Ave E, approximately 40m South of Eglinton Ave E, view of an autobody shop.



Plate 9: 2822 Eglinton Ave E, approximately 40m North of Eglinton Ave E, view of an autobody shop.



Plate 10: 40 Barbados Blvd, approximately 220 m South of Eglinton Ave E, view of an auto repair shop.



Plate 11: 110 Barbados Blvd, approximately 230 m South of Eglinton Ave E, view of an auto repair shop.



Plate 12: 2906 Eglinton Ave E, approximately 30m North of Eglinton Ave E, view of an auto repair shop.



Plate 13: 2918 Eglinton Ave E, approximately 30m North of Eglinton Ave E, view of an auto repair shop.



Plate 14: 2937 Eglinton Ave E, approximately 30m South of Eglinton Ave E, view of an auto repair shop.



Plate 15: 2941 Eglinton Ave E, approximately 30m South of Eglinton Ave E, view of an autobody shop.



Plate 16: 2939 Eglinton Ave E, approximately 30m South of Eglinton Ave E, view of an .
autobody shop.



Plate 17: 3748 Kingston Rd, approximately 40m Northwest of Kingston Road, view of an auto repair shop.



Plate 18: 3790 Kingston Rd, approximately 30m Northwest of Kingston Road, view of an autobody shop.



Plate 19: 4141 Kingston Rd, approximately 40m East of Kingston Road, view of an autobody shop.



Plate 20: 4185 Kingston Rd, approximately 30m East of Kingston Road, view of an auto repair shop.



Plate 21: 2946 Automotive Service Center, 25m north of Eglinton Ave E, view of an auto repair shop.



Plate 22: 4233 Kingston Rd, approximately 20m East of Kingston Rd, view of an auto repair shop.




Plate 23: 4229 Kingston Rd, approximately 30m East of Kingston Road, view of an auto repair shop.



Plate 24: 4294 Kingston Rd, approximately 30m West of Kingston Road, view of an auto repair shop.



Plate 25: 4334 Kingston Rd, approximately 60m West of Kingston Road, view of an auto service centre.



Plate 26: 4418 Kingston Rd, approximately 50m West of Kingston Road, view of an auto repair shop



Plate 27: 4 Falaise Rd, approximately 65m north of Kingston Road, view of view of an autobody shop.



Plate 28: 5060 Sheppard Ave E, approximately 180m North of Sheppard Ave E, view of a car dealership.



Plate 29: 5070 Sheppard Ave E, approximately 60m North of Sheppard Ave E, view of an autobody shop.



Plate 30: 5080 Sheppard Ave E, approximately 30m North of Sheppard Ave E, view of an autobody shop.



Plate 31: 4960 Sheppard Ave E, approximately 150m North of Sheppard Ave E, view of an autobody shop.



Plate 32: 4910 Sheppard Ave E, approximately 50m North of Sheppard Ave E, view of an auto repair shop.



Plate 33: 4900 Sheppard Ave E, approximately 50m North of Sheppard Ave E, view of an auto repair shop.




Plate 34: 4630 Sheppard Ave E, approximately 90m North of Sheppard Ave E, view of an auto repair centre.



Plate 35: 4800 Sheppard Ave E, approximately 60m North of Sheppard Ave E, view of an auto repair shop.



Plate 36: 4736 Sheppard Ave E, approximately 90m North of Sheppard Ave E, view of an auto repair shop.



Plate 37: 4732 Sheppard Ave E, approximately 40m North of Sheppard Ave E, view of an auto repair shop.



Plate 38: 4730 Sheppard Ave E, approximately 130m North of Sheppard Ave E, view of an auto repair shop.



Plate 39: 2424 Eglinton Ave E, approximately 40m North of Eglinton Ave E, view of an autobody shop & gas station.



Plate 40: 2438 Eglinton Ave E, approximately 40m North of Eglinton Ave, view of an auto repair shop.



Plate 41: 2851 Eglinton Ave E, approximately 40m South of Eglinton Ave E, view of a car dealership.



Plate 42: 2910 Eglinton Ave E, approximately 30m North of Eglinton Ave E, view of an auto repair shop.



Plate 43: 3204 Eglinton Ave E, approximately 60 m North of Eglinton Ave E, view of an auto repair shop.



Plate 44: 4187 Kingston Rd, approximately 50 m Southeast of Kingston Rd, view of an auto repair shop.



Plate 45: 5000 Sheppard Ave E, approximately 50m North of Sheppard Ave E, view of a car dealership.



Plate 46: 2372 Eglinton Ave E, approximately 30m north of Eglinton Ave E, view of a gas station.



Plate 47: 2601 Eglinton Ave E, approximately 30m South of Eglinton Ave E, view of a gas station.



Plate 48: 2610 Eglinton Ave E, approximately 20m North of Eglinton Ave E, view of a gas station.



Plate 49: 1039 Danforth Road, approximately 240m South of Eglinton Ave E, view of a gas station.



Plate 50: 2875 Eglinton Ave E, approximately 40m South of Eglinton Ave E, view of a gas station.



Plate 51: 3800 Kingston Rd, approximately 30m Northwest of Kingston Road, view of a gas station.



Plate 52: 4403 Kingston Rd, approximately 30m East of Kingston Road, view of a gas station.



Plate 53: 4418 Kingston Rd, approximately 50m Northwest of Kingston Road, view of a gas station.



Plate 54: 3100 Ellesmere Road, approximately 30m west of Morningside Avenue, view of a gas station.



Plate 55: 800 Morningside Ave, approximately 20m West of Morningside Ave, view of a gas station.



Plate 56: 1149 Morningside Ave, approximately 30m East of Morningside Ave, view of a gas station.



Plate 57: 1641 Markham Road, approximately 50m South of Sheppard Ave E, view of a gas station.




Plate 58: 5110 Sheppard Ave E, approximately 30m North of Sheppard Ave E, view of a gas station.



Plate 59: 5818 Sheppard Ave E, approximately 30m North of Sheppard Ave E, view of a gas station.



Plate 60: 4650 Sheppard Ave E, approximately 70m North of Sheppard Ave E, view of a gas station.



Plate 61: 4901 Sheppard Ave E, approximately 20m South of Sheppard Ave E, view of a gas station.



Plate 62: View of maintenance storage facility, looking towards north.



Plate 63: View of maintenance storage facility, looking towards east.



Plate 64: 8150 Sheppard Ave E, approximately 30m North of Sheppard Ave E, view of a electronic manufacturing company.



Plate 65: 8270 Sheppard Ave E, approximately 12m East of Thornmount Drive, view of a salt dome.



Plate 66: 8800 Sheppard Ave E, approximately 30m North of Sheppard Ave E, view of an asphalt manufacturing and research centre.



Plate 67: 35 Auto Mall Drive, approximately 130m South of Sheppard Ave E, view of an autobody shop.



Plate 68: 8301 Sheppard Ave E, approximately 20m South of Sheppard Ave E, view of a gas station.



Plate 69: 70 Grand Marshall Drive, approximately 75 m South of Sheppard Ave E, view of an autobody shop.



APPENDIX A

Technical Standards and Safety Authority (TSSA) Response

Aswathy Suresan

From: Aswathy Suresan
Sent: July 12, 2023 1:57 PM
To: Kushal Tiyyala
Subject: FW: Regd: List of Fuel Tanks Eglinton LRT first 10 Autobody shop

From: Public Information Services <publicinformationservices@tssa.org>

Sent: July 12, 2023 9:53 AM

To: Aswathy Suresan <asuresan@petomacallum.com>

Subject: RE: Regd: List of Fuel Tanks

CAUTION: This email is originated from outside of the organization. Please do not open attachments or follow instructions from unsolicited e-mails, even if they come from people in your contact list, and never click on a URL contained in an unsolicited e-mail, even if the link seems benign. Please contact IT if you have any doubts on any email's authenticity.

NO RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

- We confirm that there are no records in our current database of any fuel storage tanks at the subject address(es).

This is not a confirmation that there are no records in the archives. For a further search in our archives, please submit an application for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the new application(s) and Service Prepayment Portal:

1. Click [Release of Public Information - TSSA](#) - TSSA and click "need a copy of a document";
2. Select the appropriate application, download it and complete it in full; and
3. Proceed to page 3 of the application and click the link TSSA Service Prepayment Portal under payment options (the link will take you the secure site to pay for the release via credit card).

Accessing the Service Prepayment Portal:

1. Select new or existing customer (*if you are an existing customer, you will need your account # & postal code to access your account);
2. Select the program area: AD (Amusement Devices), BPV (Boilers and Pressure Vessels), ED (Elevating Devices), FS (Fuels Services), OE (Operating Engineers) or SKI (Ski Lifts) and click continue;
3. Enter the application form number (obtained from bottom left corner of application form) and click continue;
 - a. When selecting the application form number from the drop-down menu, please make sure you select the application that begins with "PI" (i.e. PI-FS, PI-BPV etc.);
4. Complete the primary contact information section;
5. Complete the fees section;
6. Upload your completed application; and
7. Upload supporting documents (if required) and click continue.

Once all steps have been successfully completed, you will receive your receipt via email.

Questions? Please contact TSSA's Public Information Release team at publicinformationservices@tssa.org.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind Regards,



Kimberly Gage | Public Information Agent

Legal

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-3348 | Fax: +1 416-734-3568 | E-Mail: kgage@tssa.org

www.tssa.org



Winner of 2022 5-Star Safety Cultures Award

From: Aswathy Suresan <asuresan@petomacallum.com>

Sent: Tuesday, July 11, 2023 3:50 PM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Regd: List of Fuel Tanks

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

I would like to request a list of fuel tanks for the following location in the City of Toronto, Ontario.

1. 2590 Eglinton Ave E, Scarborough, ON M1K 2R5
2. 2592 Eglinton Ave E, Scarborough, ON M1K 2R5
3. 2581 Eglinton Ave E, Scarborough, ON M1K 2R8
4. 2583 Eglinton Ave E, Scarborough, ON M1K 2R8
5. 90 Winter Ave, Scarborough, ON M1K 4M3
6. 79 Winter Ave, Scarborough, ON M1K 4M2
7. 2823 Eglinton Ave E, Scarborough, ON M1J 2E1
8. 2869 Eglinton Ave E, Scarborough, ON M1J 2E3
9. 2822 Eglinton Ave E, Scarborough, ON M1J 2C8
10. 40 Barbados Blvd, Scarborough, ON M1J 1L1

Kind regards,

Aswathy Suresan, M.Eng. (She/Her)

Project Supervisor

Peto MacCallum Ltd.



165 Cartwright Avenue
Toronto, Ontario M6A 1V5
Tel: (416) 785-7202 ext 332
Cell: (705) 794-5697
asuresan@petomacallum.com
www.petomacallum.com

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Aswathy Suresan

From: Public Information Services <publicinformationservices@tssa.org>
Sent: August 3, 2023 8:06 AM
To: Aswathy Suresan
Subject: RE: Regd: List of Fuel Tanks (Eglinton LRT E2)

Follow Up Flag: Follow up
Flag Status: Flagged

CAUTION: This email is originated from outside of the organization. Please do not open attachments or follow instructions from unsolicited e-mails, even if they come from people in your contact list, and never click on a URL contained in an unsolicited e-mail, even if the link seems benign. Please contact IT if you have any doubts on any email's authenticity.

Please refrain from sending documents to head office. The Public Information (PI) team works remotely, mailing in applications will lengthen the overall processing time.

NO RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

- We confirm that there are no records in our current database of any fuel storage tanks at the subject address(es).

This is not a confirmation that there are no records in the archives. For a further search in our archives, please submit an application for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

For copies of a document, please submit an application through TSSA's Service Prepayment Portal

Please follow the steps below to access the applications and the Service Prepayment Portal.

Accessing the applications

1. Click [Release of Public Information](#) - TSSA and click "need a copy of a document"
2. Select the appropriate application, download it, complete it in full and save it (Note: you will have to upload the application)
3. Proceed to page 3 of the application and click the "TSSA Service Prepayment Portal" link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

1. Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
2. Under "Program Area" select **Public Information** and click continue
3. Enter application form number (found on the bottom left corner of the application form) and click continue
4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationsservices@tssa.org.

Kind Regards,

Nicola

From: Aswathy Suresan <asuresan@petomacallum.com>
Sent: Wednesday, August 2, 2023 3:44 PM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: Regd: List of Fuel Tanks (Eglinton LRT E2)

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

I would like to request a list of fuel tanks for the following location in the City of Toronto, Ontario.

1. 110 Barbados Blvd, Scarborough, ON M1J 1K9
2. 2906 Eglinton Ave E, Scarborough, ON M1J 2E4
3. 2918 Eglinton Ave E, Scarborough, ON M1J 2E4
4. 2937 Eglinton Ave E, Scarborough, ON M1J 2E7
5. 2941 Eglinton Ave E, Scarborough, ON M1J 2E5
6. 2939 Eglinton Ave E, Scarborough, ON M1J 2E5
7. 3748 Kingston Rd, Scarborough, ON M1J 3H5
8. 3790 Kingston Rd, Scarborough, ON M1J 3H5
9. 4141 Kingston Rd, Scarborough, ON M1E 2M3
10. 4185 Kingston Rd, Scarborough, ON M1E 2M5

))Kind regards,

Aswathy Suresan, M.Eng. (She/Her)
Project Supervisor



Peto MacCallum Ltd.
165 Cartwright Avenue
Toronto, Ontario M6A 1V5
Tel: (416) 785-7202 ext 332
Cell: (705) 794-5697
asuresan@petomacallum.com
www.petomacallum.com

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

From:

Sent:

To:

Subject:

Public Information Services <publicinformationservices@tssa.org>

August 3, 2023 9:41 AM

Aswathy Suresan

RE: Regd: List of Fuel Tanks (Eglinton LRT E3)

Follow Up Flag:

Flag Status:

Follow up

Flagged

CAUTION: This email is originated from outside of the organization. Please do not open attachments or follow instructions from unsolicited e-mails, even if they come from people in your contact list, and never click on a URL contained in an unsolicited e-mail, even if the link seems benign. Please contact IT if you have any doubts on any email’s authenticity.

Please refrain from sending documents to head office. The Public Information (PI) team works remotely, mailing in applications will lengthen the overall processing time.

RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA’s current database.

- We confirm that there are records in our current database of fuel storage tanks at the subject address(es).

Inventory[Inventory Number]	Inventory[Inventory Address]	Inventory[Inventory City]	Inventory[Inventory Province]	Inventory[Inventory Postal Code]	Inventory[Inventory Status]	Inventory[Asset Class / Inventory Context]	Inventory[Asset Type / Inventory Item]
10045163	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	Propane	
10045163-1	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	Propane	FS PROPANE REFILL CNTR - CYLR FILL
10045163-2	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	Propane	FS PROPANE REFILL CNTR - MOTOR FILL
10045191	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	Liquid Fuels	FS GASOLINE STATION - FULL SERVE
11213350	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	EXPIRED	FS Propane Tank	FS PROPANE TANK
11213372	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS Liquid Fuel	FS LIQUID FUEL TANK
11213413	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS Liquid Fuel	FS LIQUID FUEL TANK
11213451	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS Liquid Fuel	FS LIQUID FUEL TANK
64657745	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS Propane	FS PROPANE TANK

For copies of a document, please submit an application through TSSA’s Service Prepayment Portal

Please follow the steps below to access the applications and the Service Prepayment Portal.

Accessing the applications

- Click [Release of Public Information](#) - TSSA and click “need a copy of a document”
- Select the appropriate application, download it, complete it in full and save it (Note: you will have to upload the application)
- Proceed to page 3 of the application and click the “TSSA Service Prepayment Portal” link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

- Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
- Under “Program Area” select **Public Information** and click continue
- Enter application form number (found on the bottom left corner of the application form) and click continue

4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationservices@tssa.org.

Regards,
Nicola

From: Aswathy Suresan <asuresan@petomacallum.com>
Sent: Thursday, August 3, 2023 9:02 AM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: Regd: List of Fuel Tanks (Eglinton LRT E3)

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good morning,

I would like to request a list of fuel tanks for the following location in the City of Toronto, Ontario.

1. 2946 Eglinton Ave E, Scarborough, ON M1J 2E7
2. 4233 Kingston Rd, Scarborough, ON M1E 2M5
3. 4229 Kingston Rd, Scarborough, ON M1E 2M5
4. 4294 Kingston Rd, Scarborough, ON M1E 2M8
5. 4334 Kingston Rd, Scarborough, ON M1E 2M8
6. 4418 Kingston Rd, Scarborough, ON M1E 2N4
7. 4 Falaise Rd, Scarborough, ON M1E 3B5
8. 5060 Sheppard Ave E, Scarborough, ON M1S 4N3
9. 5070 Sheppard Ave E, Scarborough, ON M1S 4N3
10. 5080 Sheppard Ave E, Scarborough, ON M1S 4N3

Kind regards,

Aswathy Suresan, M.Eng. (She/Her)
Project Supervisor

 Peto MacCallum Ltd.
165 Cartwright Avenue
Toronto, Ontario M6A 1V5
Tel: (416) 785-7202 ext 332
Cell: (705) 794-5697
asuresan@petomacallum.com
www.petomacallum.com

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

From: Public Information Services <publicinformationservices@tssa.org>
Sent: August 4, 2023 10:13 AM
To: Aswathy Suresan
Subject: RE: Regd: List of Fuel Tanks (Eglinton LRT E4)

Follow Up Flag: Follow up
Flag Status: Flagged

CAUTION: This email is originated from outside of the organization. Please do not open attachments or follow instructions from unsolicited e-mails, even if they come from people in your contact list, and never click on a URL contained in an unsolicited e-mail, even if the link seems benign. Please contact IT if you have any doubts on any email’s authenticity.

RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA’s current database.

- We confirm that there are records in our current database of any fuel storage tanks at the subject address(es).

	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10959260	4630 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 3V5	Active	FS PROPANE TANK
9622774-1	4630 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 3V5	Active	FS PROPANE REFILL CNTR - CYLR FILL
9622774-2	4630 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 3V5	Active	FS CYLINDER EXCHANGE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10952139	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	EXPIRED	FS LIQUID FUEL TANK
10952161	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	EXPIRED	FS LIQUID FUEL TANK
10952176	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	EXPIRED	FS LIQUID FUEL TANK
10952191	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	EXPIRED	FS LIQUID FUEL TANK
11150170	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	EXPIRED	FS LIQUID FUEL TANK
11150181	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	EXPIRED	FS LIQUID FUEL TANK
37391999	2601 EGLINTON AVE EAST	TORONTO	ON	M1K 2S1	Active	FS CYLINDER EXCHANGE
64478414	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	Active	FS CYLINDER EXCHANGE
64703918	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	Active	FS LIQUID FUEL TANK
64703919	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	Active	FS LIQUID FUEL TANK
9485794	2601 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2S1	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10952204	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	EXPIRED	FS LIQUID FUEL TANK
10952210	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	EXPIRED	FS LIQUID FUEL TANK
10952219	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	EXPIRED	FS LIQUID FUEL TANK
61503769	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	Active	FS FUEL OIL TANK
64703596	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	Active	FS GASOLINE STATION - SELF SERVE

64703597	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	Active	FS LIQUID FUEL TANK
64703598	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	Active	FS LIQUID FUEL TANK
64703944	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	Active	FS CYLINDER EXCHANGE
9791718	2610 EGLINTON AVE E	SCARBOROUGH	ON	M1K 2R9	EXPIRED	FS GASOLINE STATION - FULL SERVE

Accessing the applications

1. Click [Release of Public Information](#) - TSSA and click “need a copy of a document”
2. Select the appropriate application, download it, complete it in full and save it (Note: you will have to upload the application)
3. Proceed to page 3 of the application and click the “TSSA Service Prepayment Portal” link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

1. Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
2. Under “Program Area” select **Public Information** and click continue
3. Enter application form number (found on the bottom left corner of the application form) and click continue
4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationservices@tssa.org.

Warm regards,



Kimberly Gage | Public Information Agent

Legal

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-3348 | Fax: +1 416-734-3568 | E-Mail: kgage@tssa.org

www.tssa.org



From: Aswathy Suresan <asuresan@petomacallum.com>

Sent: Friday, August 4, 2023 9:17 AM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Regd: List of Fuel Tanks (Eglinton LRT E4)

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.



Winner of 2022 5-Star Safety Cultures Award

Good morning,

I would like to request a list of fuel tanks for the following location in the City of Toronto, Ontario.

1. 4960 Sheppard Ave E, Scarborough, ON M1S 4A7
2. 4910 Sheppard Ave E, Scarborough, ON M1S 4A7
3. 4900 Sheppard Ave E, Scarborough, ON M1S 5M9
4. 4630 Sheppard Ave E, Scarborough, ON M1S 3V5
5. 4800 Sheppard Ave E, Scarborough, ON M1S 4N5
6. 4736 Sheppard Ave E, Scarborough, ON
7. 4732 Sheppard Ave E, Scarborough, ON M1S 3V6

8. 2851 Eglinton Ave E, Scarborough, ON M1J 2E2
9. 2601 Eglinton Ave E, Scarborough, ON M1K 2S1
10. 2610 Eglinton Ave E, Scarborough, ON M1K 2R9

Kind regards,

Aswathy Suresan, M.Eng. (She/Her)
Project Supervisor



Peto MacCallum Ltd.
165 Cartwright Avenue
Toronto, Ontario M6A 1V5
Tel: (416) 785-7202 ext 332
Cell: (705) 794-5697
asuresan@petomaccallum.com
www.petomaccallum.com

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

From: Public Information Services <publicinformationservices@tssa.org>
Sent: August 9, 2023 11:11 AM
To: Aswathy Suresan
Subject: RE: Regd: List of Fuel Tanks (Eglinton LRT E5)

Follow Up Flag: Follow up
Flag Status: Flagged

CAUTION: This email is originated from outside of the organization. Please do not open attachments or follow instructions from unsolicited e-mails, even if they come from people in your contact list, and never click on a URL contained in an unsolicited e-mail, even if the link seems benign. Please contact IT if you have any doubts on any email’s authenticity.

RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA’s current database.

- We confirm that there are records in our current database of any fuel storage tanks at the subject address(es).

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10951642	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS LIQUID FUEL TANK
10951659	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS LIQUID FUEL TANK
10951675	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS LIQUID FUEL TANK
10951690	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS LIQUID FUEL TANK
11485929	1039 DANFORTH RD AT BRIMLEY	SCARBOROUGH	ON	M1T 3J2	EXPIRED	FS LIQUID FUEL TANK
11485955	1039 DANFORTH RD AT BRIMLEY	SCARBOROUGH	ON	M1T 3J2	EXPIRED	FS LIQUID FUEL TANK
11485958	1039 DANFORTH RD AT BRIMLEY	SCARBOROUGH	ON	M1T 3J2	EXPIRED	FS LIQUID FUEL TANK
11485964	1039 DANFORTH RD AT BRIMLEY	SCARBOROUGH	ON	M1T 3J2	EXPIRED	FS LIQUID FUEL TANK
36681588	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS CYLINDER EXCHANGE
64498962	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS LIQUID FUEL TANK
64498963	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS LIQUID FUEL TANK
9713521	1039 DANFORTH RD	SCARBOROUGH	ON	M1K 1J8	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10274685	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	EXPIRED	FS GASOLINE STATION - SPLIT SERVE
10383668	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	Active	FS GASOLINE STATION - SELF SERVE
11078902	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	EXPIRED	FS LIQUID FUEL TANK
11078933	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	EXPIRED	FS LIQUID FUEL TANK
11078958	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	EXPIRED	FS LIQUID FUEL TANK
11584738	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	Active	FS LIQUID FUEL TANK
11584748	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	Active	FS LIQUID FUEL TANK

11584754	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	Active	FS LIQUID FUEL TANK
29643144	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	Active	FS CYLINDER EXCHANGE
9821457	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	EXPIRED	FS GASOLINE STATION - SELF SERVE
9861596	3800 KINGSTON RD	SCARBOROUGH	ON	M1J 3H6	EXPIRED	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10045237	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	EXPIRED	FS GASOLINE STATION - FULL SERVE
10049165	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	EXPIRED	FS GASOLINE STATION - FULL SERVE
11213644	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	EXPIRED	FS LIQUID FUEL TANK
11213686	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	EXPIRED	FS LIQUID FUEL TANK
11213730	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	EXPIRED	FS LIQUID FUEL TANK
11213775	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	EXPIRED	FS LIQUID FUEL TANK
11217482	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	Active	FS LIQUID FUEL TANK
11355580	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	Active	FS LIQUID FUEL TANK
11355594	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	Active	FS LIQUID FUEL TANK
11355613	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	Active	FS LIQUID FUEL TANK
56558303	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	EXPIRED	FS CYLINDER EXCHANGE
64732868	4403 KINGSTON RD	SCARBOROUGH	ON	M1E 2N2	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10045163-1	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS PROPANE REFILL CNTR - CYLR FILL
10045163-2	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS PROPANE REFILL CNTR - MOTOR FILL
10045191	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS GASOLINE STATION - FULL SERVE
11213350	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	EXPIRED	FS PROPANE TANK
11213372	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS LIQUID FUEL TANK
11213413	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS LIQUID FUEL TANK
11213451	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS LIQUID FUEL TANK
64657745	4418 KINGSTON RD	SCARBOROUGH	ON	M1E 2N4	Active	FS PROPANE TANK

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10952462	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	EXPIRED	FS LIQUID FUEL TANK
10952477	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	EXPIRED	FS LIQUID FUEL TANK
10952509	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	EXPIRED	FS LIQUID FUEL TANK
10952532	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	EXPIRED	FS LIQUID FUEL TANK
10952548	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	EXPIRED	FS LIQUID FUEL TANK
10952569	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	Active	FS LIQUID FUEL TANK
10952575	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	Active	FS LIQUID FUEL TANK
10952578	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	Active	FS LIQUID FUEL TANK
10952584	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	Active	FS LIQUID FUEL TANK
11568712	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	Active	FS LIQUID FUEL TANK
25191231	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	Active	FS CYLINDER EXCHANGE
9775647	3100 ELLESMERE RD	SCARBOROUGH	ON	M1E 4C2	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10958143	800 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B8	Active	FS LIQUID FUEL TANK
10958152	800 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B8	Active	FS LIQUID FUEL TANK
10958159	800 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B8	Active	FS LIQUID FUEL TANK
10958167	800 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B8	Active	FS LIQUID FUEL TANK
10958176	800 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B8	Active	FS LIQUID FUEL TANK
64519615	800 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B8	Active	FS CYLINDER EXCHANGE
9770615	800 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B8	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10958243	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	EXPIRED	FS LIQUID FUEL TANK
10958259	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	EXPIRED	FS LIQUID FUEL TANK
10958272	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	EXPIRED	FS LIQUID FUEL TANK
10958285	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	EXPIRED	FS LIQUID FUEL TANK
11621022	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	Active	FS LIQUID FUEL TANK

11621027	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	Active	FS LIQUID FUEL TANK
11621032	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	Active	FS LIQUID FUEL TANK
11621037	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	Active	FS LIQUID FUEL TANK
29643075	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	Active	FS CYLINDER EXCHANGE
9795934	1149 MORNINGSIDE AVE	SCARBOROUGH	ON	M1B 5J3	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10957079	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	EXPIRED	FS LIQUID FUEL TANK
10957088	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	EXPIRED	FS LIQUID FUEL TANK
10957094	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	EXPIRED	FS LIQUID FUEL TANK
10957103	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	EXPIRED	FS LIQUID FUEL TANK
10957109	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	EXPIRED	FS LIQUID FUEL TANK
10957118	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	EXPIRED	FS LIQUID FUEL TANK
11477248	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	EXPIRED	FS LIQUID FUEL TANK
30097141	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	Active	FS CYLINDER EXCHANGE
37907763	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	Active	FS LIQUID FUEL TANK
37907764	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	Active	FS LIQUID FUEL TANK
37907765	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	Active	FS LIQUID FUEL TANK
37907766	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	Active	FS LIQUID FUEL TANK
9680515	1641 MARKHAM RD	SCARBOROUGH	ON	M1B 2W1	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10959424	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	EXPIRED	FS LIQUID FUEL TANK
10959442	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	EXPIRED	FS LIQUID FUEL TANK
10959457	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	EXPIRED	FS LIQUID FUEL TANK
10959472	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	EXPIRED	FS LIQUID FUEL TANK
10959487	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	EXPIRED	FS LIQUID FUEL TANK
25191542	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	Active	FS CYLINDER EXCHANGE
63330813	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	Active	FS LIQUID FUEL TANK

63330814	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	Active	FS LIQUID FUEL TANK
63330815	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	Active	FS LIQUID FUEL TANK
64653270	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	Active	FS LIQUID FUEL TANK
9796197	5110 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4N3	Active	FS GASOLINE STATION - SELF SERVE

Accessing the applications

1. Click [Release of Public Information](#) - TSSA and click “need a copy of a document”
2. Select the appropriate application, download it, complete it in full and save it (Note: you will have to upload the application)
3. Proceed to page 3 of the application and click the “TSSA Service Prepayment Portal” link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

1. Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
2. Under “Program Area” select **Public Information** and click continue
3. Enter application form number (found on the bottom left corner of the application form) and click continue
4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationservices@tssa.org.

Warm regards,



Kimberly Gage | Public Information Agent

Legal

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-3348 | Fax: +1 416-734-3568 | E-Mail: kgage@tssa.org

www.tssa.org



From: Aswathy Suresan <asuresan@petomacallum.com>

Sent: Wednesday, August 9, 2023 9:18 AM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Regd: List of Fuel Tanks (Eglinton LRT E5)

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.



Winner of 2022 5-Star Safety Cultures Award

Good morning,

I would like to request a list of fuel tanks for the following location in the City of Toronto, Ontario.

1. 1039 Danforth Rd, Scarborough, ON M1K 1J8
2. 2875 Eglinton Ave E, Scarborough, ON M1J 2E3
3. 3800 Kingston Rd, Scarborough, ON M1J 3H6
4. 4403 Kingston Rd, Scarborough, ON M1E 2N2
5. 4418 Kingston Rd, Scarborough, ON M1E 2N4
6. 3100 Ellesmere Rd, Scarborough, ON M1E 4C2
7. 800 Morningside Ave, Scarborough, ON M1C 1B8

8. 1149 Morningside Ave, Scarborough, ON M1B 5J3
9. 1641 Markham Rd, Scarborough, ON M1B 2W1
10. 5110 Sheppard Ave E, Scarborough, ON M1S 4N3

Kind regards,

Aswathy Suresan, M.Eng. (She/Her)
Project Supervisor



Peto MacCallum Ltd.
165 Cartwright Avenue
Toronto, Ontario M6A 1V5
Tel: (416) 785-7202 ext 332
Cell: (705) 794-5697
asuresan@petomaccallum.com
www.petomaccallum.com

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

From: Public Information Services <publicinformationservices@tssa.org>
Sent: August 10, 2023 9:02 AM
To: Aswathy Suresan
Subject: RE: Regd: List of Fuel Tanks (Eglinton LRT E6)

Follow Up Flag: Follow up
Flag Status: Flagged

CAUTION: This email is originated from outside of the organization. Please do not open attachments or follow instructions from unsolicited e-mails, even if they come from people in your contact list, and never click on a URL contained in an unsolicited e-mail, even if the link seems benign. Please contact IT if you have any doubts on any email’s authenticity.

RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA’s current database.

- We confirm that there are records in our current database of any fuel storage tanks at the subject address(es).

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
64511705	5818 SHEPPARD AVE E	TORONTO	ON	M1B 4Z6	EXPIRED	FS CYLINDER EXCHANGE
64711527	5818 SHEPPARD AVE E	TORONTO	ON	M1B 4Z6	Active	FS GASOLINE STATION - SELF SERVE
64711528	5818 SHEPPARD AVE E	TORONTO	ON	M1B 4Z6	Active	FS LIQUID FUEL TANK
64711529	5818 SHEPPARD AVE E	TORONTO	ON	M1B 4Z6	Active	FS LIQUID FUEL TANK
64897243	5818 SHEPPARD AVE E	TORONTO	ON	M1B 4Z6	Active	FS CYLINDER EXCHANGE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
30264771	4650 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 3B2	Active	FS CYLINDER EXCHANGE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10959338	4901 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4A6	Active	FS LIQUID FUEL TANK
10959355	4901 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4A6	Active	FS LIQUID FUEL TANK
10959370	4901 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4A6	Active	FS LIQUID FUEL TANK
64508876	4901 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4A6	Active	FS LIQUID FUEL TANK
64508877	4901 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4A6	Active	FS LIQUID FUEL TANK
64508878	4901 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4A6	Active	FS LIQUID FUEL TANK
9816687	4901 SHEPPARD AVE E	SCARBOROUGH	ON	M1S 4A6	Active	FS GASOLINE STATION - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10289618	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	EXPIRED	FS PROPANE REFILL CNTR - CYLR FILL
10958195	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS LIQUID FUEL TANK
10958213	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS LIQUID FUEL TANK

10958228	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS LIQUID FUEL TANK
11595024	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS LIQUID FUEL TANK
11595033	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS LIQUID FUEL TANK
11599262	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS LIQUID FUEL TANK
11599274	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS LIQUID FUEL TANK
11603841	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	EXPIRED	FS PROPANE TANK
11603853	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	EXPIRED	FS PROPANE TANK
9248857	891 MORNINGSIDE AVE	SCARBOROUGH	ON	M1C 1B9	Active	FS PRIVATE FUEL OUTLET - SELF SERVE

Accessing the applications

1. Click [Release of Public Information](#) - TSSA and click “need a copy of a document”
2. Select the appropriate application, download it, complete it in full and save it (Note: you will have to upload the application)
3. Proceed to page 3 of the application and click the “TSSA Service Prepayment Portal” link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

1. Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
2. Under “Program Area” select **Public Information** and click continue
3. Enter application form number (found on the bottom left corner of the application form) and click continue
4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationservices@tssa.org.

Warm regards,



Kimberly Gage | Public Information Agent

Legal
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1 416-734-3348 | Fax: +1 416-734-3568 | E-Mail: kgage@tssa.org
www.tssa.org



From: Aswathy Suresan <asuresan@petomacallum.com>
Sent: Thursday, August 10, 2023 8:54 AM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: Regd: List of Fuel Tanks (Eglinton LRT E6)

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.



Winner of 2022 5-Star Safety Cultures Award

Good morning,

I would like to request a list of fuel tanks for the following location in the City of Toronto, Ontario.

1. 5818 Sheppard Ave E, Scarborough, ON M1B 4Z6
2. 4650 Sheppard Ave E, Scarborough, ON M1S 3J7
3. 4901 Sheppard Ave E, Scarborough, ON M1S 4A6
4. 4334 Kingston Rd, Scarborough, ON M1E 2M8
5. 891 Morningside Ave, Scarborough, ON M1C 1B9
6. 4191 Kingston Rd, Scarborough, ON M1E 2M5

Kind regards,

Aswathy Suresan, M.Eng. (She/Her)
Project Supervisor



Peto MacCallum Ltd.
165 Cartwright Avenue
Toronto, Ontario M6A 1V5
Tel: (416) 785-7202 ext 332
Cell: (705) 794-5697
asuresan@petomaccallum.com
www.petomaccallum.com

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Aswathy Suresan

From: Public Information Services <publicinformationservices@tssa.org>
Sent: March 21, 2024 2:29 PM
To: Aswathy Suresan
Subject: RE: List of Fuel Tanks (Eglinton LRT E7)

CAUTION: This email is originated from outside of the organization. Please do not open attachments or follow instructions from unsolicited e-mails, even if they come from people in your contact list, and never click on a URL contained in an unsolicited e-mail, even if the link seems benign. Please contact IT if you have any doubts on any email's authenticity.

TSSA is performing some critical system upgrades that will require a system shutdown from noon on March 21 until 8:45 a.m. on March 28. We seek your understanding and patience as we perform these crucial system upgrades. Requests for public information received between March 21 and March 28, will be processed after March 28, 2024 in the order that it is received.

Hello ,

RECORD FOUND IN CURRENT DATABASE:

- We confirm that there are **fuels records** in our database at the subject address(es).

Inventory Number	Address	City	Province	Postal Code	Reason Code	Asset Class / Inventory Context	Asset Type / Inventory Item
10140944	8270 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5R4	EXPIRED	FS Facility	FS PROPANE REFILL CNTR - CYLR FILL
10959562	8270 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5R4	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
10959584	8270 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5R4	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
10959602	8270 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5R4	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11462152	8270 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5R4	EXPIRED	FS Propane Tank	FS PROPANE TANK
11482369	8270 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5R4	EXPIRED	FS Propane Tank	FS PROPANE TANK
9379571	8270 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5R4	EXPIRED	FS Facility	FS PRIVATE FUEL OUTLET - SELF SERVE

Inventory Number	Address	City	Province	Postal Code	Reason Code	Asset Class / Inventory Context	Asset Type / Inventory Item
10959617	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11378407	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11378425	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11378441	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11378459	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11584345	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11584354	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11584360	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11584364	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
11584373	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
16057239	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
16057240	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
16057241	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
16057242	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Liquid Fuel Tank	FS LIQUID FUEL TANK
28116873	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Facility	FS CYLINDER EXCHANGE
30579858	8301 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5P7	Active	Propane	FS CYLINDER EXCHANGE
64476504	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Facility	FS GASOLINE STATION - SELF SERVE
64492505	8301 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5P7	Active	Liquid Fuels	FS GASOLINE STATION - SELF SERVE
64492506	8301 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5P7	Active	FS Liquid Fuel	FS LIQUID FUEL TANK
64492507	8301 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5P7	Active	FS Liquid Fuel	FS LIQUID FUEL TANK
64492508	8301 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5P7	Active	FS Liquid Fuel	FS LIQUID FUEL TANK
64492509	8301 SHEPPARD AVE E	SCARBOROUGH	ON	M1B 5P7	Active	FS Liquid Fuel	FS LIQUID FUEL TANK
9847422	8301 SHEPPARD AV E	SCARBOROUGH	ON	M1B 5P7	EXPIRED	FS Facility	FS GASOLINE STATION - SPLIT SERVE

NO RECORDS FOUND IN CURRENT DATABASE:

- We confirm that there are NO **fuels records** in our database at the subject address(es).
- 45 Thornmount Dr, Scarborough, ON M1B 3J4
- 8800 Sheppard Ave E, Scarborough, ON M1B 5S1
- 70 Grand Marshall Dr, Scarborough, ON M1B 5N6
- 35 Auto Mall Dr, Toronto, ON M1B 5N5

This is not a confirmation that there are no records in the archives. For a further search in our archives, please apply for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the applications and the Service Prepayment Portal:

Accessing the applications

1. Click [Request a Public Record](#)
2. Select the appropriate application, download it, complete it in full and save it (you will have to upload application)
3. Proceed to page 3 of the application and click the "TSSA Service Prepayment Portal" link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

1. Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
2. Under "Program Area" select **Public Information** and click continue
3. Enter application form number (found on the bottom left corner of the application form - **PI-095-v2**) and click continue
4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationservices@tssa.org.

Kind regards,



Slavka Zahrebelny | Public Information & Records Agent

Public Information

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-3585 | Fax: +1 416-734-6242 | E-Mail: szahrebelny@tssa.org

www.tssa.org



Winner of 2023 5-Star Safety Cultures Award

From: Aswathy Suresan <asuresan@petomacallum.com>

Sent: Thursday, March 21, 2024 1:27 PM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: List of Fuel Tanks (Eglinton LRT E7)

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

I would like to request a list of fuel tanks for the following location in the City of Toronto, Ontario.

1. 45 Thornmount Dr, Scarborough, ON M1B 3J4
2. 8270 Sheppard Ave E, Scarborough, ON M1B 5R4
3. 8800 Sheppard Ave E, Scarborough, ON M1B 5S1
4. 8301 Sheppard Ave E, Scarborough, ON M1B 2Y7
5. 70 Grand Marshall Dr, Scarborough, ON M1B 5N6
6. 35 Auto Mall Dr, Toronto, ON M1B 5N5

Kind regards,

Aswathy Suresan, M.Eng. E.I.T (She/Her)

Project Supervisor, Geoenvironmental Services



Peto MacCallum Ltd.

165 Cartwright Avenue

Toronto, Ontario M6A 1V5

Tel: (416) 785-7202 ext 332

Cell: (705) 794-5697

asuresan@petomacallum.com

www.petomacallum.com

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



APPENDIX B

Qualifications of Assessors



QUALIFICATIONS OF ENVIRONMENTAL CONSULTANT

PML was established in 1973 as a result of the merger of Peto Associates Ltd., founded in 1956, and the Ontario division of Racey MacCallum and Associates Limited, chartered in 1952. PML is a consulting engineering firm that specializes in the fields of geoenvironmental, hydrogeological and geotechnical engineering, building sciences, construction supervision/inspection and materials engineering/testing. Personnel in our four-branch offices form a network of full time dedicated environmental professionals.

This Site reconnaissance and report was prepared by Ms. Aswathy Suresan, M. Eng., EIT, who has been trained to conduct Phase One and Two ESAs in accordance with the O. Reg. 153/04, as amended. Ms. Suresan is a project supervisor with over a year of interdisciplinary professional experience specializing in geoenvironmental and hydrogeologic investigations and project management. Her main areas of expertise include Phase One and Phase Two ESAs, and Assessment of Past Uses.

The investigation and report preparation were supervised by Mr. Shamsul Tarafder, MSc. PhD., P.Geo. Mr. Tarafder is a Senior Geoscientist with over fifteen years of experience in geology, geophysics, physical and contaminant hydrology and hydrogeology, hydrogeochemistry and soil contamination chemistry. His experience includes soil and ground water investigations including Phase One and Two ESAs, aquifer characterization, groundwater exploration, soil and groundwater quality assessment, hydrogeological assessment, in-situ remediation of organic contaminants involving LNAPLs and DNAPLs such as petroleum products, VOCs and semi-VOCs, PAHs, BTEX and ether compounds using advanced treatment technologies, and solute transport hybrid numerical and analytical modelling. He has completed hundreds of Phase One and Two ESAs and Hydrogeological Site Assessment (HSA) reports for commercial, industrial, and residential properties. Mr. Tarafder is also author and co-author of a number of peer reviewed scientific articles.

This report was reviewed by Mahaboob Alam, MSc., PhD., P.Geo., a Professional Geoscientist registered with the Association of Professional Geoscientists of Ontario. Mr. Alam is a Director of the firm and Discipline Lead, Geoenvironmental and Hydrogeological services and is a Qualified Person (QP) registered with the MECP. He has over 30 years of interdisciplinary professional experience specializing in geoenvironmental and hydrogeologic investigations and project management. His main areas of expertise include Phase One and Phase Two ESAs,



site cleanup/remediation planning and supervision, waste management, UST and AST removals, site remediation, Risk Assessment, Records of site Condition and hydrogeologic investigations. He has completed hundreds of Phase One ESAs for commercial, industrial, and residential clients for a wide variety of project types (industrial complexes, commercial developments, entertainment and institutional buildings, and residential development)



APPENDIX C

Statement of Limitations



STATEMENT OF LIMITATIONS

This report is prepared for and made available for the sole use of the client named. Peto MacCallum Ltd. (PML) hereby disclaims any liability or responsibility to any person or entity, other than those for whom this report is specifically issued, for any loss, damage, expenses, or penalties that may arise or result from the use of any information or recommendations contained in this report. The contents of this report may not be used or relied upon by any other person without the express written consent and authorization of PML.

This report shall not be relied upon for any purpose other than as agreed with the client named without the written consent of PML. It shall not be used to express or imply warranty as to the fitness of the property for a particular purpose. A portion of this report may not be used as a separate entity: that is to say the report is to be read in its entirety at all times.

The report is based solely on the scope of services which are specifically referred to in this report. No physical or intrusive testing has been performed, except as specifically referenced in this report. This report is not a certification of compliance with past or present regulations, codes, guidelines and policies.

The scope of services carried out by PML is based on details of the proposed development and land use to address certain issues, purposes and objectives with respect to the specific site as identified by the client. Services not expressly set forth in writing are expressly excluded from the services provided by PML. In other words, PML has not performed any observations, investigations, study analysis, engineering evaluation or testing that is not specifically listed in the scope of services in this report. PML assumes no responsibility or duty to the client for any such services and shall not be liable for failing to discover any condition, whose discovery would require the performance of services not specifically referred to in this report.

The findings and comments made by PML in this report are based on the conditions observed at the time of PML's site reconnaissance. No assurances can be made and no assurances are given with respect to any potential changes in site conditions following the time of completion of PML's field work. Furthermore, regulations, codes and guidelines may change at any time subsequent to the date of this report and these changes may affect the validity of the findings and recommendations given in this report.



The results and conclusions with respect to site conditions are therefore in no way intended to be taken as a guarantee or representation, expressed or implied, that the site is free from any contaminants from past or current land use activities or that the conditions in all areas of the site and beneath or within structures are the same as those areas specifically sampled.

Any investigation, examination, measurements or sampling explorations at a particular location may not be representative of conditions between sampled locations. Soil, groundwater, surface water, or building material conditions between and beyond the sampled locations may differ from those encountered at the sampling locations and conditions may become apparent during construction which could not be detected or anticipated at the time of the intrusive sampling investigation.

Budget estimates contained in this report are to be viewed as an engineering estimate of probable costs and provided solely for the purposes of assisting the client in its budgeting process. It is understood and agreed that PML will not in any way be held liable as a result of any budget figures provided by it.

The Client expressly waives its right to withhold PML's fees, either in whole or in part, or to make any claim or commence an action or bring any other proceedings, whether in contract, tort, or otherwise against PML in any way connected with advice or information given by PML relating to the cost estimate or Environmental Remediation/Cleanup and Restoration or Soil and Groundwater Management Plan Cost Estimate.