

Public Consultation #2 Discussion Guide

ReNew Golden Mile: Reconfigured & New Major Streets Schedule 'C' Class Environmental Assessment

City of Toronto

Contents

1	Purp	ose of th	nis Discussion Guide	1	
2	Eval	Evaluation Framework			
3	Final Alternatives				
	3.1	Short-	Listed Alternative Alignments	6	
	3.2	Short-	Listed Alternative Street Designs	8	
		3.2.1	O'Connor Drive Reconfiguration Alternative Designs		
		3.2.2	O'Connor Drive Extension Alternative Designs		
		3.2.3	Craigton Drive Reconfiguration Alternative Designs	10	
		3.2.4	Thermos Road and Sinnott Road Alternative Designs		
		3.2.5	Golden Mile Boulevard Alternative Designs	11	
4	Eval	uation S	ummaries	12	
	4.1	O'Con	nor Drive Reconfiguration	12	
		4.1.1	Alternative Alignment Evaluation Summary	12	
		4.1.2	Alternative Street Design Evaluation Summary		
	4.2	O'Con	nor Drive Extension to Birchmount Road		
		4.2.1	Alternative Alignment Evaluation Summary	15	
		4.2.2	Alternative Street Design Evaluation Summary		
	4.3	Craigto	on Drive Reconfiguration		
		4.3.1	Alternative Alignment Evaluation Summary		
		4.3.2	Alternative Street Design Evaluation Summary		
	4.4	Potent	ial Thermos Road and Sinnott Road Re-Alignment	21	
		4.4.1	Alternative Alignment Evaluation Summary		
		4.4.2	Alternative Street Design Evaluation Summary		
	4.5	Golder	n Mile Boulevard	23	
		4.5.1	Alternative Alignment Evaluation Summary	23	
		4.5.2	Alternative Street Design Evaluation Summary (27m Street Width)		
		4.5.3	Alternative Street Design Evaluation Summary (20m Street Width)		

This page is intentionally left blank.

1 Purpose of this Discussion Guide

This discussion guide has been developed to provide you with information on the City's evaluation of Alternative Alignments and Alternative Street Designs for the ReNew Golden Mile Environmental Assessment (EA). It documents the final evaluation framework used to evaluate the different alternatives, as well as the outcome of the evaluation itself for each corridor.

This guide is meant as supplementary material for the Public Consultation Event #2. It documents the Alternatives, the evaluation scoring results within thematic areas/categories, and provides a summary of the evaluation and key decision points to help the reader understand how each Recommended Alternative was selected.

For more information, please visit the project website at <u>www.toronto.ca/goldenmile</u>.

2 Evaluation Framework

The evaluation framework for the ReNew Golden Mile Environmental Assessment (EA) consists of two sets of evaluation criteria. The first set was used to evaluate the 17 short-listed Alternative Alignments and the second set was used to evaluate the 16 Alternative Street Designs for the corridors being studied in the EA.

Initial evaluation criteria was presented at the first public consultation meeting in April 2023 and was then refined based on feedback received. The City utilized this initial criteria, with refinements, to evaluate the Alternative Alignments. The Alternative Alignment evaluation criteria included seven overarching categories with a number of criteria within each category and then a series of either qualitative or quantitative measures for each criteria to assess each Alternative Alignment.

For the Alternative Street Designs, a simplified set of criteria was developed following the first public consultation that focused on the priorities the public communicated to the City and objectives for the EA. The criteria was applied to the resulting short list of street alignment alternatives to obtain a recommendation with the least environmental impact that supports the area transportation needs.

The final Alternative Alignment Evaluation Criteria is presented below in Table 1, with the final Alternative Street Design Evaluation Criteria presented in Table 2.

Category	Criteria	Measure	
	Creation of an accessible street network for all ages and abilities	Does the alternative improve/provi opportunities for equitable, safe, comfortable, reliable, and continuous pedestrian and cycling facilities and connections to existin and planned pedestrian and cyclin facilities?	
Transportation	(qualitative)	Are walking/cycling distances improved to major existing and proposed destinations (shopping centres/grocery store, schools, other public services, etc.)?	
	Public transportation improvements (qualitative)	Does the alternative improve connections/access to transit facilities and ECLRT or create opportunities to expand TTC service?	
		Auto Corridor Travel Time	
	Multimodal network capacity	Pedestrian Travel Time	
	and efficiency (quantitative - weekday PM peak period)	Cyclist Travel Time	
	weerday Fivi pear pellou)	Overall Intersection Delay and LOS (<i>during PM peak hour</i>)	

Table 1: Alternative Alignment Evaluation Criteria

Category	Criteria	Measure
	Design (quantitative)	Does the alternative meet desired design criteria and standards (e.g. TAC, City engineering standards) and/or improve existing road safety and comfort?
	Emergency response and incident response (qualitative)	Does the alternative improve emergency service accessibility?
	Provides equitable transportation choices (qualitative)	Does the alternative promote transportation choice for people of all ages and abilities through the provision of well-connected, continuous, and comfortable cycling and walking routes?
Policy Framework		design criteria and standards (e.g. TAC, City engineering standards) and/or improve existing road safety and comfort?e andDoes the alternative improve emergency service accessibility?b Does the alternative promote transportation choice for people of all ages and abilities through the provision of well-connected, continuous, and comfortable cycling and walking routes?b Does the alternative meet or exceed accessibility needs for people with disabilities?b Does the alternative support the Golden Mile Secondary Plan Vision & Principles?b Does the alternative support the Golden Mile Transportation Master Plan (TMP) Goals & Implementation Plan?b Does the alternative result in the potential for increased runoff? (quantitative based on amount of impervious surface area)b Does the alternative have the potential to impact surface water features?b Does the alternative have the potential to impact surface water features?b Does the alternative have the potential to impact surface water features?b Does the alternative have the potential to impact surface water features?b Does the alternative have the potential to impact surface water features?b Does the alternative have the potential to impact surface water features?b Does the alternative minimize the effects of climate change (e.g., improved Low Impact Development).b Does the alternative contribute to improved noise conditions?b Does the alternative contribute to improved noise conditions?
	Compatibility with planning	Golden Mile Secondary Plan Vision
	policies (qualitative)	Golden Mile Transportation Master Plan (TMP) Goals & Implementation
		potential for increased runoff? (quantitative based on amount of
Notural Environment	Impacts to the natural	potential to impact surface water
Natural Environment	environment (qualitative and quantitative)	potential to impact natural heritage and terrestrial resources (existing
		effects of climate change (e.g.,
	Noise (qualitative)	
		Does the alternative contribute to improved air quality conditions?
Healthy Communities	Air quality (qualitative)	Does the alternative promote reduction of greenhouse gas emissions?
	Creates place-making Opportunities	Does the alternative provide opportunities to incorporate

Category	Criteria	Measure
		streetscape and public space amenities and landscape elements?
		Does the alternative have the potential to improve area lot fabric and/or create viable development blocks?
	Connects to/from Destinations (qualitative)	Does the alternative improve connections to/from destinations (e.g. existing/future parks and open spaces)?
Cultural Heritage	Maintains or enhances Archaeological resources and traditional uses of Indigenous people (qualitative)	Are there archaeological resources that might be affected by the alternative and what is the nature of the impact? Can the impacts be mitigated?
	Maintains or enhances cultural heritage resources (qualitative)	Are there cultural heritage resources that might be affected by the alternative and what is the nature of the impact?
Economical	Impacts to private property and businesses (qualitative and quantitative)	Does the alternative have a full and/or partial impact to private properties not anticipated to redevelop (quantitative – land area) and/or existing businesses (number of businesses) and nature of the impact (e.g. loss of driveway access/street frontage)? Can the impact be mitigated?
		Can segments of a street can be delivered through future area development to support redevelopment?
	Area Development (qualitative	Does the alternative impact approved development blocks and stage of development approvals? What is the scale of impact?
Engineering and Cost	Engineering feasibility and cost	Construction cost (based on a linear meter street construction cost)
	(quantitative)	What is required for maintaining and operating the alternative?
	Construction staging and phasing (qualitative)	Can the alternative be constructed through staging to minimize disruption to existing transit, pedestrian, cyclist, and auto mobility and/or is it possible to construct in phases associated with area development?

Category	Criteria	Measure
	Potential sources of soil contamination (quantitative)	Does this alternative have potential to impact contaminated property?
	Management of contaminated soils (qualitative)	How will types and quantities of excess materials be managed (including contamination)?
	Existing municipal infrastructure and utilities (qualitative)	Are there potential conflicts with existing utilities or challenges in re- location (temporary or permanent)?

Table 2: Alternative Street Design Evaluation Criteria

Category	Criteria	Measure	
	Pedestrian Clearway	Does the recommended clearway width align with ground floor uses and/or type of corridor?	
Pedestrian Space	Accessibility	Does the recommended sidewalk comply to the minimum pedestrian clearway width set by the City of Toronto Accessibility Design Guidelines?	
Cycling	Cycle Track	Does the recommended cycle track meet desired width and buffer from live traffic and pedestrian clearway?	
Driving	Vehicular Lanes	For O'Connor Drive Reconfiguration - is the number or vehicular lanes sufficient to support a functioning street network in a dense urban environment? Is there ability to accommodate dedicated turn lanes at key intersections?	
		Are minimum lane widths accommodated for?	
	Curbside Activity	Does the design allow space for parking if adjacent land uses would benefit from it?	
	Pedestrian Experience	Does the sidewalk width support moderate to high levels of two-way pedestrian movement and considering the type of corridor?	
	Minimum Furnishing Zone	Does the alternative meet standards based on the City of Toronto Streetscape Manual User Guide (2019)	
Public Realm	······································	What can fit within the furnishing zone? (e.g. bench, TTC shelter, waste receptacle)	
	Planting Zone	Does the alternative support objectives for increasing the City's tree canopy measured by rows of trees accommodated in boulevard?	
		How much space is allocated to planting zones? Is there space for open planters and/or grated planters?	
Utilities	Overhead & Subsurface Utilities	Does the recommended cross-section require new utility installations or existing utility relocations?	

3 Final Alternatives

3.1 Short-Listed Alternative Alignments

A total of 17 short-listed Alternative Alignments were presented at the first public consultation. Following the public consultation, the Alternative Alignments were refined based on feedback and on-going discussions with area development interests. Refinements were made to:

- Alternative 4 for the Golden Mile Boulevard;
- Alternative 1 and 3 for the O'Connor Drive Reconfiguration and Extension corridor Alternatives east of Victoria Park to provide a 90 degree angle intersection at Victoria Park and Alignment 1 was also adjusted west of Victoria Park Avenue to reduce property impacts;
- Alternative 2 for the O'Connor Drive Reconfiguration and Extension corridor was modified slightly where it connects to Victoria Park Avenue to significantly reduce the existing skewed intersection; and
- Alternative 1 for the O'Connor Drive Extension east of Pharmacy Avenue was adjusted to reflect discussions with a number of landowners and development interests in the area; and
- A new Alternative Alignment (Alternative 4) was included for the O'Connor Drive Extension corridor east Pharmacy Avenue.

The final Alternative Alignments are shown in Figure 1.




Figure 1: Final Short-Listed Alternatives

3.2 Short-Listed Alternative Street Designs

3.2.1 O'Connor Drive Reconfiguration Alternative Designs

A total of four short-listed Alternative Designs were presented at the first public consultation for the O'Connor Drive Reconfiguration (western limit to Pharmacy Avenue). Following the first public consultation, minor modifications to some Alternative C4 was made to enable continuous sidewalks and satisfy functional requirements at intersections without further property requirements. The Alternative Designs are shown in Figure 2.





Figure 2: O'Connor Drive Reconfiguration Alternative Designs



3.2.3 O'Connor Drive Extension Alternative Designs

A total of two short-listed Alternative Designs were presented at the first public consultation for the O'Connor Drive Extension (Pharmacy Avenue to Birchmount Road). Following the first public consultation, minor modifications to some Alternative D2 was made to enable continuous sidewalks and satisfy functional requirements at intersections without further property requirements. The Alternative Designs are shown in Figure 3.




Figure 3: O'Connor Drive Extension Alternative Designs

3.2.5 Craigton Drive Reconfiguration Alternative Designs

A total of three short-listed Alternative Designs were presented at the first public consultation for the Craigton Drive Reconfiguration. The Alternative Designs are shown in Figure 4.





Figure 4: Craigton Drive Reconfiguration Alternative Designs

3.2.6 Thermos Road and Sinnott Road Alternative Designs

A total of three short-listed Alternative Designs were presented at the first public consultation for the Thermos Road and Sinnott Road potential realignment. The Alternative Designs are shown in Figure 5.

Figure 5: Thermos Road and Sinnott Road Alternative Designs



3.2.8 Golden Mile Boulevard Alternative Designs

A total of three short-listed Alternative Designs were presented at the first public consultation for Golden Mile Boulevard section with a 27 meter street width. A total of two short-listed Alternative Designs were presented for the section with a 20 meter street width. The Alternative Designs are shown in Figures 7 and 8, respectively.





Figure 7: Golden Mile Boulevard Alternative Designs (27m)

Figure 8: Golden Mile Boulevard Alternative Designs (20m)



Alternative B2

4 Evaluation Summaries

4.1 O'Connor Drive Reconfiguration

4.1.1 Alternative Alignment Evaluation Summary

Table 1: O'Connor Drive Reconfiguration and Extension to Pharmacy Avenue Alternatives Evaluation Table

Category	Alternative 1	Alternative 2	Alternative 3
TRANSPORTATION	- +	- +	-
POLICY FRAMEWORK	+	- +	-
NATURAL ENVIRONMENT	+	+	+
HEALTHY COMMUNITIES	+	0	_
CULTURAL HERITAGE	0	+	0
ECONOMICAL	0	-	+
ENGINEERING AND COST	0	0	0

🕂 Most Preferred

O Moderately Preferred

Least Preferred

Based on the Street Alignment Evaluation Framework, Alternative 1 is the Recommended Alternative. Alternative 1 provides a continuous connection from Victoria Park Avenue to Pharmacy Avenue. This alternative requires additional policy work to mitigate impacts on lands west of Victoria Park, along with a City-initiated re-zoning east of Victoria Park Avenue to reflect the Recommended Alignment.

Transportation: Alternatives 1 and 2 are preferred from a transportation perspective as the continuous connection reduces bus travel times and provides connectivity for TTC buses and the Eglinton Crosstown LRT. Alternative 1 and 2 meets most desired design criteria. Alternative 3 has the most closely spaced signals which will result in the poorest overall performance. Alternative 1 and Alternative 2 similarly improve active transportation connections and emergency service accessibility. Alternative 3 does not experience these same benefits.

Policy Framework: Alternative 1 and Alternative 2 perform similarly from a policy framework. They both meet AODA design guidelines, are consistent with City policies, guidelines and the TMP's problem and opportunity statement. They both contribute to providing a finer grid of streets and blocks. Alternative 3 provides a coarser grain of streets and does not adequately address the TMP's problem and opportunity statement.

Natural Environment: The alternatives are all equally preferred from a Natural Environment perspective. Natural environment impacts and mitigation opportunities are similar across all alignments.

Healthy Communities: Alternative 1 and Alternative 2 have similar impacts on air quality and Green House Gas (GHG) reductions. Alternatives 1 and 3 have the potential to increase noise impacts to existing residential areas, however, these are anticipated to be typical for an urban area. Alternative 3 is expected to lead to an increase in GHG emissions as the jog in the road will lead to an increase in vehicles queuing and delays at the new intersections. Alternatives 2 and 3 create irregular lot configurations adjacent to the new street.

Cultural Heritage: Alignment 2 is preferred from a cultural heritage perspective as it located further away from a Postwar subdivision classified as a Cultural Heritage Landscape and has the lowest potential for impact.

Economical: Alternative 3 is preferred from an economic perspective as it has the least impacts to businesses and requires the least amount of property. Alternatives 1 and 3 require the minor reconfiguration of development sites with approved development blocks/buildings. Whereas, Alternative 2 requires significant reconfiguration of approved development blocks east of Victoria Park with the required development approvals significantly advanced. Alternative 1 requires the most amount of private property and impacts the most existing businesses. These impacts can be mitigated through parallel planning work and a potential future land exchange.

Engineering and Cost: Alternative 2 and 3 have mid-range implementation costs and construction complexity. While Alternative 1 has the highest implementation cost, these costs can be offset through phased implementation with development.

4.1.2 Alternative Street Design Evaluation Summary

Table 2: O'Connor Drive Reconfiguration and Extension to Pharmacy Avenue Designs Evaluation Table

		Category	Alternative C1	Alternative C2	AlternativeC3	Alternative C4
3	齐	Pedestrian Space	0	0	- +	- +
ć	50	Cycling	0	0	0	+
		Driving	0	0	+	+
1	≓Î	Public Realm	0	+	0	+
04		Utilities	+	0	+	0

- Very Good
- Poor

Based on the Alternative Street Design Evaluation Framework, Alternative C4 is the overall recommended design. Overall, Alternative C4 is preferred as it meets and exceeds pedestrian space requirements and provides desirable cycle track widths. It provides space for two, wide planting and furnishing zones on either side of the street. It provides sufficient vehicular capacity and enables dedicated right and left turn lanes at key intersections. There are also opportunities for mid-block lay-by parking.

Pedestrian Space: Alternative C3 provides the most space for pedestrians. Alternative C4 meets objectives for pedestrian space for the type of corridor O'Connor Drive is. All alternatives meet or exceed sidewalk widths from an accessibility perspective.

Cycling: Alternative C4 is preferred as it exceeds minimum requirements and provides added space for snow clearance and buffer to vehicular lanes. Alternatives C1, C2 and C3 meet minimum requirements only.

Driving: Alternatives C1, C3 and C4 have sufficient capacity for future traffic volumes. Alternatives C3 and C4 are able to accommodate dedicated turn lanes at key intersections which improves intersection operations. Alternative C1 can only accommodate dedicated left turn lanes. A continuous two-way left-turn turn lane in Alternative C2 is not required by adjacent land uses (existing or proposed). Lay-by parking is not able to be accommodated in Alternative C1.

Public Realm: Alternative C4 is preferred as it provides more rows of tree planting while still supporting a good pedestrian experience.

Utilities: Alternative C3 is preferred as it is anticipated to not require soil cells. All alternatives would require new or relocated utilities.

4.2 O'Connor Drive Extension to Birchmount Road

4.2.1 Alternative Alignment Evaluation Summary

Table 3: O'Connor Drive Extension to Birchmount Road Street Alternatives Evaluation Table

Category	Alternative 1	Alternative 2	Alternative 3	Alternative 4
TRANSPORTATION	0	0	0	. •
POLICY FRAMEWORK	+	+	+	+
NATURAL ENVIRONMENT	+	+	+	+
HEALTHY COMMUNITIES	+	+	+	+
CULTURAL HERITAGE	0	-	0	0
ECONOMICAL	+	-	-	_
ENGINEERING AND COST	+	0	0	-

Host Preferred

O Moderately Preferred

Least Preferred

Based on the Street Alignment Evaluation Framework, Alternative 1 is the overall recommended alternative. Alternative 1 connects to and extends Civic Road to Birchmount Road east of Warden Avenue. This alignment is the overall preferred alignment as it impacts the least number of properties, it can be constructed in phases and is the least costly alternative, and it has the least impacts to cultural heritage.

Transportation: Transportation impacts and mitigation opportunities are similar across all alignments; however, Alternative 5 provides an additional pedestrian and cycling connection at Bonniewood Road. Alternatives 1, 4A and 4B also have reduced signal spacing at intersections between Warden Avenue and Birchmount Road.

Policy Framework: All alternatives perform similarly from a policy framework. They meet AODA design guidelines, are consistent with City policies, guidelines and the TMP's problem and opportunity statement. They all contribute to providing a finer grid of streets and blocks.

Natural Environment: Natural environment impacts and mitigation opportunities are similar across all alternatives.

Healthy Communities: All alternatives have similar impacts to noise and air quality, and are anticipated to reduce GHG emissions by improving access for transit and active transportation. All alternatives result in viable development blocks.

Cultural Heritage: Alternatives 1, 4A and 4B have direct impacts to the potential Built Heritage Resource (BHR) at 2201 Eglinton Avenue East with the potential to mitigate impacts during

detailed design and completion of a Resource Specific Heritage Impact Assessment. Alternatives 4A and 5 have direct impacts to potential built heritage features of the General Engineering Company of Ontario (GECO) munitions plant from WWII.

Economical: Alternative 1 is preferred from an economical perspective, as it requires the least amount of property and does not require reconfiguration of development sites with approved development blocks/buildings. Most property impacts can be mitigated through future area development. Alternatives 4A, 4B and 5 have significant impacts to properties and businesses east of Warden Avenue.

Engineering and Cost: Alternative 1 is preferred from an implementation perspective as it can be constructed in phases and will have the least cost compared to the other alternatives.

4.2.2 Alternative Street Design Evaluation Summary

Based on the Design Evaluation Framework, Alternative D2 is the overall recommended design. Overall, Alternative D2 is preferred as it meets and exceeds pedestrian space requirements and provides desirable cycle track widths. It provides space for two, wide planting and furnishing zones on either side of the street. There are also opportunities for mid-block layby parking.



Table 4: O'Connor Drive Extension to Birchmount Road Street Designs Evaluation Table

Based on the Design Evaluation Framework, Alternative D2 is the overall recommended

design. Overall, Alternative D2 is preferred as it meets and exceeds pedestrian space requirements and provides desirable cycle track widths. It provides space for two, wide planting and furnishing zones on either side of the street. It provides sufficient vehicular capacity and enables dedicated right and left turn lanes at key intersections. There are also opportunities for mid-block lay-by parking.

Pedestrian Space: Alternative D1 provides the most space for pedestrians. Alternative D2 meets objectives for pedestrian space for the type of corridor O'Connor Drive is. All alternatives meet or exceed sidewalk widths from an accessibility perspective.

Cycling: Alternative D2 is preferred as it exceeds minimum requirements and provides added space for snow clearance and buffer to vehicular lanes. Alternative D1 meets minimum requirements only.

Driving: Both alternatives provide two vehicular lanes that meet guideline requirements. Both alternatives support curbside activity for adjacent land uses. Alternative D1 provides a continuous lane of on-street parking. Alternative D2 provides opportunities for some mid-block lay-by parking.

Public Realm: Alternative D2 is preferred as it provides more rows of tree planting while still supporting a good pedestrian experience.

Utilities: Alternative D2 is preferred as it is anticipated to not require soil cells. All alternatives would require new or relocated utilities.

4.3 Craigton Drive Reconfiguration

4.3.1 Alternative Alignment Evaluation Summary

Table 5: Craigton Drive Reconfiguration Street Alternative Alignments Evaluation Table

Category	Alternative 1	Alternative 2
TRANSPORTATION	- +	0
POLICY FRAMEWORK	+	+
NATURAL ENVIRONMENT	+	+
HEALTHY COMMUNITIES	+	+
CULTURAL HERITAGE	+	+
ECONOMICAL	-	+
ENGINEERING AND COST	-	-

Host Preferred

O Moderately Preferred

Least Preferred

Based on the Alternative Alignment Evaluation Framework, Alternative 2 is the Recommended Alternative. Alternative 2 realigns Craigton Drive north of Ashtonbee Road. This alternative is recommended as it has the least property impacts, it meets and/or exceeds the transportation design criteria, and it does not require the construction of a new road segment.

The Craigton Drive Reconfiguration recommendation requires additional mitigation measures in order for the realignment of the street to proceed. These mitigation measures are needed to maintain and protect for existing underground infrastructure services and future operations of the Eglinton Pumping Station. Transportation Services, working with other respective Divisions, will implement these measures and complete more detailed analysis during preliminary and detailed design of the re-aligned street to:

- Reduce impacts to water valves that would be located under the roadway;
- Include safety measures to mitigate the potential for collisions into the Pumping Station building; and
- Relocate the EMS station within the area or reduce its footprint to free up land on Toronto Water's site to ensure Toronto Water has sufficient contiguous land for the critical water infrastructure needs and long-term operational and maintenance requirements.

Transportation: Alternative 1 is preferred from a transportation perspective as it meets and exceeds the design criteria and achieves a regular (90 degree) intersection configuration. Alternative 2 meets minimum requirements for intersection geometry (greater than 70 degrees). Both alternatives improve active transportation connectivity and connections to surrounding transit facilities. They also result in improved emergency service access. Traffic operations are similar across both alternatives.

Policy Framework: Alternative 1 and Alternative 2 are consistent with the objectives of the Golden Mile Secondary Plan and the Golden Mile TMP. Both alternatives meet AODA guidelines and contribute to a finer grain of connected streets.

Natural Environment: Alternative 1 and Alternative 2 are equally preferred from a natural environment perspective. Natural environment impacts and mitigation opportunities are similar across both alternatives such as the increased runoff potential, surface water impacts, natural heritage preservation, and climate change mitigation.

Healthy Communities: Both alternatives have similar impacts to noise and air quality. Increased mode shift through provision of improved transit and active transportation, reducing reliance on vehicle travel promotes reduction of GHG emissions. Alternative 1 results in narrow and/or odd shaped lots north of the realigned street.

Cultural Heritage: Alternative 1 and Alternative 2 are equally preferred from a Cultural Heritage perspective.

Economical: Alternative 2 is preferred from an economical perspective as it requires the least amount of property from sites not anticipated to redevelop. Alternative 1 requires the most amount of property from sites not anticipated to redevelop. Alternative 1 requires significant reconfiguration of development sites with approved Official Plan development blocks/buildings and may require reducing the amount of planned parkland to reallocate land from Craigton Drive. Alternative 1 only impacts existing accesses to two residential buildings north of Rannock Street. This can be mitigated through design.

Engineering and Cost: Both alternatives have significant engineering and cost implications. Alternative 2 utilizes existing Rannock Street to the extent possible, minimizing utility relocations. Alternative 2 impacts Eglinton Pumping Station infrastructure and requires land from this site. For Alternative 2 to proceed to construction, mitigation measures are required that are to be addressed during preliminary and detailed design. These include minimizing impacts to existing transmission mains and valves, ensuring valve access within the roadway, including safety measures in the design of the street and freeing up other land on the Eglinton Pumping Station site to ensure future critical water servicing requirements are met. Alternative 1 has significant utility impacts.

4.3.2 Alternative Street Design Evaluation Summary

	Category	Alternative E1	Alternative E2	Alternative E3	
六	Pedestrian Space	+	0	0	I very Good O Good
్ం	Cycling	0	0	0	Poor
	Driving	+	+	0	
, <u></u>	Public Realm	0	+	_	
	Utilities	+	0	0	_

Table 6: Craigton Drive Reconfiguration Street Alternative Designs Evaluation Table

Based on the Design Evaluation Framework, Alternative E1 is the overall recommended design. Overall, Alternative E1 is preferred as it will provide the best pedestrian experience while still accommodating all other modes and it includes a generous planting/furnishing zone.

Pedestrian Space: Alternative E1 is preferred as it provides desirable sidewalk widths.

Cycling: All alternatives provide cycle track widths that meet minimum requirements.

Driving: All alternatives provide two vehicular lanes that meet guideline requirements. Alternatives E1 and E2 are able to accommodate some mid-block lay-by parking for short-term curbside activity. The continuous lane of on-street parking in Alternative E3 is not required for the adjacent land uses.

Public Realm: Alternative E2 is preferred as it provides more rows of tree planting.

Utilities: All alternatives involve reconstruction of the existing street and will require utility relocations. Soil cells anticipated to not be required for Alternative E1 given the width of the planting/furnishing zone and ability to accommodate soil volumes.

4.4 Potential Thermos Road and Sinnott Road Re-Alignment

4.4.1 Alternative Alignment Evaluation Summary

Table 7: Potential Thermos Road and Sinnott Road Realignment Alternatives Evaluation Table	

Category	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Alternative 5
TRANSPORTATION	- +	-	-	-	0
POLICY FRAMEWORK	+	+	+	+	+
NATURAL ENVIRONMENT	+	+	+	+	+
HEALTHY COMMUNITIES	0	+	+	+	+
CULTURAL HERITAGE	+	+	+	+	+
ECONOMICAL	0	-	_	-	+
ENGINEERING AND COST	0	-	-	-	+

🕂 Most Preferred

O Moderately Preferred

Least Preferred

Based on the Alternative Alignment Evaluation Framework, Alternative 5 is the

Recommended Alignment. Alternative 5 maintains the existing alignment with the addition of active transportation improvements. It has minimal property requirements and does not impact the Eglinton Crosstown LRT (ECLRT) right-of-way.

Transportation: Alternative 1 is preferred from a transportation perspective as it achieves a continuous connection from Thermos Road to Sinnott Road and avoids impacts to the ECLRT. Alternative 5 does not provide a continuous pedestrian crossing and cycling facilities, connections, or access, however, there are opportunities to improve active transportation from a safety and connectivity perspective. Alternatives 2, 3 and 4 have significant impacts to the ECLRT as they cannot utilize the existing intersection.

Policy Framework: All alternatives are consistent with the objectives of the Golden Mile Secondary Plan and the Golden Mile TMP and meet AODA guidelines.

Natural Environment: Natural environment impacts and mitigation opportunities are similar across all alternatives.

Healthy Communities: All alternatives have similar impacts to noise and air quality. Increased mode shift through provision of improved transit and active transportation, reducing reliance on vehicle travel promotes reduction of GHG emissions. Alternative 1 results in irregular lot configurations.

Cultural Heritage: Cultural Heritage impacts and mitigation opportunities are similar across all alternatives. No direct impacts to potential BHR at 2201 Eglinton Avenue East.

Economical: Alternative 5 is preferred from an economical perspective, as it has the least impacts to existing properties, as well as to approved development blocks/buildings with development approvals significantly advanced. Alternatives 1, 3 and 4 require reconfiguration of approved development blocks/buildings. Alternatives 2, 3 and 4 also have significant property impacts south of Eglinton Avenue East if the realignment is not achievable through redevelopment.

Engineering and Cost: Alternative 5 is preferred from an engineering and cost perspective as it does not impact the ECLRT.

4.4.2 Alternative Street Design Evaluation Summary

	Category	Alternative F1	Alternative F2	Alternative F3	
齐	Pedestrian Space	- +	- +	0	Very Good
50	Cycling	+	+	+	Poor
	Driving	+	+	+	
. <u></u>	Public Realm	0	+	0	-
	Utilities	+	0	0	- -

Table 8: Potential Thermos Road and Sinnott Road Realignment Designs Evaluation Table

Based on the Design Evaluation Framework, Alternative F1 is the overall recommended design. Overall, Alternative F1 is preferred as it provides the best pedestrian experience. Alternative F1 also results in a lower cost of implementation due to not requiring soil cells for tree planting.

Pedestrian Space: Alternative F1 and F2 are preferred as they provide desirable sidewalk widths.

Cycling: All alternatives provide standard cycle track widths.

Public Realm: Alternative F2 is preferred as it provides more rows of tree planting while still supporting a good pedestrian experience.

Driving: All alternatives provide two vehicular lanes.

Utilities: Alternative F1 is preferred as soil cells are not required for tree planting. All alternatives require reconstruction of existing roadway and utilities.

4.5 Golden Mile Boulevard

4.5.1 Alternative Alignment Evaluation Summary

Category	Alternative 1	Alternative 2	Alternative 3	Alternative 4
TRANSPORTATION	0	0	- +	0
POLICY FRAMEWORK	+	+	+	+
NATURAL ENVIRONMENT	+	+	+	+
HEALTHY COMMUNITIES	0	0	0	+
CULTURAL HERITAGE	+	+	+	+
ECONOMICAL	0	0	_	+
ENGINEERING AND COST	+	+	_	+

Table 9: Golden Mile Boulevard Alternative Alignments Evaluation Table

Host Preferred

O Moderately Preferred

Least Preferred

Based on the Street Alignment Evaluation Framework, Alternative 4 is the overall recommended alternative. This alternative is recommended as it is the most compatible with area development plans, and it best meets and exceeds the requirements of the design criteria.

Transportation: Alternatives 3B provides improved intersection geometry. Alternative 4 provides acceptable geometry at Hakimi Avenue in consideration of the existing geometry of Hakimi Avenue. All alternatives have similar impacts on active transportation facilities, connections to surrounding transit facilities, and result in improved emergency servicability. Traffic operations are similar across all alignments.

Policy Framework: All alternatives perform similarly in complementing the objectives of the Golden Mile Secondary Plan and the Golden Mile TMP. All alternatives perform similarly in promoting transportation choice and providing opportunities for landscape improvements.

Natural Environment: Alternative 3B is preferred as it provides more opportunities for green infrastructure to minimize the effects of climate change. All alternatives have similar impacts on surface runoff quantities, surface water features, natural heritage and terrestrial resources.

Healthy Communities: All alternatives have similar impacts to noise and air quality. Increased mode shift through provision of improved transit and active transportation, reducing reliance on vehicle travel promotes reduction of GHG emissions. Alternative 4 provides the best lot fabric.

Cultural Heritage: All alternatives have similar impacts and mitigation opportunities on archaeological resources and cultural heritage resources. No direct impacts to the potential BHR at 1940 Eglinton Avenue East.

Economical: Alternative 4 is preferred as it is most compatible with the area development plans and does not require the reconfiguration of approved development blocks/buildings. Alternatives 2 and 3 require minor reconfiguration and alternative 3b requires major reconfiguration of development blocks/buildings.

Engineering and Cost: Alternatives 2, 3, and 4 have similar impacts on maintenance, phasing, staging, contamination potential, and utility conflicts. Alternative 3B is anticipated to have a higher construction cost and additional utility relocations along Hakimi Avenue.

4.5.2 Alternative Street Design Evaluation Summary (27m Street Width)




 Table 10: Golden Mile Boulevard (27m) Designs Evaluation Table

Based on the Design Evaluation Framework, Alternative A2 is the overall recommended

design. Overall, Alternative A2 is preferred as it will provide a better pedestrian experience and allows for greater tree canopy coverage considering the surrounding residential land use context while accommodating opportunities for parking mid-block to support curbside activity.

Pedestrian Space: Alternative A1 has the widest sidewalk located adjacent to planned residential uses at street level. Alternative A2 provides a good sidewalk width for the anticipated densities away from the planned residential uses at street level.

Cycling: Both alternatives provide standard cycle track widths.

Public Realm: Alternative A2 is preferred as it provides more rows of tree planting while still supporting moderate to high levels of two-way pedestrian movement.

Utilities: Alternative A2 will result in higher cost to accommodate soil cells.

Traffic: Both alternatives provide two vehicular lanes and pickup/drop-off zones. A continuous lane of on-street parking is not required to support adjacent land uses.

4.5.3 Alternative Street Design Evaluation Summary (20m Street Width)

	Category	Alternative B1	Alternative B2	_
٢	Pedestrian Space	0	0	Very Good
ోం	Cycling	-	0	- Poor
	Driving	+	0	-
<u>,</u> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Public Realm	0	+	-
	Utilities	0	0	_

Table 11: Golden Mile Boulevard (20m) Designs Evaluation Table

Based on the Design Evaluation Framework, Alternative B2 is the overall recommended design. Overall, Alternative B2 is preferred as it provides standard widths for both sidewalks adjacent to the marketing zone on private property. Alternative B2 has standard width cycle tracks with two rows of trees, one on either side of the street and it has wider furnishing zones.

Pedestrian Space: Both alternatives provide standard sidewalk widths.

Cycling: Alternative B2 is preferred as it provides standard cycle track width, while B1 provides less than the standard width.

Public Realm: Alternative B2 is preferred as it provides a row of tree planting on both sides of the street.

Utilities: Both alternatives require soil cells to provide sufficient soil volume for trees.

Traffic: Both alternatives provide two vehicular lanes. Alternative B1 is preferred as it can accommodate some mid-block lay-by parking to support curbside activity.